
WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7:		(11) International Publication Number:	WO 00/52027	-
C07H 21/04, C07K 1/00, 14/00, C12N 1/21, 15/00, 15/09, 15/63, 15/70, C12P 19/34	A1	(43) International Publication Date:	8 September 2000 (08.09.00)	9°.

(21) International Application	Number:	PCT/US00/05432

(22) International Filing Date: 2 March 2000 (02.03.00)

(30) Priority Data:
60/122,389 2 March 1999 (02.03.99) US
60/126,049 23 March 1999 (23.03.99) US
60/136,744 28 May 1999 (28.05.99) US

(71) Applicant: LIFE TECHNOLOGIES, INC. [US/US]; 9800 Medical Center Drive, Rockville, MD 20850 (US).

(72) Inventors: HARTLEY, James, L.; 7409 Hillside Drive, Frederick, MD 21702 (US). BRASCH, Michael, A.; 20931 Sunnyacres Road, Gaithersburg, MD 20882 (US). TEMPLE, Gary, F.; 114 Ridge Road, Washington Grove, MD 20882 (US). CHEO, David; 2006 Baltimore Road, #21, Rockville, MD 20851 (US).

(74) Agents: ESMOND, Robert, W. et al.; Sterne, Kessler, Goldstein & Fox P.L.L.C., Suite 600, 1100 New York Avenue, N.W., Washington, DC 20005-3934 (US).

(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published

With international search report.

With an indication in relation to deposited biological material furnished under Rule 13bis separately from the description.

(54) Title: COMPOSITIONS AND METHODS FOR USE IN RECOMBINATIONAL CLONING OF NUCLEIC ACIDS

(57) Abstract

The present invention relates generally to compositions and methods for use in recombinational cloning of nucleic acid molecules. In particular, the invention relates to nucleic acid molecules encoding one or more recombination sites or portions thereof, to nucleic acid molecules comprising one or more of these recombination site nucleotide sequences and optionally comprising one or more additional physical or functional nucleotide sequences. The invention also relates to vectors comprising the nucleic acid molecules of the invention, to host cells comprising the vectors or nucleic acid molecules of the invention, to methods of producing polypeptides using the nucleic acid molecules of the invention, and to polypeptides encoded by these nucleic acid molecules or produced by the methods of the invention. The invention also relates to antibodies that bind to one or more polypeptides of the invention or epitopes thereof. The invention also relates to the use of these compositions in methods for recombinational cloning of nucleic acids, in vitro and in vivo, to provide chimeric DNA molecules that have particular characteristics and/or DNA segments.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain ·	LS	Lesotho	SI	Slovenia
AM	Ammenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	•	Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	ÜA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan .	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	ΥU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		
					•		<u>.</u>
			•				

10

15

20

25

30

Compositions and Methods for Use in Recombinational Cloning of Nucleic Acids

BACKGROUND OF THE INVENTION

Field of the Invention

The present invention relates generally to recombinant DNA technology. More particularly, the present invention relates to compositions and methods for use in recombinational cloning of nucleic acid molecules. The invention relates specifically to nucleic acid molecules encoding one or more recombination sites or one or more partial recombination sites, particularly attB, attP, attL, and attR, and fragments, mutants, variants and derivatives thereof. The invention also relates to such nucleic acid molecules wherein the one or more recombination site nucleotide sequences is operably linked to the one or more additional physical or functional nucleotide sequences. The invention also relates to vectors comprising the nucleic acid molecules of the invention, to host cells comprising the vectors or nucleic acid molecules of the invention, to methods of producing polypeptides and RNAs encoded by the nucleic acid molecules of the invention, and to polypeptides encoded by these nucleic acid molecules or produced by the methods of the invention, which may be fusion proteins. The invention also relates to antibodies that bind to one or more polypeptides of the invention or epitopes thereof, which may be monoclonal or polyclonal antibodies. The invention also relates to the use of these nucleic acid molecules, vectors, polypeptides and antibodies in methods for recombinational cloning of nucleic acids, in vitro and in vivo, to provide chimeric DNA molecules that have particular characteristics and/or DNA segments. More particularly, the antibodies of the invention may be used to identify and/or purify proteins or fusion proteins encoded by the nucleic acid molecules or vectors of the invention, or to identify and/or purify the nucleic acid molecules of the invention.

10

15

20

25

30

Related Art

Site-specific recombinases. Site-specific recombinases are proteins that are present in many organisms (e.g. viruses and bacteria) and have been characterized to have both endonuclease and ligase properties. These recombinases (along with associated proteins in some cases) recognize specific sequences of bases in DNA and exchange the DNA segments flanking those segments. The recombinases and associated proteins are collectively referred to as "recombination proteins" (see, e.g., Landy, A., Current Opinion in Biotechnology 3:699-707 (1993)).

Numerous recombination systems from various organisms have been described. See, e.g., Hoess et al., Nucleic Acids Research 14(6):2287 (1986); Abremski et al., J. Biol. Chem. 261(1):391 (1986); Campbell, J. Bacteriol. 174(23):7495 (1992); Qian et al., J. Biol. Chem. 267(11):7794 (1992); Araki et al., J. Mol. Biol. 225(1):25 (1992); Maeser and Kahnmann Mol. Gen. Genet. 230:170-176) (1991); Esposito et al., Nucl. Acids Res. 25(18):3605 (1997).

Many of these belong to the integrase family of recombinases (Argos et al. EMBO J. 5:433-440 (1986); Voziyanov et al., Nucl. Acids Res. 27:930 (1999)). Perhaps the best studied of these are the Integrase/att system from bacteriophage λ (Landy, A. Current Opinions in Genetics and Devel. 3:699-707 (1993)), the Cre/loxP system from bacteriophage P1 (Hoess and Abremski (1990) In Nucleic Acids and Molecular Biology, vol. 4. Eds.: Eckstein and Lilley, Berlin-Heidelberg: Springer-Verlag, pp. 90-109), and the FLP/FRT system from the Saccharomyces cerevisiae 2 μ circle plasmid (Broach et al. Cell 29:227-234 (1982)).

Backman (U.S. Patent No. 4,673,640) discloses the *in vivo* use of λ recombinase to recombine a protein producing DNA segment by enzymatic site-specific recombination using wild-type recombination sites attB and attP.

Hasan and Szybalski (Gene 56:145-151 (1987)) discloses the use of λ Int recombinase in vivo for intramolecular recombination between wild type attP and attB sites which flank a promoter. Because the orientations of these sites are

10

15

20

25

30

inverted relative to each other, this causes an irreversible flipping of the promoter region relative to the gene of interest.

Palazzolo et al. Gene 88:25-36 (1990), discloses phage lambda vectors having bacteriophage λ arms that contain restriction sites positioned outside a cloned DNA sequence and between wild-type loxP sites. Infection of E, coli cells that express the Cre recombinase with these phage vectors results in recombination between the loxP sites and the $in\ vivo$ excision of the plasmid replicon, including the cloned cDNA.

Pósfai et al. (Nucl. Acids Res. 22:2392-2398 (1994)) discloses a method for inserting into genomic DNA partial expression vectors having a selectable marker, flanked by two wild-type FRT recognition sequences. FLP site-specific recombinase as present in the cells is used to integrate the vectors into the genome at predetermined sites. Under conditions where the replicon is functional, this cloned genomic DNA can be amplified.

Bebee et al. (U.S. Patent No. 5,434,066) discloses the use of site-specific recombinases such as Cre for DNA containing two loxP sites for in vivo recombination between the sites.

Boyd (Nucl. Acids Res. 21:817-821 (1993)) discloses a method to facilitate the cloning of blunt-ended DNA using conditions that encourage intermolecular ligation to a dephosphorylated vector that contains a wild-type loxP site acted upon by a Cre site-specific recombinase present in E. coli host cells.

Waterhouse et al. (WO 93/19172 and Nucleic Acids Res. 21 (9):2265 (1993)) disclose an in vivo method where light and heavy chains of a particular antibody were cloned in different phage vectors between loxP and loxP 511 sites and used to transfect new E. coli cells. Cre, acting in the host cells on the two parental molecules (one plasmid, one phage), produced four products in equilibrium: two different cointegrates (produced by recombination at either loxP or loxP 511 sites), and two daughter molecules, one of which was the desired product.

Schlake & Bode (Biochemistry 33:12746-12751 (1994)) discloses an in vivo method to exchange expression cassettes at defined chromosomal locations, each flanked by a wild type and a spacer-mutated FRT recombination site. A

10

15

20

25

30

double-reciprocal crossover was mediated in cultured mammalian cells by using this FLP/FRT system for site-specific recombination.

Hartley et al. (U.S. Patent No. 5,888,732) disclose compositions and methods for recombinational exchange of nucleic acid segments and molecules, including for use in recombinational cloning of a variety of nucleic acid molecules in vitro and in vivo, using a combination of wildtype and mutated recombination sites and recombination proteins.

Transposases. The family of enzymes, the transposases, has also been used to transfer genetic information between replicons. Transposons are structurally variable, being described as simple or compound, but typically encode the recombinase gene flanked by DNA sequences organized in inverted orientations. Integration of transposons can be random or highly specific. Representatives such as Tn7, which are highly site-specific, have been applied to the *in vivo* movement of DNA segments between replicons (Lucklow *et al.*, J. Virol. 67:4566-4579 (1993)).

Devine and Boeke *Nucl. Acids Res.* 22:3765-3772 (1994), discloses the construction of artificial transposons for the insertion of DNA segments, *in vitro*, into recipient DNA molecules. The system makes use of the integrase of yeast TY1 virus-like particles. The DNA segment of interest is cloned, using standard methods, between the ends of the transposon-like element TY1. In the presence of the TY1 integrase, the resulting element integrates randomly into a second target DNA molecule.

Recombination Sites. Also key to the integration/recombination reactions mediated by the above-noted recombination proteins and/or transposases are recognition sequences, often termed "recombination sites," on the DNA molecules participating in the integration/recombination reactions. These recombination sites are discrete sections or segments of DNA on the participating nucleic acid molecules that are recognized and bound by the recombination proteins during the initial stages of integration or recombination. For example, the recombination site for Cre recombinase is loxP which is a 34 base pair sequence comprised of two 13 base pair inverted repeats (serving as the recombinase binding sites) flanking an 8 base pair core sequence. See Figure 1 of Sauer, B., Curr. Opin. Biotech.

5:521-527 (1994). Other examples of recognition sequences include the attB, attP, attL, and attR sequences which are recognized by the recombination protein λ Int. attB is an approximately 25 base pair sequence containing two 9 base pair core-type Int binding sites and a 7 base pair overlap region, while attP is an approximately 240 base pair sequence containing core-type Int binding sites and arm-type Int binding sites as well as sites for auxiliary proteins integration host factor (IHF), FIS and excisionase (Xis). See Landy, Curr. Opin. Biotech. 3:699-707 (1993); see also U.S. Patent No. 5,888,732, which is incorporated by reference herein.

10

5

DNA cloning. The cloning of DNA segments currently occurs as a daily routine in many research labs and as a prerequisite step in many genetic analyses. The purpose of these clonings is various, however, two general purposes can be considered: (1) the initial cloning of DNA from large DNA or RNA segments (chromosomes, YACs, PCR fragments, mRNA, etc.), done in a relative handful of known vectors such as pUC, pGem, pBlueScript, and (2) the subcloning of these DNA segments into specialized vectors for functional analysis. A great deal of time and effort is expended both in the transfer of DNA segments from the initial cloning vectors to the more specialized vectors. This transfer is called subcloning.

20

25

30

15

The basic methods for cloning have been known for many years and have changed little during that time. A typical cloning protocol is as follows:

- (1) digest the DNA of interest with one or two restriction enzymes;
- (2) gel purify the DNA segment of interest when known;
- (3) prepare the vector by cutting with appropriate restriction enzymes, treating with alkaline phosphatase, gel purify etc., as appropriate;
- (4) ligate the DNA segment to the vector, with appropriate controls to eliminate background of uncut and self-ligated vector;
 - (5) introduce the resulting vector into an E. coli host cell;
 - (6) pick selected colonies and grow small cultures overnight;
 - (7) make DNA minipreps; and

10

15

20

25

30

(8) analyze the isolated plasmid on agarose gels (often after diagnostic restriction enzyme digestions) or by PCR.

The specialized vectors used for subcloning DNA segments are functionally diverse. These include but are not limited to: vectors for expressing nucleic acid molecules in various organisms; for regulating nucleic acid molecule expression; for providing tags to aid in protein purification or to allow tracking of proteins in cells; for modifying the cloned DNA segment (e.g., generating deletions); for the synthesis of probes (e.g., riboprobes); for the preparation of templates for DNA sequencing; for the identification of protein coding regions; for the fusion of various protein-coding regions; to provide large amounts of the DNA of interest, etc. It is common that a particular investigation will involve subcloning the DNA segment of interest into several different specialized vectors.

As known in the art, simple subclonings can be done in one day (e.g., the DNA segment is not large and the restriction sites are compatible with those of the subcloning vector). However, many other subclonings can take several weeks, especially those involving unknown sequences, long fragments, toxic genes, unsuitable placement of restriction sites, high backgrounds, impure enzymes, etc. Subcloning DNA fragments is thus often viewed as a chore to be done as few times as possible.

Several methods for facilitating the cloning of DNA segments have been described, e.g., as in the following references.

Ferguson, J., et al. Gene 16:191 (1981), discloses a family of vectors for subcloning fragments of yeast DNA. The vectors encode kanamycin resistance. Clones of longer yeast DNA segments can be partially digested and ligated into the subcloning vectors. If the original cloning vector conveys resistance to ampicillin, no purification is necessary prior to transformation, since the selection will be for kanamycin.

Hashimoto-Gotoh, T., et al. Gene 41:125 (1986), discloses a subcloning vector with unique cloning sites within a streptomycin sensitivity gene; in a streptomycin-resistant host, only plasmids with inserts or deletions in the dominant sensitivity gene will survive streptomycin selection.

10

15

20

25

30

Accordingly, traditional subcloning methods, using restriction enzymes and ligase, are time consuming and relatively unreliable. Considerable labor is expended, and if two or more days later the desired subclone can not be found among the candidate plasmids, the entire process must then be repeated with alternative conditions attempted. Although site specific recombinases have been used to recombine DNA in vivo, the successful use of such enzymes in vitro was expected to suffer from several problems. For example, the site specificities and efficiencies were expected to differ in vitro; topologically linked products were expected; and the topology of the DNA substrates and recombination proteins was expected to differ significantly in vitro (see, e.g., Adams et al, J. Mol. Biol. 226:661-73 (1992)). Reactions that could go on for many hours in vivo were expected to occur in significantly less time in vitro before the enzymes became inactive. In addition, the stabilities of the recombination enzymes after incubation for extended periods of time in in vitro reactions was unknown, as were the effects of the topologies (i.e., linear, coiled, supercoiled, etc.) of the nucleic acid molecules involved in the reaction. Multiple DNA recombination products were expected in the biological host used, resulting in unsatisfactory reliability, specificity or efficiency of subcloning. Thus, in vitro recombination reactions were not expected to be sufficiently efficient to yield the desired levels of product.

Accordingly, there is a long felt need to provide an alternative subcloning system that provides advantages over the known use of restriction enzymes and ligases.

SUMMARY OF THE INVENTION

The present invention relates to nucleic acid molecules encoding one or more recombination sites or one or more partial recombination sites, particularly attB, attP, attL, and attR, and fragments, mutants, variants and derivatives thereof. The invention also relates to such nucleic acid molecules comprising one or more of the recombination site nucleotide sequences or portions thereof and one or more additional physical or functional nucleotide sequences, such as those

10

15

20

25

30

encoding one or more multiple cloning sites, one or more transcription termination sites, one or more transcriptional regulatory sequences (e.g., one or more promoters, enhancers, or repressors), one or more translational signal sequences, one or more nucleotide sequences encoding a fusion partner protein or peptide (e.g., GST, His₆ or thioredoxin), one or more selection markers or modules, one or more nucleotide sequences encoding localization signals such as nuclear localization signals or secretion signals, one or more origins of replication, one or more protease cleavage sites, one or more desired proteins or peptides encoded by a gene or a portion of a gene, and one or more 5' or 3' polynucleotide tails (particularly a poly-G tail). The invention also relates to such nucleic acid molecules wherein the one or more recombination site nucleotide sequences is operably linked to the one or more additional physical or functional nucleotide sequences.

The invention also relates to primer nucleic acid molecules comprising the recombination site nucleotide sequences of the invention (or portions thereof), and to such primer nucleic acid molecules linked to one or more target-specific (e.g., one or more gene-specific) primer nucleic acid sequences. Such primers may also comprise sequences complementary or homologous to DNA or RNA sequences to be amplified, e.g., by PCR, RT-PCR, etc. Such primers may also comprise sequences or portions of sequences useful in the expression of protein genes (ribosome binding sites, localization signals, protease cleavage sites, repressor binding sites, promoters, transcription stops, stop codons, etc.). Said primers may also comprise sequences or portions of sequences useful in the manipulation of DNA molecules (restriction sites, transposition sites, sequencing primers, etc.). The primers of the invention may be used in nucleic acid synthesis and preferably are used for amplification (e.g., PCR) of nucleic acid molecules. When the primers of the invention include target- or gene-specific sequences (any sequence contained within the target to be synthesized or amplified including translation signals, gene sequences, stop codons, transcriptional signals (e.g., promoters) and the like), amplification or synthesis of target sequences or genes may be accomplished. Thus, the invention relates to synthesis of a nucleic acid molecules comprising mixing one or more primers of the invention with a nucleic acid

template, and incubating said mixture under conditions sufficient to make a first nucleic acid molecule complementary to all or a portion of said template. Thus, the invention relates specifically to a method of synthesizing a nucleic acid molecule comprising:

5

(a) mixing a nucleic acid template with a polypeptide having polymerase activity and one or more primers comprising one or more recombination sites or portions thereof; and

10

(b) incubating said mixture under conditions sufficient to synthesize a first nucleic acid molecule complementary to all or a portion of said template and which preferably comprises one or more recombination sites or portions thereof.

15

20

25

30

Such method of the invention may further comprise incubating said first synthesized nucleic acid molecule under conditions sufficient to synthesize a second nucleic acid molecule complementary to all or a portion of said first nucleic acid molecule. Such synthesis may provide for a first nucleic acid molecule having a recombination site or portion thereof at one or both of its termini.

In a preferred aspect, for the synthesis of the nucleic acid molecules, at

least two primers are used wherein each primer comprises a homologous sequence at its terminus and/or within internal sequences of each primer (which may have a homology length of about 2 to about 500 bases, preferably about 3 to about 100 bases, about 4 to about 50 bases, about 5 to about 25 bases and most preferably about 6 to about 18 base overlap). In a preferred aspect, the first such primer comprises at least one target-specific sequence and at least one recombination site or portion thereof while the second primer comprises at least one recombination site or portion thereof. Preferably, the homologous regions between the first and second primers comprise at least a portion of the recombination site. In another aspect, the homologous regions between the first and second primers may comprise one or more additional sequences, e.g., expression signals, translational start motifs, or other sequences adding functionality to the desired nucleic acid sequence upon amplification. In practice, two pairs of primers prime synthesis or amplification of a nucleic acid molecule. In a preferred aspect, all or at least a portion of the synthesized or amplified nucleic acid molecule will be homologous

10

15

20

25

30

to all or a portion of the template and further comprises a recombination site or a portion thereof at at least one terminus and preferably both termini of the synthesized or amplified molecule. Such synthesized or amplified nucleic acid molecule may be double stranded or single stranded and may be used in the recombinational cloning methods of the invention. The homologous primers of the invention provide a substantial advantage in that one set of the primers may be standardized for any synthesis or amplification reaction. That is, the primers providing the recombination site sequences (without the target specific sequences) can be pre-made and readily available for use. This in practice allows the use of shorter custom made primers that contain the target specific sequence needed to synthesize or amplify the desired nucleic acid molecule. Thus, this provides reduced time and cost in preparing target specific primers (e.g., shorter primers containing the target specific sequences can be prepared and used in synthesis reactions). The standardized primers, on the other hand, may be produced in mass to reduce cost and can be readily provided (e.g., in kits or as a product) to facilitate synthesis of the desired nucleic acid molecules.

Thus, in one preferred aspect, the invention relates to a method of synthesizing or amplifying one or more nucleic acid molecules comprising:

- (a) mixing one or more nucleic acid templates with at least one polypeptide having polymerase or reverse transcriptase activity and at least a first primer comprising a template specific sequence (complementary to or capable of hybridizing to said templates) and at least a second primer comprising all or a portion of a recombination site wherein said at least a portion of said second primer is homologous to or complementary to at least a portion of said first primer, and
- (b) incubating said mixture under conditions sufficient to synthesize or amplify one or more nucleic acid molecules complementary to all or a portion of said templates and comprising one or more recombination sites or portions thereof at one and preferably both termini of said molecules.

PCT/US00/05432

5

10

15

20

25

30

More specifically, the invention relates to a method of synthesizing or amplifying one or more nucleic acid molecules comprising:

- (a) mixing one or more nucleic acid templates with at least one polypeptide having polymerase or reverse transcriptase activity and at least a first primer comprising a template specific sequence (complementary to or capable of hybridizing to said templates) and at least a portion of a recombination site, and at least a second primer comprising all or a portion of a recombination site wherein said at least a portion of said recombination site on said second primer is complementary to or homologous to at least a portion of said recombination site on said second
- (b) incubating said mixture under conditions sufficient to synthesize or amplify one or more nucleic acid molecules complementary to all or a portion of said templates and comprising one or more recombination sites or portions thereof at one and preferably both termini of said molecules.

In a more preferred aspect, the invention relates to a method of amplifying or synthesizing one or more nucleic acid molecules comprising:

- (a) mixing one or more nucleic acid templates with at least one polypeptide having polymerase or reverse transcriptase activity and one or more first primers comprising at least a portion of a recombination site and a template specific sequence (complementary to or capable of hybridizing to said template);
- (b) incubating said mixture under conditions sufficient to synthesize or amplify one or more first nucleic acid molecules complementary to all or a portion of said templates wherein said molecules comprise at least a portion of a recombination site at one and preferably both termini of said molecules;
- (c) mixing said molecules with one or more second primers comprising one or more recombination sites, wherein said recombination sites of said second primers are homologous to or

10

15

20

25

30

complementary to at least a portion of said recombination sites on said first nucleic acid molecules; and

incubating said mixture under conditions sufficient to synthesize or amplify one or more second nucleic acid molecules complementary to all or a portion of said first nucleic acid molecules and which comprise one or more recombination sites at one and preferably both termini of said molecules.

The invention also relates to vectors comprising the nucleic acid molecules of the invention, to host cells comprising the vectors or nucleic acid molecules of the invention, to methods of producing polypeptides encoded by the nucleic acid molecules of the invention, and to polypeptides encoded by these nucleic acid molecules or produced by the methods of the invention, which may be fusion proteins. The invention also relates to antibodies that bind to one or more polypeptides of the invention or epitopes thereof, which may be monoclonal or polyclonal antibodies. The invention also relates to the use of these nucleic acid molecules, primers, vectors, polypeptides and antibodies in methods for recombinational cloning of nucleic acids, *in vitro* and *in vivo*, to provide chimeric DNA molecules that have particular characteristics and/or DNA segments.

The antibodies of the invention may have particular use to identify and/or purify peptides or proteins (including fusion proteins produced by the invention), and to identify and/or purify the nucleic acid molecules of the invention or portions thereof.

The methods for *in vitro* or *in vivo* recombinational cloning of nucleic acid molecule generally relate to recombination between at least a first nucleic acid molecule having at least one recombination site and a second nucleic acid molecule having at least one recombination site to provide a chimeric nucleic acid molecule. In one aspect, the methods relate to recombination between and first vector having at least one recombination site and a second vector having at least one recombination site to provide a chimeric vector. In another aspect, a nucleic acid molecule having at least one recombination site is combined with a vector having at least one recombination site to provide a chimeric vector. In a most preferred aspect, the nucleic acid molecules or vectors used in recombination

comprise two or more recombination sites. In a more specific embodiment of the invention, the recombination methods relate to a Destination Reaction (also referred to herein as an "LR reaction") in which recombination occurs between an Entry clone and a Destination Vector. Such a reaction transfers the nucleic acid molecule of interest from the Entry Clone into the Destination Vector to create an Expression Clone. The methods of the invention also specifically relate to an Entry or Gateward reaction (also referred to herein as a "BP reaction") in which an Expression Clone is recombined with a Donor vector to produce an Entry clone. In other aspects, the invention relates to methods to prepare Entry clones by combining an Entry vector with at least one nucleic acid molecule (e.g., gene or portion of a gene). The invention also relates to conversion of a desired vector into a Destination Vector by including one or more (preferably at least two) recombination sites in the vector of interest. In a more preferred aspect, a nucleic acid molecule (e.g., a cassette) having at least two recombination sites flanking a selectable marker (e.g., a toxic gene or a genetic element preventing the survival of a host cell containing that gene or element, and/or preventing replication, partition or heritability of a nucleic acid molecule (e.g., a vector or plasmid) comprising that gene or element) is added to the vector to make a Destination Vector of the invention.

20

25

30

15

5

10

Preferred vectors for use in the invention include prokaryotic vectors, eukaryotic vectors, or vectors which may shuttle between various prokaryotic and/or eukaryotic systems (e.g. shuttle vectors). Preferred prokaryotic vectors for use in the invention include but are not limited to vectors which may propagate and/or replicate in gram negative and/or gram positive bacteria, including bacteria of the genera Escherichia, Salmonella, Proteus, Clostridium, Klebsiella, Bacillus, Streptomyces, and Pseudomonas and preferably in the species E. coli. Eukaryotic vectors for use in the invention include vectors which propagate and/or replicate and yeast cells, plant cells, mammalian cells, (particularly human and mouse), fungal cells, insect cells, nematode cells, fish cells and the like. Particular vectors of interest include but are not limited to cloning vectors, sequencing vectors, expression vectors, fusion vectors, two-hybrid vectors, gene therapy vectors, phage display vectors, gene-targeting vectors, PACs, BACs, YACs, MACs, and

10

15

20

reverse two-hybrid vectors. Such vectors may be used in prokaryotic and/or eukaryotic systems depending on the particular vector.

In another aspect, the invention relates to kits which may be used in carrying out the methods of the invention, and more specifically relates to cloning or subcloning kits and kits for carrying out the LR Reaction (e.g., making an Expression Clone), for carrying out the BP Reaction (e.g., making an Entry Clone), and for making Entry Clone and Destination Vector molecules of the invention. Such kits may comprise a carrier or receptacle being compartmentalized to receive and hold therein any number of containers. Such containers may contain any number of components for carrying out the methods of the invention or combinations of such components. In particular, a kit of the invention may comprise one or more components (or combinations thereof) selected from the group consisting of one or more recombination proteins or auxiliary factors or combinations thereof, one or more compositions comprising one or more recombination proteins or auxiliary factors or combinations thereof (for example, GATEWAY™ LR Clonase™ Enzyme Mix or GATEWAY™ BP Clonase™ Enzyme Mix), one or more reaction buffers, one or more nucleotides, one or more primers of the invention, one or more restriction enzymes, one or more ligases, one or more polypeptides having polymerase activity (e.g., one or more reverse transcriptases or DNA polymerases), one or more proteinases (e.g., proteinase K or other proteinases), one or more Destination Vector molecules, one or more Entry Clone molecules, one or more host cells (e.g. competent cells, such as E. coli cells, yeast cells, animal cells (including mammalian cells, insect cells, nematode cells, avian cells, fish cells, etc.), plant cells, and most particularly E. coli DB3.1 host cells, such as E. coli LIBRARY EFFICIENCY® DB3.1TM Competent Cells), instructions for using the kits of the invention (e.g., to carry out the methods of the invention), and the like. In related aspects, the kits of the invention may comprise one or more nucleic acid molecules encoding one or more recombination sites or portions thereof, particularly one or more nucleic acid molecules comprising a nucleotide sequence encoding the one or more recombination sites or portions thereof of the invention. Preferably, such nucleic acid molecules comprise at least two recombination sites which flank a selectable

30

25

marker (e.g., a toxic gene and/or antibiotic resistance gene). In a preferred aspect, such nucleic acid molecules are in the form of a cassette (e.g., a linear nucleic acid molecule comprising one or more and preferably two or more recombination sites or portions thereof).

5

10

15

20

25

30

Kits for inserting or adding recombination sites to nucleic acid molecules of interest may comprise one or more nucleases (preferably restriction endonucleases), one or more ligases, one or more topoisomerases, one or more polymerases, and one or more nucleic acid molecules or adapters comprising one or more recombination sites. Kits for integrating recombination sites into one or more nucleic acid molecules of interest may comprise one or more components (or combinations thereof) selected from the group consisting of one or more integration sequences comprising one or more recombination sites. Such integration sequences may comprise one or more transposons, integrating viruses, homologous recombination sequences, RNA molecules, one or more host cells and the like.

Kits for making the Entry Clone molecules of the invention may comprise any or a number of components and the composition of such kits may vary depending on the specific method involved. Such methods may involve inserting the nucleic acid molecules of interest into an Entry or Donor Vector by the recombinational cloning methods of the invention, or using conventional molecular biology techniques (e.g., restriction enzyme digestion and ligation). In a preferred aspect, the Entry Clone is made using nucleic acid amplification or synthesis products. Kits for synthesizing Entry Clone molecules from amplification or synthesis products may comprise one or more components (or combinations thereof) selected from the group consisting of one or more Donor Vectors (e.g., one or more attP vectors including, but not limited to, pDONR201 (Figure 49), pDONR202 (Figure 50), pDONR203 (Figure 51), pDONR204 (Figure 52), pDONR205 (Figure 53), pDONR206 (Figure 53), and the like), one or more polypeptides having polymerase activity (preferably DNA polymerases and most preferably thermostable DNA polymerases), one or more proteinases, one or more reaction buffers, one or more nucleotides, one or more primers comprising one or

10

15

20

25

30

more recombination sites or portions thereof, and instructions for making one or more Entry Clones.

Kits for making the Destination vectors of the invention may comprise any number of components and the compositions of such kits may vary depending on the specific method involved. Such methods may include the recombination methods of the invention or conventional molecular biology techniques (e.g., restriction endonuclease digestion and ligation). In a preferred aspect, the Destination vector is made by inserting a nucleic acid molecule comprising at least one recombination site (or portion thereof) of the invention (preferably a nucleic acid molecule comprising at least two recombination sites or portions thereof flanking a selectable marker) into a desired vector to convert the desired vector into a Destination vector of the invention. Such kits may comprise at least one component (or combinations thereof) selected from the group consisting of one or more restriction endonucleases, one or more ligases, one or more polymerases, one or more nucleotides, reaction buffers, one or more nucleic acid molecules comprising at least one recombination site or portion thereof (preferably at least one nucleic acid molecule comprising at least two recombination sites flanking at least one selectable marker, such as a cassette comprising at least one selectable marker such as antibiotic resistance genes and/or toxic genes), and instructions for making such Destination vectors.

The invention also relates to kits for using the antibodies of the invention in identification and/or isolation of peptides and proteins (which may be fusion proteins) produced by the nucleic acid molecules of the invention, and for identification and/or isolation of the nucleic acid molecules of the invention or portions thereof. Such kits may comprise one or more components (or combination thereof) selected from the group consisting of one or more antibodies of the invention, one or more detectable labels, one or more solid supports and the like.

Other preferred embodiments of the present invention will be apparent to one of ordinary skill in light of what is known in the art, in light of the following drawings and description of the invention, and in light of the claims.

10 -

15

20

25

30

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 depicts one general method of the present invention, wherein the starting (parent) DNA molecules can be circular or linear. The goal is to exchange the new subcloning vector D for the original cloning vector B. It is desirable in one embodiment to select for AD and against all the other molecules, including the Cointegrate. The square and circle are sites of recombination: e.g., lox (such as loxP) sites, att sites, etc. For example, segment D can contain expression signals, protein fusion domains, new drug markers, new origins of replication, or specialized functions for mapping or sequencing DNA. It should be noted that the cointegrate molecule contains Segment D (Destination vector) adjacent to segment A (Insert), thereby juxtaposing functional elements in D with the insert in A. Such molecules can be used directly in vitro (e.g., if a promoter is positioned adjacent to a gene-for in vitro transcription/translation) or in vivo (following isolation in a cell capable of propagating ccdB-containing vectors) by selecting for the selection markers in Segments B+D. As one skilled in the art will recognize, this single step method has utility in certain envisioned applications of the invention.

Figure 2 is a more detailed depiction of the recombinational cloning system of the invention, referred to herein as the "GATEWAYTM Cloning System." This figure depicts the production of Expression Clones via a "Destination Reaction," which may also be referred to herein as an "LR Reaction." A kan' vector (referred to herein as an "Entry clone") containing a DNA molecule of interest (e.g., a gene) localized between an attll site and an attll site is reacted with an amp' vector (referred to herein as a "Destination Vector") containing a toxic or "death" gene localized between an attll site and an attll site, in the presence of GATEWAYTM LR ClonaseTM Enzyme Mix (a mixture of Int, IHF and Xis). After incubation at 25 °C for about 60 minutes, the reaction yields an amp' Expression Clone containing the DNA molecule of interest localized between an attll site and an attll site and an attll site and a swell as intermediates. The reaction mixture may then be transformed into host cells (e.g., E. coli) and clones containing the nucleic acid molecule of interest may

15

20

25

be selected by plating the cells onto ampicillin-containing media and picking amp^r colonies.

Figure 3 is a schematic depiction of the cloning of a nucleic acid molecule from an Entry clone into multiple types of Destination vectors, to produce a variety of Expression Clones. Recombination between a given Entry clone and different types of Destination vectors (not shown), via the LR Reaction depicted in Figure 2, produces multiple different Expression Clones for use in a variety of applications and host cell types.

Figure 4 is a detailed depiction of the production of Entry Clones via a "BP reaction," also referred to herein as an "Entry Reaction" or a "Gateward Reaction." In the example shown in this figure, an ampr expression vector containing a DNA molecule of interest (e.g., a gene) localized between an attB1 site and an attB2 site is reacted with a kan Donor vector (e.g., an attP vector; here, GATEWAYTM pDONR201 (see Figure 49A-C)) containing a toxic or "death" gene localized between an attP1 site and an attP2 site, in the presence of GATEWAYTM BP ClonaseTM Enzyme Mix (a mixture of Int and IHF). After incubation at 25°C for about 60 minutes, the reaction yields a kan^r Entry clone containing the DNA molecule of interest localized between an attL1 site and an attL2 site, and an amp by-product molecule. The Entry clone may then be transformed into host cells (e.g., E. coli) and clones containing the Entry clone (and therefore the nucleic acid molecule of interest) may be selected by plating the cells onto kanamycin-containing media and picking kan' colonies. Although this figure shows an example of use of a kan' Donor vector, it is also possible to use Donor vectors containing other selection markers, such as the gentamycin resistance or tetracycline resistance markers, as discussed herein.

Figure 5 is a more detailed schematic depiction of the LR ("Destination") reaction (Figure 5A) and the BP ("Entry" or "Gateward") reaction (Figure 5B) of the GATEWAYTM Cloning System, showing the reactants, products and byproducts of each reaction.

: 10

15

20

25

30

Figure 6 shows the sequences of the attB1 and attB2 sites flanking a gene of interest after subcloning into a Destination Vector to create an Expression Clone.

Figure 7 is a schematic depiction of four ways to make Entry Clones using the compositions and methods of the invention: 1. using restriction enzymes and ligase; 2. starting with a cDNA library prepared in an attL Entry Vector, 3. using an Expression Clone from a library prepared in an attB Expression Vector via the BxP reaction; and 4. recombinational cloning of PCR fragments with terminal attB sites, via the BxP reaction. Approaches 3 and 4 rely on recombination with a Donor vector (here, an attP vector such as pDONR201 (see Figure 49A-C), pDONR202 (see Figure 50A-C), pDONR203 (see Figure 51A-C), pDONR204 (see Figure 52A-C), pDONR205 (see Figure 53A-C), or pDONR206 (see Figure 54A-C), for example) that provides an Entry Clone carrying a selection marker such as kan^r, gen^r, tet^r, or the like.

Figure 8 is a schematic depiction of cloning of a PCR product by a BxP (Entry or Gateward) reaction. A PCR product with 25 bp terminal attB sites (plus four Gs) is shown as a substrate for the BxP reaction. Recombination between the attB-PCR product of a gene and a Donor vector (which donates an Entry Vector that carries kan^r) results in an Entry Clone of the PCR product.

Figure 9 is a listing of the nucleotide sequences of the recombination sites designated herein as attB1, attB2, attP1, attP2, attL1, attL2, attR1 and attR2. Sequences are written conventionally, from 5' to 3'.

Figures 10-20: The plasmid backbone for all the Entry Vectors depicted herein is the same, and is shown in Figure 10A for the Entry Vector pENTR1A. For other Entry Vectors shown in Figures 11-20, only the sequences shown in Figure "A" for each figure set (i.e., Figure 11A, Figure 12A, etc.) are different (within the attL1-attL2 cassettes) from those shown in Figure 10 -- the plasmid backbone is identical.

Figure 10 is a schematic depiction of the physical map and cloning sites (Figure 10A), and the nucleotide sequence (Figure 10B), of the Entry Vector pENTR1A.

10

15

20

25

30

Figure 11 is a schematic depiction of the cloning sites (Figure 11A) and the nucleotide sequence (Figure 11B) of the Entry Vector pENTR2B.

Figure 12 is a schematic depiction of the cloning sites (Figure 12A) and the nucleotide sequence (Figure 12B) of the Entry Vector pENTR3C.

Figure 13 is a schematic depiction of the cloning sites (Figure 13A) and the nucleotide sequence (Figure 13B) of the Entry Vector pENTR4.

Figure 14 is a schematic depiction of the cloning sites (Figure 14A) and the nucleotide sequence (Figure 14B) of the Entry Vector pENTR5.

Figure 15 is a schematic depiction of the cloning sites (Figure 15A) and the nucleotide sequence (Figure 15B) of the Entry Vector pENTR6.

Figure 16 is a schematic depiction of the cloning sites (Figure 16A) and the nucleotide sequence (Figure 16B) of the Entry Vector pENTR7.

Figure 17 is a schematic depiction of the cloning sites (Figure 17A) and the nucleotide sequence (Figure 17B) of the Entry Vector pENTR8.

Figure 18 is a schematic depiction of the cloning sites (Figure 18A) and the nucleotide sequence (Figure 18B) of the Entry Vector pENTR9.

Figure 19 is a schematic depiction of the cloning sites (Figure 19A) and the nucleotide sequence (Figure 19B) of the Entry Vector pENTR10.

Figure 20 is a schematic depiction of the cloning sites (Figure 20A) and the nucleotide sequence (Figure 20B) of the Entry Vector pENTR11.

Figure 21 is a schematic depiction of the physical map and the Trc expression cassette (Figure 21A) showing the promoter sequences at -35 and at -10 from the initiation codon, and the nucleotide sequence (Figure 21B-D), of Destination Vector pDEST1. This vector may also be referred to as pTrc-DEST1.

Figure 22 is a schematic depiction of the physical map and the His6 expression cassette (Figure 22A) showing the promoter sequences at -35 and at -10 from the initiation codon, and the nucleotide sequence (Figure 22B-D), of Destination Vector pDEST2. This vector may also be referred to as pHis6-DEST2.

10

15

20

25

30

Figure 23 is a schematic depiction of the physical map and the GST expression cassette (Figure 23A) showing the promoter sequences at -35 and at -10 from the initiation codon, and the nucleotide sequence (Figure 23B-D), of Destination Vector pDEST3. This vector may also be referred to as pGST-DEST3.

Figure 24 is a schematic depiction of the physical map and the His6-Trx expression cassette (Figure 24A) showing the promoter sequences at -35 and at -10 from the initiation codon and a TEV protease cleavage site, and the nucleotide sequence (Figure 24B-D), of Destination Vector pDEST4. This vector may also be referred to as pTrx-DEST4.

Figure 25 is a schematic depiction of the attR1 and attR2 sites (Figure 25A), the physical map (Figure 25B), and the nucleotide sequence (Figure 25C-D), of Destination Vector pDEST5. This vector may also be referred to as pSPORT(+)-DEST5.

Figure 26 is a schematic depiction of the attR1 and attR2 sites (Figure 26A), the physical map (Figure 26B), and the nucleotide sequence (Figure 26C-D), of Destination Vector pDEST6. This vector may also be referred to as pSPORT(-)-DEST6.

Figure 27 is a schematic depiction of the attR1 site, CMV promoter, and the physical map (Figure 27A), and the nucleotide sequence (Figure 27B-C), of Destination Vector pDEST7. This vector may also be referred to as pCMV-DEST7.

Figure 28 is a schematic depiction of the attR1 site, baculovirus polyhedrin promoter, and the physical map (Figure 28A), and the nucleotide sequence (Figure 28B-D), of Destination Vector pDEST8. This vector may also be referred to as pFastBac-DEST8.

Figure 29 is a schematic depiction of the attR1 site, Semliki Forest Virus promoter, and the physical map (Figure 29A), and the nucleotide sequence (Figure 29B-E), of Destination Vector pDEST9. This vector may also be referred to as pSFV-DEST9.

10

15

20

25

30

Figure 30 is a schematic depiction of the attR1 site, baculovirus polyhedrin promoter, His6 fusion domain, and the physical map (Figure 30A), and the nucleotide sequence (Figure 30B-D), of Destination Vector pDEST10. This vector may also be referred to as pFastBacHT-DEST10.

Figure 31 is a schematic depiction of the attR1 cassette containing a tetracycline-regulated CMV promoter and the physical map (Figure 31A), and the nucleotide sequence (Figure 31B-D), of Destination Vector pDEST11. This vector may also be referred to as pTet-DEST11.

Figure 32 is a schematic depiction of the attR1 site, the start of the mRNA of the CMV promoter, and the physical map (Figure 32A), and the nucleotide sequence (Figure 32B-D), of Destination Vector pDEST12.2. This vector may also be referred to as pCMVneo-DEST12, as pCMV-DEST12, or as pDEST12.

Figure 33 is a schematic depiction of the attR1 site, the λP_L promoter, and the physical map (Figure 33A), and the nucleotide sequence (Figure 33B-C), of Destination Vector pDEST13. This vector may also be referred to as $p\lambda P_L$ -DEST13.

Figure 34 is a schematic depiction of the attR1 site, the T7 promoter, and the physical map (Figure 34A), and the nucleotide sequence (Figure 34B-D), of Destination Vector pDEST14. This vector may also be referred to as pPT7-DEST14.

Figure 35 is a schematic depiction of the attR1 site, the T7 promoter, and the N-terminal GST fusion sequence, and the physical map (Figure 35A), and the nucleotide sequence (Figure 35B-D), of Destination Vector pDEST15. This vector may also be referred to as pT7 GST-DEST15.

Figure 36 is a schematic depiction of the attR1 site, the T7 promoter, and the N-terminal thioredoxin fusion sequence, and the physical map (Figure 36A), and the nucleotide sequence (Figure 36B-D), of Destination Vector pDEST16. This vector may also be referred to as pT7 Trx-DEST16.

Figure 37 is a schematic depiction of the attR1 site, the T7 promoter, and the N-terminal His6 fusion sequence, and the physical map (Figure 37A), and the

10

15

20

25

30

nucleotide sequence (Figure 37B-D), of Destination Vector pDEST17. This vector may also be referred to as pT7 His-DEST17.

Figure 38 is a schematic depiction of the attR1 site and the p10 baculovirus promoter, and the physical map (Figure 38A), and the nucleotide sequence (Figure 38B-D), of Destination Vector pDEST18. This vector may also be referred to as pFBp10-DEST18.

Figure 39 is a schematic depiction of the attR1 site, and the 39k baculovirus promoter, and the physical map (Figure 39A), and the nucleotide sequence (Figure 39B-D), of Destination Vector pDEST19. This vector may also be referred to as pFB39k-DEST19.

Figure 40 is a schematic depiction of the attR1 site, the *polh* baculovirus promoter, and the N-terminal GST fusion sequence, and the physical map (Figure 40A), and the nucleotide sequence (Figure 40B-D), of Destination Vector pDEST20. This vector may also be referred to as pFB GST-DEST20.

Figure 41 is a schematic depiction of a 2-hybrid vector with a DNA-binding domain, the attR1 site, and the ADH promoter, and the physical map (Figure 41A), and the nucleotide sequence (Figure 41B-E), of Destination Vector pDEST21. This vector may also be referred to as pDB Leu-DEST21.

Figure 42 is a schematic depiction of a 2-hybrid vector with an activation domain, the attR1 site, and the ADH promoter, and the physical map (Figure 42A), and the nucleotide sequence (Figure 42B-D), of Destination Vector pDEST22. This vector may also be referred to as pPC86-DEST22.

Figure 43 is a schematic depiction of the attR1 and attR2 sites, the T7 promoter, and the C-terminal His6 fusion sequence, and the physical map (Figure 43A), and the nucleotide sequence (Figure 43B-D), of Destination Vector pDEST23. This vector may also be referred to as pC-term-His6-DEST23.

Figure 44 is a schematic depiction of the attR1 and attR2 sites, the T7 promoter, and the C-terminal GST fusion sequence, and the physical map (Figure 44A), and the nucleotide sequence (Figure 44B-D), of Destination Vector pDEST24. This vector may also be referred to as pC-term-GST-DEST24.

10

15

20

25

Figure 45 is a schematic depiction of the attR1 and attR2 sites, the T7 promoter, and the C-terminal thioredoxin fusion sequence, and the physical map (Figure 45A), and the nucleotide sequence (Figure 45B-D), of Destination Vector pDEST25. This vector may also be referred to as pC-term-Trx-DEST25.

Figure 46 is a schematic depiction of the attR1 site, the CMV promoter, and an N-terminal His6 fusion sequence, and the physical map (Figure 46A), and the nucleotide sequence (Figure 46B-D), of Destination Vector pDEST26. This vector may also be referred to as pCMV-SPneo-His-DEST26.

Figure 47 is a schematic depiction of the attR1 site, the CMV promoter, and an N-terminal GST fusion sequence, and the physical map (Figure 47A), and the nucleotide sequence (Figure 47B-D), of Destination Vector pDEST27. This vector may also be referred to as pCMV-Spneo-GST-DEST27.

Figure 48 is a depiction of the physical map (Figure 48A), the cloning sites (Figure 48B), and the nucleotide sequence (Figure 48C-D), for the attB cloning vector plasmid pEXP501. This vector may also be referred to equivalently herein as pCMV-SPORT6, pCMVSPORT6, and pCMVSport6.

Figure 49 is a depiction of the physical map (Figure 49A), and the nucleotide sequence (Figure 49B-C), for the Donor plasmid pDONR201 which donates a kanamycin-resistant vector in the BP Reaction. This vector may also be referred to as pAttPkanr Donor Plasmid, or as pAttPkan Donor Plasmid

Figure 50 is a depiction of the physical map (Figure 50A), and the nucleotide sequence (Figure 50B-C), for the Donor plasmid pDONR202 which donates a kanamycin-resistant vector in the BP Reaction.

Figure 51 is a depiction of the physical map (Figure 51A), and the nucleotide sequence (Figure 51B-C), for the Donor plasmid pDONR203 which donates a kanamycin-resistant vector in the BP Reaction.

Figure 52 is a depiction of the physical map (Figure 52A), and the nucleotide sequence (Figure 52B-C), for the Donor plasmid pDONR204 which donates a kanamycin-resistant vector in the BP Reaction.

10

15

20

25

30

Figure 53 is a depiction of the physical map (Figure 53A), and the nucleotide sequence (Figure 53B-C), for the Donor plasmid pDONR205 which donates a tetracycline-resistant vector in the BP Reaction.

Figure 54 is a depiction of the physical map (Figure 54A), and the nucleotide sequence (Figure 54B-C), for the Donor plasmid pDONR206 which donates a gentamycin-resistant vector in the BP Reaction. This vector may also be referred to as pENTR22 attP Donor Plasmid, pAttPGenr Donor Plasmid, or pAttPgent Donor Plasmid.

Figure 55 depicts the attB1 site, and the physical map, of an Entry Clone (pENTR7) of CAT subcloned into the Destination Vector pDEST2 (Figure 22).

Figure 56 depicts the DNA components of Reaction B of the one-tube BxP reaction described in Example 16, pEZC7102 and attB-tet-PCR

Figure 57 is a physical map of the desired product of Reaction B of the one-tube BxP reaction described in Example 16, tetx7102.

Figure 58 is a physical map of the Destination Vector pEZC8402.

Figure 59 is a physical map of the expected tet subclone product, tetx8402, resulting from the LxR Reaction with tetx7102 (Figure 57) plus pEZC8402 (Figure 58).

Figure 60 is a schematic depiction of the bacteriophage lambda recombination pathways in E. coli.

Figure 61 is a schematic depiction of the DNA molecules participating in the LR Reaction. Two different co-integrates form during the LR Reaction (only one of which is shown here), depending on whether attL1 and attR1 or attL2 and attR2 are first to recombine. In one aspect, the invention provides directional cloning of a nucleic acid molecule of interest, since the recombination sites react with specificity (attL1 reacts with attR1; attL2 with attR2; attB1 with attP1; and attB2 with attP2). Thus, positioning of the sites allows construction of desired vectors having recombined fragments in the desired orientation.

Figure 62 is a depiction of native and fusion protein expression using the recombinational cloning methods and compositions of the invention. In the upper figure depicting native protein expression, all of the translational start signals are

10

15

20

25

30

included between the attB1 and attB2 sites, therefore, these signals must be present in the starting Entry Clone. The lower figure depicts fusion protein expression (here showing expression with both N-terminal and C-terminal fusion tags so that ribosomes read through attB1 and attB2 to create the fusion protein). Unlike native protein expression vectors, N-terminal fusion vectors have their translational start signals upstream of the attB1 site.

Figure 63 is a schematic depiction of three GATEWAYTM Cloning System cassettes. Three blunt-ended cassettes are depicted which convert standard expression vectors to Destination Vectors. Each of the depicted cassettes provides amino-terminal fusions in one of three possible reading frames, and each has a distinctive restriction cleavage site as shown.

Figure 64 shows the physical maps of plasmids containing three attR reading frame cassettes, pEZC15101 (reading frame A; Figure 64A), pEZC15102 (reading frame B; Figure 64B), and pEZC15103 (reading frame C; Figure 64C).

Figure 65 depicts the attB primers used for amplifying the tet^r and amp^r genes from pBR322 by the cloning methods of the invention.

Figure 66 is a table listing the results of recombinational cloning of the tet^r and amp^r PCR products made using the primers shown in Figure 65.

Figure 67 is a graph showing the effect of the number of guanines (G's) contained on the 5' end of the PCR primers on the cloning efficiency of PCR products. It is noted, however, that other nucleotides besides guanine (including A, T, C, U or combinations thereof) may be used as 5' extensions on the PCR primers to enhance cloning efficiency of PCR products.

Figure 68 is a graph showing a titration of various amounts of attP and attB reactants in the BxP reaction, and the effects on cloning efficiency of PCR products.

Figure 69 is a series of graphs showing the effects of various weights (Figure 69A) or moles (Figure 69B) of a 256 bp PCR product on formation of colonies, and on efficiency of cloning of the 256 bp PCR product into a Donor Vector (Figure 69C).

10

15

20

25

30

Figure 70 is a series of graphs showing the effects of various weights (Figure 70A) or moles (Figure 70B) of a 1 kb PCR product on formation of colonies, and on efficiency of cloning of the 1 kb PCR product into a Donor Vector (Figure 70C).

Figure 71 is a series of graphs showing the effects of various weights (Figure 71A) or moles (Figure 71B) of a 1.4 kb PCR product on formation of colonies, and on efficiency of cloning of the 1.4 kb PCR product into a Donor Vector (Figure 71C).

Figure 72 is a series of graphs showing the effects of various weights (Figure 72A) or moles (Figure 72B) of a 3.4 kb PCR product on formation of colonies, and on efficiency of cloning of the 3.4 kb PCR product into a Donor Vector (Figure 72C).

Figure 73 is a series of graphs showing the effects of various weights (Figure 73A) or moles (Figure 73B) of a 4.6 kb PCR product on formation of colonies, and on efficiency of cloning of the 4.6 kb PCR product into a Donor Vector (Figure 73C).

Figure 74 is photograph of an ethidium bromide-stained gel of a titration of a 6.9 kb PCR product in a BxP reaction.

Figure 75 is a graph showing the effects of various amounts of a 10.1 kb PCR product on formation of colonies upon cloning of the 10.1 kb PCR product into a Donor Vector.

Figure 76 is photograph of an ethidium bromide-stained gel of a titration of a 10.1 kb PCR product in a BxP reaction.

Figure 77 is a table summarizing the results of the PCR product cloning efficiency experiments depicted in Figures 69-74, for PCR fragments ranging in size from 0.256 kb to 6.9 kb.

Figure 78 is a depiction of the sequences at the ends of attR Cassettes. Sequences contributed by the Cm^r-ccdB cassette are shown, including the outer ends of the flanking attR sites (boxed). The staggered cleavage sites for Int are indicated in the boxed regions. Following recombination with an Entry Clone, only the outer sequences in attR sites contribute to the resulting attB sites in the

10

15

20

25

30

Expression Clone. The underlined sequences at both ends dictate the different reading frames (reading frames A, B, or C, with two alternative reading frame C cassettes depicted) for fusion proteins.

Figure 79 is a depiction of several different attR cassettes (in reading frames A, B, or C) which may provide fusion codons at the amino-terminus of the encoded protein.

Figure 80 illustrates the single-cutting restriction sites in an attR reading frame A cassette of the invention.

Figure 81 illustrates the single-cutting restriction sites in an attR reading frame B cassette of the invention.

Figure 82 illustrates the single-cutting restriction sites in two alternative attR reading frame C cassettes of the invention (Figures 82A and 82B) depicted in Figure 78.

Figure 83 shows the physical map (Figure 83A), and the nucleotide sequence (Figure 83B-C), for an attR reading frame C parent plasmid prfC Parent III, which contains an attR reading frame C cassette of the invention (alternative A in Figures 78 and 82).

Figure 84 is a physical map of plasmid pEZC1301.

Figure 85 is a physical map of plasmid pEZC1313.

Figure 86 is a physical map of plasmid pEZ14032.

Figure 87 is a physical map of plasmid pMAB58.

Figure 88 is a physical map of plasmid pMAB62.

Figure 89 is a depiction of a synthesis reaction using two pairs of homologous primers of the invention.

Figure 90 is a schematic depiction of the physical map (Figure 90A), and the nucleotide sequence (Figure 90B-D), of Destination Vector pDEST28.

Figure 91 is a schematic depiction of the physical map (Figure 91A), and the nucleotide sequence (Figure 91B-D), of Destination Vector pDEST29.

Figure 92 is a schematic depiction of the physical map (Figure 92A), and the nucleotide sequence (Figure 92B-D), of Destination Vector pDEST30.

10

15

20

25

30

Figure 93 is a schematic depiction of the physical map (Figure 93A), and the nucleotide sequence (Figure 93B-D), of Destination Vector pDEST31.

Figure 94 is a schematic depiction of the physical map (Figure 94A), and the nucleotide sequence (Figure 94B-E), of Destination Vector pDEST32.

Figure 95 is a schematic depiction of the physical map (Figure 95A), and the nucleotide sequence (Figure 95B-D), of Destination Vector pDEST33.

Figure 96 is a schematic depiction of the physical map (Figure 96A), and the nucleotide sequence (Figure 96B-D), of Destination Vector pDEST34.

Figure 97 is a depiction of the physical map (Figure 97A), and the nucleotide sequence (Figure 97B-C), for the Donor plasmid pDONR207 which donates a gentamycin-resistant vector in the BP Reaction.

Figure 98 is a schematic depiction of the physical map (Figure 98A), and the nucleotide sequence (Figure 98B-D), of the 2-hybrid vector pMAB85.

Figure 99 is a schematic depiction of the physical map (Figure 99A), and the nucleotide sequence (Figure 99B-D), of the 2-hybrid vector pMAB86.

DETAILED DESCRIPTION OF THE INVENTION

Definitions

In the description that follows, a number of terms used in recombinant DNA technology are utilized extensively. In order to provide a clear and consistent understanding of the specification and claims, including the scope to be given such terms, the following definitions are provided.

Byproduct: is a daughter molecule (a new clone produced after the second recombination event during the recombinational cloning process) lacking the segment which is desired to be cloned or subcloned.

Cointegrate: is at least one recombination intermediate nucleic acid molecule of the present invention that contains both parental (starting) molecules. It will usually be linear. In some embodiments it can be circular. RNA and polypeptides may be expressed from cointegrates using an appropriate host cell strain, for example *E. coli* DB3.1 (particularly *E. coli* LIBRARY EFFICIENCY®

10

15

20

25

30

DB3.1TM Competent Cells), and selecting for both selection markers found on the cointegrate molecule.

Host: is any prokaryotic or eukaryotic organism that can be a recipient of the recombinational cloning Product, vector, or nucleic acid molecule of the invention. A "host," as the term is used herein, includes prokaryotic or eukaryotic organisms that can be genetically engineered. For examples of such hosts, see Maniatis et al., Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Laboratory, Cold Spring Harbor, New York (1982).

Insert or Inserts: include the desired nucleic acid segment or a population of nucleic acid segments (segment A of Figure 1) which may be manipulated by the methods of the present invention. Thus, the terms Insert(s) are meant to include a particular nucleic acid (preferably DNA) segment or a population of segments. Such Insert(s) can comprise one or more nucleic acid molecules.

Insert Donor is one of the two parental nucleic acid molecules (e.g. RNA or DNA) of the present invention which carries the Insert. The Insert Donor molecule comprises the Insert flanked on both sides with recombination sites. The Insert Donor can be linear or circular. In one embodiment of the invention, the Insert Donor is a circular DNA molecule and further comprises a cloning vector sequence outside of the recombination signals (see Figure 1). When a population of Inserts or population of nucleic acid segments are used to make the Insert Donor, a population of Insert Donors results and may be used in accordance with the invention. Examples of such Insert Donor molecules are GATEWAYTM Entry Vectors, which include but are not limited to those Entry Vectors depicted in Figures 10-20, as well as other vectors comprising a gene of interest flanked by one or more attL sites (e.g., attL1, attL2, etc.), or by one or more attB sites (e.g., attB1, attB2, etc.) for the production of library clones.

Product: is one of the desired daughter molecules comprising the A and D sequences which is produced after the second recombination event during the recombinational cloning process (see Figure 1). The Product contains the nucleic acid which was to be cloned or subcloned. In accordance with the invention, when a population of Insert Donors are used, the resulting population of Product

WO 00/52027 PCT/US00/05432

5

10

15

20

25

30

-31-

molecules will contain all or a portion of the population of Inserts of the Insert Donors and preferably will contain a representative population of the original molecules of the Insert Donors.

Promoter: is a DNA sequence generally described as the 5'-region of a gene, located proximal to the start codon. The transcription of an adjacent DNA segment is initiated at the promoter region. A repressible promoter's rate of transcription decreases in response to a repressing agent. An inducible promoter's rate of transcription increases in response to an inducing agent. A constitutive promoter's rate of transcription is not specifically regulated, though it can vary under the influence of general metabolic conditions.

Recognition sequence: Recognition sequences are particular sequences which a protein, chemical compound, DNA, or RNA molecule (e.g., restriction endonuclease, a modification methylase, or a recombinase) recognizes and binds. In the present invention, a recognition sequence will usually refer to a recombination site. For example, the recognition sequence for Cre recombinase is loxP which is a 34 base pair sequence comprised of two 13 base pair inverted repeats (serving as the recombinase binding sites) flanking an 8 base pair core sequence. See Figure 1 of Sauer, B., Current Opinion in Biotechnology 5:521-527 (1994). Other examples of recognition sequences are the attB, attP, attL, and attR sequences which are recognized by the recombinase enzyme λ Integrase. attB is an approximately 25 base pair sequence containing two 9 base pair core-type Int binding sites and a 7 base pair overlap region. attP is an approximately 240 base pair sequence containing core-type Int binding sites and arm-type Int binding sites as well as sites for auxiliary proteins integration host factor (IHF), FIS and excisionase (Xis). See Landy, Current Opinion in Biotechnology 3:699-707 (1993). Such sites may also be engineered according to the present invention to enhance production of products in the methods of the invention. When such engineered sites lack the P1 or H1 domains to make the recombination reactions irreversible (e.g., attR or attP), such sites may be designated attR' or attP' to show that the domains of these sites have been modified in some way.

10

15

. 20

25

30

Recombination proteins: include excisive or integrative proteins, enzymes, co-factors or associated proteins that are involved in recombination reactions involving one or more recombination sites, which may be wild-type proteins (See Landy, Current Opinion in Biotechnology 3:699-707 (1993)), or mutants, derivatives (e.g., fusion proteins containing the recombination protein sequences or fragments thereof), fragments, and variants thereof.

Recombination site: is a recognition sequence on a DNA molecule participating in an integration/recombination reaction by the recombinational cloning methods of the invention. Recombination sites are discrete sections or segments of DNA on the participating nucleic acid molecules that are recognized and bound by a site-specific recombination protein during the initial stages of integration or recombination. For example, the recombination site for Cre recombinase is loxP which is a 34 base pair sequence comprised of two 13 base pair inverted repeats (serving as the recombinase binding sites) flanking an 8 base pair core sequence. See Figure 1 of Sauer, B., Curr. Opin. Biotech. 5:521-527 (1994). Other examples of recognition sequences include the attB, attP, attL, and attR sequences described herein, and mutants, fragments, variants and derivatives thereof, which are recognized by the recombination protein λ Int and by the auxiliary proteins integration host factor (IHF), FIS and excisionase (Xis). See Landy, Curr. Opin. Biotech. 3:699-707 (1993).

Recombinational Cloning: is a method described herein, whereby segments of nucleic acid molecules or populations of such molecules are exchanged, inserted, replaced, substituted or modified, in vitro or in vivo. By "in vitro" and "in vivo" herein is meant recombinational cloning that is carried out outside of host cells (e.g., in cell-free systems) or inside of host cells (e.g., using recombination proteins expressed by host cells), respectively.

Repression cassette: is a nucleic acid segment that contains a repressor or a Selectable marker present in the subcloning vector.

Selectable marker: is a DNA segment that allows one to select for or against a molecule (e.g., a replicon) or a cell that contains it, often under particular conditions. These markers can encode an activity, such as, but not limited to,

10

15

20

25

30

production of RNA, peptide, or protein, or can provide a binding site for RNA, peptides, proteins, inorganic and organic compounds or compositions and the like. Examples of Selectable markers include but are not limited to: (1) DNA segments that encode products which provide resistance against otherwise toxic compounds (e.g., antibiotics); (2) DNA segments that encode products which are otherwise lacking in the recipient cell (e.g., tRNA genes, auxotrophic markers), (3) DNA segments that encode products which suppress the activity of a gene product; (4) DNA segments that encode products which can be readily identified (e.g., phenotypic markers such as β-galactosidase, green fluorescent protein (GFP), and cell surface proteins); (5) DNA segments that bind products which are otherwise detrimental to cell survival and/or function; (6) DNA segments that otherwise inhibit the activity of any of the DNA segments described in Nos. 1-5 above (e.g., antisense oligonucleotides); (7) DNA segments that bind products that modify a substrate (e.g. restriction endonucleases); (8) DNA segments that can be used to isolate or identify a desired molecule (e.g. specific protein binding sites), (9) DNA segments that encode a specific nucleotide sequence which can be otherwise nonfunctional (e.g., for PCR amplification of subpopulations of molecules), (10) DNA segments, which when absent, directly or indirectly confer resistance or sensitivity to particular compounds; (11) DNA segments that encode products which are toxic in recipient cells; (12) DNA segments that inhibit replication, partition or heritability of nucleic acid molecules that contain them; and/or (13) DNA segments that encode conditional replication functions, e.g., replication in certain hosts or host cell strains or under certain environmental conditions (e.g., temperature, nutritional conditions, etc.).

Selection scheme: is any method which allows selection, enrichment, or identification of a desired Product or Product(s) from a mixture containing an Entry Clone or Vector, a Destination Vector, a Donor Vector, an Expression Clone or Vector, any intermediates (e.g. a Cointegrate or a replicon), and/or Byproducts. The selection schemes of one preferred embodiment have at least two components that are either linked or unlinked during recombinational cloning. One component is a Selectable marker. The other component controls the expression in vitro or in vivo of the Selectable marker, or survival of the cell (or

10

15

20

25

30

the nucleic acid molecule, e.g., a replicon) harboring the plasmid carrying the Selectable marker. Generally, this controlling element will be a repressor or inducer of the Selectable marker, but other means for controlling expression or activity of the Selectable marker can be used. Whether a repressor or activator is used will depend on whether the marker is for a positive or negative selection, and the exact arrangement of the various DNA segments, as will be readily apparent to those skilled in the art. A preferred requirement is that the selection scheme results in selection of or enrichment for only one or more desired Products. As defined herein, selecting for a DNA molecule includes (a) selecting or enriching for the presence of the desired DNA molecule, and (b) selecting or enriching against the presence of DNA molecules that are not the desired DNA molecule.

In one embodiment, the selection schemes (which can be carried out in reverse) will take one of three forms, which will be discussed in terms of Figure 1. The first, exemplified herein with a Selectable marker and a repressor therefore, selects for molecules having segment D and lacking segment C. The second selects against molecules having segment C and for molecules having segment D. Possible embodiments of the second form would have a DNA segment carrying a gene toxic to cells into which the *in vitro* reaction products are to be introduced. A toxic gene can be a DNA that is expressed as a toxic gene product (a toxic protein or RNA), or can be toxic in and of itself. (In the latter case, the toxic gene is understood to carry its classical definition of "heritable trait".)

Examples of such toxic gene products are well known in the art, and include, but are not limited to, restriction endonucleases (e.g., DpnI), apoptosis-related genes (e.g. ASK1 or members of the bcl-2/ced-9 family), retroviral genes including those of the human immunodeficiency virus (HIV), defensins such as NP-1, inverted repeats or paired palindromic DNA sequences, bacteriophage lytic genes such as those from ΦX174 or bacteriophage T4; antibiotic sensitivity genes such as rpsL, antimicrobial sensitivity genes such as pheS, plasmid killer genes, eukaryotic transcriptional vector genes that produce a gene product toxic to bacteria, such as GATA-1, and genes that kill hosts in the absence of a suppressing function, e.g., kicB, ccdB, ΦX174 E (Liu, Q. et al., Curr. Biol.

10

15

20

25

30

8:1300-1309 (1998)), and other genes that negatively affect replicon stability and/or replication. A toxic gene can alternatively be selectable *in vitro*, e.g., a restriction site.

Many genes coding for restriction endonucleases operably linked to inducible promoters are known, and may be used in the present invention. See, e.g. U.S. Patent Nos. 4,960,707 (DpnI and DpnII); 5,000,333, 5,082,784 and 5,192,675 (KpnI); 5,147,800 (NgoAIII and NgoAI); 5,179,015 (FspI and HaeIII): 5,200,333 (HaeII and TaqI); 5,248,605 (HpaII); 5,312,746 (ClaI); 5,231,021 and 5,304,480 (XhoI and XhoII); 5,334,526 (AluI); 5,470,740 (NsiI); 5,534,428 (SstI/SacI); 5,202,248 (NcoI); 5,139,942 (NdeI); and 5,098,839 (PacI). See also Wilson, G.G., Nucl. Acids Res. 19:2539-2566 (1991); and Lunnen, K.D., et al., Gene 74:25-32 (1988).

In the second form, segment *D* carries a Selectable marker. The toxic gene would eliminate transformants harboring the Vector Donor, Cointegrate, and Byproduct molecules, while the Selectable marker can be used to select for cells containing the Product and against cells harboring only the Insert Donor.

The third form selects for cells that have both segments A and D in cis on the same molecule, but not for cells that have both segments in trans on different molecules. This could be embodied by a Selectable marker that is split into two inactive fragments, one each on segments A and D.

The fragments are so arranged relative to the recombination sites that when the segments are brought together by the recombination event, they reconstitute a functional Selectable marker. For example, the recombinational event can link a promoter with a structural nucleic acid molecule (e.g., a gene), can link two fragments of a structural nucleic acid molecule, or can link nucleic acid molecules that encode a heterodimeric gene product needed for survival, or can link portions of a replicon.

Site-specific recombinase: is a type of recombinase which typically has at least the following four activities (or combinations thereof): (1) recognition of one or two specific nucleic acid sequences; (2) cleavage of said sequence or sequences; (3) topoisomerase activity involved in strand exchange; and (4) ligase

10

15

20

25

30

activity to reseal the cleaved strands of nucleic acid. See Sauer, B., Current Opinions in Biotechnology 5:521-527 (1994). Conservative site-specific recombination is distinguished from homologous recombination and transposition by a high degree of sequence specificity for both partners. The strand exchange mechanism involves the cleavage and rejoining of specific DNA sequences in the absence of DNA synthesis (Landy, A. (1989) Ann. Rev. Biochem. 58:913-949).

Subcloning vector: is a cloning vector comprising a circular or linear nucleic acid molecule which includes preferably an appropriate replicon. In the present invention, the subcloning vector (segment D in Figure 1) can also contain functional and/or regulatory elements that are desired to be incorporated into the final product to act upon or with the cloned DNA Insert (segment A in Figure 1). The subcloning vector can also contain a Selectable marker (preferably DNA).

Vector: is a nucleic acid molecule (preferably DNA) that provides a useful biological or biochemical property to an Insert. Examples include plasmids, phages, autonomously replicating sequences (ARS), centromeres, and other sequences which are able to replicate or be replicated in vitro or in a host cell, or to convey a desired nucleic acid segment to a desired location within a host cell. A Vector can have one or more restriction endonuclease recognition sites at which the sequences can be cut in a determinable fashion without loss of an essential biological function of the vector, and into which a nucleic acid fragment can be spliced in order to bring about its replication and cloning. Vectors can further provide primer sites, e.g., for PCR, transcriptional and/or translational initiation and/or regulation sites, recombinational signals, replicons, Selectable markers, etc. Clearly, methods of inserting a desired nucleic acid fragment which do not require the use of homologous recombination, transpositions or restriction enzymes (such as, but not limited to, UDG cloning of PCR fragments (U.S. Patent No. 5,334,575, entirely incorporated herein by reference), T:A cloning, and the like) can also be applied to clone a fragment into a cloning vector to be used according to the present invention. The cloning vector can further contain one or more selectable markers suitable for use in the identification of cells transformed with the cloning vector.

10

15

20

25

30

Vector Donor is one of the two parental nucleic acid molecules (e.g. RNA or DNA) of the present invention which carries the DNA segments comprising the DNA vector which is to become part of the desired Product. The Vector Donor comprises a subcloning vector D (or it can be called the cloning vector if the Insert Donor does not already contain a cloning vector (e.g., for PCR fragments containing attB sites; see below)) and a segment C flanked by recombination sites (see Figure 1). Segments C and/or D can contain elements that contribute to selection for the desired Product daughter molecule, as described above for selection schemes. The recombination signals can be the same or different, and can be acted upon by the same or different recombinases. In addition, the Vector Donor can be linear or circular. Examples of such Vector Donor molecules include GATEWAYTM Destination Vectors, which include but are not limited to those Destination Vectors depicted in Figures 21-47 and 90-96.

Primer: refers to a single stranded or double stranded oligonucleotide that is extended by covalent bonding of nucleotide monomers during amplification or polymerization of a nucleic acid molecule (e.g. a DNA molecule). In a preferred aspect, a primer comprises one or more recombination sites or portions of such recombination sites. Portions of recombination sites comprise at least 2 bases (or basepairs, abbreviated herein as "bp"), at least 5-200 bases, at least 10-100 bases, at least 15-75 bases, at least 15-50 bases, at least 15-25 bases, or at least 16-25 bases, of the recombination sites of interest, as described in further detail below and in the Examples. When using portions of recombination sites, the missing portion of the recombination site may be provided as a template by the newly synthesized nucleic acid molecule. Such recombination sites may be located within and/or at one or both termini of the primer. Preferably, additional sequences are added to the primer adjacent to the recombination site(s) to enhance or improve recombination and/or to stabilize the recombination site during recombination. Such stabilization sequences may be any sequences (preferably G/C rich sequences) of any length. Preferably, such sequences range in size from 1 to about 1000 bases, 1 to about 500 bases, and 1 to about 100 bases, 1 to about 60 bases, 1 to about 25, 1 to about 10, 2 to about 10 and preferably about 4 bases.

WO 00/52027 PCT/US00/05432

-38-

Preferably, such sequences are greater than 1 base in length and preferably greater than 2 bases in length.

5

10

15

20

25

30

Template: refers to double stranded or single stranded nucleic acid molecules which are to be amplified, synthesized or sequenced. In the case of double stranded molecules, denaturation of its strands to form a first and a second strand is preferably performed before these molecules will be amplified, synthesized or sequenced, or the double stranded molecule may be used directly as a template. For single stranded templates, a primer complementary to a portion of the template is hybridized under appropriate conditions and one or more polypeptides having polymerase activity (e.g. DNA polymerases and/or reverse transcriptases) may then synthesize a nucleic acid molecule complementary to all or a portion of said template. Alternatively, for double stranded templates, one or more promoters may be used in combination with one or more polymerases to make nucleic acid molecules complementary to all or a portion of the template. The newly synthesized molecules, according to the invention, may be equal or shorter in length than the original template. Additionally, a population of nucleic acid templates may be used during synthesis or amplification to produce a population of nucleic acid molecules typically representative of the original template population.

Adapter: is an oligonucleotide or nucleic acid fragment or segment (preferably DNA) which comprises one or more recombination sites (or portions of such recombination sites) which in accordance with the invention can be added to a circular or linear Insert Donor molecule as well as other nucleic acid molecules described herein. When using portions of recombination sites, the missing portion may be provided by the Insert Donor molecule. Such adapters may be added at any location within a circular or linear molecule, although the adapters are preferably added at or near one or both termini of a linear molecule. Preferably, adapters are positioned to be located on both sides (flanking) a particular nucleic acid molecule of interest. In accordance with the invention, adapters may be added to nucleic acid molecules of interest by standard recombinant techniques (e.g. restriction digest and ligation). For example, adapters may be added to a circular molecule by first digesting the molecule with

10

15

20

25

30

an appropriate restriction enzyme, adding the adapter at the cleavage site and reforming the circular molecule which contains the adapter(s) at the site of cleavage. In other aspects, adapters may be added by homologous recombination, by integration of RNA molecules, and the like. Alternatively, adapters may be ligated directly to one or more and preferably both termini of a linear molecule thereby resulting in linear molecule(s) having adapters at one or both termini. In one aspect of the invention, adapters may be added to a population of linear molecules, (e.g. a cDNA library or genomic DNA which has been cleaved or digested) to form a population of linear molecules containing adapters at one and preferably both termini of all or substantial portion of said population.

Adapter-Primer: is primer molecule which comprises one or more recombination sites (or portions of such recombination sites) which in accordance with the invention can be added to a circular or linear nucleic acid molecule described herein. When using portions of recombination sites, the missing portion may be provided by a nucleic acid molecule (e.g., an adapter) of the invention. Such adapter-primers may be added at any location within a circular or linear molecule, although the adapter-primers are preferably added at or near one or both termini of a linear molecule. Examples of such adapter-primers and the use thereof in accordance with the methods of the invention are shown in Example 25 herein. Such adapter-primers may be used to add one or more recombination sites or portions thereof to circular or linear nucleic acid molecules in a variety of contexts and by a variety of techniques, including but not limited to amplification (e.g., PCR), ligation (e.g., enzymatic or chemical/synthetic ligation), recombination (e.g., homologous or non-homologous (illegitimate) recombination) and the like.

Library: refers to a collection of nucleic acid molecules (circular or linear). In one embodiment, a library may comprise a plurality (i.e., two or more) of DNA molecules, which may or may not be from a common source organism, organ, tissue, or cell. In another embodiment, a library is representative of all or a portion or a significant portion of the DNA content of an organism (a "genomic" library), or a set of nucleic acid molecules representative of all or a portion or a significant portion of the expressed nucleic acid molecules (a cDNA library) in a

WO 00/52027 PCT/US00/05432

-40-

cell, tissue, organ or organism. A library may also comprise random sequences made by *de novo* synthesis, mutagenesis of one or more sequences and the like. Such libraries may or may not be contained in one or more vectors.

5

10

15

20

25

30

Amplification: refers to any *in vitro* method for increasing a number of copies of a nucleotide sequence with the use of a polymerase. Nucleic acid amplification results in the incorporation of nucleotides into a DNA and/or RNA molecule or primer thereby forming a new molecule complementary to a template. The formed nucleic acid molecule and its template can be used as templates to synthesize additional nucleic acid molecules. As used herein, one amplification reaction may consist of many rounds of replication. DNA amplification reactions include, for example, polymerase chain reaction (PCR). One PCR reaction may consist of 5-100 "cycles" of denaturation and synthesis of a DNA molecule.

Oligonucleotide: refers to a synthetic or natural molecule comprising a covalently linked sequence of nucleotides which are joined by a phosphodiester bond between the 3' position of the deoxyribose or ribose of one nucleotide and the 5' position of the deoxyribose or ribose of the adjacent nucleotide. This term may be used interchangeably herein with the terms "nucleic acid molecule" and "polynucleotide," without any of these terms necessarily indicating any particular length of the nucleic acid molecule to which the term specifically refers.

Nucleotide: refers to a base-sugar-phosphate combination. Nucleotides are monomeric units of a nucleic acid molecule (DNA and RNA). The term nucleotide includes ribonucleoside triphosphates ATP, UTP, CTG, GTP and deoxyribonucleoside triphosphates such as dATP, dCTP, dITP, dUTP, dGTP, dTTP, or derivatives thereof. Such derivatives include, for example, [αS]dATP, 7-deaza-dGTP and 7-deaza-dATP. The term nucleotide as used herein also refers to dideoxyribonucleoside triphosphates (ddNTPs) and their derivatives. Illustrated examples of dideoxyribonucleoside triphosphates include, but are not limited to, ddATP, ddCTP, ddGTP, ddITP, and ddTTP. According to the present invention, a "nucleotide" may be unlabeled or detectably labeled by well known techniques. Detectable labels include, for example, radioactive isotopes, fluorescent labels, chemiluminescent labels, bioluminescent labels and enzyme labels.

10

15

20

25

30

Hybridization: The terms "hybridization" and "hybridizing" refers to base pairing of two complementary single-stranded nucleic acid molecules (RNA and/or DNA) to give a double stranded molecule. As used herein, two nucleic acid molecules may be hybridized, although the base pairing is not completely complementary. Accordingly, mismatched bases do not prevent hybridization of two nucleic acid molecules provided that appropriate conditions, well known in the art, are used. In some aspects, hybridization is said to be under "stringent conditions." By "stringent conditions" as used herein is meant overnight incubation at 42°C in a solution comprising: 50% formamide, 5x SSC (150 mM NaCl, 15mM trisodium citrate), 50 mM sodium phosphate (pH 7.6), 5x Denhardt's solution, 10% dextran sulfate, and 20 g/ml denatured, sheared salmon sperm DNA, followed by washing the filters in 0.1x SSC at about 65°C.

Other terms used in the fields of recombinant DNA technology and molecular and cell biology as used herein will be generally understood by one of ordinary skill in the applicable arts

Overview

Two reactions constitute the recombinational cloning system of the present invention, referred to herein as the "GATEWAYTM Cloning System," as depicted generally in Figure 1. The first of these reactions, the LR Reaction (Figure 2), which may also be referred to interchangeably herein as the Destination Reaction, is the main pathway of this system. The LR Reaction is a recombination reaction between an Entry vector or clone and a Destination Vector, mediated by a cocktail of recombination proteins such as the GATEWAYTM LR ClonaseTM Enzyme Mix described herein. This reaction transfers nucleic acid molecules of interest (which may be genes, cDNAs, cDNA libraries, or fragments thereof) from the Entry Clone to an Expression Vector, to create an Expression Clone.

The sites labeled L, R, B, and P are respectively the attL, attR, attB, and attP recombination sites for the bacteriophage λ recombination proteins that constitute the Clonase cocktail (referred to herein variously as "Clonase" or

10

15

20

25

30

"GATEWAYTM LR ClonaseTM Enzyme Mix" (for recombination protein mixtures mediating attL x attR recombination reactions, as described herein) or "GATEWAYTM BP ClonaseTM Enzyme Mix" (for recombination protein mixtures mediating attB x attP recombination reactions, as described herein)). The Recombinational Cloning reactions are equivalent to concerted, highly specific, cutting and ligation reactions. Viewed in this way, the recombination proteins cut to the left and right of the nucleic acid molecule of interest in the Entry Clone and ligate it into the Destination vector, creating a new Expression Clone.

The nucleic acid molecule of interest in an Expression Clone is flanked by the small attB1 and attB2 sites. The orientation and reading frame of the nucleic acid molecule of interest are maintained throughout the subcloning, because attL1 reacts only with attR1, and attL2 reacts only with attR2. Likewise, attB1 reacts only with attP1, and attB2 reacts only with attP2. Thus, the invention also relates to methods of controlled or directional cloning using the recombination sites of the invention (or portions thereof), including variants, fragments, mutants and derivatives thereof which may have altered or enhanced specificity. The invention also relates more generally to any number of recombination site partners or pairs (where each recombination site is specific for and interacts with its corresponding recombination site). Such recombination sites are preferably made by mutating or modifying the recombination site to provide any number of necessary specificities (e.g., attB1-10, attP1-10, attL1-10, attR1-10, etc.), non-limiting examples of which are described in detail in the Examples herein.

When an aliquot from the recombination reaction is transformed into host cells (e.g., E. coli) and spread on plates containing an appropriate selection agent, e.g., an antibiotic such as ampicillin with or without methicillin, cells that take up the desired clone form colonies. The unreacted Destination Vector does not give ampicillin-resistant colonies, even though it carries the ampicillin-resistance gene, because it contains a toxic gene, e.g., ccdB. Thus selection for ampicillin resistance selects for E. coli cells that carry the desired product, which usually comprise >90% of the colonies on the ampicillin plate.

To participate in the Recombinational (or "GATEWAYTM") Cloning Reaction, a nucleic acid molecule of interest first may be cloned into an Entry

Vector, creating an Entry Clone. Multiple options are available for creating Entry Clones, including: cloning of PCR sequences with terminal attB recombination sites into Entry Vectors; using the GATEWAYTM Cloning System recombination reaction; transfer of genes from libraries prepared in GATEWAYTM Cloning System vectors by recombination into Entry Vectors; and cloning of restriction enzymegenerated fragments and PCR fragments into Entry Vectors by standard recombinant DNA methods. These approaches are discussed in further detail herein.

A key advantage of the GATEWAY™ Cloning System is that a nucleic acid molecule of interest (or even a population of nucleic acid molecules of interest) present as an Entry Clone can be subcloned in parallel into one or more Destination Vectors in a simple reactions for anywhere from about 30 seconds to about 60 minutes (preferably about 1-60 minutes, about 1-45 minutes, about 1-30 minutes, about 2-60 minutes, about 2-45 minutes, about 2-30 minutes, about 1-2 minutes, about 30-60 minutes, about 45-60 minutes, or about 30-45 minutes). Longer reaction times (e.g., 2-24 hours, or overnight) may increase recombination efficiency, particularly where larger nucleic acid molecules are used, as described in the Examples herein. Moreover, a high percentage of the colonies obtained carry the desired Expression Clone. This process is illustrated schematically in Figure 3, which shows an advantage of the invention in which the molecule of interest can be moved simultaneously or separately into multiple Destination Vectors. In the LR Reaction, one or both of the nucleic acid molecules to be recombined may have any topology (e.g., linear, relaxed circular, nicked circular, supercoiled, etc.), although one or both are preferably linear.

The second major pathway of the GATEWAYTM Cloning System is the **BP Reaction** (Figure 4), which may also be referred to interchangeably herein as the **Entry Reaction** or the **Gateward Reaction**. The BP Reaction may recombine an Expression Clone with a Donor Plasmid (the counterpart of the byproduct in Figure 2). This reaction transfers the nucleic acid molecule of interest (which may have any of a variety of topologies, including linear, coiled, supercoiled, etc.) in the Expression Clone into an Entry Vector, to produce a new Entry Clone. Once this nucleic acid molecule of interest is cloned into an Entry

10

5

15

20

25

30

Vector, it can be transferred into new Expression Vectors, through the LR Reaction as described above. In the BP Reaction, one or both of the nucleic acid molecules to be recombined may have any topology (e.g., linear, relaxed circular, nicked circular, supercoiled, etc.), although one or both are preferably linear.

5

10

15

20

25

30

The nucleic acid molecule of interest in the Expression Clone is flanked by attB sites: attB1 to the left (amino terminus) and attB2 to the right (carboxy terminus). The bases in attB1 to the left of the seven-base staggered cut produced by Int are derived from the Destination vector, and the bases to the right of the staggered cut are derived from the Entry Vector (see Figure 6). Note that the sequence is displayed in triplets corresponding to an open reading frame. If the reading frame of the nucleic acid molecule of interest cloned in the Entry Vector

A useful variation of the BP Reaction permits rapid cloning and expression of products of amplification (e.g., PCR) or nucleic acid synthesis. Amplification (e.g., PCR) products synthesized with primers containing terminal 25 bp attB sites serve as efficient substrates for the Gateward Cloning reaction. Such amplification products may be recombined with a Donor Vector to produce an Entry Clone (see Figure 7). The result is an Entry Clone containing the amplification fragment. Such Entry Clones can then be recombined with Destination Vectors — through the LR Reaction — to yield Expression Clones of the PCR product.

Additional details of the LR Reaction are shown in Figure 5A. The GATEWAYTM LR ClonaseTM Enzyme Mix that mediates this reaction contains lambda recombination proteins Int (Integrase), Xis (Excisionase), and IHF (Integration Host Factor). In contrast, the GATEWAYTM BP ClonaseTM Enzyme Mix, which mediates the BP Reaction (Figure 5B), comprises Int and IHF alone.

The recombination (att) sites of each vector comprise two distinct segments, donated by the parental vectors. The staggered lines dividing the two portions of each att site, depicted in Figures 5A and 5B, represent the seven-base staggered cut produced by Int during the recombination reactions. This structure is seen in greater detail in Figure 6, which displays the attB recombination sequences of an Expression Clone, generated by recombination between the attL1 and attL2 sites of an Entry Clone and the attR1 and attR2 sites of a Destination Vector.

WO 00/52027 PCT/US00/05432

-45-

is in phase with the reading frame shown for attB1, amino-terminal protein fusions can be made between the nucleic acid molecule of interest and any GATEWAYTM Cloning System Destination Vector encoding an amino-terminal fusion domain. Entry Vectors and Destination Vectors that enable cloning in all three reading frames are described in more detail herein, particularly in the Examples.

5

10

15

20

25

30

The LR Reaction allows the transfer of a desired nucleic acid molecule of interest into new Expression Vectors by recombining a Entry Clone with various Destination Vectors. To participate in the LR or Destination Reaction, however, a nucleic acid molecule of interest preferably is first converted to a Entry Clone. Entry Clones can be made in a number of ways, as shown in Figure 7.

One approach is to clone the nucleic acid molecule of interest into one or more of the Entry Vectors, using standard recombinant DNA methods, with restriction enzymes and ligase. The starting DNA fragment can be generated by restriction enzyme digestion or as a PCR product. The fragment is cloned between the attL1 and attL2 recombination sites in the Entry Vector. Note that a toxic or "death" gene (e.g., ccdB), provided to minimize background colonies from incompletely digested Entry Vector, must be excised and replaced by the nucleic acid molecule of interest.

A second approach to making an Entry Clone (Figure 7) is to make a library (genomic or cDNA) in an Entry Vector, as described in detail herein. Such libraries may then be transferred into Destination Vectors for expression screening, for example in appropriate host cells such as yeast cells or mammalian cells.

A third approach to making Entry Clones (Figure 7) is to use Expression Clones obtained from cDNA molecules or libraries prepared in Expression Vectors. Such cDNAs or libraries, flanked by attB sites, can be introduced into a Entry Vector by recombination with a Donor Vector via the BP Reaction. If desired, an entire Expression Clone library can be transferred into the Entry Vector through the BP Reaction. Expression Clone cDNA libraries may also be constructed in a variety of prokaryotic and eukaryotic GATEWAYTM-modified vectors (e.g., the pEXP501 Expression Vector (see Figure 48), and 2-hybrid and

10

15

20

25

30

attB library vectors), as described in detail herein, particularly in the Examples below.

A fourth, and potentially most versatile, approach to making an Entry Clone (Figure 7) is to introduce a sequence for a nucleic acid molecule of interest into an Entry Vector by amplification (e.g., PCR) fragment cloning. This method is diagramed in Figure 8. The DNA sequence first is amplified (for example, with PCR) as outlined in detail below and in the Examples herein, using primers containing one or more bp, two or more bp, three or more bp, four or more bp, five or more bp, preferably six or more bp, more preferably 6-25 bp (particularly 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 or 25) bp of the attB nucleotide sequences (such as, but not limited to, those depicted in Figure 9), and optionally one or more, two or more, three or more, four or more, and most preferably four or five or more additional terminal nucleotide bases which preferably are guanines. The PCR product then may be converted to a Entry Clone by performing a BP Reaction, in which the attB-PCR product recombines with a Donor Vector containing one or more attP sites. Details of this approach and protocols for PCR fragment subcloning are provided in Examples 8 and 21-25.

A variety of Entry Clones may be produced by these methods, providing a wide array of cloning options; a number of specific Entry Vectors are also available commercially from Life Technologies, Inc. (Rockville, MD). The Examples herein provide a more in-depth description of selected Entry Vectors and details of their cloning sites. Choosing the optimal Entry Vector for a particular application is discussed in Example 4.

Entry Vectors and Destination Vectors should be constructed so that the amino-terminal region of a nucleic acid molecule of interest (e.g., a gene, cDNA library or insert, or fragment thereof) will be positioned next to the attL1 site. Entry Vectors preferably contain the rrnB transcriptional terminator upstream of the attL1 site. This sequence ensures that expression of cloned nucleic acid molecules of interest is reliably "off" in E. coli, so that even toxic genes can be successfully cloned. Thus, Entry Clones may be designed to be transcriptionally silent. Note also that Entry Vectors, and hence Entry Clones, may contain the kanamycin antibiotic resistance (kan') gene to facilitate selection of host cells

containing Entry Clones after transformation. In certain applications, however, Entry Clones may contain other selection markers, including but not limited to a gentamycin resistance (gen') or tetracycline resistance (tet') gene, to facilitate selection of host cells containing Entry Clones after transformation.

5

10

15

20

25

30

Once a nucleic acid molecule of interest has been cloned into an Entry Vector, it may be moved into a Destination Vector. The upper right portion of Figure 5A shows a schematic of a Destination Vector. The thick arrow represents some function (often transcription or translation) that will act on the nucleic acid molecule of interest in the clone. During the recombination reaction, the region between the attR1 and attR2 sites, including a toxic or "death" gene (e.g., ccdB), is replaced by the DNA segment from the Entry Clone. Selection for recombinants that have acquired the ampicillin resistance (amp^r) gene (carried on the Destination Vector) and that have also lost the death gene ensures that a high percentage (usually >90%) of the resulting colonies will contain the correct insert.

To move a nucleic acid molecule of interest into a Destination Vector, the Destination Vector is mixed with the Entry Clone comprising the desired nucleic acid molecule of interest, a cocktail of recombination proteins (e.g., GATEWAYTM LR ClonaseTM Enzyme Mix) is added, the mixture is incubated (preferably at about 25°C for about 60 minutes, or longer under certain circumstances, e.g. for transfer of large nucleic acid molecules, as described below) and any standard host cell (including bacterial cells such as E. coli; animal cells such as insect cells, mammalian cells, nematode cells and the like; plant cells; and yeast cells) strain is transformed with the reaction mixture. The host cell used will be determined by the desired selection (e.g., E. coli DB3.1, available commercially from Life Technologies, Inc., allows survival of clones containing the ccdB death gene, and thus can be used to select for cointegrate molecules -i.e., molecules that are hybrids between the Entry Clone and Destination Vector). The Examples below provide further details and protocols for use of Entry and Destination Vectors in transferring nucleic acid molecules of interest and expressing RNAs or polypeptides encoded by these nucleic acid molecules in a variety of host cells.

10

15

20

25

30

The cloning system of the invention therefore offers multiple advantages:

- Once a nucleic acid molecule of interest is cloned into the GATEWAYTM Cloning System, it can be moved into and out of other vectors with complete fidelity of reading frame and orientation. That is, since the reactions proceed whereby attL1 on the Entry Clone recombines with attR1 on the Destination Vector, the directionality of the nucleic acid molecule of interest is maintained or may be controlled upon transfer from the Entry Clone into the Destination Vector. Hence, the GATEWAYTM Cloning System provides a powerful and easy method of directional cloning of nucleic acid molecule of interest.
- One-step cloning or subcloning: Mix the Entry Clone and the Destination Vector with Clonase, incubate, and transform.
- Clone PCR products readily by *in vitro* recombination, by adding attB sites to PCR primers. Then directly transfer these Entry Clones into Destination Vectors. This process may also be carried out in one step (see Examples below).
- Powerful selections give high reliability: >90% (and often >99%) of the colonies contain the desired DNA in its new vector.
- One-step conversion of existing standard vectors into GATEWAYTM Cloning System vectors.
- Ideal for large vectors or those with few cloning sites.
- Recombination sites are short (25 bp), and may be engineered to contain no stop codons or secondary structures.
- Reactions may be automated, for high-throughput applications (e.g., for diagnostic purposes or for therapeutic candidate screening).
- The reactions are economical: 0.3 µg of each DNA; no restriction enzymes, phosphatase, ligase, or gel purification. Reactions work well with miniprep DNA.
- Transfer multiple clones, and even libraries, into one or more Destination Vectors, in a single experiment.
- A variety of Destination Vectors may be produced, for applications including, but not limited to:

- •Protein expression in E. coli: native proteins, fusion proteins with GST, His6, thioredoxin, etc., for purification, or one or more epitope tags; any promoter useful in expressing proteins in E. coli may be used, such as ptrc, λP_L, and T7 promoters.
- •Protein expression in eukaryotic cells: CMV promoter, baculovirus (with or without His6 tag), Semliki Forest virus, Tet regulation.
- •DNA sequencing (all *lac* primers), RNA probes, phagemids (both strands)
- A variety of Entry Vectors (for recombinational cloning entry by standard recombinant DNA methods) may be produced:
 - •Strong transcription stop just upstream, for genes toxic to E. coli.
 - Three reading frames.
 - •With or without TEV protease cleavage site.
 - •Motifs for prokaryotic and / or eukaryotic translation.
 - Compatible with commercial cDNA libraries.
- Expression Clone cDNA (attB) libraries, for expression screening, including
 2-hybrid libraries and phage display libraries, may also be constructed.

Recombination Site Sequences

20

25

30

5

10

15

In one aspect, the invention relates to nucleic acid molecules, which may or may not be isolated nucleic acid molecules, comprising one or more nucleotide sequences encoding one or more recombination sites or portions thereof. In particular, this aspect of the invention relates to such nucleic acid molecules comprising one or more nucleotide sequences encoding attB, attP, attL, or attR, or portions of these recombination site sequences. The invention also relates to mutants, derivatives, and fragments of such nucleic acid molecules. Unless otherwise indicated, all nucleotide sequences that may have been determined by sequencing a DNA molecule herein were determined using manual or automated DNA sequencing, such as dideoxy sequencing, according to methods that are routine to one of ordinary skill in the art (Sanger, F., and Coulson, A.R., J. Mol. Biol. 94:444-448 (1975); Sanger, F., et al., Proc. Natl. Acad. Sci. USA 74:5463-5467 (1977)). All amino acid sequences of polypeptides encoded by DNA

WO 00/52027

5

10

15

20

25

30

-50-

PCT/US00/05432

molecules determined herein were predicted by conceptual translation of a DNA sequence determined as above. Therefore, as is known in the art for any DNA sequence determined by these approaches, any nucleotide sequence determined herein may contain some errors. Nucleotide sequences determined by such methods are typically at least about 90% identical, more typically at least about 95% to at least about 99.9% identical to the actual nucleotide sequence of the sequenced DNA molecule. As is also known in the art, a single insertion or deletion in a determined nucleotide sequence compared to the actual sequence will cause a frame shift in translation of the nucleotide sequence such that the predicted amino acid sequence encoded by a determined nucleotide sequence will be completely different from the amino acid sequence actually encoded by the sequenced DNA molecule, beginning at the point of such an insertion or deletion.

Unless otherwise indicated, each "nucleotide sequence" set forth herein is presented as a sequence of deoxyribonucleotides (abbreviated A, G, C and T). However, by "nucleotide sequence" of a nucleic acid molecule or polynucleotide is intended, for a DNA molecule or polynucleotide, a sequence of deoxyribonucleotides, and for an RNA molecule or polynucleotide, the corresponding sequence of ribonucleotides (A, G, C and U), where each thymidine deoxyribonucleotide (T) in the specified deoxyribonucleotide sequence is replaced by the ribonucleotide uridine (U). Thus, the invention relates to sequences of the invention in the form of DNA or RNA molecules, or hybrid DNA/RNA molecules, and their corresponding complementary DNA, RNA, or DNA/RNA strands.

In a first such aspect, the invention provides nucleic acid molecules comprising one or more nucleotide sequences encoding attB1, or mutants, fragments, variants or derivatives thereof. Such nucleic acid molecules may comprise an attB1 nucleotide sequence having the sequence set forth in Figure 9, such as: ACAAGTTTGTACAAAAAAGCAGGCT, or a nucleotide sequence complementary to the nucleotide sequence set forth in Figure 9 for attB1, or mutants, fragments, variants or derivatives thereof. As one of ordinary skill will appreciate, however, certain mutations, insertions, or deletions of one or more bases in the attB1 sequence contained in the nucleic acid molecules of the invention may be made without compromising the structural and functional

10

15.

20

25

30

integrity of these molecules; hence, nucleic acid molecules comprising such mutations, insertions, or deletions in the attB1 sequence are encompassed within the scope of the invention.

In a related aspect, the invention provides nucleic acid molecules comprising one or more nucleotide sequences encoding attB2, or mutants, fragments, variants or derivatives thereof. Such nucleic acid molecules may comprise an attB2 nucleotide sequence having the sequence set forth in Figure 9, such as: ACCCAGCTTTCTTGTACAAAGTGGT, or a nucleotide sequence complementary to the nucleotide sequence set forth in Figure 9 for attB2, or mutants, fragments, variants or derivatives thereof. As noted above for attB1, certain mutations, insertions, or deletions of one or more bases in the attB2 sequence contained in the nucleic acid molecules of the invention may be made without compromising the structural and functional integrity of these molecules; hence, nucleic acid molecules comprising such mutations, insertions, or deletions in the attB2 sequence are encompassed within the scope of the invention.

A recombinant host cell comprising a nucleic acid molecule containing attB1 and attB2 sites (the vector pEXP501, also known as pCMVSport6; see Figure 48), *E. coli* DB3.1(pCMVSport6), was deposited on February 27, 1999, with the Collection, Agricultural Research Culture Collection (NRRL), 1815 North University Street, Peoria, Illinois 61604 USA, as Deposit No. NRRL B-30108. The attB1 and attB2 sites within the deposited nucleic acid molecule are contained in nucleic acid cassettes in association with one or more additional functional sequences as described in more detail below.

In another related aspect, the invention provides nucleic acid molecules comprising one or more nucleotide sequences encoding attP1, or mutants, fragments, variants or derivatives thereof. Such nucleic acid molecules may comprise an attP1 nucleotide sequence having the sequence set forth in Figure 9, such as: TACAGGTCACTAATACCATCTAAGTAGTTGATTCATAGTGA-CTGGATATGTTGTGTTTTTACAGTATTTATATGTAGTCTGTTTTTTAT-GCAAAATCTAATTTAATATATTGATATTTATATCATTTTACGTT-TCTCGTTCAGCTTTTTTGTACAAAGTTGGCATTATAAAAAAAGCATTG-CTCATCAATTTGTTGCAACGAACGGACCGAACAGGTCACTATCAGTCAAAATAA-CTCATTTGTTGCAACGAACGAACAGGTCACTATCAGTCAAAATAA-

10

15

20

25

30

AATCATTATTG, or a nucleotide sequence complementary to the nucleotide sequence set forth in Figure 9 for attP1, or mutants, fragments, variants or derivatives thereof. As noted above for attB1, certain mutations, insertions, or deletions of one or more bases in the attP1 sequence contained in the nucleic acid molecules of the invention may be made without compromising the structural and functional integrity of these molecules; hence, nucleic acid molecules comprising such mutations, insertions, or deletions in the attP1 sequence are encompassed within the scope of the invention.

In another related aspect, the invention provides nucleic acid molecules comprising one or more nucleotide sequences encoding attP2, or mutants, fragments, variants or derivatives thereof. Such nucleic acid molecules may comprise an attP2 nucleotide sequence having the sequence set forth in Figure 9, CAACAAATTGATAAGCAATGCTTTCTTATAATGCCAACTTT-GTACAAGAAAGCTGAACGAGAAACGTAAAATGATA-TAAATATCAATATTAAATTAGATTTTGCATAAAAAACAG-ACTACATAATACTGTAAAACACAACATATCCAGTCACTATGAATCAA-CTACTTAGATGGTATTAGTGACCTGTA, or a nucleotide sequence complementary to the nucleotide sequence set forth in Figure 9 for attP2, or mutants, fragments, variants or derivatives thereof. As noted above for attB1, certain mutations, insertions, or deletions of one or more bases in the attP2 sequence contained in the nucleic acid molecules of the invention may be made without compromising the structural and functional integrity of these molecules; hence, nucleic acid molecules comprising such mutations, insertions, or deletions in the attP2 sequence are encompassed within the scope of the invention.

A recombinant host cell comprising a nucleic acid molecule (the attP vector pDONR201, also known as pENTR21-attPkan or pAttPkan; see Figure 49) containing attP1 and attP2 sites, *E. coli* DB3.1(pAttPkan) (also called *E. coli* DB3.1(pAHKan)), was deposited on February 27, 1999, with the Collection, Agricultural Research Culture Collection (NRRL), 1815 North University Street, Peoria, Illinois 61604 USA, as Deposit No. NRRL B-30099. The attP1 and attP2 sites within the deposited nucleic acid molecule are contained in nucleic acid

10

15

20

25

30

cassettes in association with one or more additional functional sequences as described in more detail below.

In another related aspect, the invention provides nucleic acid molecules comprising one or more nucleotide sequences encoding attR1, or mutants, fragments, variants or derivatives thereof. Such nucleic acid molecules may comprise an attR1 nucleotide sequence having the sequence set forth in Figure 9, such ACAAGTTTGTACAAAAAGCTGAACGAGas: AAACGTAAAATGATATAAATATCAATATATAAATTAGATTTTGCAT-AAAAAACAGACTACATAATACTGTAAAAACACAACATATCCAGTCA-CTATG, or a nucleotide sequence complementary to the nucleotide sequence set forth in Figure 9 for attR1, or mutants, fragments, variants or derivatives thereof. As noted above for attB1, certain mutations, insertions, or deletions of one or more bases in the attR1 sequence contained in the nucleic acid molecules of the invention may be made without compromising the structural and functional integrity of these molecules; hence, nucleic acid molecules comprising such mutations, insertions, or deletions in the attR1 sequence are encompassed within the scope of the invention.

In another related aspect, the invention provides nucleic acid molecules comprising one or more nucleotide sequences encoding attR2, or mutants, fragments, variants or derivatives thereof. Such nucleic acid molecules may comprise an attR2 nucleotide sequence having the sequence set forth in Figure 9, such GCAGGTCGACCATAGTGACTGGATAT-GTTGTGTTTTACAGTATTATGTAGTCTGTTTTTTATGCAAAATCTA-ATTTAATATTGATATTTATATCATTTTACGTTTCTCGTTCAGCTT-TCTTGTACAAAGTGGT, or a nucleotide sequence complementary to the nucleotide sequence set forth in Figure 9 for attR2, or mutants, fragments, variants or derivatives thereof. As noted above for attB1, certain mutations, insertions, or deletions of one or more bases in the attR2 sequence contained in the nucleic acid molecules of the invention may be made without compromising the structural and functional integrity of these molecules; hence, nucleic acid molecules comprising such mutations, insertions, or deletions in the attR2 sequence are encompassed within the scope of the invention.

Recombinant host cell strains containing attR1 sites apposed to cloning sites in reading frame A, reading frame B, and reading frame C, E. coli DB3.1(pEZC15101) (reading frame A, see Figure 64A), E. coli DB3.1(pEZC15102) (reading frame B; see Figure 64B), and E. coli DB3.1(pEZC15103) (reading frame C; see Figure 64C), and containing corresponding attR2 sites, were deposited on February 27, 1999, with the Collection, Agricultural Research Culture Collection (NRRL), 1815 North University Street, Peoria, Illinois 61604 USA, as Deposit Nos. NRRL B-30103, NRRL B-30104, and NRRL B-30105, respectively. The attR1 and attR2 sites within the deposited nucleic acid molecules are contained in nucleic acid cassettes in association with one or more additional functional sequences as described in more detail below.

5

10

15

20

25

30

In another related aspect, the invention provides nucleic acid molecules comprising one or more nucleotide sequences encoding attL1, or mutants, fragments, variants and derivatives thereof. Such nucleic acid molecules may comprise an attL1 nucleotide sequence having the sequence set forth in Figure 9, such as: CAA ATA ATG ATT TTA TTT TGA CTG ATA GTG ACC TGT TCG TTG CAA CAA ATT GAT AAG CAA TGC TTT TTT ATA ATG CCA ACT TTG TAC AAA AAA GCA GGC T, or a nucleotide sequence complementary to the nucleotide sequence set forth in Figure 9 for attL1, or mutants, fragments, variants or derivatives thereof. As noted above for attB1, certain mutations, insertions, or deletions of one or more bases in the attL1 sequence contained in the nucleic acid molecules of the invention may be made without compromising the structural and functional integrity of these molecules; hence, nucleic acid molecules comprising such mutations, insertions, or deletions in the attL1 sequence are encompassed within the scope of the invention.

In another related aspect, the invention provides nucleic acid molecules comprising one or more nucleotide sequences encoding attL2, or mutants, fragments, variants and derivatives thereof. Such nucleic acid molecules may comprise an attL2 nucleotide sequence having the sequence set forth in Figure 9, such as: C AAA TAA TGA TTT TAT TTT GAC TGA TAG TGA CCT GTT CGT TGC AAC AAA TTG ATA AGC AAT GCT TTC TTA TAA TGC CAA

10

15

20

25

30

CTT TGT ACA AGA AAG CTG GGT, or a nucleotide sequence complementary to the nucleotide sequence set forth in Figure 9 for attL2, or mutants, fragments, variants or derivatives thereof. As noted above for attB1, certain mutations, insertions, or deletions of one or more bases in the attL2 sequence contained in the nucleic acid molecules of the invention may be made without compromising the structural and functional integrity of these molecules; hence, nucleic acid molecules comprising such mutations, insertions, or deletions in the attL2 sequence are encompassed within the scope of the invention.

Recombinant host cell strains containing attL1 sites apposed to cloning sites in reading frame A, reading frame B, and reading frame C, E. coli DB3.1(pENTR1A) (reading frame A; see Figure 10), E. coli DB3.1(pENTR2B) (reading frame B; see Figure 11), and E. coli DB3.1(pENTR3C) (reading frame C; ... see Figure 12), and containing corresponding attL2 sites, were deposited on February 27, 1999, with the Collection, Agricultural Research Culture Collection (NRRL), 1815 North University Street, Peoria, Illinois 61604 USA, as Deposit Nos. NRRL B-30100, NRRL B-30101, and NRRL B-30102, respectively. The attL1 and attL2 sites within the deposited nucleic acid molecules are contained in nucleic acid cassettes in association with one or more additional functional sequences as described in more detail below.

Each of the recombination site sequences described herein or portions thereof, or the nucleotide sequence cassettes contained in the deposited clones, may be cloned or inserted into a vector of interest (for example, using the recombinational cloning methods described herein and/or standard restriction cloning techniques that are routine in the art) to generate, for example, Entry Vectors or Destination Vectors which may be used to transfer a desired segment of a nucleic acid molecule of interest (e.g., a gene, cDNA molecule, or cDNA library) into a desired vector or into a host cell.

Using the information provided herein, such as the nucleotide sequences for the recombination site sequences described herein, an isolated nucleic acid molecule of the present invention encoding one or more recombination sites or portions thereof may be obtained using standard cloning and screening procedures, such as those for cloning cDNAs using mRNA as starting material. Preferred such

10

15

20

25

30

methods include PCR-based cloning methods, such as reverse transcriptase-PCR (RT-PCR) using primers such as those described herein and in the Examples below. Alternatively, vectors comprising the cassettes containing the recombination site sequences described herein are available commercially from Life Technologies, Inc. (Rockville, MD).

The invention is also directed to nucleic acid molecules comprising one or more of the recombination site sequences or portions thereof and one or more additional nucleotide sequences, which may encode functional or structural sites such as one or more multiple cloning sites, one or more transcription termination sites, one or more transcriptional regulatory sequences (which may be promoters, enhancers, repressors, and the like), one or more translational signals (e.g., secretion signal sequences), one or more origins of replication, one or more fusion partner peptides (particularly glutathione S-transferase (GST), hexahistidine (His₆), and thioredoxin (Trx)), one or more selection markers or modules, one or more nucleotide sequences encoding localization signals such as nuclear localization signals or secretion signals, one or more origins of replication, one or more protease cleavage sites, one or more genes or portions of genes encoding a protein or polypeptide of interest, and one or more 5' polynucleotide extensions (particularly an extension of guanine residues ranging in length from about 1 to about 20, from about 2 to about 15, from about 3 to about 10, from about 4 to about 10, and most preferably an extension of 4 or 5 guanine residues at the 5' end of the recombination site nucleotide sequence. The one or more additional functional or structural sequences may or may not flank one or more of the recombination site sequences contained on the nucleic acid molecules of the invention.

In some nucleic acid molecules of the invention, the one or more nucleotide sequences encoding one or more additional functional or structural sites may be operably linked to the nucleotide sequence encoding the recombination site. For example, certain nucleic acid molecules of the invention may have a promoter sequence operably linked to a nucleotide sequence encoding a recombination site or portion thereof of the invention, such as a T7 promoter, a phage lambda PL

10

15

20

25

30

promoter, an E. coli lac, trp or tac promoter, and other suitable promoters which will be familiar to the skilled artisan.

Nucleic acid molecules of the present invention, which may be isolated nucleic acid molecules, may be in the form of RNA, such as mRNA, or in the form of DNA, including, for instance, cDNA and genomic DNA obtained by cloning or produced synthetically, or in the form of DNA-RNA hybrids. The nucleic acid molecules of the invention may be double-stranded or single-stranded. Single-stranded DNA or RNA may be the coding strand, also known as the sense strand, or it may be the non-coding strand, also referred to as the anti-sense strand. The nucleic acid molecules of the invention may also have a number of topologies, including linear, circular, coiled, or supercoiled.

By "isolated" nucleic acid molecule(s) is intended a nucleic acid molecule, DNA or RNA, which has been removed from its native environment. For example, recombinant DNA molecules contained in a vector are considered isolated for the purposes of the present invention. Further examples of isolated DNA molecules include recombinant DNA molecules maintained in heterologous host cells, and those DNA molecules purified (partially or substantially) from a solution whether produced by recombinant DNA or synthetic chemistry techniques. Isolated RNA molecules include *in vivo* or *in vitro* RNA transcripts of the DNA molecules of the present invention.

The present invention further relates to mutants, fragments, variants and derivatives of the nucleic acid molecules of the present invention, which encode portions, analogs or derivatives of one or more recombination sites. Variants may occur naturally, such as a natural allelic variant. By an "allelic variant" is intended one of several alternate forms of a gene occupying a given locus on a chromosome of an organism (see Lewin, B., ed., Genes II, , John Wiley & Sons, New York (1985)). Non-naturally occurring variants may be produced using art-known mutagenesis techniques, such as those described hereinbelow.

Such variants include those produced by nucleotide substitutions, deletions or additions or portions thereof, or combinations thereof. The substitutions, deletions or additions may involve one or more nucleotides. The variants may be altered in coding regions, non-coding regions, or both. Alterations in the coding

10

15

20

25

30

regions may produce conservative or non-conservative amino acid substitutions, deletions or additions. Especially preferred among these are silent substitutions, additions and deletions, which do not alter the properties and activities of the encoded polypeptide(s) or portions thereof, and which also do not substantially alter the reactivities of the recombination site nucleic acid sequences in recombination reactions. Also especially preferred in this regard are conservative substitutions.

Particularly preferred mutants, fragments, variants, and derivatives of the nucleic acid molecules of the invention include, but are not limited to, insertions, deletions or substitutions of one or more nucleotide bases within the 15 bp core region (GCTTTTTTATACTAA) which is identical in all four wildtype lambda att sites, attB, attP, attL and attR (see U.S. Application Nos. 08/663,002, filed June 7, 1996 (now U.S. Patent No. 5,888,732), 09/005,476, filed January 12, 1998, and 09/177,387, filed October 23, 1998, which describes the core region in further detail, and the disclosures of which are incorporated herein by reference in their entireties). Analogously, the core regions in attB1, attP1, attL1 and attR1 are identical to one another, as are the core regions in attB2, attP2, attL2 and attR2. Particularly preferred in this regard are nucleic acid molecules comprising insertions, deletions or substitutions of one or more nucleotides within the seven bp overlap region (TTTATAC, which is defined by the cut sites for the integrase protein and is the region where strand exchange takes place) that occurs within this 15 bp core region (GCTTTTTTATACTAA). Examples of such preferred mutants, fragments, variants and derivatives according to this aspect of the invention include, but are not limited to, nucleic acid molecules in which the thymine at position 1 of the seven bp overlap region has been deleted or substituted with a guanine, cytosine, or adenine; in which the thymine at position 2 of the seven by overlap region has been deleted or substituted with a guanine. cytosine, or adenine; in which the thymine at position 3 of the seven bp overlap region has been deleted or substituted with a guanine, cytosine, or adenine; in which the adenine at position 4 of the seven bp overlap region has been deleted or substituted with a guanine, cytosine, or thymine; in which the thymine at position 5 of the seven bp overlap region has been deleted or substituted with a

10

15

20

25

30

guanine, cytosine, or adenine, in which the adenine at position 6 of the seven bp overlap region has been deleted or substituted with a guanine, cytosine, or thymine, and in which the cytosine at position 7 of the seven bp overlap region has been deleted or substituted with a guanine, thymine, or adenine, or any combination of one or more such deletions and/or substitutions within this seven bp overlap region. As described in detail in Example 21 herein, mutants of the nucleic acid molecules of the invention in which substitutions have been made within the first three positions of the seven bp overlap (TTTATAC) have been found in the present invention to strongly affect the specificity of recombination, mutant nucleic acid molecules in which substitutions have been made in the last four positions (TTTATAC) only partially alter recombination specificity, and mutant nucleic acid molecules comprising nucleotide substitutions outside of the seven bp overlap, but elsewhere within the 15 bp core region, do not affect specificity of recombination but do influence the efficiency of recombination.

Hence, in an additional aspect, the present invention is also directed to nucleic acid molecules comprising one or more recombination site nucleotide sequences that affect recombination specificity, particularly one or more nucleotide sequences that may correspond substantially to the seven base pair overlap within the 15 bp core region, having one or more mutations that affect recombination specificity. Particularly preferred such molecules may comprise a consensus sequence (described in detail in Example 21 herein) such as NNNATAC, wherein "N" refers to any nucleotide (*i.e.*, may be A, G, T/U or C), with the proviso that if one of the first three nucleotides in the consensus sequence is a T/U, then at least one of the other two of the first three nucelotides is not a T/U.

In a related aspect, the present invention is also directed to nucleic acid molecules comprising one or more recombination site nucleotide sequences that enhance recombination efficiency, particularly one or more nucleotide sequences that may correspond substantially to the core region and having one or more mutations that enhance recombination efficiency. By sequences or mutations that "enhance recombination efficiency" is meant a sequence or mutation in a recombination site, preferably in the core region (e.g., the 15 bp core region of att recombination sites), that results in an increase in cloning efficiency (typically

10

15

20

25

30

measured by determining successful cloning of a test sequence, e.g., by determining CFU/ml for a given cloning mixture) when recombining molecules comprising the mutated sequence or core region as compared to molecules that do not comprise the mutated sequence or core region (e.g., those comprising a wildtype recombination site core region sequence). More specifically, whether or not a given sequence or mutation enhances recombination efficiency may be determined using the sequence or mutation in recombinational cloning as described herein, and determining whether the sequence or mutation provides enhanced recombinational cloning efficiency when compared to a non-mutated (e.g., wildtype) sequence. Methods of determining preferred cloning efficiencyenhancing mutations for a number of recombination sites, particularly for att recombination sites, are described herein, for example in Examples 22-25. Examples of preferred such mutant recombination sites include but are not limited to the attL consensus core sequence of caacttnntnnnannaagttg (wherein "n" represents any nucleotide), for example the attL5 agcctgctttattatactaagttggcatta and the attL6 agcctgcttttttatattaagttggcatta; the attB1.6 ggggacaactttgtacaaaaaagttggct; the attB2.2 sequence ggggacaactttgtacaagaaagctgggt; and the attB2.10ggggacaactttgtacaagaaagttgggt. Those of skill in the art will appreciate that, in addition to the core region, other portions of the att site may affect the efficiency of recombination. There are five so-called arm binding sites for the integrase protein in the bacteriophage lambda attP site, two in attR (P1 and P2), and three in attL (P'1, P'2 and P'3). Compared to the core binding sites, the integrase protein binds to arm sites with high affinity and interacts with core and arm sites through two different domains of the protein. As with the core binding site a consensus sequence for the arm binding site consisting of C/AAGTCACTAT has been inferred from sequence comparison of the five arm binding sites and seven non-att sites (Ross and Landy, Proc. Natl. Acad. Sci. USA 79:7724-7728 (1982)). Each arm site has been mutated and tested for its effect in the excision and integration reactions (Numrych et al., Nucl. Acids Res. 18:3953 (1990)). Hence, specific sites are utilized in each reaction in different ways, namely, the P1 and P'3

WO 00/52027

5

10

15

20

25

30

PCT/US00/05432

sites are essential for the integration reaction whereas the other three sites are dispensable to the integration reaction to varying degrees. Similarly, the P2, P'1 and P'2 sites are most important for the excision reaction, whereas P1 and P'3 are completely dispensable. Interestingly, when P2 is mutated the integration reaction occurs more efficiently than with the wild type attP site. Similarly, when P1 and P'3 are mutated the excision reaction occurs more efficiently. The stimulatory effect of mutating integrase arm binding sites can be explained by removing sites that compete or inhibit a specific recombination pathway or that function in a reaction that converts products back to starting substrates. In fact there is evidence for an XIS-independent LR reaction (Abremski and Gottesman, J. Mol. Biol. 153:67-78 (1981)). Thus, in addition to modifications in the core region of the att site, the present invention contemplates the use of att sites containing one or more modifications in the integrase arm-type binding sites. In some preferred embodiments, one or more mutations may be introduced into one or more of the P1, P1, P2, P2 and P3 sites. In some preferred embodiments, multiple mutations may be introduced into one or more of these sites. Preferred such mutations include those which increase the recombination in vitro. For example, in some embodiments mutations may be introduced into the arm-type binding sites such that integrative recombination, corresponding to the BP reaction, is enhanced. In other embodiments, mutations may be introduced into the arm-type binding sites such that excisive recombination, corresponding to the LR reaction, is enhanced. Of course, based on the guidance contained herein, particularly in the construction and evaluation of effects of mutated recombination sites upon recombinational specificity and efficiency, analogous mutated or engineered sequences may be produced for other recombination sites described herein (including but not limited to lox, FRT, and the like) and used in accordance with the invention. For example, much like the mutagenesis strategy used to select core binding sites that enhance recombination efficiency, similar strategies can be employed to select changes in the arms of attP, attL and attR, and in analogous sequences in other recombination sites such as lox, FRT and the like, that enhance recombination efficiency. Hence, the construction and evaluation of such mutants is well within the abilities of those of ordinary skill in the art without undue experimentation.

WO 00/52027 PCT/US00/05432

-62-

One suitable methodology for preparing and evaluating such mutations is found in Numrych, et al., (1990) Nucleic Acids Research 18(13): 3953-3959.

Other mutant sequences and nucleic acid molecules that may be suitable to enhance recombination efficiency will be apparent from the description herein, or may be easily determined by one of ordinary skill using only routine experimentation in molecular biology in view of the description herein and information that is readily available in the art

5

10

15

20

25

30

Since the genetic code is well known in the art, it is also routine for one of ordinary skill in the art to produce degenerate variants of the nucleic acid molecules described herein without undue experimentation. Hence, nucleic acid molecules comprising degenerate variants of nucleic acid sequences encoding the recombination sites described herein are also encompassed within the scope of the invention.

Further embodiments of the invention include isolated nucleic acid molecules comprising a polynucleotide having a nucleotide sequence at least 50% identical, at least 60% identical, at least 70% identical, at least 75% identical, at least 80% identical, at least 85% identical, at least 90% identical, and more preferably at least 95%, 96%, 97%, 98% or 99% identical to the nucleotide sequences of the seven bp overlap region within the 15 bp core region of the recombination sites described herein, or the nucleotide sequences of attB1, attB2, attP1, attP2, attL1, attL2, attR1 or attR2 as set forth in Figure 9 (or portions thereof), or a nucleotide sequence complementary to any of these nucleotide sequences, or fragments, variants, mutants, and derivatives thereof.

By a polynucleotide having a nucleotide sequence at least, for example, 95% "identical" to a reference nucleotide sequence encoding a particular recombination site or portion thereof is intended that the nucleotide sequence of the polynucleotide is identical to the reference sequence except that the polynucleotide sequence may include up to five point mutations (e.g., insertions, substitutions, or deletions) per each 100 nucleotides of the reference nucleotide sequence encoding the recombination site. For example, to obtain a polynucleotide having a nucleotide sequence at least 95% identical to a reference attB1 nucleotide sequence, up to 5% of the nucleotides in the attB1 reference sequence may be

deleted or substituted with another nucleotide, or a number of nucleotides up to 5% of the total nucleotides in the *attB1* reference sequence may be inserted into the *attB1* reference sequence. These mutations of the reference sequence may occur at the 5' or 3' terminal positions of the reference nucleotide sequence or anywhere between those terminal positions, interspersed either individually among nucleotides in the reference sequence or in one or more contiguous groups within the reference sequence.

5

10

15

20

25

30

As a practical matter, whether any particular nucleic acid molecule is at least 50%, 60%, 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98% or 99% identical to, for instance, a given recombination site nucleotide sequence or portion thereof can be determined conventionally using known computer programs such as DNAsis software (Hitachi Software, San Bruno, California) for initial sequence alignment followed by ESEE version 3.0 DNA/protein sequence software (cabot@trog.mbb.sfu.ca) for multiple sequence alignments. Alternatively, such determinations may be accomplished using the BESTFIT program (Wisconsin Sequence Analysis Package, Genetics Computer Group, University Research Park, 575 Science Drive, Madison, WI 53711), which employs a local homology algorithm (Smith and Waterman, Advances in Applied Mathematics 2: 482-489 (1981)) to find the best segment of homology between two sequences. When using DNAsis, ESEE, BESTFIT or any other sequence alignment program to determine whether a particular sequence is, for instance, 95% identical to a reference sequence according to the present invention, the parameters are set such that the percentage of identity is calculated over the full length of the reference nucleotide sequence and that gaps in homology of up to 5% of the total number of nucleotides in the reference sequence are allowed.

The present invention is directed to nucleic acid molecules at least 50%, 60%, 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98% or 99% identical to the attB1, attB2, attP1, attP2, attL1, attL2, attR1 or attR2 nucleotide sequences as set forth in Figure 9, or to the nucleotide sequence of the deposited clones, irrespective of whether they encode particular functional polypeptides. This is because even where a particular nucleic acid molecule does not encode a particular functional polypeptide, one of skill in the art would still know how to use the nucleic acid

10

15

20

25

30

molecule, for instance, as a hybridization probe or a polymerase chain reaction (PCR) primer.

Mutations can also be introduced into the recombination site nucleotide sequences for enhancing site specific recombination or altering the specificities of the reactants, etc. Such mutations include, but are not limited to: recombination sites without translation stop codons that allow fusion proteins to be encoded; recombination sites recognized by the same proteins but differing in base sequence such that they react largely or exclusively with their homologous partners allowing multiple reactions to be contemplated; and mutations that prevent hairpin formation of recombination sites. Which particular reactions take place can be specified by which particular partners are present in the reaction mixture.

There are well known procedures for introducing specific mutations into nucleic acid sequences. A number of these are described in Ausubel, F.M. et al., Current Protocols in Molecular Biology, Wiley Interscience, New York (1989-1996). Mutations can be designed into oligonucleotides, which can be used to modify existing cloned sequences, or in amplification reactions. Random mutagenesis can also be employed if appropriate selection methods are available to isolate the desired mutant DNA or RNA. The presence of the desired mutations can be confirmed by sequencing the nucleic acid by well known methods.

The following non-limiting methods can be used to modify or mutate a given nucleic acid molecule encoding a particular recombination site to provide mutated sites that can be used in the present invention:

- 1. By recombination of two parental DNA sequences by site-specific (e.g. attL and attR to give attP) or other (e.g. homologous) recombination mechanisms where the parental DNA segments contain one or more base alterations resulting in the final mutated nucleic acid molecule;
- 2. By mutation or mutagenesis (site-specific, PCR, random, spontaneous, etc) directly of the desired nucleic acid molecule;
- 3. By mutagenesis (site-specific, PCR, random, spontaneous, etc) of parental DNA sequences, which are recombined to generate a desired nucleic acid molecule;

10

15

20

25

30

- 4. By reverse transcription of an RNA encoding the desired core sequence; and
- 5. By de novo synthesis (chemical synthesis) of a sequence having the desired base changes, or random base changes followed by sequencing or functional analysis according to methods that are routine in the art.

The functionality of the mutant recombination sites can be demonstrated in ways that depend on the particular characteristic that is desired. For example, the lack of translation stop codons in a recombination site can be demonstrated by expressing the appropriate fusion proteins. Specificity of recombination between homologous partners can be demonstrated by introducing the appropriate molecules into in vitro reactions, and assaying for recombination products as described herein or known in the art. Other desired mutations in recombination sites might include the presence or absence of restriction sites, translation or transcription start signals, protein binding sites, particular coding sequences, and other known functionalities of nucleic acid base sequences. Genetic selection schemes for particular functional attributes in the recombination sites can be used according to known method steps. For example, the modification of sites to provide (from a pair of sites that do not interact) partners that do interact could be achieved by requiring deletion, via recombination between the sites, of a DNA sequence encoding a toxic substance. Similarly, selection for sites that remove translation stop sequences, the presence or absence of protein binding sites, etc., can be easily devised by those skilled in the art.

Accordingly, the present invention also provides a nucleic acid molecule, comprising at least one DNA segment having at least one, and preferably at least two, engineered recombination site nucleotide sequences of the invention flanking a selectable marker and/or a desired DNA segment, wherein at least one of said recombination site nucleotide sequences has at least one engineered mutation that enhances recombination *in vitro* in the formation of a Cointegrate DNA or a Product DNA. Such engineered mutations may be in the core sequence of the recombination site nucleotide sequence of the invention; *see* U.S. Application Nos. 08/486,139, filed June 7, 1995, 08/663,002, filed June 7, 1996 (now U.S. Patent No. 5,888,732), 09/005,476, filed January 12, 1998, and 09/177,387, filed

10

15

20

25

30

PCT/US00/05432

October 23, 1998, the disclosures of which are all incorporated herein by reference in their entireties.

While in the preferred embodiment the recombination sites differ in sequence and do not interact with each other, it is recognized that sites comprising the same sequence, which may interact with each other, can be manipulated or engineered to inhibit recombination with each other. Such conceptions are considered and incorporated herein. For example, a protein binding site (e.g., an antibody-binding site, a histone-binding site, an enzyme-binding site, or a binding site for any nucleic acid molecule-binding protein) can be engineered adjacent to one of the sites. In the presence of the protein that recognizes the engineered site, the recombinase fails to access the site and another recombination site in the nucleic acid molecule is therefore used preferentially. In the cointegrate this site can no longer react since it has been changed, e.g., from attB to attL. During or upon resolution of the cointegrate, the protein can be inactivated (e.g., by antibody, heat or a change of buffer) and the second site can undergo recombination.

The nucleic acid molecules of the invention can have at least one mutation that confers at least one enhancement of said recombination, said enhancement selected from the group consisting of substantially (i) favoring integration; (ii) favoring recombination; (ii) relieving the requirement for host factors; (iii) increasing the efficiency of said Cointegrate DNA or Product DNA formation; (iv) increasing the specificity of said Cointegrate DNA or Product DNA formation; and (v) adding or deleting protein binding sites.

In other embodiments, the nucleic acid molecules of the invention may be PCR primer molecules, which comprise one or more of the recombination site sequences described herein or portions thereof, particularly those shown in Figure 9 (or sequences complementary to those shown in Figure 9), or mutants, fragments, variants or derivatives thereof, attached at the 3' end to a target-specific template sequence which specifically interacts with a target nucleic acid molecule which is to be amplified. Primer molecules according to this aspect of the invention may further comprise one or more, (e.g., 1, 2, 3, 4, 5, 10, 20, 25, 50, 100, 500, 1000, or more) additional bases at their 5' ends, and preferably comprise one or more (particularly four or five) additional bases, which are preferably

guanines, at their 5' ends, to increase the efficiency of the amplification products incorporating the primer molecules in the recombinational cloning system of the invention. Such nucleic acid molecules and primers are described in detail in the examples herein, particularly in Examples 22-25.

5

Certain primers of the invention may comprise one or more nucleotide deletions in the attB1, attB2, attP1, attP2, attL1, attL2, attR1 or attR2 sequences as set forth in Figure 9. In one such aspect, for example, attB2 primers may be constructed in which one or more of the first four nucleotides at the 5' end of the attB2 sequence shown in Figure 9 have been deleted. Primers according to this aspect of the invention may therefore have the sequence:

10

20

15

The primer nucleic acid molecules according to this aspect of the invention may be produced synthetically by attaching the recombination site sequences depicted in Figure 9, or portions thereof, to the 5' end of a standard PCR target-specific primer according to methods that are well-known in the art. Alternatively, additional primer nucleic acid molecules of the invention may be produced synthetically by adding one or more nucleotide bases, which preferably correspond to one or more, preferably five or more, and more preferably six or more, contiguous nucleotides of the *att* nucleotide sequences described herein (*see*, *e.g.*, Example 20 herein; *see also* U.S. Application Nos. 08/663,002, filed June 7, 1996 (now U.S. Patent No. 5,888,732), 09/005,476, filed January 12, 1998, and 09/177,387, filed October 23, 1998, the disclosures of which are all incorporated herein by reference in their entireties), to the 5' end of a standard PCR target-specific primer according to methods that are well-known in the art, to provide

30

25

10

primers having the specific nucleotide sequences described herein. As noted above, primer nucleic acid molecules according to this aspect of the invention may also optionally comprise one, two, three, four, five, or more additional nucleotide bases at their 5' ends, and preferably will comprise four or five guanines at their 5' ends. In one particularly preferred such aspect, the primer nucleic acid molecules of the invention may comprise one or more, preferably five or more, more preferably six or more, still more preferably 6-18 or 6-25, and most preferably 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 or 25, contiguous nucleotides or bp of the *att*B1 or *att*B2 nucleotide sequences depicted in Figure 9 (or nucleotides complementary thereto), linked to the 5' end of a target-specific (*e.g.*, a gene-specific) primer molecule. Primer nucleic acid molecules according to this aspect of the invention include, but are not limited to, *att*B1- and *att*B2-derived primer nucleic acid molecules having the following nucleotide sequences:

15	ACAAGTTTGTACAAAAAAGCAGGCT-nnnnnnnnnnnnn n
	ACCACTTTGTACAAGAAAGCTGGGT-nnnnnnnnnnnn n
	TGTACAAAAAGCAGGCT-nnnnnnnnnnnnn n
	TGTACAAGAAAGCTGGGT-nnnnnnnnnnnn n
	ACAAAAAGCAGGCT-nnnnnnnnnnnn n
20	ACAAGAAAGCTGGGT-nnnnnnnnnnnn n
	AAAAAGCAGGCT-nnnññnnnnnnn n
	AGAAAGCTGGGT-nnnnnnnnnnnnn n
	AAAAGCAGGCT-nnnnnnnnnnnnn n
	GAAAGCTGGGT-nnnnnnnnnnnnn n
25	AAAGCAGGCT-nnnnnnnnnnnn n
	AAAGCTGGGT-nnnnnnnnnnnnn n
	AAGCAGGCT-nnnnnnnnnnnn n
	AAGCTGGGT-nnnnnnnnnnnn n
	AGCAGGCT-nnnnnnnnnnnn n
30	AGCTGGGT-nnnnnnnnnnnn n

10

15

20

25

Of course, it will be apparent to one of ordinary skill from the teachings contained herein that additional primer nucleic acid molecules analogous to those specifically described herein may be produced using one or more, preferably five or more, more preferably six or more, still more preferably ten or more, 15 or more, 20 or more, 25 or more, 30 or more, etc. (through to and including all) of the contiguous nucleotides or bp of the attP1, attP2, attL1, attL2, attR1 or attR2 nucleotide sequences depicted in Figure 9 (or nucleotides complementary thereto), linked to the 5' end of a target-specific (e.g., a gene-specific) primer molecule. As noted above, such primer nucleic acid molecules may optionally further comprise one, two, three, four, five, or more additional nucleotide bases at their 5' ends, and preferably will comprise four guanines at their 5' ends. Other primer molecules comprising the attB1, attB2, attP1, attP2, attL1, attL2, attR1 and attR2 sequences depicted in Figure 9, or portions thereof, may be made by one of ordinary skill without resorting to undue experimentation in accordance with the guidance provided herein.

The primers of the invention described herein are useful in producing PCR fragments having a nucleic acid molecule of interest flanked at each end by a recombination site sequence (as described in detail below in Example 9), for use in cloning of PCR-amplified DNA fragments using the recombination system of the invention (as described in detail below in Examples 8, 19 and 21-25).

Vectors

30

The invention also relates to vectors comprising one or more of the nucleic acid molecules of the invention, as described herein. In accordance with the invention, any vector may be used to construct the vectors of the invention. In

10

15

20

25

30

particular, vectors known in the art and those commercially available (and variants or derivatives thereof) may in accordance with the invention be engineered to include one or more nucleic acid molecules encoding one or more recombination sites (or portions thereof), or mutants, fragments, or derivatives thereof, for use in the methods of the invention. Such vectors may be obtained from, for example, Vector Laboratories Inc., InVitrogen, Promega, Novagen, New England Biolabs, Clontech, Roche, Pharmacia, EpiCenter, OriGenes Technologies Inc., Stratagene, Perkin Elmer, Pharmingen, Life Technologies, Inc., and Research Genetics. Such vectors may then for example be used for cloning or subcloning nucleic acid molecules of interest. General classes of vectors of particular interest include prokaryotic and/or eukaryotic cloning vectors, Expression Vectors, fusion vectors, two-hybrid or reverse two-hybrid vectors, shuttle vectors for use in different hosts, mutagenesis vectors, transcription vectors, vectors for receiving large inserts and the like.

Other vectors of interest include viral origin vectors (M13 vectors, bacterial phage λ vectors, bacteriophage P1 vectors, adenovirus vectors, herpesvirus vectors, retrovirus vectors, phage display vectors, combinatorial library vectors), high, low, and adjustable copy number vectors, vectors which have compatible replicons for use in combination in a single host (pACYC184 and pBR322) and eukaryotic episomal replication vectors (pCDM8).

Particular vectors of interest include prokaryotic Expression Vectors such as pcDNA II, pSL301, pSE280, pSE380, pSE420, pTrcHisA, B, and C, pRSET A, B, and C (Invitrogen, Inc.), pGEMEX-1, and pGEMEX-2 (Promega, Inc.), the pET vectors (Novagen, Inc.), pTrc99A, pKK223-3, the pGEX vectors, pEZZ18, pRIT2T, and pMC1871 (Pharmacia, Inc.), pKK233-2 and pKK388-1 (Clontech, Inc.), and pProEx-HT (Life Technologies, Inc.) and variants and derivatives thereof. Destination Vectors can also be made from eukaryotic Expression Vectors such as pFastBac, pFastBac HT, pFastBac DUAL, pSFV, and pTet-Splice (Life Technologies, Inc.), pEUK-C1, pPUR, pMAM, pMAMneo, pBI101, pBI121, pDR2, pCMVEBNA, and pYACneo (Clontech), pSVK3, pSVL, pMSG, pCH110, and pKK232-8 (Pharmacia, Inc.), p3'SS, pXT1, pSG5, pPbac, pMbac, pMC1neo, and pOG44 (Stratagene, Inc.), and pYES2, pAC360, pBlueBacHis A,

10

15

20

25

30

B, and C, pVL1392, pBsueBacIII, pCDM8, pcDNA1, pZeoSV, pcDNA3 pREP4, pCEP4, and pEBVHis (Invitrogen, Inc.) and variants or derivatives thereof.

Other vectors of particular interest include pUC18, pUC19, pBlueScript, pSPORT, cosmids, phagemids, YACs (yeast artificial chromosomes), BACs (bacterial artificial chromosomes), MACs (mammalian artificial chromosomes), pQE70, pQE60, pQE9 (Quiagen), pBS vectors, PhageScript vectors, BlueScript vectors, pNH8A, pNH16A, pNH18A, pNH46A (Stratagene), pcDNA3 (InVitrogen), pGEX, pTrsfus, pTrc99A, pET-5, pET-9, pKK223-3, pKK233-3, pDR540, pRIT5 (Pharmacia), pSPORT1, pSPORT2, pCMVSPORT2.0 and pSV-SPORT1 (Life Technologies, Inc.) and variants or derivatives thereof.

Additional vectors of interest include pTrxFus, pThioHis, pLEX, pTrcHis, pTrcHis2, pRSET, pBlueBacHis2, pcDNA3.1/His, pcDNA3.1(-)/Myc-His, pSecTag, pEBVHis, pPIC9K, pPIC3.5K, pAO815, pPICZ, pPICZα, pGAPZ, pGAPZα, pBlueBac4.5, pBlueBacHis2, pMelBac, pSinRep5, pSinHis, pIND, pIND(SP1), pVgRXR, pcDNA2.1. pYES2, pZErO1.1, pZErO-2.1, pCR-Blunt, pSE280, pSE380, pSE420, pVL1392, pVL1393, pCDM8, pcDNA1.1, pcDNA1.1/Amp, pcDNA3.1, pcDNA3.1/Zeo, pSe,SV2, pRc/CMV2, pRc/RSV, pREP4, pREP7, pREP8, pREP9, pREP10, pCEP4, pEBVHis, pCR3.1, pCR2.1, pCR3.1-Uni, and pCRBac from Invitrogen; \(\lambda\)ExCell, \(\lambda\)gt11, pTrc99A, pKK223-3, pGEX-1\(\lambda\)T, pGEX-2T, pGEX-2TK, pGEX-4T-1, pGEX-4T-2, pGEX-4T-3, pGEX-3X, pGEX-5X-1, pGEX-5X-2, pGEX-5X-3, pEZZ18, pRIT2T. pMC1871, pSVK3, pSVL, pMSG, pCH110, pKK232-8, pSL1180, pNEO, and pUC4K from Pharmacia; pSCREEN-1b(+), pT7Blue(R), pT7Blue-2, pCITE-4abc(+), pOCUS-2, pTAg, pET-32 LIC, pET-30 LIC, pBAC-2cp LIC, pBACgus-2cp LIC, pT7Blue-2 LIC, pT7Blue-2, λSCREEN-1, λBlueSTAR, pET-3abcd, pET-7abc, pET9abcd, pET11abcd, pET12abc, pET-14b, pET-15b, pET-16b, pET-17b-pET-17xb, pET-19b, pET-20b(+), pET-21abcd(+), pET-22b(+), pET-23abcd(+), pET-24abcd(+), pET-25b(+), pET-26b(+), pET-27b(+), pET-28abc(+), pET-29abc(+), pET-30abc(+), pET-31b(+), pET-32abc(+), pET-33b(+), pBAC-1, pBACgus-1, pBAC4x-1, pBACgus4x-1, pBAC-3cp, pBACgus-2cp, pBACsurf-1, plg, Signal plg, pYX, Selecta Vecta-Neo, Selecta Vecta - Hyg, and Selecta Vecta - Gpt from Novagen; pLexA, pB42AD, pGBT9, pAS2-1,

10

15

20

25

30

pGAD424, pACT2, pGAD GL, pGAD GH, pGAD10, pGilda, pEZM3, pEGFP, pEGFP-1, pEGFP-N, pEGFP-C, pEBFP, pGFPuv, pGFP, p6xHis-GFP, pSEAP2-Basic, pSEAP2-Contral, pSEAP2-Promoter, pSEAP2-Enhancer, pßgal-Basic, pβgal-Control, pβgal-Promoter, pβgal-Enhancer, pCMVβ, pTet-Off, pTet-On, pTK-Hyg, pRetro-Off, pRetro-On, pIRES1neo, pIRES1hyg, pLXSN, pLNCX, pLAPSN, pMAMneo, pMAMneo-CAT, pMAMneo-LUC, pPUR, pSV2neo, pYEX4T-1/2/3, pYEX-S1, pBacPAK-His, pBacPAK8/9, pAcUW31, BacPAK6, pTriplEx, \(\lambda\)gt11, pWE15, and \(\lambda\)TriplEx from Clontech; Lambda ZAP II, pBK-CMV, pBK-RSV, pBluescript II KS +/-, pBluescript II SK +/-, pAD-GAL4, pBD-GAL4 Cam, pSurfscript, Lambda FIX II, Lambda DASH, Lambda EMBL3, Lambda EMBL4, SuperCos, pCR-Scrigt Amp, pCR-Script Cam, pCR-Script Direct, pBS +/-, pBC KS +/-, pBC SK +/-, Phagescript, pCAL-n-EK, pCAL-n, pCAL-c, pCAL-kc, pET-3abcd, pET-11abcd, pSPUTK, pESP-1, pCMVLacI, pOPRSVI/MCS, pOPI3 CAT, pXT1, pSG5, pPbac, pMbac, pMC1neo, pMC1neo Poly A, pOG44, pOG45, pFRTβGAL, pNEOβGAL, pRS403, pRS404, pRS405, pRS406, pRS413, pRS414, pRS415, and pRS416 from Stratagene.

Two-hybrid and reverse two-hybrid vectors of particular interest include pPC86, pDBLeu, pDBTrp, pPC97, p2.5, pGAD1-3, pGAD10, pACt, pACT2, pGADGL, pGADGH, pAS2-1, pGAD424, pGBT8, pGBT9, pGAD-GAL4, pLexA, pBD-GAL4, pHISi, pHISi-1, placZi, pB42AD, pDG202, pJK202, pJG4-5, pNLexA, pYESTrp and variants or derivatives thereof.

Yeast Expression Vectors of particular interest include pESP-1, pESP-2, pESC-His, pESC-Trp, pESC-URA, pESC-Leu (Stratagene), pRS401, pRS402, pRS411, pRS412, pRS421, pRS422, and variants or derivatives thereof.

According to the invention, the vectors comprising one or more nucleic acid molecules encoding one or more recombination sites, or mutants, variants, fragments, or derivatives thereof, may be produced by one of ordinary skill in the art without resorting to undue experimentation using standard molecular biology methods. For example, the vectors of the invention may be produced by introducing one or more of the nucleic acid molecules encoding one or more recombination sites (or mutants, fragments, variants or derivatives thereof) into one or more of the vectors described herein, according to the methods described,

PCT/US00/05432

for example, in Maniatis et al., Molecular Cloning: A Laboratory Manual, Cold

5

10

15

20

25

30

Spring Harbor Laboratory, Cold Spring Harbor, New York (1982). In a related

-73-

opining Trainor Educationy, Cold Spring Trainor, 140w Tork (1982). In a related

aspect of the invention, the vectors may be engineered to contain, in addition to one or more nucleic acid molecules encoding one or more recombination sites (or

portions thereof), one or more additional physical or functional nucleotide

sequences, such as those encoding one or more multiple cloning sites, one or more

transcription termination sites, one or more transcriptional regulatory sequences

(e.g., one or more promoters, enhancers, or repressors), one or more selection

markers or modules, one or more genes or portions of genes encoding a protein

or polypeptide of interest, one or more translational signal sequences, one or more

nucleotide sequences encoding a fusion partner protein or peptide (e.g., GST, His₆

or thioredoxin), one or more origins of replication, and one or more 5' or 3'

polynucleotide tails (particularly a poly-G tail). According to this aspect of the

invention, the one or more recombination site nucleotide sequences (or portions

thereof) may optionally be operably linked to the one or more additional physical

or functional nucleotide sequences described herein.

Preferred vectors according to this aspect of the invention include, but are not limited to: pENTR1A (Figures 10A and 10B), pENTR2B (Figures 11A and 11B), pENTR3C (Figures 12A and 12B), pENTR4 (Figures 13A and 13B), pENTR5 (Figures 14A and 14B), pENTR6 (Figures 15A and 15B), pENTR7 (Figures 16A and 16B), pENTR8 (Figures 17A and 17B), pENTR9 (Figures 18A and 18B), pENTR10 (Figures 19A and 19B), pENTR11 (Figures 20A and 20B), pDEST1 (Figures 21A-D), pDEST2 (Figure 22A-D), pDEST3 (Figure 23A-D), pDEST4 (Figure 24A-D), pDEST5 (Figure 25A-D), pDEST6 (Figure 26A-D), pDEST7 (Figure 27A-C), pDEST8 (Figure 28A-D), pDEST9 (Figure 29A-E), pDEST10 (Figure 30A-D), pDEST11 (Figure 31A-D), pDEST12.2 (also known as pDEST12) (Figure 32A-D), pDEST13 (Figure 33A-C), pDEST14 (Figure 34A-D), pDEST15 (Figure 35A-D), pDEST16 (Figure 36A-D), pDEST17 (Figure 37A-D), pDEST18 (Figure 38A-D), pDEST19 (Figure 39A-D), pDEST20 (Figure 40A-D), pDEST21 (Figure 41A-E), pDEST22 (Figure 42A-D), pDEST23 (Figure 43A-D), pDEST24 (Figure 44A-D), pDEST25 (Figure 45A-D), pDEST26 (Figure 46A-D), pDEST27 (Figure 47A-D), pEXP501 (also known

as pCMVSPORT6) (Figure 48A-B), pDONR201 (also known as pENTR21 attP vector or pAttPkan Donor Vector) (Figure 49), pDONR202 (Figure 50), pDONR203 (also known as pEZ15812) (Figure 51), pDONR204 (Figure 52), pDONR205 (Figure 53), pDONR206 (also known as pENTR22 attP vector or pAttPgen Donor Vector) (Figure 54), pMAB58 (Figure 87), pMAB62 (Figure 88), pDEST28 (Figure 90), pDEST29 (Figure 91), pDEST30 (Figure 92). pDEST31 (Figure 93), pDEST32 (Figure 94), pDEST33 (Figure 95), pDEST34 (Figure 96), pDONR207 (Figure 97), pMAB85 (Figure 98), pMAB86 (Figure 99), and fragments, mutants, variants, and derivatives thereof. However, it will be understood by one of ordinary skill that the present invention also encompasses other vectors not specifically designated herein, which comprise one or more of the isolated nucleic acid molecules of the invention encoding one or more recombination sites or portions thereof (or mutants, fragments, variants or derivatives thereof), and which may further comprise one or more additional physical or functional nucleotide sequences described herein which may optionally be operably linked to the one or more nucleic acid molecules encoding one or more recombination sites or portions thereof. Such additional vectors may be produced by one of ordinary skill according to the guidance provided in the present specification.

20

15

5

10

Polymerases

Preferred polypeptides having reverse transcriptase activity (i.e., those polypeptides able to catalyze the synthesis of a DNA molecule from an RNA template) for use in accordance with the present invention include, but are not limited to Moloney Murine Leukemia Virus (M-MLV) reverse transcriptase, Rous Sarcoma Virus (RSV) reverse transcriptase, Avian Myeloblastosis Virus (AMV) reverse transcriptase, Rous Associated Virus (RAV) reverse transcriptase, Myeloblastosis Associated Virus (MAV) reverse transcriptase, Human Immunodeficiency Virus (HIV) reverse transcriptase, retroviral reverse transcriptase, retrotransposon reverse transcriptase, hepatitis B reverse transcriptase, cauliflower mosaic virus reverse transcriptase and bacterial reverse transcriptase. Particularly preferred are those polypeptides having reverse

30

25

10

15

20

25

30

transcriptase activity that are also substantially reduced in RNAse H activity (i.e., "RNAse H-" polypeptides). By a polypeptide that is "substantially reduced in RNase H activity" is meant that the polypeptide has less than about 20%, more preferably less than about 15%, 10% or 5%, and most preferably less than about 2%, of the RNase H activity of a wildtype or RNase H⁺ enzyme such as wildtype M-MLV reverse transcriptase. The RNase H activity may be determined by a variety of assays, such as those described, for example, in U.S. Patent No. 5,244,797, in Kotewicz, M.L. et al., Nucl. Acids Res. 16:265 (1988) and in Gerard, G.F., et al., FOCUS 14(5):91 (1992), the disclosures of all of which are fully incorporated herein by reference. Suitable RNAse H⁻ polypeptides for use in the present invention include, but are not limited to, M-MLV H reverse transcriptase, RSV H⁻ reverse transcriptase, AMV H⁻ reverse transcriptase, RAV H reverse transcriptase, MAV H reverse transcriptase, HIV H reverse transcriptase, THERMOSCRIPTTM reverse transcriptase and THERMOSCRIPTTM II reverse transcriptase, and SUPERSCRIPTTM I reverse transcriptase and SUPERSCRIPTTM II reverse transcriptase, which are obtainable, for example, from Life Technologies, Inc. (Rockville, Maryland). See generally published PCT application WO 98/47912.

Other polypeptides having nucleic acid polymerase activity suitable for use in the present methods include thermophilic DNA polymerases such as DNA polymerase I, DNA polymerase III, Klenow fragment, T7 polymerase, and T5 polymerase, and thermostable DNA polymerases including, but not limited to, Thermus thermophilus (Tth) DNA polymerase, Thermus aquaticus (Taq) DNA polymerase, Thermotoga neopolitana (Tne) DNA polymerase, Thermotoga maritima (Tma) DNA polymerase, Thermococcus litoralis (Tli or VENT®) DNA polymerase, Pyrococcus furiosus (Pfu) DNA polymerase, Pyrococcus species GB-D (or DEEPVENT®) DNA polymerase, Pyrococcus woosii (Pwo) DNA polymerase, Bacillus sterothermophilus (Bst) DNA polymerase, Sulfolobus acidocaldarius (Sac) DNA polymerase, Thermoplasma acidophilum (Tac) DNA polymerase, Thermus flavus (Tfl/Tub) DNA polymerase, Thermus ruber (Tru) DNA polymerase, Thermus brockianus (DYNAZYME®) DNA polymerase, Methanobacterium thermoautotrophicum (Mth) DNA polymerase, and mutants,

variants and derivatives thereof. Such polypeptides are available commercially, for example from Life Technologies, Inc. (Rockville, MD), New Englan BioLabs (Beverly, MA), and Sigma/Aldrich (St. Louis, MO).

Host Cells

5

10

15

20

25

30

The invention also relates to host cells comprising one or more of the nucleic acid molecules or vectors of the invention, particularly those nucleic acid molecules and vectors described in detail herein. Representative host cells that may be used according to this aspect of the invention include, but are not limited to, bacterial cells, yeast cells, plant cells and animal cells. Preferred bacterial host cells include Escherichia spp. cells (particularly E. coli cells and most particularly E. coli strains DH10B, Stbl2, DH5α, DB3, DB3.1 (preferably E. coli LIBRARY EFFICIENCY® DB3.1™ Competent Cells; Life Technologies, Inc., Rockville, MD), DB4 and DB5; see U.S. Provisional Application No. 60/122,392, filed on March 2, 1999, the disclosure of which is incorporated by reference herein in its entirety), Bacillus spp. cells (particularly B. subtilis and B. megaterium cells), Streptomyces spp. cells, Erwinia spp. cells, Klebsiella spp. cells, Serratia spp. cells (particularly S. marcessans cells), Pseudomonas spp. cells (particularly P. aeruginosa cells), and Salmonella spp. cells (particularly S. typhimurium and S. typhi cells). Preferred animal host cells include insect cells (most particularly Drosophila melanogaster cells, Spodoptera frugiperda Sf9 and Sf21 cells and Trichoplusa High-Five cells), nematode cells (particularly C. elegans cells), avian cells, amphibian cells (particularly Xenopus laevis cells), reptilian cells, and mammalian cells (most particularly CHO, COS, VERO, BHK and human cells). Preferred yeast host cells include Saccharomyces cerevisiae cells and Pichia pastoris cells. These and other suitable host cells are available commercially, for example from Life Technologies, Inc. (Rockville, Maryland), American Type Culture Collection (Manassas, Virginia), and Agricultural Research Culture Collection (NRRL; Peoria, Illinois).

Methods for introducing the nucleic acid molecules and/or vectors of the invention into the host cells described herein, to produce host cells comprising one or more of the nucleic acid molecules and/or vectors of the invention, will be

WO 00/52027

-77-

PCT/US00/05432

familiar to those of ordinary skill in the art. For instance, the nucleic acid molecules and/or vectors of the invention may be introduced into host cells using well known techniques of infection, transduction, transfection, and transformation. The nucleic acid molecules and/or vectors of the invention may be introduced alone or in conjunction with other the nucleic acid molecules and/or vectors. Alternatively, the nucleic acid molecules and/or vectors of the invention may be introduced into host cells as a precipitate, such as a calcium phosphate precipitate, or in a complex with a lipid. Electroporation also may be used to introduce the nucleic acid molecules and/or vectors of the invention into a host. Likewise, such molecules may be introduced into chemically competent cells such as E. coli. If the vector is a virus, it may be packaged in vitro or introduced into a packaging cell and the packaged virus may be transduced into cells. Hence, a wide variety of techniques suitable for introducing the nucleic acid molecules and/or vectors of the invention into cells in accordance with this aspect of the invention are well known and routine to those of skill in the art. Such techniques are reviewed at length, for example, in Sambrook, J., et al., Molecular Cloning, a Laboratory Manual, 2nd Ed., Cold Spring Harbor, NY: Cold Spring Harbor Laboratory Press, pp. 16.30-16.55 (1989), Watson, J.D., et al., Recombinant DNA, 2nd Ed., New York: W.H. Freeman and Co., pp. 213-234 (1992), and Winnacker, E.-L., From Genes to Clones, New York: VCH Publishers (1987), which are illustrative of the many laboratory manuals that detail these techniques and which are incorporated by reference herein in their entireties for their relevant disclosures.

Polypeptides

25

30

20

5

10

15

In another aspect, the invention relates to polypeptides encoded by the nucleic acid molecules of the invention (including polypeptides and amino acid sequences encoded by all possible reading frames of the nucleic acid molecules of the invention), and to methods of producing such polypeptides. Polypeptides of the present invention include purified or isolated natural products, products of chemical synthetic procedures, and products produced by recombinant techniques from a prokaryotic or eukaryotic host, including, for example, bacterial, yeast, insect, mammalian, avian and higher plant cells.

10

15

20

25

30

The polypeptides of the invention may be produced by synthetic organic chemistry, and are preferably produced by standard recombinant methods, employing one or more of the host cells of the invention comprising the vectors or isolated nucleic acid molecules of the invention. According to the invention, polypeptides are produced by cultivating the host cells of the invention (which comprise one or more of the nucleic acid molecules of the invention, preferably contained within an Expression Vector) under conditions favoring the expression of the nucleotide sequence contained on the nucleic acid molecule of the invention, such that the polypeptide encoded by the nucleic acid molecule of the invention is produced by the host cell. As used herein, "conditions favoring the expression of the nucleotide sequence" or "conditions favoring the production of a polypeptide" include optimal physical (e.g., temperature, humidity, etc.) and nutritional (e.g., culture medium, ionic) conditions required for production of a recombinant polypeptide by a given host cell. Such optimal conditions for a variety of host cells, including prokaryotic (bacterial), mammalian, insect, yeast, and plant cells will be familiar to one of ordinary skill in the art, and may be found, for example, in Sambrook, J., et al., Molecular Cloning, A Laboratory Manual, 2nd Ed., Cold Spring Harbor, NY: Cold Spring Harbor Laboratory Press, (1989), Watson, J.D., et al., Recombinant DNA, 2nd Ed., New York: W.H. Freeman and Co., and Winnacker, E.-L., From Genes to Clones, New York: VCH Publishers (1987).

In some aspects, it may be desirable to isolate or purify the polypeptides of the invention (e.g., for production of antibodies as described below), resulting in the production of the polypeptides of the invention in isolated form. The polypeptides of the invention can be recovered and purified from recombinant cell cultures by well-known methods of protein purification that are routine in the art, including ammonium sulfate or ethanol precipitation, acid extraction, anion or cation exchange chromatography, phosphocellulose chromatography, hydrophobic interaction chromatography, affinity chromatography, hydroxylapatite chromatography and lectin chromatography. For example, His6 or GST fusion tags on polypeptides made by the methods of the invention may be isolated using appropriate affinity chromatography matrices which bind polypeptides bearing

His6 or GST tags, as will be familiar to one of ordinary skill in the art. Polypeptides of the present invention include naturally purified products, products of chemical synthetic procedures, and products produced by recombinant techniques from a prokaryotic or eukaryotic host, including, for example, bacterial, yeast, higher plant, insect and mammalian cells. Depending upon the host employed in a recombinant production procedure, the polypeptides of the present invention may be glycosylated or may be non-glycosylated. In addition, polypeptides of the invention may also include an initial modified methionine residue, in some cases as a result of host-mediated processes.

Isolated polypeptides of the invention include those comprising the amino acid

10

5

15

20

25

30

sequences encoded by one or more of the reading frames of the polynucleotides comprising one or more of the recombination site-encoding nucleic acid molecules of the invention, including those encoding attB1, attB2, attP1, attP2, attL1, attL2, attR1 and attR2 having the nucleotide sequences set forth in Figure 9 (or nucleotide sequences complementary thereto), or fragments, variants, mutants and derivatives thereof, the complete amino acid sequences encoded by the polynucleotides contained in the deposited clones described herein; the amino acid sequences encoded by polynucleotides which hybridize under stringent hybridization conditions to polynucleotides having the nucleotide sequences encoding the recombination site sequences of the invention as set forth in Figure 9 (or a nucleotide sequence complementary thereto); or a peptide or polypeptide comprising a portion or a fragment of the above polypeptides. The invention also relates to additional polypeptides having one or more additional amino acids linked (typically by peptidyl bonds to form a nascent polypeptide) to the polypeptides encoded by the recombination site nucleotide sequences or the deposited clones. Such additional amino acid residues may comprise one or more functional peptide sequences, for example one or more fusion partner peptides (e.g., GST, Hise, Trx, etc.) and the like.

As used herein, the terms "protein," "peptide," "oligopeptide" and "polypeptide" are considered synonymous (as is commonly recognized) and each term can be used interchangeably as the context requires to indicate a chain of two or more amino acids, preferably five or more amino acids, or more preferably ten

or more amino acids, coupled by (a) peptidyl linkage(s), unless otherwise defined in the specific contexts below. As is commonly recognized in the art, all polypeptide formulas or sequences herein are written from left to right and in the direction from amino terminus to carboxy terminus.

5

15

10

20

25

30

It will be recognized by those of ordinary skill in the art that some amino acid sequences of the polypeptides of the invention can be varied without significant effect on the structure or function of the polypeptides. If such differences in sequence are contemplated, it should be remembered that there will be critical areas on the protein which determine structure and activity. In general, it is possible to replace residues which form the tertiary structure, provided that residues performing a similar function are used. In other instances, the type of residue may be completely unimportant if the alteration occurs at a non-critical region of the polypeptide.

Thus, the invention further includes variants of the polypeptides of the invention, including allelic variants, which show substantial structural homology to the polypeptides described herein, or which include specific regions of these polypeptides such as the portions discussed below. Such mutants may include deletions, insertions, inversions, repeats, and type substitutions (for example, substituting one hydrophilic residue for another, but not strongly hydrophilic for strongly hydrophobic as a rule). Small changes or such "neutral" or "conservative" amino acid substitutions will generally have little effect on activity.

Typical conservative substitutions are the replacements, one for another, among the aliphatic amino acids Ala, Val, Leu and Ile; interchange of the hydroxylated residues Ser and Thr; exchange of the acidic residues Asp and Glu; substitution between the amidated residues Asp and Gln; exchange of the basic residues Lys and Arg; and replacements among the aromatic residues Phe and Tyr.

Thus, the fragment, derivative or analog of the polypeptides of the invention, such as those comprising peptides encoded by the recombination site nucleotide sequences described herein, may be (i) one in which one or more of the amino acid residues are substituted with a conservative or non-conservative amino acid residue (preferably a conservative amino acid residue), and such substituted amino acid residue may be encoded by the genetic code or may be an amino acid (e.g.,

desmosine, citrulline, ornithine, etc.) that is not encoded by the genetic code; (ii) one in which one or more of the amino acid residues includes a substituent group (e.g., a phosphate, hydroxyl, sulfate or other group) in addition to the normal "R" group of the amino acid; (iii) one in which the mature polypeptide is fused with another compound, such as a compound to increase the half-life of the polypeptide (for example, polyethylene glycol), or (iv) one in which additional amino acids are fused to the mature polypeptide, such as an immunoglobulin Fc region peptide, a leader or secretory sequence, a sequence which is employed for purification of the mature polypeptide (such as GST) or a proprotein sequence. Such fragments, derivatives and analogs are intended to be encompassed by the present invention, and are within the scope of those skilled in the art from the teachings herein and the state of the art at the time of invention.

The polypeptides of the present invention are preferably provided in an isolated form, and preferably are substantially purified. Recombinantly produced versions of the polypeptides of the invention can be substantially purified by the one-step method described in Smith and Johnson, *Gene 67:31-40* (1988). As used herein, the term "substantially purified" means a preparation of an individual polypeptide of the invention wherein at least 50%, preferably at least 60%, 70%, or 75% and more preferably at least 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98% or 99% (by mass) of contaminating proteins (*i.e.*, those that are not the individual polypeptides described herein or fragments, variants, mutants or derivatives thereof) have been removed from the preparation.

The polypeptides of the present invention include those which are at least about 50% identical, at least 60% identical, at least 65% identical, more preferably at least about 70%, at least about 75%, at least about 80%, at least about 85%, at least about 90%, at least about 95%, at least about 96%, at least about 97%, at least about 98% or at least about 99% identical, to the polypeptides described herein. For example, preferred attB1-containing polypeptides of the invention include those that are at least about 50% identical, at least 60% identical, at least 65% identical, more preferably at least about 70%, at least about 75%, at least about 80%, at least about 95%, at least about 95%, at least about 95%, at least about 99% identical,

15

5

10

20

25

30

10

15

20

25

30

to the polypeptide(s) encoded by the three reading frames of a polynucleotide comprising a nucleotide sequence of attB1 having a nucleic acid sequence as set forth in Figure 9 (or a nucleic acid sequence complementary thereto), to a polypeptide encoded by a polynucleotide contained in the deposited cDNA clones described herein, or to a polypeptide encoded by a polynucleotide hybridizing under stringent conditions to a polynucleotide comprising a nucleotide sequence of attB1 having a nucleic acid sequence as set forth in Figure 9 (or a nucleic acid sequence complementary thereto). Analogous polypeptides may be prepared that are at least about 65% identical, more preferably at least about 70%, at least about 75%, at least about 80%, at least about 85%, at least about 90%, at least about 95%, at least about 96%, at least about 97%, at least about 98% or at least about 99% identical, to the attB2, attP1, attP2, attL1, attL2, attR1 and attR2 polypeptides of the invention as depicted in Figure 9. The present polypeptides also include portions or fragments of the above-described polypeptides with at least 5,10, 15, 20, or 25 amino acids.

By a polypeptide having an amino acid sequence at least, for example, 65% "identical" to a reference amino acid sequence of a given polypeptide of the invention is intended that the amino acid sequence of the polypeptide is identical to the reference sequence except that the polypeptide sequence may include up to 35 amino acid alterations per each 100 amino acids of the reference amino acid sequence of a given polypeptide of the invention. In other words, to obtain a polypeptide having an amino acid sequence at least 65% identical to a reference amino acid sequence, up to 35% of the amino acid residues in the reference sequence may be deleted or substituted with another amino acid, or a number of amino acids up to 35% of the total amino acid residues in the reference sequence may be inserted into the reference sequence. These alterations of the reference sequence may occur at the amino (N-) or carboxy (C-) terminal positions of the reference amino acid sequence or anywhere between those terminal positions, interspersed either individually among residues in the reference sequence or in one or more contiguous groups within the reference sequence. As a practical matter, whether a given amino acid sequence is, for example, at least 65% identical to the amino acid sequence of a given polypeptide of the invention can be determined

conventionally using known computer programs such as those described above for nucleic acid sequence identity determinations, or more preferably using the CLUSTAL W program (Thompson, J.D., et al., Nucleic Acids Res. 22:4673-4680 (1994)).

5

10

15

20

25

30

The polypeptides of the present invention can be used as molecular weight markers on SDS-PAGE gels or on molecular sieve gel filtration columns using methods well known to those of skill in the art. In addition, as described in detail below, the polypeptides of the present invention can be used to raise polyclonal and monoclonal antibodies which are useful in a variety of assays for detecting protein expression, localization, detection of interactions with other molecules, or for the isolation of a polypeptide (including a fusion polypeptide) of the invention.

In another aspect, the present invention provides a peptide or polypeptide comprising an epitope-bearing portion of a polypeptide of the invention, which may be used to raise antibodies, particularly monoclonal antibodies, that bind specifically to a one or more of the polypeptides of the invention. The epitope of this polypeptide portion is an immunogenic or antigenic epitope of a polypeptide of the invention. An "immunogenic epitope" is defined as a part of a protein that elicits an antibody response when the whole protein is the immunogen. These immunogenic epitopes are believed to be confined to a few loci on the molecule. On the other hand, a region of a protein molecule to which an antibody can bind is defined as an "antigenic epitope." The number of immunogenic epitopes of a protein generally is less than the number of antigenic epitopes (see, e.g., Geysen et al., Proc. Natl. Acad. Sci. USA 81:3998-4002 (1983)).

As to the selection of peptides or polypeptides bearing an antigenic epitope (i.e., that contain a region of a protein molecule to which an antibody can bind), it is well-known in the art that relatively short synthetic peptides that mimic part of a protein sequence are routinely capable of eliciting an antiserum that reacts with the partially mimicked protein (see, e.g., Sutcliffe, J.G., et al., Science 219:660-666 (1983)). Peptides capable of eliciting protein-reactive sera are frequently represented in the primary sequence of a protein, can be characterized by a set of simple chemical rules, and are not confined to the immunodominant regions of intact proteins (i.e., immunogenic epitopes) or to the amino or carboxy

WO 00/52027 PCT/US00/05432

-84-

termini. Peptides that are extremely hydrophobic and those of six or fewer residues generally are ineffective at inducing antibodies that bind to the mimicked protein; longer peptides, especially those containing proline residues, usually are effective (Sutcliffe, J.G., et al., Science 219:660-666 (1983)).

5

10

15

20

25

30

Epitope-bearing peptides and polypeptides of the invention designed according to the above guidelines preferably contain a sequence of at least five, more preferably at least seven or more amino acids contained within the amino acid sequence of a polypeptide of the invention. However, peptides or polypeptides comprising a larger portion of an amino acid sequence of a polypeptide of the invention, containing about 30 to about 50 amino acids, or any length up to and including the entire amino acid sequence of a given polypeptide of the invention, also are considered epitope-bearing peptides or polypeptides of the invention and also are useful for inducing antibodies that react with the mimicked protein. Preferably, the amino acid sequence of the epitope-bearing peptide is selected to provide substantial solubility in aqueous solvents (i.e., the sequence includes relatively hydrophilic residues and highly hydrophobic sequences are preferably avoided); sequences containing proline residues are particularly preferred.

Non-limiting examples of epitope-bearing polypeptides or peptides that can be used to generate antibodies specific for the polypeptides of the invention include certain epitope-bearing regions of the polypeptides comprising amino acid sequences encoded by polynucleotides comprising one or more of the recombination site-encoding nucleic acid molecules of the invention, including those encoding attB1, attB2, attP1, attP2, attL1, attL2, attR1 and attR2 having the nucleotide sequences set forth in Figure 9 (or a nucleotide sequence complementary thereto); the complete amino acid sequences encoded by the three reading frames of the polynucleotides contained in the deposited clones described herein; and the amino acid sequences encoded by all reading frames of polynucleotides which hybridize under stringent hybridization conditions to polynucleotides having the nucleotide sequences encoding the recombination site sequences (or portions thereof) of the invention as set forth in Figure 9 (or a nucleic acid sequence complementary thereto). Other epitope-bearing polypeptides or peptides that may be used to generate antibodies specific for the polypeptides

10

15

20

25

30

of the invention will be apparent to one of ordinary skill in the art based on the primary amino acid sequences of the polypeptides of the invention described herein, via the construction of Kyte-Doolittle hydrophilicity and Jameson-Wolf antigenic index plots of the polypeptides of the invention using, for example, PROTEAN computer software (DNASTAR, Inc.; Madison, Wisconsin).

The epitope-bearing peptides and polypeptides of the invention may be produced by any conventional means for making peptides or polypeptides including recombinant means using nucleic acid molecules of the invention. For instance, a short epitope-bearing amino acid sequence may be fused to a larger polypeptide which acts as a carrier during recombinant production and purification, as well as during immunization to produce anti-peptide antibodies. Epitope-bearing peptides also may be synthesized using known methods of chemical synthesis (see, e.g., U.S. Patent No. 4,631,211 and Houghten, R. A., Proc. Natl. Acad. Sci. USA 82:5131-5135 (1985), both of which are incorporated by reference herein in their entireties).

As one of skill in the art will appreciate, the polypeptides of the present invention and epitope-bearing fragments thereof may be immobilized onto a solid support, by techniques that are well-known and routine in the art. By "solid support" is intended any solid support to which a peptide can be immobilized. Such solid supports include, but are not limited to nitrocellulose, diazocellulose, glass, polystyrene, polyvinylchloride, polypropylene, polyethylene, dextran, Sepharose, agar, starch, nylon, beads and microtitre plates. Linkage of the peptide of the invention to a solid support can be accomplished by attaching one or both ends of the peptide to the support. Attachment may also be made at one or more internal sites in the peptide. Multiple attachments (both internal and at the ends of the peptide) may also be used according to the invention. Attachment can be via an amino acid linkage group such as a primary amino group, a carboxyl group, or a sulfhydryl (SH) group or by chemical linkage groups such as with cyanogen bromide (CNBr) linkage through a spacer. For non-covalent attachments to the support, addition of an affinity tag sequence to the peptide can be used such as GST (Smith, D.B., and Johnson, K.S., Gene 67:31 (1988)), polyhistidines (Hochuli, E., et al., J. Chromatog. 411:77 (1987)), or biotin. Such affinity tags

10

15

20

25

30

may be used for the reversible attachment of the peptide to the support. Such immobilized polypeptides or fragments may be useful, for example, in isolating antibodies directed against one or more of the polypeptides of the invention, or other proteins or peptides that recognize other proteins or peptides that bind to one or more of the polypeptides of the invention, as described below.

As one of skill in the art will also appreciate, the polypeptides of the present invention and the epitope-bearing fragments thereof described herein can be combined with one or more fusion partner proteins or peptides, or portions thereof, including but not limited to GST, His₆, Trx, and portions of the constant domain of immunoglobulins (Ig), resulting in chimeric or fusion polypeptides. These fusion polypeptides facilitate purification of the polypeptides of the invention (EP 0 394 827; Traunecker et al., Nature 331:84-86 (1988)) for use in analytical or diagnostic (including high-throughput) format.

Antibodies

In another aspect, the invention relates to antibodies that recognize and bind to the polypeptides (or epitope-bearing fragments thereof) or nucleic acid molecules (or portions thereof) of the invention. In a related aspect, the invention relates to antibodies that recognize and bind to one or more polypeptides encoded by all reading frames of one or more recombination site nucleic acid sequences or portions thereof, or to one or more nucleic acid molecules comprising one or more recombination site nucleic acid sequences or portions thereof, including but not limited to att sites (including attB1, attB2, attP1, attP2, attL1, attL2, attR1, attR2 and the like), lox sites (e.g., loxP, loxP511, and the like), FRT, and the like, or mutants, fragments, variants and derivatives thereof. See generally U.S. Patent No. 5,888,732, which is incorporated herein by reference in its entirety. The antibodies of the present invention may be polyclonal or monoclonal, and may be prepared by any of a variety of methods and in a variety of species according to methods that are well-known in the art. See, for instance, U.S. Patent No. 5,587,287; Sutcliffe, J.G., et al., Science 219:660-666 (1983); Wilson et al., Cell 37: 767 (1984); and Bittle, F.J., et al., J. Gen. Virol. 66:2347-2354 (1985). Antibodies specific for any of the polypeptides or nucleic acid molecules described

10

15

20

25

30

herein, such as antibodies specifically binding to one or more of the polypeptides encoded by the recombination site nucleotide sequences, or one or more nucleic acid molecules, described herein or contained in the deposited clones, antibodies against fusion polypeptides (e.g., binding to fusion polypeptides between one or more of the fusion partner proteins and one or more of the recombination site polypeptides of the invention, as described herein), and the like, can be raised against the intact polypeptides or polynucleotides of the invention or one or more antigenic polypeptide fragments thereof.

As used herein, the term "antibody" (Ab) may be used interchangeably with the terms "polyclonal antibody" or "monoclonal antibody" (mAb), except in specific contexts as described below. These terms, as used herein, are meant to include intact molecules as well as antibody fragments (such as, for example, Fab and F(ab')₂ fragments) which are capable of specifically binding to a polypeptide or nucleic acid molecule of the invention or a portion thereof. It will therefore be appreciated that, in addition to the intact antibodies of the invention, Fab, F(ab')₂ and other fragments of the antibodies described herein, and other peptides and peptide fragments that bind one or more polypeptides or polynucleotides of the invention, are also encompassed within the scope of the invention. Such antibody fragments are typically produced by proteolytic cleavage of intact antibodies, using enzymes such as papain (to produce Fab fragments) or pepsin (to produce F(ab')₂ fragments). Antibody fragments, and peptides or peptide fragments, may also be produced through the application of recombinant DNA technology or through synthetic chemistry.

Epitope-bearing peptides and polypeptides, and nucleic acid molecules or portions thereof, of the invention may be used to induce antibodies according to methods well known in the art, as generally described herein (see, e.g., Sutcliffe, et al., supra; Wilson, et al., supra; and Bittle, F. J., et al., J. Gen. Virol. 66:2347-2354 (1985)).

Polyclonal antibodies according to this aspect of the invention may be made by immunizing an animal with one or more of the polypeptides or nucleic acid molecules of the invention described herein or portions thereof according to standard techniques (see, e.g., Harlow, E., and Lane, D., Antibodies: A

10

15

20

25

30

PCT/US00/05432

Laboratory Manual, Cold Spring Harbor, NY: Cold Spring Harbor Laboratory Press (1988); Kaufman, P.B., et al., In: Handbook of Molecular and Cellular Methods in Biology and Medicine, Boca Raton, Florida: CRC Press, pp. 468-469 (1995)). For producing antibodies that recognize and bind to the polypeptides or nucleic acid molecules of the invention or portions thereof, animals may be immunized with free peptide or free nucleic acid molecules; however, antibody titer may be boosted by coupling of the peptide to a macromolecular carrier, such as albumin, KLH, or tetanus toxoid (particularly for producing antibodies against the nucleic acid molecules of the invention or portions thereof; see Harlow and Lane, supra, at page 154), or to a solid phase carrier such as a latex or glass microbead. For instance, peptides containing cysteine may be coupled to carrier using a linker such as m-maleimidobenzoyl-N- hydroxysuccinimide ester (MBS), while other peptides may be coupled to carrier using a more general linking agent such as glutaraldehyde. Animals such as rabbits, rats and mice may be immunized with either free (if the polypeptide immunogen is larger than about 25 amino acids in length) or carrier-coupled peptides or nucleic acid molecules, for instance, by intraperitoneal and/or intradermal injection of emulsions containing about 100 µg peptide, polynucleotide, or carrier protein, and Freund's adjuvant. Several booster injections may be needed, for instance, at intervals of about two weeks, to provide a useful titer of antibody which can be detected, for example, by ELISA assay using free peptide or nucleic acid molecule adsorbed to a solid surface. In another approach, cells expressing one or more of the polypeptides or polynucleotides of the invention or an antigenic fragment thereof can be administered to an animal in order to induce the production of sera containing polyclonal antibodies, according to routine immunological methods. In yet another method, a preparation of one or more of the polypeptides or polynucleotides of the invention is prepared and purified as described herein, to render it substantially free of natural contaminants. Such a preparation may then be introduced into an animal in order to produce polyclonal antisera of greater specific activity. The titer of antibodies in serum from an immunized animal, regardless of the method of immunization used, may be increased by selection of anti-peptide or anti-polynucleotide antibodies, for

instance, by adsorption to the peptide or polynucleotide on a solid support and elution of the selected antibodies according to methods well known in the art.

5

10

15

20

25

30

In an alternative method, the antibodies of the present invention are monoclonal antibodies (or fragments thereof which bind to one or more of the polypeptides of the invention). Such monoclonal antibodies can be prepared using hybridoma technology (Kohler et al., Nature 256:495 (1975); Köhler et al., Eur. J. Immunol. 6:511 (1976); Köhler et al., Eur. J. Immunol. 6:292 (1976); Hammerling et al., In: Monoclonal Antibodies and T-Cell Hybridomas, Elsevier, N.Y., pp. 563-681 (1981)). In general, such procedures involve immunizing an animal (preferably a mouse) with a polypeptide or polynucleotide of the invention (or a fragment thereof), or with a cell expressing a polypeptide or polynucleotide of the invention (or a fragment thereof). The splenocytes of such mice are extracted and fused with a suitable myeloma cell line. Any suitable myeloma cell line may be employed in accordance with the present invention; however, it is preferable to employ the parent myeloma cell line (SP2O), available from the American Type Culture Collection, Rockville, Maryland. After fusion, the resulting hybridoma cells are selectively maintained in HAT medium, and then cloned by limiting dilution as described by Wands et al. (Gastroenterol. 80:225-232 (1981)). The hybridoma cells obtained through such a selection are then assayed to identify clones which secrete antibodies capable of binding one or more of the polypeptides or nucleic acid molecules of the invention, or fragments thereof. Hence, the present invention also provides hybridoma cells and cell lines producing monoclonal antibodies of the invention, particularly that recognize and bind to one or more of the polypeptides or nucleic acid molecules of the invention.

Alternatively, additional antibodies capable of binding to one or more of the polypeptides of the invention, or fragments thereof, may be produced in a two-step procedure through the use of anti-idiotypic antibodies. Such a method makes use of the fact that antibodies are themselves antigens, and that, therefore, it is possible to obtain an antibody which binds to a second antibody. In accordance with this method, antibodies specific for one or more of the polypeptides or polynucleotides of the invention, prepared as described above, are used to immunize an animal, preferably a mouse. The splenocytes of such an

10

15

20

25

30

animal are then used to produce hybridoma cells, and the hybridoma cells are screened to identify clones which produce an antibody whose ability to bind to an antibody specific for one or more of the polypeptides or polynucleotides of the invention can be blocked by polypeptides of the invention themselves. Such antibodies comprise anti-idiotypic antibodies to the antibodies recognizing one or more of the polypeptides or polynucleotides of the invention, and can be used to immunize an animal to induce formation of further antibodies specific for one or more of the polypeptides or polynucleotides of the invention.

For use, the antibodies of the invention may optionally be detectably labeled by covalent or non-covalent attachment of one or more labels, including but not limited to chromogenic, enzymatic, radioisotopic, isotopic, fluorescent, toxic, chemiluminescent, or nuclear magnetic resonance contrast agents or other labels.

Examples of suitable enzyme labels include malate dehydrogenase, staphylococcal nuclease, delta-5-steroid isomerase, yeast-alcohol dehydrogenase, alpha-glycerol phosphate dehydrogenase, triose phosphate isomerase, peroxidase, alkaline phosphatase, asparaginase, glucose oxidase, beta-galactosidase, ribonuclease, urease, catalase, glucose-6-phosphate dehydrogenase, glucoamylase, and acetylcholine esterase.

Examples of suitable radioisotopic labels include ³H, ¹¹¹In, ¹²⁵I, ¹³¹I, ³²P, ³⁵S, ¹⁴C, ⁵¹Cr, ⁵⁷To, ⁵⁸Co, ⁵⁹Fe, ⁷⁵Se, ¹⁵²Eu, ⁹⁰Y, ⁶⁷Cu, ²¹⁷Ci, ²¹¹At, ²¹²Pb, ⁴⁷Sc, ¹⁰⁹Pd, etc. ¹¹¹In is a preferred isotope where in vivo imaging is used since its avoids the problem of dehalogenation of the ¹²⁵I or ¹³¹I-labeled monoclonal antibody by the liver. In addition, this radionucleotide has a more favorable gamma emission energy for imaging (Perkins *et al.*, *Eur. J. Nucl. Med. 10*:296-301 (1985); Carasquillo *et al.*, *J. Nucl. Med. 28*:281-287 (1987)). For example, ¹¹¹In coupled to monoclonal antibodies with 1-(P-isothiocyanatobenzyl)-DPTA has shown little uptake in non-tumorous tissues, particularly the liver, and therefore enhances specificity of tumor localization (Esteban et al., J. Nucl. Med. 28:861-870 (1987)).

Examples of suitable non-radioactive isotopic labels include ¹⁵⁷Gd, ⁵⁵Mn, ¹⁶²Dy, ⁵²Tr, and ⁵⁶Fe.

Examples of suitable fluorescent labels include an ¹⁵²Eu label, a fluorescein label, an isothiocyanate label, a rhodamine label, a phycoerythrin label, a

10

15

20

25

30

phycocyanin label, an allophycocyanin label, an o-phthaldehyde label, a green fluorescent protein (GFP) label, and a fluorescamine label.

Examples of suitable toxin labels include diphtheria toxin, ricin, and cholera toxin.

Examples of chemiluminescent labels include a luminal label, an isoluminal label, an aromatic acridinium ester label, an imidazole label, an acridinium salt label, an oxalate ester label, a luciferin label, a luciferase label, and an aequorin label.

Examples of nuclear magnetic resonance contrasting agents include heavy metal nuclei such as Gd, Mn, and iron.

Typical techniques for binding the above-described labels to the antibodies of the invention are provided by Kennedy et al., Clin. Chim. Acta 70:1-31 (1976), and Schurs et al., Clin. Chim. Acta 81:1-40 (1977). Coupling techniques mentioned in the latter are the glutaraldehyde method, the periodate method, the dimaleimide method, the m-maleimidobenzyl-N-hydroxy-succinimide ester method, all of which methods are incorporated by reference herein.

It will be appreciated by one of ordinary skill that the antibodies of the present invention may alternatively be coupled to a solid support, to facilitate, for example, chromatographic and other immunological procedures using such solid phase-immobilized antibodies. Included among such procedures are the use of the antibodies of the invention to isolate or purify polypeptides comprising one or more epitopes encoded by the nucleic acid molecules of the invention (which may be fusion polypeptides or other polypeptides of the invention described herein), or to isolate or purify polynucleotides comprising one or more recombination site sequences of the invention or portions thereof. Methods for isolation and purification of polypeptides (and, by analogy, polynucleotides) by affinity chromatography, for example using the antibodies of the invention coupled to a solid phase support, are well-known in the art and will be familiar to one of ordinary skill. The antibodies of the invention may also be used in other applications, for example to cross-link or couple two or more proteins, polypeptides, polynucleotides, or portions thereof into a structural and/or functional complex. In one such use, an antibody of the invention may have two

or more distinct epitope-binding regions that may bind, for example, a first polypeptide (which may be a polypeptide of the invention) at one epitope-binding region on the antibody and a second polypeptide (which may be a polypeptide of the invention) at a second epitope-binding region on the antibody, thereby bringing the first and second polypeptides into close proximity to each other such that the first and second polypeptides are able to interact structurally and/or functionally (as, for example, linking an enzyme and its substrate to carry out enzymatic catalysis, or linking an effector molecule and its receptor to carry out or induce a specific binding of the effector molecule to the receptor or a response to the effector molecule mediated by the receptor). Additional applications for the antibodies of the invention include, for example, the preparation of large-scale arrays of the antibodies, polypeptides, or nucleic acid molecules of the invention, or portions thereof, on a solid support, for example to facilitate high-throughput screening of protein or RNA expression by host cells containing nucleic acid molecules of the invention (known in the art as "chip array" protocols; see, e.g., U.S. Patent Nos. 5,856,101, 5,837,832, 5,770,456, 5,744,305, 5,631,734, and 5,593,839, which are directed to production and use of chip arrays of polypeptides (including antibodies) and polynucleotides, and the disclosures of which are incorporated herein by reference in their entireties). By "solid support" is intended any solid support to which an antibody can be immobilized. Such solid supports include, but are not limited to nitrocellulose, diazocellulose, glass, polystyrene, polyvinylchloride, polycarbonate, polypropylene, polyethylene, dextran, Sepharose, agar, starch, nylon, beads and microtitre plates. Preferred are beads made of glass, latex or a magnetic material. Linkage of an antibody of the invention to a solid support can be accomplished by attaching one or both ends of the antibody to the support. Attachment may also be made at one or more internal sites in the antibody. Multiple attachments (both internal and at the ends of the antibody) may also be used according to the invention. Attachment can be via an amino acid linkage group such as a primary amino group, a carboxyl group, or a sulfhydryl (SH) group or by chemical linkage groups such as with cyanogen bromide (CNBr) linkage through a spacer. For non-covalent attachments, addition of an affinity tag sequence to the peptide can be used such as GST

10

5

· 15

20

25

30

(Smith, D.B., and Johnson, K.S., Gene 67:31 (1988)), polyhistidines (Hochuli, E., et al., J. Chromatog. 411:77 (1987)), or biotin. Alternatively, attachment can be accomplished using a ligand which binds the Fc region of the antibodies of the invention, e.g., protein A or protein G. Such affinity tags may be used for the reversible attachment of the antibodies to the support. Peptides may also be recognized via specific ligand-receptor interactions or using phage display methodologies that will be familiar to the skilled artisan, for their ability to bind polypeptides of the invention or fragments thereof.

Kits

5

10

15

20

25

30

In another aspect, the invention provides kits which may be used in producing the nucleic acid molecules, polypeptides, vectors, host cells, and antibodies, and in the recombinational cloning methods, of the invention. Kits according to this aspect of the invention may comprise one or more containers, which may contain one or more of the nucleic acid molecules, primers, polypeptides, vectors, host cells, or antibodies of the invention. In particular, a kit of the invention may comprise one or more components (or combinations thereof) selected from the group consisting of one or more recombination proteins (e.g., Int) or auxiliary factors (e.g. IHF and/or Xis) or combinations thereof, one or more compositions comprising one or more recombination proteins or auxiliary factors or combinations thereof (for example, GATEWAY™ LR Clonase™ Enzyme Mix or GATEWAY™ BP Clonase™ Enzyme Mix) one or more Destination Vector molecules (including those described herein), one or more Entry Clone or Entry Vector molecules (including those described herein), one or more primer nucleic acid molecules (particularly those described herein), one or more host cells (e.g. competent cells, such as E. coli cells, yeast cells, animal cells (including mammalian cells, insect cells, nematode cells, avian cells, fish cells, etc.), plant cells, and most particularly E. coli DB3, DB3.1 (preferably E. coli LIBRARY EFFICIENCY® DB3.1™ Competent Cells; Life Technologies, Inc., Rockville, MD), DB4 and DB5; see U.S. Provisional Application No. 60/122,392, filed on March 2, 1999, and the corresponding U.S. Utility Application No. ___ of Hartley et al., entitled "Cells Resistant to Toxic Genes and Uses Thereof," filed

WO 00/52027

PCT/US00/05432

-94on even day herewith, the disclosures of which are incorporated by reference herein in its entirety), and the like. In related aspects, the kits of the invention may comprise one or more nucleic acid molecules encoding one or more recombination sites or portions thereof, such as one or more nucleic acid molecules comprising a nucleotide sequence encoding the one or more recombination sites (or portions thereof) of the invention, and particularly one or more of the nucleic acid molecules contained in the deposited clones described herein. Kits according to this aspect of the invention may also comprise one or more isolated nucleic acid molecules of the invention, one or more vectors of the invention, one or more primer nucleic acid molecules of the invention, and/or one or more antibodies of the invention. The kits of the invention may further comprise one or more additional containers containing one or more additional components useful in combination with the nucleic acid molecules, polypeptides, vectors, host cells, or antibodies of the invention, such as one or more buffers, one or more detergents, one or more polypeptides having nucleic acid polymerase activity, one or more polypeptides having reverse transcriptase activity, one or more transfection reagents, one or more nucleotides, and the like. Such kits may be used in any process advantageously using the nucleic acid molecules, primers, vectors, host cells, polypeptides, antibodies and other compositions of the invention, for example in methods of synthesizing nucleic acid molecules (e.g., via amplification such as via PCR), in methods of cloning nucleic acid molecules (preferably via

Optimization of Recombinational Cloning System

recombinational cloning as described herein), and the like.

25

30

20

5

10

15

The usefulness of a particular nucleic acid molecule, or vector comprising a nucleic acid molecule, of the invention in methods of recombinational cloning may be determined by any one of a number of assay methods. For example, Entry and Destination vectors of the present invention may be assessed for their ability to function (i.e., to mediate the transfer of a nucleic acid molecule, DNA segment, gene, cDNA molecule or library from a cloning vector to an Expression Vector) by carrying out a recombinational cloning reaction as described in more detail in the Examples below and as described in U.S. Application Nos. 08/663,002, filed

June 7, 1996 (now U.S. Patent No. 5,888,732), 09/005,476, filed January 12, 1998, 09/177,387, filed October 23, 1998, and 60/108,324, filed November 13, 1998, the disclosures of which are incorporated by reference herein in their entireties. Alternatively, the functionality of Entry and Destination Vectors prepared according to the invention may be assessed by examining the ability of these vectors to recombine and create cointegrate molecules, or to transfer a nucleic acid molecule of interest, using an assay such as that described in detail below in Example 19. Analogously, the formulation of compositions comprising one or more recombination proteins or combinations thereof, for example GATEWAYTM LR ClonaseTM Enzyme Mix and GATEWAYTM BP ClonaseTM Enzyme Mix, may be optimized using assays such as those described below in Example 18.

Uses

15

10

5

There are a number of applications for the compositions, methods and kits of the present invention. These uses include, but are not limited to, changing vectors, targeting gene products to intracellular locations, cleaving fusion tags from desired proteins, operably linking nucleic acid molecules of interest to regulatory genetic sequences (e.g., promoters, enhancers, and the like), constructing genes for fusion proteins, changing copy number, changing replicons, cloning into phages, and cloning, e.g., PCR products, genomic DNAs, and cDNAs. In addition, the nucleic acid molecules, vectors, and host cells of the invention may be used in the production of polypeptides encoded by the nucleic acid molecules, in the production of antibodies directed against such polypeptides, in recombinational cloning of desired nucleic acid sequences, and in other applications that may be enhanced or facilitated by the use of the nucleic acid molecules, vectors, and host cells of the invention.

25

20

antibodies, and kits of the invention may be used in methods of transferring one or more desired nucleic acid molecules or DNA segments, for example one or more genes, cDNA molecules or cDNA libraries, into a cloning or Expression

Vector for use in transforming additional host cells for use in cloning or

In particular, the nucleic acid molecules, vectors, host cells, polypeptides,

30

amplification of, or expression of the polypeptide encoded by, the desired nucleic acid molecule or DNA segment. Such recombinational cloning methods which may advantageously use the nucleic acid molecules, vectors, and host cells of the invention, are described in detail in the Examples below, and in commonly owned U.S. Application Nos. 08/486,139, filed June 7, 1995, 08/663,002, filed June 7, 1996 (now U.S. Patent No. 5,888,732), 09/005,476, filed January 12, 1998, 09/177,387, filed October 23, 1998, and 60/108,324, filed November 13, 1998, the disclosures of all of which are incorporated by reference herein in their entireties.

10

5

It will be understood by one of ordinary skill in the relevant arts that other suitable modifications and adaptations to the methods and applications described herein are readily apparent from the description of the invention contained herein in view of information known to the ordinarily skilled artisan, and may be made without departing from the scope of the invention or any embodiment thereof. Having now described the present invention in detail, the same will be more clearly understood by reference to the following examples, which are included herewith for purposes of illustration only and are not intended to be limiting of the

20

invention.

15

Examples

Example 1: Recombination Reactions of Bacteriophage λ

25

The $E.\ coli$ bacteriophage λ can grow as a lytic phage, in which case the host cell is lysed, with the release of progeny virus. Alternatively, lambda can integrate into the genome of its host by a process called lysogenization (see Figure 60). In this lysogenic state, the phage genome can be transmitted to daughter cells for many generations, until conditions arise that trigger its excision from the genome. At this point, the virus enters the lytic part of its life cycle. The control of the switch between the lytic and lysogenic pathways is one of the best understood processes in molecular biology (M. Ptashne, $A\ Genetic\ Switch$, Cell Press, 1992).

30

10

15

20

25

30

The integrative and excisive recombination reactions of λ , performed in vitro, are the basis of Recombinational Cloning System of the present invention. They can be represented schematically as follows:

attB x attP ↔ attL x attR (where "x" signifies recombination)

The four att sites contain binding sites for the proteins that mediate the reactions. The wild type attP, attB, attL, and attR sites contain about 243, 25, 100, and 168 base pairs, respectively. The attB x attP reaction (hereinafter referred to as a "BP Reaction," or alternatively and equivalently as an "Entry Reaction" or a "Gateward Reaction") is mediated by the proteins Int and IHF. The attL x attR reaction (hereinafter referred to as an "LR Reaction," or alternatively and equivalently as a "Destination Reaction") is mediated by the proteins Int, IHF, and Xis. Int (integrase) and Xis (excisionase) are encoded by the λ genome, while IHF (integration host factor) is an E. coli protein. For a general review of lambda recombination, see: A. Landy, Ann. Rev. Biochem. 58: 913-949 (1989).

Example 2: Recombination Reactions of the Recombinational Cloning System

The LR Reaction -- the exchange of a DNA segment from an Entry Clone to a Destination Vector -- is the *in vitro* version of the λ excision reaction:

 $attL \times attR \Rightarrow attB + attP$

There is a practical imperative for this configuration: after an LR Reaction in one configuration of the present method, an att site usually separates a functional motif (such as a promoter or a fusion tag) from a nucleic acid molecule of interest in an Expression Clone, and the 25 bp attB site is much smaller than the attP, attL, and attR sites.

Note that the recombination reaction is conservative, i.e., there is no net synthesis or loss of base pairs. The DNA segments that flank the recombination

10

15

20

25

30

sites are merely switched. The wild type λ recombination sites are modified for purposes of the GATEWAYTM Cloning System, as follows:

To create certain preferred Destination Vectors, a part (43 bp) of attR was removed, to make the excisive reaction irreversible and more efficient (W. Bushman et al., *Science 230*: 906, 1985). The attR sites in preferred Destination Vectors of the invention are 125 bp in length. Mutations were made to the core regions of the att sites, for two reasons: (1) to eliminate stop codons, and (2) to ensure specificity of the recombination reactions (i.e., attR1 reacts only with attL1, attR2 reacts only with attL2, etc.).

Other mutations were introduced into the short (5 bp) regions flanking the 15 bp core regions of the attB sites to minimize secondary structure formation in single-stranded forms of attB plasmids, e.g., in phagemid ssDNA or in mRNA. Sequences of attB1 and attB2 to the left and right of a nucleic acid molecule of interest after it has been cloned into a Destination Vector are given in Figure 6.

Figure 61 illustrates how an Entry Clone and a Destination Vector recombine in the LR Reaction to form a co-integrate, which resolves through a second reaction into two daughter molecules. The two daughter molecules have the same general structure regardless of which pair of sites, attL1 and attR1 or attL2 and attR2, react first to form the co-integrate. The segments change partners by these reactions, regardless of whether the parental molecules are both circular, one is circular and one is linear, or both are linear. In this example, selection for ampicillin resistance carried on the Destination Vector, which also carries the death gene ccdB, provides the means for selecting only for the desired attB product plasmid.

Example 3: Protein Expression in the Recombinational Cloning System

Proteins are expressed in vivo as a result of two processes, transcription (DNA into RNA), and translation (RNA into protein). For a review of protein expression in prokaryotes and eukaryotes, see Example 13 below. Many vectors (pUC, BlueScript, pGem) use interruption of a transcribed lacZ gene for bluewhite screening. These plasmids, and many Expression Vectors, use the lac promoter to control expression of cloned genes. Transcription from the lac

promoter is turned on by adding the inducer IPTG. However, a low level of RNA is made in the absence of inducer, i.e., the lac promoter is never completely off. The result of this "leakiness" is that genes whose expression is harmful to *E. coli* may prove difficult or impossible to clone in vectors that contain the lac promoter, or they may be cloned only as inactive mutants.

In contrast to other gene expression systems, nucleic acid molecules cloned into an Entry Vector may be designed *not* to be expressed. The presence of the strong transcriptional terminator *rrnB* (Orosz, et al., *Eur. J. Biochem. 201*: 653, 1991) just upstream of the attL1 site keeps transcription from the vector promoters (drug resistance and replication origin) from reaching the cloned gene. However, if a toxic gene is cloned into a Destination Vector, the host may be sick, just as in other expression systems. But the reliability of subcloning by *in vitro* recombination makes it easier to recognize that this has happened -- and easier to try another expression option in accordance with the methods of the invention, if necessary.

Example 4: Choosing the Right Entry Vector

5

10

15

20

25

30

There are two kinds of choices that must be made in choosing the best Entry Vector, dictated by (1) the particular DNA segment that is to be cloned, and (2) what is to be accomplished with the cloned DNA segment. These factors are critical in the choice of Entry Vector used, because when the desired nucleic acid molecule of interest is moved from the Entry Vector to a Destination Vector, all the base pairs between the nucleic acid molecule of interest and the Int cutting sites in attL1 and attL2 (such as in Figure 6) move into the Destination Vector as well. For genomic DNAs that are not expressed as a result of moving into a Destination Vector, these decisions are not as critical.

For example, if an Entry Vector with certain translation start signals is used, those sequences will be translated into amino acids if an amino-terminal fusion to the desired nucleic acid molecule of interest is made. Whether the desired nucleic acid molecule of interest is to be expressed as fusion protein, native protein, or both, dictates whether translational start sequences must be included between the attB sites of the clone (native protein) or, alternatively, supplied by the Destination

Vector (fusion protein). In particular, Entry Clones that include translational start sequences may prove less suitable for making fusion proteins, as internal initiation of translation at these sites can decrease the yield of N-terminal fusion protein. These two types of expression afforded by the compositions and methods of the invention are illustrated in Figure 62.

No Entry Vector is likely to be optimal for all applications. The nucleic acid molecule of interest may be cloned into any of several optimal Entry Vectors.

As an example, consider pENTR7 (Figure 16) and pENTR11 (Figure 20), which are useful in a variety of applications, including (but not limited to):

10

5

•Cloning cDNAs from most of the commercially available libraries. The sites to the left and right of the ccdB death gene have been chosen so that directional cloning is possible if the DNA to be cloned does not have two or more of these restriction sites.

15

•Cloning of genes directionally: SalI, BamHI, XmnI (blunt), or KpnI on the left of ccdB; NotI, XhoI, XbaI, or EcoRV (blunt), on the right.

20

_ _

25

30

- •Cloning of genes or gene fragments with a blunt amino end at the *Xmn*I site. The *Xmn*I site has four of the six most favored bases for eukaryotic expression (see Example 13, below), so that if the first three bases of the DNA to be cloned are ATG, the open reading frame (ORF) will be expressed in eukaryotic cells (e.g., mammalian cells, insect cells, yeast cells) when it is transcribed in the appropriate Destination Vector. In addition, in pENTR11, a Shine-Dalgarno sequence is situated 8 bp upstream, for initiating protein synthesis in a prokaryotic host cell (particularly a bacterial cell, such as *E. coli*) at an ATG.
- •Cleaving off amino terminal fusions (e.g., His₆, GST, or thioredoxin) using the highly specific TEV (Tobacco Etch Virus) protease (available from Life Technologies, Inc.). If the nucleic acid molecule of interest is cloned at the

blunt XmnI site, TEV cleavage will leave two amino acids on the amino end of the expressed protein.

•Selecting against uncut or singly cut Entry Vector molecules during cloning with restriction enzymes and ligase. If the ccdB gene is not removed with a double digest, it will kill any recipient *E. coli* cell that does not contain a mutation that makes the cell resistant to ccdB (see U.S. Provisional Application No. 60/122,392, filed on March 2, 1999, the disclosure of which is incorporated by reference herein in its entirety).

10

5

•Allowing production of amino fusions with ORFs in all cloning sites. There are no stop codons (in the attL1 reading frame) upstream of the ccdB gene.

In addition, pENTR11 is also useful in the following applications:

15

•Cloning cDNAs that have an *NcoI* site at the initiating ATG into the *NcoI* site. Similar to the *XmnI* site, this site has four of the six most favored bases for eukaryotic expression. Also, a Shine-Dalgarno sequence is situated 8 bp upstream, for initiating protein synthesis in a prokaryotic host cell (particularly a bacterial cell, such as *E. coli*) at an ATG.

20

•Producing carboxy fusion proteins with ORFs positioned in phase with the reading frame convention for carboxy-terminal fusions (see Figure 20A).

25

30

Table 1 lists some non-limiting examples of Entry Vectors and their characteristics, and Figures 10-20 show their cloning sites. All of the Entry Vectors listed in Table 1 are available commercially from Life Technologies, Inc., Rockville, Maryland. Other Entry Vectors not specifically listed here, which comprise alternative or additional features may be made by one of ordinary skill using routine methods of molecular and cellular biology, in view of the disclosure contained herein.

Vectors	
Examples of Entry	

Table 1

Protein Synthesis Features	Minimal amino acids between tag and protein;	Good Kozac, no SD	No SD; poor Kozac at Nde,	No SD; poor Kozac at Sph, good at Xmn	TEV protease leaves Gly-Thr on amino end of protein: no SD	TEV protease leaves Gly-Thr on amino end of protein; no SD
Native Protein in Eukaryotic Cells	Good	Good	Poor at Nde I, Good at Xmn I	Poor at Sph I, Good at Xmn I	Good at Xmn I site	Good
Native Protein in E.coli	Poor	Poor	Poor	Poor	Poor	Poor
Amino Fusions	Good	Good	Good	Good	Good	Good
Distinctive Cloning Sites	Reading frame A, B, or C; blunt cut closest to attL1	Nco I site (common in euk. cDNAs) closest to attL1	Ndel site closest to attL1	Sph I site closest to attL l	Xmn I (blunt) is first cloning site after TEV site	Nco I is first cloning site after TEV site
Class of Entry Vector	Alternative Reading Frame Vectors	Restr. Enz. Cleavage Vectors	Restr. Enz. Cleavage Vectors	Restr. Enz. Cleavage Vectors	TEV Cleavage Site Present	TEV Cleavage Site Present
Mnemonic Name	Minimal blunt RF A, B, C	Minimal Nco	Minimal Nde	Minimal Sph	TEV Blunt	TEV Nco
Designation	pENTR- 1A, 2B, 3C	pENTR4	pENTR5	pENTR6	pENTR7	pENTR8

pENTR9	TEV Nde	TEV	Nde I is first	Good	Poor	Poor	TEV protease
		Cleavage Site	cloning site after	•			leaves Gly-Thr
			TEV site				on amino end of
							protein; no SD,
							poor Kozac
pENTR10	Nde with	3D for	Strong SD; Nde I Poor	Poor	Good	Poor	Strong SD,
	SD	E.coli	site, no TEV				internal starts in
		Expression					amino fusions.
							Poor Kz. No
							TEV
pENTR11	2 X	Good SD for	Xmn I (blunt)	Good	Good	Good	Strong SD/Koz
1	SD+Kozac	E.coli	and Nco I sites				Internal starts in
		Expression	each preceded by				amino fusions.
			SD and Kozac				No TEV

10

15

20

25

30

Entry vectors pENTR1A (Figures 10A and 10B), pENTR2B (Figures 11A and 11B), and pENTR3C (Figures 12A and 12B) are almost identical, except that the restriction sites are in different reading frames. Entry vectors pENTR4 (Figures 13A and 13B), pENTR5 (Figures 14A and 14B), and pENTR6 (Figures 15A and 15B) are essentially identical to pENTR1A, except that the blunt *DraI* site has been replaced with sites containing the ATG methionine codon: *NcoI* in pENTR4, *NdeI* in pENTR5, and *SphI* in pENTR6. Nucleic acid molecules that contain one of these sites at the initiating ATG can be conveniently cloned in these Entry vectors. The *NcoI* site in pENTR4 is especially useful for expression of nucleic acid molecules in eukaryotic cells, since it contains many of the bases that give efficient translation (*see* Example 13, below). (Nucleic acid molecules of interest cloned into the *NdeI* site of pENTR5 are not expected to be highly expressed in eukaryotic cells, because the cytosine at position -3 from the initiating ATG is rare in eukaryotic genes.)

Entry vectors pENTR7 (Figures 16A and 16B), pENTR8 (Figures 17A and 17B), and pENTR9 (Figures 18A and 18B) contain the recognition site for the TEV protease between the attL1 site and the cloning sites. Cleavage sites for *Xmn*I (blunt), *Nco*I, and *Nde*I, respectively, are the most 5' sites in these Entry vectors. Amino fusions can be removed efficiently if nucleic acid molecules are cloned into these Entry vectors. TEV protease is highly active and highly specific.

Example 5: Controlling Reading Frame

One of the trickiest tasks in expression of cloned nucleic acid molecules is making sure the reading frame is correct. (Reading frame is important if fusions are being made between two ORFs, for example between a nucleic acid molecule of interest and a His6 or GST domain.) For purposes of the present invention, the following convention has been adopted: The reading frame of the DNA cloned into any Entry Vector must be in phase with that of the attB1 site shown in Figure 16A, pENTR7. Notice that the six As of the attL1 site are split into two lysine codons (aaa aaa). The Destination Vectors that make amino fusions were constructed such that they enter the attR1 site in this reading frame.

10

15

20

25

30

Destination Vectors for carboxy terminal fusions were also constructed, including those containing His₆ (pDEST23; Figure 43), GST (pDEST24, Figure 44), or thioredoxin (pDEST25; Figure 45) C-terminal fusion sequences

Therefore, if a nucleic acid molecule of interest is cloned into an Entry Vector so that the aaa aaa reading frame within the attL1 site is in phase with the nucleic acid molecule's ORF, amino terminal fusions will automatically be correctly phased, for all the fusion tags. This is a significant improvement over the usual case, where each different vector can have different restriction sites and different reading frames.

See Example 15 for a practical example of how to choose the most appropriate combinations of Entry Vector and Destination Vector.

Materials

Unless otherwise indicated, the following materials were used in the remaining Examples included herein:

5X LR Reaction Buffer:

200-250 mM (preferably 250 mM) Tris-HCl, pH 7.5

250-350 mM (preferably 320 mM) NaCl

1.25-5 mM (preferably 4.75 mM) EDTA

12.5-35 mM (preferably 22-35 mM, and most preferably 35 mM)

Spermidine-HCl

1 mg/ml bovine serum albumin

GATEWAYTM LR ClonaseTM Enzyme Mix:

per 4 µl of 1X LR Reaction Buffer:

150 ng carboxy-His6-tagged Int (see U.S. Appl. Nos. 60/108,324, filed November 13, 1998, and 09/438,358, filed November 12,

1999, both entirely incorporated by reference herein)

10

15

20

25

30

25 ng carboxy-His6-tagged Xis (see U.S. Appl. Nos. 60/108,324, filed November 13, 1998, and 09/438,358, filed November 12, 1999, both entirely incorporated by reference herein)

30 ng IHF

50% glycerol

5X BP Reaction Buffer:

125 mM Tris-HCl, pH 7.5

110 mM NaCl

25 mM EDTA

25 mM Spermidine-HCl

5 mg/ml bovine serum albumin

GATEWAYTM BP ClonaseTM Enzyme Mix:

per 4 µl of 1X BP Reaction Buffer:

200 ng carboxy-His6-tagged Int (see U.S. Appl. Nos. 60/108,324, filed November 13, 1998, and 09/438,358, filed November 12, 1999, both entirely incorporated by reference herein)

80 ng IHF

50% glycerol

10X Clonase Stop Solution:

50 mM Tris-HCl, pH 8.0

1 mM EDTA

2 mg/ml Proteinase K

Example 6: LR ("Destination") Reaction

To create a new Expression Clone containing the nucleic acid molecule of interest (and which may be introduced into a host cell, ultimately for production of the polypeptide encoded by the nucleic acid molecule), an Entry Clone or Vector containing the nucleic acid molecule of interest, prepared as described

10

15

20

25

30

herein, is reacted with a Destination Vector. In the present example, a β -Gal gene flanked by attL sites is transferred from an Entry Clone to a Destination Vector.

Materials needed:

- 5 X LR Reaction buffer
- Destination Vector (preferably linearized), 75-150 ng/μl
- Entry Clone containing nucleic acid molecule of interest, 100-300 ng in \leq 8 μ l TE buffer
- Positive control Entry Clone (pENTR-β-Gal) DNA (See note, below)
- Positive control Destination Vector, pDEST1 (pTrc), 75 ng/μl
- GATEWAY™ LR Clonase™ Enzyme Mix (stored at 80° C)
- 10X Clonase Stop solution
- pUC19 DNA, 10 pg/μl
- Chemically competent E. coli cells (competence: ≥1x10⁷ CFU/μg), 400 μl.
- LB Plates containing ampicillin (100 μg/ml) and methicillin (200 μg/ml) ±
 X-gal and IPTG (See below)

Notes:

Preparation of the Entry Clone DNA: Miniprep DNA that has been treated with RNase works well. A reasonably accurate quantitation (±50%) of the DNA to be cloned is advised, as the GATEWAYTM reaction appears to have an optimum of about 100-300 ng of Entry Clone per 20 μl of reaction mix.

The positive control Entry Clone, pENTR- β -Gal, permits functional analysis of clones based on the numbers of expected blue vs. white colonies on LB plates containing IPTG+Bluo-gal (or X-gal), in addition to ampicillin (100 μ g/ml) and methicillin (200 μ g/ml). Because β -Galactosidase is a large protein, it often yields a less prominent band than many smaller proteins do on SDS protein gels.

In the Positive Control Entry Vector pENTR- β -Gal, the coding sequence of β -Gal has been cloned into pENTR11 (Figures 20A and 20B), with translational start signals permitting expression in E. coli, as well as in eukaryotic

cells. The positive control Destination Vector, for example pDEST1 (Figure 21), is preferably linearized.

To prepare X-gal + IPTG plates, either of the following protocols may be used:

5

A. With a glass rod, spread over the surface of an LB agar plate: 40 µl of 20 mg/ml X-gal (or Bluo-gal) in DMF plus 4 µl 200 mg/ml IPTG. Allow liquid to adsorb into agar for 3-4 hours at 37° C before plating cells.

10

B. To liquid LB agar at ~45°C, add: X-gal (or Bluo-Gal) (20 mg/ml in DMF) to make 50 μg/ml and IPTG (200 mM in water) to make 0.5-1 mM, just prior to pouring plates. Store X-gal and Bluo-Gal in a light-shielded container.

15

Colony color may be enhanced by placing the plates at 5°C for a few hours after the overnight incubation at 37°C. Protocol B can give more consistent colony color than A, but A is more convenient when selection plates are needed on short notice.

20

Recombination in Clonase reactions continues for many hours. While incubations of 45-60 minutes are usually sufficient, reactions with large DNAs, or in which both parental DNAs are supercoiled, or which will be transformed into cells of low competence, can be improved with longer incubation times, such as 2-24 hours at 25°C.

Procedure:

25

1. Assemble reactions as follows (combine all components at room temperature, except GATEWAYTM LR ClonaseTM Enzyme Mix ("Clonase LR"), before removing Clonase LR from frozen storage):

5	
10	

20

25

30

35

	Tube 1	Tube 2	Tube 3	Tube 4
Component	Neg.	Pos.	Neg.	Test
p-Gate-βGal, (Positive control	4 μ1	4 μl		
Entry Clone) 75 ng/µl				
pDEST1 (Positive control	4 μl	4 μl		
Destination Vector), 75 ng/μl				İ
Your Entry Clone (100-300 ng)			1 - 8 µ1	1 - 8 µl
Destination Vector for your nucleic			4 μl	4 μl
acid molecule, 75 ng/µl				
5 X LR Reaction Buffer	4 µl	4 μl	4 µl	4 µl
TE	8 µl	4 µl	То 20 µl	То 16 µl
GATEWAY™ LR Clonase™ Enzyme Mix (store at - 80° C, add last)	•••	4 µl		4 µl
Total Volume	20 µl	20 µl	20 μl	20 μl

- 2. Remove the GATEWAYTM LR ClonaseTM Enzyme Mix from the -80° C freezer, place immediately on ice. The Clonase takes only a few minutes to thaw.
- 3. Add 4 μl of GATEWAYTM LR ClonaseTM Enzyme Mix to reactions #2 and #4;
- 4. Return GATEWAYTM LR ClonaseTM Enzyme Mix to 80° C freezer.
- 5. Incubate tubes at 25° for at least 60 minutes.
- 6. Add 2 μ l Clonase Stop solution to all reactions. Incubate for 20 min at 37°C. (This step usually increases the total number of colonies obtained by 10-20 fold.)
- 7. Transform 2 μl into 100 μl competent *E. coli*. Select on plates containing ampicillin at 100 μg/ml.

Example 7: Transformation of E. coli

To introduce cloning or Expression Vectors prepared using the recombinational cloning system of the invention, any standard *E. coli* transformation protocol should be satisfactory. The following steps are recommended for best results:

1. Let the mixture of competent cells and Recombinational Cloning System reaction product stand on ice at least 15 minutes prior to the heat-shock step. This gives time for the recombination proteins to dissociate from the DNA, and improves the transformation efficiency.

5

2. Expect the reaction to be about 1%-5% efficient, i.e., 2 μ l of the reaction should contain at least 100 pg of the Expression Clone plasmid (taking into account the amounts of each parental plasmid in the reaction, and the subsequent dilution). If the E. coli cells have a competence of 10^7 CFU/ μ g, 100 pg of the desired clone plasmid will give about 1000 colonies, or more, if the entire transformation is spread on one ampicillin plate.

10

3. Always do a control pUC DNA transformation. If the number of colonies is not what you expect, the pUC DNA transformation gives you an indication of where the problem was.

15

Example 8: Preparation of attB-PCR Product

For preparation of attB-PCR products in the PCR cloning methods described in Example 9 below, PCR primers containing attB1 and attB2 sequences are used. The attB1 and attB2 primer sequences are as follows:

20

attB1: 5'-GGGGACAAGTTTGTACAAAAAAGCAGGCT-(template-specific sequence)-3'

25

attB2: 5'-GGGGACCACTTTGTACAAGAAAGCTGGGT-(template-specific sequence)-3'

30

The attB1 sequence should be added to the amino primer, and the attB2 sequence to the carboxy primer. The 4 guanines at the 5' ends of each of these primers enhance the efficiency of the minimal 25 bp attB sequences as substrates for use in the cloning methods of the invention.

Standard PCR conditions may be used to prepare the PCR product. The following suggested protocol employs PLATINUM Taq DNA Polymerase High

Fidelity®, available commercially from Life Technologies, Inc. (Rockville, MD). This enzyme mix eliminates the need for hot starts, has improved fidelity over Taq, and permits synthesis of a wide range of amplicon sizes, from 200 bp to 10 kb, or more, even on genomic templates.

5

Materials needed:

•PLATINUM Taq DNA Polymerase High Fidelity® (Life Technologies, Inc.)

•attB1- and attB2- containing primer pair (see above) specific for your template

•DNA template (<u>linearized</u> plasmid or genomic DNA)

•10X High Fidelity PCR Buffer

•10 mM dNTP mix

•PEG/MgCl₂ Mix (30% PEG 8000, 30 mM MgCl₂)

15

10

Procedure:

1.) Assemble the reaction as follows:

20

25

30

35

Component	Reaction with Plasmid Target	Reaction with <u>Genomic</u> Target
10X High Fidelity PCR Buffer	5 μl	5 μΙ
dNTP Mix 10 mM	lμl	lμl
MgSO ₄ , 50mM	2 μl	2 μl
attB1 Primer, 10 µM	2 µl	l μl
attB2 Primer, 10 μM	2 μΙ	lμl
Template DNA	1-5 ng*	≥ 100 ng
PLATINUM Taq High Fidelity	2 μl	lμl
Water	to 50 μl	to 50 μl

* Use of higher amounts of plasmid template may permit fewer cycles (10-15) of PCR

10

15

20

25

30

- 2.) Add 2 drops mineral oil, as appropriate.
- 3.) Denature for 30 sec. at 94°C.
- 4.) Perform 25 cycles:

94°C for 15 sec-30 sec

55°C for 15 sec-30 sec

68°C for 1 min per kb of template.

5.) Following the PCR reaction, apply 1-2 µl of the reaction mixture to an agarose gel, together with size standards (e.g., 1 Kb Plus Ladder, Life Technologies, Inc.) and quantitation standards (e.g., Low Mass Ladder, Life Technologies, Inc.), to assess the yield and uniformity of the product.

Purification of the PCR product is recommended, to remove attB primer dimers which can clone efficiently into the Entry Vector. The following protocol is fast and will remove DNA <300 bp in size:

6.) Dilute the 50 μ l PCR reaction to 200 μ l with TE.

- 7.) Add 100 μl PEG/MgCl₂ Solution. Mix and centrifuge immediately at 13,000 RPM for 10 min at room temperature. Remove the supernatant (pellet is clear and hard to see).
- 8.) Dissolve the pellet in 50 µl TE and check recovery on a gel.

If the starting PCR template is a plasmid that contains the gene for Kan^r, it is advisable to treat the completed PCR reaction with the restriction enzyme DpnI, to degrade the plasmid since unreacted residual starting plasmid is a potential source of false-positive colonies from the transformation of the GATEWAYTM Cloning System reaction. Adding ~5 units of DpnI to the completed PCR reaction and incubating for 15 min at 37°C will eliminate this potential problem. Heat inactivate the DpnI at 65°C for 15 min, prior to using the PCR product in the GATEWAYTM Cloning System reaction.

10

15

20

25

30

Example 9: Cloning attB-PCR products into Entry Vectors via the BP ("Gateward") Reaction

The addition of 5'-terminal attB sequences to PCR primers allows synthesis of a PCR product that is an efficient substrate for recombination with a Donor (attP) Plasmid in the presence of GATEWAYTM BP ClonaseTM Enzyme Mix. This reaction produces an Entry Clone of the PCR product (See Figure 8).

The conditions of the Gateward Cloning reaction with an attB PCR substrate are similar to those of the BP Reaction (see Example 10 below), except that the attB-PCR product (see Example 8) substitutes for the Expression Clone, and the attB-PCR positive control (attB-tet) substitutes for the Expression Clone Positive Control (GFP).

Materials needed:

- 5 X BP Reaction Buffer
- Desired attB-PCR product DNA, 50-100 ng in ≤ 8 μl TE.
- Donor (attP) Plasmid (Figures 49-54), 75 ng/µl, supercoiled DNA
- attB-tet^r PCR product positive control, 25 ng/μl
- GATEWAY™ BP Clonase™ Enzyme Mix (stored at 80° C)
- 10x Clonase Stop Solution
- pUC19 DNA, 10 pg/μl.
- Chemically competent E.coli cells (competence: ≥1x10⁷ CFU/μg), 400 μl

Notes:

•Preparation of attB-PCR DNA: see Example 8.

•The Positive Control attB-tet^rPCR product contains a functional copy of the tet^r gene of pBR322, with its own promoter. By plating the transformation of the control BP Reaction on kanamycin (50 µg/ml) plates (if kan^r Donor Plasmids are used; see Figures 49-52) or an alternative selection agent (e.g., gentamycin, if gen^r Donor Plasmids are used; see Figure 54), and then picking about 50 of these colonies onto plates with tetracycline (20 µg/ml), the

percentage of Entry Clones containing functional tet^r among the colonies from the positive control reaction can be determined (% Expression Clones = (number of tet^r + kan^r (or gen^r) colonies/kan^r (or gen^r) colonies).

5

Procedure:

1. Assemble reactions as follows. Combine all components except GATEWAYTM BP Clonase™ Enzyme Mix, before removing GATEWAY™ BP Clonase™ Enzyme Mix from frozen storage.

10

15

20

25

	Neg.	Pos.	Test
Component	Tube 1	Tube 2	Tube 3
attB-PCR product, 50-100 ng			1 - 8 µl
Donor (attP) Plasmid 75 ng/μl	2 μl	2 μl	2 µl
attB-PCR tet ^r control DNA (75 ng/µl)		4 μl	
5 X BP Reaction Buffer	4 μl	4 μl	4 µl
TE	10 µl	6 µl	То 16 µl
GATEWAY TM BP Clonase TM Enzyme Mix (store at -80° C, add last)	4 μl	4 µl	4 μl
Total Volume	20 µl	20 µ1	20 µl

30

- 2. Remove the GATEWAYTM BP ClonaseTM Enzyme Mix from the -80° C freezer, place immediately on ice. The Clonase takes only a few minutes to thaw.
- 3. Add 4 µl of GATEWAYTM BP ClonaseTM Enzyme Mix to the subcloning reaction, mix.
- 4. Return GATEWAY™ BP Clonase™ Enzyme Mix to 80° C freezer.
- 5. Incubate tubes at 25° for at least 60 minutes.

- 6. Add 2 μl Proteinase K (2 μg/μl) to all reactions. Incubate for 20 min at 37°C.
- Transform 2 μl into 100 μl competent E. coli, as per 3.2, above. Select on LB plates containing kanamycin, 50 μg/ml.

Results:

5

10

15

20

25

30

In initial experiments, primers for amplifying tetR and ampR from pBR322 were constructed containing only the tetR- or ampR-specific targeting sequences, the targeting sequences plus attB1 (for forward primers) or attB2 (for reverse primers) sequences shown in Figure 9, or the attB1 or attB2 sequences with a 5' tail of four guanines. The construction of these primers is depicted in Figure 65. After PCR amplification of tetR and ampR from pBR322 using these primers and cloning the PCR products into host cells using the recombinational cloning system of the invention, the results shown in Figure 66 were obtained. These results demonstrated that primers containing attB sequences provided for a somewhat higher number of colonies on the tetracycline and ampicillin plates. However, inclusion of the 5' extensions of four or five guanines on the primers in addition to the attB sequences provided significantly better cloning results, as shown in Figures 66 and 67. These results indicate that the optimal primers for cloning of PCR products using recombinational cloning will contain the recombination site sequences with a 5' extension of four or five guanine bases.

To determine the optimal stoichiometry between attB-containing PCR products and attP-containing Donor plasmid, experiments were conducted where the amount of PCR product and Donor plasmid were varied during the BP Reaction. Reaction mixtures were then transformed into host cells and plated on tetracycline plates as above. Results are shown in Figure 68. These results indicate that, for optimal recombinational cloning results with a PCR product in the size range of the tet gene, the amounts of attP-containing Donor plasmids are between about 100-500 ng (most preferably about 200-300 ng), while the optimal concentrations of attB-containing PCR products is about 25-100 ng (most preferably about 100 ng), per 20 µl reaction.

Experiments were then conducted to examine the effect of PCR product size on efficiency of cloning via the recombinational cloning approach of the invention.

PCR products containing attB1 and attB2 sites, at sizes 256 bp, 1 kb, 1.4 kb, 3.4 kb, 4.6 kb, 6.9 kb and 10.1 kb were prepared and cloned into Entry vectors as described above, and host cells were transformed with the Entry vectors containing the cloned PCR products. For each PCR product, cloning efficiency was calculated relative to cloning of pUC19 positive control plasmids as follows:

10

15

20

25

5

The results of these experiments are depicted in Figures 69A-69C (for 256 bp PCR fragments), 70A-70C (for 1 kb PCR fragments), 71A-71C (for 1.4 kb PCR fragments), 72A-72C (for 3.4 kb PCR fragments), 73A-73C (for 4.6 kb PCR fragments), 74 (for 6.9 kb PCR fragments), and 75-76 (for 10.1 kb PCR fragments). The results shown in these figures are summarized in Figure 77, for different weights and moles of input PCR DNA.

Together, these results demonstrate that attB-containing PCR products ranging in size from about 0.25 kb to about 5 kb clone relatively efficiently in the recombinational cloning system of the invention. While PCR products larger than about 5 kb clone less efficiently (apparently due to slow resolution of cointegrates), longer incubation times during the recombination reaction appears to improve the efficiency of cloning of these larger PCR fragments. Alternatively, it may also be possible to improve efficiency of cloning of large (> about 5 kb) PCR fragments by using lower levels of input attP Donor plasmid and perhaps attB-containing PCR product, and/or by adjusting reaction conditions (e.g., buffer conditions) to favor more rapid resolution of the cointegrates.

Example 10: The BP Reaction

30

One purpose of the Gateward ("Entry") reaction is to convert an Expression Clone into an Entry Clone. This is useful when you have isolated an individual Expression Clone from an Expression Clone cDNA library, and you wish to transfer the nucleic acid molecule of interest into another Expression Vector, or

to move a population of molecules from an attB or attL library. Alternatively, you may have mutated an Expression Clone and now wish to transfer the mutated nucleic acid molecule of interest into one or more new Expression Vectors. In both cases, it is necessary first to convert the nucleic acid molecule of interest to an Entry Clone.

Materials needed:

- 5 X BP Reaction Buffer
- Expression Clone DNA, 100-300 ng in ≤ 8 μl TE.
- Donor (attP) Vector, 75 ng/µl, supercoiled DNA
- Positive control attB-tet-PCR DNA, 25 ng/μl
- GATEWAYTM BP ClonaseTM Enzyme Mix (stored at 80°C)
- Clonase Stop Solution (Proteinase K, 2 μg/μl).

Notes:

5

10

20

25

30

Preparation of the Expression Clone DNA: Miniprep DNA treated with RNase works well.

1. As with the LR Reaction (see Example 14), the BP Reaction is strongly influenced by the topology of the reacting DNAs. In general, the reaction is most efficient when one of the DNAs is linear and the other is supercoiled, compared to reactions where the DNAs are both linear or both supercoiled. Further, linearizing the attB Expression Clone (anywhere within the vector) will usually give more colonies than linearizing the Donor (attP) Plasmid. If finding a suitable cleavage site within your Expression Clone vector proves difficult, you may linearize the Donor (attP) Plasmid between the attP1 and attP2 sites (for example, at the *NcoI* site), avoiding the ccdB gene. Maps of Donor (attP) Plasmids are given in Figures 49-54.

Procedure:

1. Assemble reactions as follows. Combine all components at room temperature, except GATEWAYTM BP ClonaseTM Enzyme Mix, before removing GATEWAYTM BP ClonaseTM Enzyme Mix from freezer.

	Neg.	Pos.	Test
Component	Tube 1	Tube 2	Tube 3
Positive Control, attB-tet-PCR DNA, 25 ng/µl	4 µl	4 μl	
Desired attB Expression Clone DNA (100ng) linearized			1 - 8 µl
Donor (attP) Plasmid, 75 ng/μl	2 µl	2 µl	2 μl
5 X BP Reaction Buffer	4 µl	4 µl	4 μl
TE	10 µl	6 µl	То 16 µl
GATEWAY TM BP Clonase TM Enzyme Mix (store at - 80° C, add last)		4 µl	4 μl
Total Volume	20 µl	20 µ1	20 μ1

- 2. Remove the GATEWAYTM BP ClonaseTM Enzyme Mix from the -80°C freezer, place immediately on ice. The mixture takes only a few minutes to thaw.
- 3. Add 4 μl of GATEWAYTM BP CloñaseTM Enzyme Mix to the subcloning reaction, mix.
- 4. Return GATEWAYTM BP ClonaseTM Enzyme Mix to 80° C freezer.
- 5. Incubate tubes at 25° for at least 60 minutes. If both the attB and attP DNAs are supercoiled, incubation for 2-24 hours at 25°C is recommended.
- 6. Add 2 µl Clonase Stop Solution. Incubate for 10 min at 37°C.
- Transform 2 μl into 100 μl competent E. coli, as above. Select on LB plates containing 50 μg/ml kanamycin.

Example 11: Cloning PCR Products into Entry Vectors using Standard Cloning Methods

Preparation of Entry Vectors for Cloning of PCR Products

All of the Entry Vectors of the invention contain the death gene ccdB as a stuffer between the "left" and "right" restriction sites. The advantage of this arrangement is that there is virtually no background from vector that has not been cut with both restriction enzymes, because the presence of the ccdB gene will kill

5

10

15

20

25

30

35

10

15

20

25

30

all standard E. coli strains. Thus it is necessary to cut each Entry Vector twice, to remove the ccdB fragment.

We strongly recommend that, after digestion of the Entry Vector with the second restriction enzyme, you treat the reaction with phosphatase (calf intestine alkaline phosphatase, CIAP or thermosensitive alkaline phosphatase, TSAP). The phosphatase can be added directly to the reaction mixture, incubated for an additional time, and inactivated. This step dephosphorylates both the vector and ccdB fragments, so that during subsequent ligation there is less competition between the ccdB fragment and the DNA of interest for the termini of the Entry Vector.

Blunt Cloning of PCR products

Generally PCR products do not have 5' phosphates (because the primers are usually 5' OH), and they are not necessarily blunt. (On this latter point, see Brownstein, et al., *BioTechniques 20*: 1006, 1996 for a discussion of how the sequence of the primers affects the addition of single 3' bases.) The following protocol repairs these two defects.

In a 0.5 ml tube, ethanol precipitate about 40 ng of PCR product (as judged from an agarose gel).

- Dissolve the precipitated DNA in 10 μl comprising 1 μl 10 mM rATP, 1 μl mixed 2 mM dNTPs (i.e., 2 mM each dATP, dCTP, dTTP, and dGTP), 2 μl 5x T4 polynucleotide kinase buffer (350 mM Tris HCl (pH7.6), 50 mM MgCl₂, 500mM KCl, 5 mM 2-mercaptoethanol) 10 units T4 polynucleotide kinase, 1 μl T4 DNA polymerase, and water to 10 μl.
- 2. Incubate the tube at 37° for 10 minutes, then at 65° for 15 minutes, cool, centrifuge briefly to bring any condensate to the tip of the tube.
- 3. Add 5 μl of the PEG/MgCl₂ solution, mix and centrifuge at room temperature for 10 minutes. Discard supernatant
- Dissolve the invisible precipitate in 10 μl containing 2 μl 5x T4 DNA ligase buffer (Life Technologies, Inc.), 0.5 units T4 DNA ligase, and about 50 ng of blunt, phosphatase-treated Entry Vector.

10

15

20

25

30

- 5. Incubate at 25° for 1 hour, then 65° for 10 minutes. Add 90 μl TE, transform 10 μl into 50 100 μl competent E. coli cells.
- 6. Plate on kanamycin.

Note: In the above protocol, steps b-c simultaneously polish the ends of the PCR product (through the exonuclease and polymerase activities of T4 DNA polymerase) and phosphorylate the 5' ends (using T4 polynucleotide kinase). It is necessary to inactivate the kinase, so that the blunt, dephosphorylated vector in step e cannot self ligate. Step d (the PEG precipitation) removes all small molecules (primers, nucleotides), and has also been found to improve the yield of cloned PCR product by 50 fold.

Cloning PCR Products after Digestion with Restriction Enzymes

Efficient cloning of PCR products that have been digested with restriction enzymes includes three steps: inactivation of *Taq* DNA polymerase, efficient restriction enzyme cutting, and removal of small DNA fragments.

Inactivation of Taq DNA Polymerase: Carryover of Taq DNA polymerase and dNTPs into a RE digestion significantly reduces the success in cloning a PCR product (D. Fox et al., FOCUS 20(1):15, 1998), because Taq DNA polymerase can fill in sticky ends and add bases to blunt ends. Either TAQQUENCHTM (obtainable from Life Technologies, Inc.; Rockville, Maryland) or extraction with phenol can be used to inactivate the Taq.

Efficient Restriction Enzyme Cutting: Extra bases on the 5' end of each PCR primer help the RE cut near ends of PCR products. With the availability of cheap primers, adding 6 to 9 bases on the 5' sides of the restriction sites is a good investment to ensure that most of the ends are digested. Incubation of the DNA with a 5-fold excess of restriction enzyme for an hour or more helps ensure success.

<u>Removal of Small Molecules before Ligation</u>: Primers, nucleotides, primer dimers, and small fragments produced by the restriction enzyme digestion,

10

15

20

25

30

can all inhibit or compete with the desired ligation of the PCR product to the cloning vector. This protocol uses PEG precipitation to remove small molecules.

Protocol for cutting the ends of PCR products with restriction enzyme(s):

1. Inactivation of Taq DNA polymerase in the PCR product:

Option A: Extraction with Phenol

- A1. Dilute the PCR reaction to 200 μ l with TE. Add an equal volume of phenol:chloroform:isoamyl alcohol, vortex vigorously for 20 seconds, and centrifuge for 1 minute at room temperature. Discard the lower phase.
- A2. Extract the phenol from the DNA and concentrate as follows. Add an equal volume of 2-butanol (colored red with "Oil Red O" from Aldrich, if desired), vortex briefly, centrifuge briefly at room temperature. Discard the upper butanol phase. Repeat the extraction with 2-butanol. This time the volume of the lower aqueous phase should decrease significantly. Discard the upper 2-butanol phase.
- A3. Ethanol precipitate the DNA from the aqueous phase of the above extractions. Dissolve in a 200 μ l of a suitable restriction enzyme (RE) buffer.

Option B: Inactivation with TaqQuench

- B1. Ethanol precipitate an appropriate amount of PCR product (100 ng to 1 μ g), dissolve in 200 μ l of a suitable RE buffer.
- B2. Add 2 µl TaqQuench.
- 2. Add 10 to 50 units of restriction enzyme and incubate for at least 1 hour. Ethanol precipitate if necessary to change buffers for digestion at the other end of the PCR product.

3. Add ½ volume of the PEG/MgCl₂ mix to the RE digestion. Mix well and immediately centrifuge at room temperature for 10 minutes. Discard the supernatant (pellet is usually invisible), centrifuge again for a few seconds, discard any remaining supernatant.

5

4. Dissolve the DNA in a suitable volume of TE (depending on the amount of PCR product in the original amplification reaction) and apply an aliquot to an agarose gel to confirm recovery. Apply to the same gel 20-100 ng of the appropriate Entry Vector that will be used for the cloning.

10

Example 12: Determining The Expected Size of the GATEWAYTM Cloning Reaction Products

15

If you have access to a software program that will electronically cut and splice sequences, you can create electronic clones to aid you in predicting the sizes and restriction patterns of GATEWAYTM Cloning System recombination products.

20

The cleavage and ligation steps performed by the enzyme Int in the GATEWAYTM Cloning System recombination reactions mimic a restriction enzyme cleavage that creates a 7-bp 5'-end overhang followed by a ligation step that reseals the ends of the daughter molecules. The recombination proteins present in the Clonase cocktails (see Example 19 below) recognize the 15 bp core sequence present within all four types of att sites (in addition to other flanking sequences characteristic of each of the different types of att sites).

25

By treating these sites in your software program as if they were restriction sites, you can cut and splice your Entry Clones with various Destination Vectors and obtain accurate maps and sequences of the expected results from your GATEWAYTM Cloning System reactions.

30

Example 13: Protein Expression

Brief Review of Protein Expression

Transcription: The most commonly used promoters in E. coli Expression Vectors are variants of the lac promoter, and these can be turned on by adding

10

15

20

25

30

IPTG to the growth medium. It is usually good to keep promoters off until expression is desired, so that the host cells are not made sick by the overabundance of some heterologous protein. This is reasonably easy in the case of the lac promoters used in E. coli. One needs to supply the *lac* I gene (or its more productive relative, the *lac* I^q gene) to make *lac* repressor protein, which binds near the promoter and keeps transcription levels low. Some Destination Vectors for *E. coli* expression carry their own *lac*I^q gene for this purpose. (However, lac promoters are always a little "on," even in the absence of IPTG.)

Controlling transcription in eukaryotic cells is not nearly so straightforward or efficient. The tetracycline system of Bujard and colleagues is the most successful approach, and one of the Destination Vectors (pDEST11; Figure 31) has been constructed to supply this function.

Translation: Ribosomes convert the information present in mRNA into protein. Ribosomes scan RNA molecules looking for methionine (AUG) codons, which begin nearly all nascent proteins. Ribosomes must, however, be able to distinguish between AUG codons that code for methionine in the middle of proteins from those at the start. Most often ribosomes choose AUGs that are 1) first in the RNA (toward the 5' end), and 2) have the proper sequence context. In E. coli the favored context (first recognized by Shine and Dalgarno, Eur. J. Biochem. 57: 221 (1975)) is a run of purines (As and Gs) from five to 12 bases upstream of the initiating AUG, especially AGGAGG or some variant.

In eukaryotes, a survey of translated mRNAs by Kozak (J. Biol. Chem. 266: 19867 (1991)) has revealed a preferred sequence context, gcc Acc ATGG, around the initiating methionine, with the A at -3 being most important, and a purine at +4 (where the A of the ATG is +1), preferably a G, being next most influential. Having an A at -3 is enough to make most ribosomes choose the first AUG of an mRNA, in plants, insects, yeast, and mammals. (For a review of initiation of protein synthesis in eukaryotic cells, see: Pain, V.M. Eur.J. Biochem. 236:747-771, 1996.)

Consequences of Translation Signals for GATEWAYTM Cloning System: First, translation signals (Shine-Dalgarno in E. coli, Kozak in eukaryotes) have to be close to the initiating ATG. The attB site is 25 base pairs long. Thus if

10

15

20

25

30

translation signals are desired near the natural ATG of the nucleic acid molecule of interest, they must be present in the Entry Clone of that nucleic acid molecule of interest. Also, when a nucleic acid molecule of interest is moved from an Entry Clone to a Destination vector, any translation signals will move along. The result is that the presence or absence of Shine-Dalgarno and/or Kozak sequences in the Entry Clone must be considered, with the eventual Destination Vectors to be used in mind.

Second, although ribosomes choose the 5' ATG most often, internal ATGs are also used to begin protein synthesis. The better the translation context around this internal ATG, the more internal translation initiation will be seen. This is important in the GATEWAYTM Cloning System, because you can make an Entry Clone of your nucleic acid molecule of interest, and arrange to have Shine-Dalgarno and/or Kozak sequences near the ATG. When this cassette is recombined into a Destination Vector that transcribes your nucleic acid molecule of interest, you get native protein. If you want, you can make a fusion protein in a different Destination Vector, since the Shine-Dalgarno and/or Kozak sequences do not contain any stop signals in the same reading frame. However, the presence of these internal translation signals may result in a significant amount of native protein being made, contaminating, and lowering the yield of, your fusion protein. This is especially likely with short fusion tags, like His6.

A good compromise can be recommended. If an Entry Vector like pENTR7 (Figure 16) or pENTR8 (Figure 17) is chosen, the Kozak bases are present for native eukaryotic expression. The context for E. coli translation is poor, so the yield of an amino-terminal fusion should be good, and the fusion protein can be digested with the TEV protease to make near-native protein following purification.

Recommended Conditions for Synthesis of Proteins in E. coli: When making proteins in E. coli it is advisable, at least initially, to incubate your cultures at 30°C, instead of at 37°C. Our experience indicates that proteins are less likely to form aggregates at 30°C. In addition, the yields of proteins from cells grown at 30°C frequently are improved.

The yields of proteins that are difficult to express may also be improved by inducing the cultures in mid-log phase of growth, using cultures begun in the morning from overnight growths, as opposed to harvesting directly from an overnight culture. In the latter case, the cells are preferably in late log or stationary growth, which can favor the formation of insoluble aggregates.

Example 14: Constructing Destination Vectors from Existing Vectors

5

10

15

20

25

30

Destination Vectors function because they have two recombination sites, attR1 and attR2, flanking a chloramphenicol resistance (CmR) gene and a death gene, ccdB. The GATEWAYTM Cloning System recombination reactions exchange the entire Cassette (except for a few bases comprising part of the attB sites) for the DNA segment of interest from the Entry Vector. Because attR1, CmR, ccdB gene, and attR2 are contiguous, they can be moved on a single DNA segment. If this Cassette is cloned into a plasmid, the plasmid becomes a Destination Vector. Figure 63 shows a schematic of the GATEWAYTM Cloning System Cassette; attR cassettes in all three reading frames contained in vectors pEZC15101, pEZC15102 and pEZC15103 are shown in Figures 64A, 64B, and 64C, respectively.

The protocol for constructing a Destination Vector is presented below. Keep in mind the following points:

- Destination Vectors must be constructed and propagated in one of the DB strains of E. coli (e.g., DB3.1, and particularly E. coli LIBRARY EFFICIENCY® DB3.1TM Competent Cells) available from Life Technologies, Inc. (and described in detail in U.S. Provisional Application No. 60/122,392, filed on March 2, 1999, which is incorporated herein by reference), because the ccdB death gene will kill any E. coli strain that has not been mutated such that it will survive the presence of the ccdB gene.
- If your Destination Vector will be used to make a fusion protein, a GATEWAYTM Cloning System cassette with the correct reading frame must be used. The nucleotide sequences of the ends of the cassettes are shown in Figure 78. The reading frame of the fusion protein domain must

WO 00/52027 PCT/US00/05432

-126-

be in frame with the core region of the attR1 site (for an amino terminal fusion) so that the six As are translated into two lysine codons. For a C-terminal fusion protein, translation through the core region of the attR2 site should be in frame with -TAC-AAA-, to yield -Tyr-Lys-.

- Note that each reading frame Cassette has a different unique restriction site between the chloramphenical resistance and ccdB genes (MluI for reading frame A, Bg/III for reading frame B, and XbaI for reading frame C; see Figure 63).
- Most standard vectors can be converted to Destination Vectors, by inserting the Entry Cassette into the MCS of that vector.

Protocol for Making a Destination Vector

5

10

15

20

25

30

- 1. If the vector will make an amino fusion protein, it is necessary to keep the "aaa aaa" triplets in attR1 in phase with the triplets of the fusion protein. Determine which Entry cassette to use as follows:
 - a.) Write out the nucleotide sequence of the existing vector near the restriction site into which the Entry cassette will be cloned. These <u>must</u> be written in triplets corresponding to the amino acid sequence of the fusion domain.
 - **b.)** Draw a vertical line through the sequence that corresponds to the restriction site end, after it has been cut and made blunt, i.e., after filling in a protruding 5' end or polishing a protruding 3' end.
 - c.) Choose the appropriate reading frame cassette:
 - If the coding sequence of the blunt end ends after a complete codon triplet, use the reading frame A cassette. See Figures 78, 79 and 80.

10

15

20

25

30

- •If the coding sequence of the blunt end ends in a single base, use the reading frame B cassette. See Figures 78, 79 and 81.
- •If the coding sequence of the blunt end ends in two bases, use the reading frame C cassette. See Figures 78, 79, 82A-B, and 83A-C.
- 2. Cut one to five micrograms of the existing plasmid at the position where you wish your nucleic acid molecule of interest (flanked by att sites) to be after the recombination reactions. **Note**: it is better to remove as many of the MCS restriction sites as possible at this step. This makes it more likely that restriction enzyme sites within the GATEWAYTM Cloning System Cassette will be unique in the new plasmid, which is important for linearizing the Destination Vector (Example 14, below).
- 3. Remove the 5' phosphates with alkaline phosphatase. While this is not mandatory, it increases the probability of success.
- 4. Make the end(s) blunt with fill-in or polishing reactions. For example, to 1 μg of restriction enzyme-cut, ethanol-precipitated vector DNA, add:
 - i. 20 μl 5x T4 DNA Polymerase Buffer (165 mM Tris-acetate (pH 7.9), 330 mM Na acetate, 50 mM Mg acetate, 500 μg/ml BSA, 2.5 mM DTT)
 - ii. 5 μl 10mM dNTP mix
 - iii. 1 Unit of T4 DNA Polymerase
 - iv. Water to a final volume of 100 µl
 - v. Incubate for 15 min at 37°C.
- 5. Remove dNTPs and small DNA fragments: Ethanol precipitate (add three volumes of room temperature ethanol containing 0.1 M sodium acetate, mix well, immediately centrifuge at room temperature 5 10 minutes), dissolve wet precipitate in 200 μ l TE, add 100 μ l 30% PEG 8000, 30 mM MgCl₂, mix well,

10

15

20

25

30

immediately centrifuge for 10 minutes at room temperature, discard supernatant, centrifuge again a few seconds, discard any residual liquid.

- 6. Dissolve the DNA to a final concentration of 10 50 ng per microliter. Apply 20 100 ng to a gel next to supercoiled plasmid and linear size standards to confirm cutting and recovery. The cutting does not have to be 100% complete, since you will be selecting for the chloramphenicol marker on the Entry cassette.
- 7. In a 10 µl ligation reaction combine 10 50 ng vector, 10 20 ng of Entry Cassette (Figure 79), and 0.5 units T4 DNA ligase in ligase buffer. After one hour (or overnight, whichever is most convenient), transform 1 µl into one of the DB strains of competent *E. coli* cells with a *gyr*A462 mutation (See U.S. Provisional Application No. 60/122,392, filed on March 2, 1999, which is incorporated herein by reference), preferably DB3.1, and most preferably *E. coli* LIBRARY EFFICIENCY® DB3.1TM Competent Cells. The ccdB gene on the Entry Cassette will kill other strains of *E. coli* that have not been mutated so as to survive the presence of the ccdB gene.
- 8. After expression in SOC medium, plate 10 μ l and 100 μ l on chloramphenicolcontaining (30 μ g / ml) plates, incubate at 37° C.
- 9. Pick colonies, make miniprep DNA. Treat the miniprep with RNase A and store in TE. Cut with the appropriate restriction enzyme to determine the orientation of the Cassette. Choose clones with the attR1 site next to the amino end of the protein expression function of the plasmid.

Notes on Using Destination Vectors

• We have found that about ten-fold more colonies result from a GATEWAYTM Cloning System reaction if the Destination Vector is linear or relaxed. If the competent cells you use are highly competent (>10⁸ per microgram), linearizing the Destination Vector is less essential.

10

15

20

25

30

- The site or sites used for the linearization must be within the Entry Cassette. Sites that cut once or twice within each cassette are shown in Figures 80-82.
- Minipreps of Destination Vectors will work fine, so long as they have been treated with RNase. Since most DB strains are endA- (See U.S. Provisional Application No. 60/122,392, filed on March 2, 1999, which is incorporated herein by reference), minipreps can be digested with restriction enzymes without a prior phenol extraction.
- Reading the OD₂₆₀ of miniprep DNA is inaccurate unless the RNA and ribonucleotides have been removed, for example, by a PEG precipitation.

Example 15: Some Options in Choosing Appropriate Entry Vectors and Destination Vectors: An Example

In some applications, it may be desirable to express a nucleic acid molecule of interest in two forms: as an amino-terminal fusion in *E. coli*, and as a native protein in eukaryotic cells. This may be accomplished in any of several ways:

Option 1: Your choices depend on your nucleic acid molecule of interest and the fragment that contains it, as well as the available Entry Vectors. For eukaryotic translation, you need consensus bases according to Kozak (*J. Biol. Chem. 266*:19867, 1991) near the initiating methionine (ATG) codon. All of the Entry Vectors offer this motif upstream of the *XmnI* site (blunt cutter). One option is to amplify your nucleic acid molecule of interest, with its ATG, by PCR, making the amino end blunt and the carboxy end containing the natural stop codon followed by one of the "right side" restriction sites (*EcoRI*, *NotI*, *XhoI*, *EcoRV*, or *XbaI* of the pENTR vectors).

If you know your nucleic acid molecule of interest does not have, for example, an XhoI site, you can make a PCR product that has this structure:

Xho I

- 5' ATG nnn nnn --- nnn TAA ctc gag nnn nnn 3'
- 3' tac nnn nnn --- nnn att gag ctc nnn nnn 5'

After cutting with XhoI, the fragment is ready to clone:

```
5' ATG nnn nnn --- nnn TAA c 3'
```

3' tac nnn nnn --- nnn att gag ct 5'

(If you follow this example, don't forget to put a phosphate on the amino oligo.)

Option 2: This PCR product could be cloned into two Entry Vectors to give the desired products, between the XmnI and XhoI sites: pENTR1A (Figures 10A, 10B) or pENTR7 (Figures 16A, 16B). If you clone into pENTR1A, amino fusions will have the minimal number of amino acids between the fusion domain and your nucleic acid molecule of interest, but the fusion cannot be removed with TEV protease. The converse is true of clones in pENTR7, i.e., an amino fusion can be cleaved with TEV protease, at the cost of more amino acids between the fusion and your nucleic acid molecule of interest.

In this example, let us choose to clone our hypothetical nucleic acid molecule of interest into pENTR7, between the *Xmn*I and *Xho*I sites. Once this is accomplished, several optional protocols using the Entry Clone pENTR7 may be followed:

Option 3: Since the nucleic acid molecule of interest has been amplified with PCR, it may be desirable to sequence it. To do this, transfer the nucleic acid molecule of interest from the Entry Vector into a vector that has priming sites for the standard sequencing primers. Such a vector is pDEST6 (Figures 26A, 26B). This Destination Vector places the nucleic acid molecule of interest in the opposite orientation to the lac promoter (which is leaky -- see Example 3 above). If the gene product is toxic to *E. coli*, this Destination Vector will minimize its toxicity.

Option 4: While the sequencing is going on, you might wish to check the expression of the nucleic acid molecule of interest in, for example, CHO cells, by recombining the nucleic acid molecule of interest into a CMV promoter vector (pDEST7, Figure 27, or pDEST12, Figure 32), or into a baculovirus vector (pDEST8, Figure 28; or pDEST10, Figure 30) for expression in insect cells. Both

15

10

5

20

25

30

of these vectors will transcribe the coding sequence of your nucleic acid molecule of interest, and translate it from the ATG of the PCR product using the Kozak bases upstream of the XmnI site.

5

Option 5: If you wish to purify protein, for example to make antibodies, you can clone the nucleic acid molecule of interest into a His6 fusion vector, pDEST2 (Figure 22). Since the nucleic acid molecule of interest is cloned downstream of the TEV protease cleavage domain of pENTR7 (Figure 16), the amino acid sequence of the protein produced will be:

10

15

[----- attB1 -----] <u>TEV protease</u> NH2- MSYYHHHHHHH<u>GITSLYKKAGF</u>ENLYFQ1GTM----COOH

The attB site and the restriction sites used to make the Destination and Entry Vectors are translated into the underlined 11 amino acids (GITSLYKKAGF). Cleavage with TEV protease (arrow) leaves two amino acids, GT, on the amino end of the gene product.

See Figure 55 for an example of a nucleic acid molecule of interest, the chloramphenicol acetyl transferase (CAT) gene, cloned into pENTR7 (Figure 16) as a blunt (amino)-XhoI (carboxy) fragment, then cloned by recombination into the His6 fusion vector pDEST2 (Figure 22).

20

Option 6: If the His6 fusion protein is insoluble, you may go on and try a GST fusion. The appropriate Destination vector is pDEST3 (Figure 23).

25

30

Option 7: If you need to make RNA probes and prefer SP6 RNA polymerase, you can make the top strand RNA with your nucleic acid molecule of interest cloned into pSPORT+ (pDEST5 (Figures 25A, 25B)), and the bottom strand RNA with the nucleic acid molecule of interest cloned into pSPORT(-) (pDEST6 (Figures 26A, 26B)). Opposing promoters for T7 RNA polymerase and SP6 RNA polymerase are also present in these clones.

10

15

20

25

30

Option 8: It is often worthwhile to clone your nucleic acid molecule of interest into a variety of Destination Vectors in the same experiment. For example, if the number of colonies varies widely when the various recombination reactions are transformed into *E. coli*, this may be an indication that the nucleic acid molecule of interest is toxic in some contexts. (This problem is more clearly evident when a positive control gene is used for each Destination Vector.) Specifically, if many more colonies are obtained when the nucleic acid molecule of interest is recombined into pDEST6 than in pDEST5, there is a good chance that leakiness of the lac promoter is causing some expression of the nucleic acid molecule of interest in pSPORT "+" (which is not harmful in pDEST6 because the nucleic acid molecule of interest is in the opposite orientation).

Example 16: Demonstration of a One-tube Transfer of a PCR Product (or Expression Clone) to Expression Clone via a Recombinational Cloning Reaction

In the BxP recombination (Entry or Gateward) reaction described herein, a DNA segment flanked by attB1 and attB2 sites in a plasmid conferring ampicillin resistance was transferred by recombination into an attP plasmid conferring kanamycin resistance, which resulted in a product molecule wherein the DNA segment was flanked by attL sites (attL1 and attL2). This product plasmid comprises an "attL Entry Clone" molecule, because it can react with a "attR Destination Vector" molecule via the LxR (Destination) reaction, resulting in the transfer of the DNA segment to a new (ampicillin resistant) vector. In the previously described examples, it was necessary to transform the BxP reaction products into E. coli, select kanamycin resistant colonies, grow those colonies in liquid culture, and prepare miniprep DNA, before reacting this DNA with a Destination Vector in an LxR reaction.

The goal of the following experiment was to eliminate the transformation and miniprep DNA steps, by adding the BxP Reaction products directly to an LxR Reaction. This is especially appropriate when the DNA segment flanked by attB sites is a PCR product instead of a plasmid, because the PCR product cannot give

ampicillin-resistant colonies upon transformation, whereas attB plasmids (in general) carry an ampicillin resistance gene. Thus use of a PCR product flanked by attB sites in a BxP Reaction allows one to select for the ampicillin resistance encoded by the desired attB product of a subsequent LxR Reaction.

5

Two reactions were prepared: Reaction A, negative control, no attB PCR product, (8 µl) contained 50 ng pEZC7102 (attP Donor plasmid, confers kanamycin resistance) and 2 µl BxP Clonase (22 ng / µl Int protein and 8 ng/µl IHF protein) in BxP buffer (25 mM Tris HCl, pH 7.8, 70 mM KCl, 5 mM spermidine, 0.5 mM EDTA, 250 µg / ml BSA). Reaction B (24 µl) contained 150 ng pEZC7102, 6 µl BxP Clonase, and 120 ng of the attB -tet-PCR product in the same buffer as reaction A. The attB - tet - PCR product comprised the tetracycline resistance gene of plasmid pBR322, amplified with two primers containing either attB1 or attB2 sites, and having 4 Gs at their 5' ends, as described earlier.

15

10

The two reactions were incubated at 25°C for 30 minutes. Then aliquots of these reactions were added to new components that comprised LxR Reactions or appropriate controls for the LxR Reaction. Five new reactions were thus produced:

20

Reaction 1: 5 μl of reaction A was added to a 5 μl LxR Reaction containing 25 ng *Nco*I-cut pEZC8402 (the attR Destination Vector plasmid) in LxR buffer (37.5 mM Tris HCl, pH 7.7, 16.5 mM NaCl, 35 mM KCl, 5 mM spermidine, 375 μg/ml BSA), and 1 μl of GATEWAYTM LR ClonaseTM Enzyme Mix (total volume of 10 μl).

25

Reaction 2: Same as reaction 1, except 5 µl of reaction B (positive) were added instead of reaction A (negative).

30

Reaction 3: Same as reaction 2, except that the amounts of Nco-cut pEZC8402 and GATEWAYTM LR ClonaseTM Enzyme Mix were doubled, to 50 ng and 2 μl, respectively.

Reaction 4: Same as reaction 2, except that 25 ng of pEZ11104 (a positive control attL Entry Clone plasmid) were added in addition to the aliquot of reaction B.

Reaction 5: Positive control LxR Reaction, containing 25 ng NcoI-cut pEZC8402, 25 ng pEZ11104, 37.5 mM Tris HCl pH 7.7, 16.5 mM NaCl, 35 mM KCl, 5 mM spermidine, 375 μg/ml BSA and 1 μl GATEWAYTM LR ClonaseTM Enzyme Mix in a total volume of 5 μl.

All five reactions were incubated at 25°C for 30 minutes. Then, 1 μ l aliquots of each of the above five reactions, plus 1 μ l from the remaining volume of Reaction B, the standard BxP Reaction, were used to transform 50 μ l competent DH5 α *E. coli.* DNA and cells were incubated on ice for 15 min., heat shocked at 42°C for 45 sec., and 450 μ l SOC were added. Each tube was incubated with shaking at 37°C for 60 min. Aliquots of 100 μ l and 400 μ l of each transformation were plated on LB plates containing either 50 μ g/ml kanamycin or 100 μ g/ml ampicillin (see Table 2). A transformation with 10 pg of pUC19 DNA (plated on LB-amp₁₀₀) served as a control on the transformation efficiency of the DH5 α cells. Following incubation overnight at 37°C, the

Results of these reactions are shown in Table 2.

number of colonies on each plate was determined.

Table 2*

Reaction No.:	1	2	3	4	5	6
	Number of Colonies					
Vol. plated:	Neg. Control BxP Reaction	1X pEZC8402 and LR Clonase™	2X pEZC8402 and LR Clonase™	LxR Reaction with Pos. Control DNA	LxR Reaction alone	BxP Reaction alone
100 µl	2	1	8	9	~1000	~1000
400 µl	5	10	35	62	>2000	>2000
Selection:	Kan	Amp	Amp	Amp	Amp	Kan

^{*(}Transformation with pUC 19 DNA yielded 1.4 x 10⁹ CFU/µg DNA.)

10

5

15

20

25

30

10

15

20

25

30

34 of the 43 colonies obtained from Reaction 3 were picked into 2 ml Terrific Broth with 100 μg/ml ampicillin and these cultures were grown overnight, with shaking, at 37°C. 27 of the 34 cultures gave at least moderate growth, and of these 24 were used to prepare miniprep DNA, using the standard protocol. These 24 DNAs were initially analyzed as supercoiled (SC) DNA on a 1% agarose gel to identify those with inserts and to estimate the sizes of the inserts. Fifteen of the 24 samples displayed SC DNA of the size predicted (5553 bp) if tetx7102 had correctly recombined with pEZC8402 to yield tetx8402. One of these samples contained two plasmids, one of ~5500 bp and a one of ~3500 bp. The majority of the remaining clones were approximately 4100 bp in size.

All 15 of the clones displaying SC DNA of predicted size (~5500 bp) were analyzed by two different double digests with restriction endonucleases to confirm the structure of the expected product: tetx8402. (See plasmid maps, Figures 57-59) In one set of digests, the DNAs were treated with Not I and Eco RI, which should cut the predicted product just outside both attB sites, releasing the tet^r insert on a fragment of 1475 bp. In the second set of digests, the DNAs were digested with *Not*I and with *NruI*. *NruI* cleaves asymmetrically within the subcloned tet^r insert, and together with *Not*I will release a fragment of 1019 bp.

Of the 15 clones analyzed by double restriction digestion, 14 revealed the predicted sizes of fragments for the expected product.

Interpretation:

The DNA components of Reaction B, pEZC7102 and attB-tet-PCR, are shown in Figure 56. The desired product of BxP Reaction B is tetx7102, depicted in Figure 57. The LxR Reaction recombines the product of the BxP Reaction, tetx7102 (Figure 57), with the Destination Vector, pEZC8402, shown in Figure 58. The LxR Reaction with tetx7102 plus pEZC8402 is predicted to yield the desired product tetx8402, shown in Figure 59.

Reaction 2, which combined the BxP Reaction and LxR Reaction, gave few colonies beyond those of the negative control Reaction. In contrast, Reaction 3, with twice the amount of pEZC8402 (Figure 58) and LxR Clonase, yielded a

larger number of colonies. These colonies were analyzed further, by restriction digestion, to confirm the presence of expected product. Reaction 4 included a known amount of attL Entry Clone plasmid in the combined BxP-plus-LxR reaction. But reaction 4 yielded only about 1% of the colonies obtained when the same DNA was used in a LxR reaction alone, Reaction 6. This result suggests that the LxR reaction may be inhibited by components of the BxP reaction.

Restriction endonuclease analysis of the products of Reaction 3 revealed that a sizeable proportion of the colonies (14 of the 34 analyzed) contained the desired tet^r subclone, tetx8402 (Figure 59).

10

5

The above results establish the feasibility of performing first a BxP recombination reaction followed by a LxR recombination reaction — in the same tube — simply by adding the appropriate buffer mix, recombination proteins, and DNAs to a completed BxP reaction. This method should prove useful as a faster method to convert attB-containing PCR products into different Expression Clones, eliminating the need to isolate first the intermediate attL-PCR insert subclones, before recombining these with Destination Vectors. This may prove especially valuable for automated applications of these reactions.

20

15

This same one-tube approach allows for the rapid transfer of nucleic acid molecules contained in attB plasmid clones into new functional vectors as well. As in the above examples, attL subclones generated in a BxP Reaction can be recombined directly with various Destination Vectors in a LxR reaction. The only additional requirement for using attB plasmids, instead of attB-containing PCR products, is that the Destination Vector(s) employed must contain a different selection marker from the one present on the attB plasmid itself and the attP vector.

25

Two alternative protocols for a one-tube reaction have also proven useful and somewhat more optimal than the conditions described above.

Alternative 1:

30

Reaction buffer contained 50 mM Tris-HCl (pH 7.5), 50 mM NaCl, 0.25 mM EDTA, 2.5 mM spermidine, and 200 μ g/ml BSA. After a 16 (or 3) hour incubation of the PCR product (100 ng) + attP Donor plasmid (100 ng) +

10

15

20

25

30

GATEWAYTM BP ClonaseTM Enzyme Mix + Destination Vector (100 ng), 2 μl of GATEWAYTM LR ClonaseTM Enzyme Mix (per 10 μl reaction mix) was added and the mixture was incubated an additional 6 (or 2) hours at 25°C. Stop solution was then added as above and the mixture was incubated at 37°C as above and transformed by electroporation with 1 μl directly into electrocompetent host cells. Results of this series of experiments demonstrated that longer incubation times (16 hours vs. 3 hours for the BP Reaction, 6 hours vs. 2 hours for the LR Reaction) resulted in about twice as many colonies being obtained as for the shorter incubation times. With two independent genes, 10/10 colonies having the correct cloning patterns were obtained.

Alternative 2:

A standard BP Reaction under the reaction conditions described above for Alternative 1 was performed for 2 hours at 25 °C. Following the BP Reaction, the following components were added to the reaction mixture in a total volume of 7 μ l:

20 mM Tris-HCl, pH 7.5

100 mM NaCl
5 μg/ml Xis-His6

15% glycerol

~1000 ng of Destination Vector

The reaction mixture was then incubated for 2 hours at 25°C, and 2.5 μ l of stop solution (containing 2 μ g/ml proteinase K) was added and the mixture was incubated at 37°C for an additional 10 minutes. Chemically competent host cells were then transformed with 2 μ l of the reaction mixture, or electrocompetent host cells (e.g., EMax DH10B cells; Life Technologies, Inc.) were electroporated with 2 μ l of the reaction mixture per 25-40 μ l of cells. Following transformation, mixtures were diluted with SOC, incubated at 37°C, and plated as described above on media selecting for the selection markers on the Destination Vector and the Entry clone (B x P reaction product). Analogous results to those described for Alternative 1 were obtained with these reaction conditions -- a higher level of colonies containing correctly recombined reaction products were observed.

Example 17: Demonstration of a One-tube Transfer of a PCR Product (or Expression Clone) to Expression Clone via a Recombinational Cloning Reaction

5

Single-tube transfer of PCR product DNA or Expression Clones into Expression Clones by recombinational cloning has also been accomplished using a procedure modified from that described in Example 16. This procedure is as follows:

10

•Perform a standard BP (Gateward) Reaction (see Examples 9 and 10) in 20 μ l volume at 25°C for 1 hour.

15

•After the incubation is over, take a 10 µl aliquot from the 20 µl total volume and add 1 µl of Proteinase K (2 mg/ml) and incubate at 37°C for 10 minutes. This first aliquot can be used for transformation and gel assay of BP reaction analysis. Plate BP reaction transformation on LB plates with **Kanamycin** (50 ug/ml).

20

•Add the following reagents to the remaining 10 μ l aliquot of the BP reaction:

1 μl of 0.75 M NaCl

- 2 μl of destination vector (150 ng/μl)
- 4 μl of LR ClonaseTM (after thawing and brief mixing)

25

- •Mix all reagents well and incubate at 25°C for 3 hours. Stop the reaction at the end of incubation with 1.7 μ l of Proteinase K (2 mg/ml) and incubate at 37°C for 10 minutes.
- •Transform 2 µl of the completed reaction into 100 µl of competent cells.

 Plate 100 µl and 400 µl on LB plates with Ampicilin (100 µg/ml).

30

Notes:

•If your competent cells are less than 108 CFU/µg, and you are concerned about getting enough colonies, you can improve the yield several fold by incubating the

BP reaction for 6-20 hours. Electroporation also can yield better colony output than chemical transformation.

•PCR products greater than about 5-6 kb show significantly lower cloning efficiency in the BP reaction. In this case, we recommend using longer incubation times for both BP and LR steps.

•If you want to move your insert gene into several destination vectors simultaneously, then scale up the initial BP reaction volume so that you have a $10 \mu l$ aliquot for adding each destination vector.

Example 18: Optimization of GATEWAYTM ClonaseTM Enzyme Compositions

The enzyme compositions containing Int and IHF (for BP Reactions) were optimized using a standard functional recombinational cloning reaction (a BP reaction) between attB-containing plasmids and attP-containing plasmids, according to the following protocol:

Materials and Methods:

20

15

5

10

Substrates:

AttP - supercoiled pDONR201

AttB - linear ~ 1Kb [3H]PCR product amplified from pEZC7501

Proteins:

25

30

IntH6 -- His₆-carboxy- tagged λ Integrase

IHF -- Integration Host Factor

Clonase:

50 ng/µl IntH6 and 20 ng/µl IHF, admixed in 25 mM Tris-HCl (pH 7.5), 22 mM NaCl, 5 mM EDTA, 1 mg/ml BSA, 5 mM Spermidine, and 50% glycerol.

DTT.

Reaction Mixture (total volume of 40 μl):
1000 ng AttP plasmid
600 ng AttB [³H] PCR product
8 μl Clonase (400 ng IntH6, 160 ng IHF) in 25 mM Tris-HCl (pH 7.5),
22 mM NaCl, 5 mM EDTA, 1 mg/ml BSA, 5 mM Spermidine, 5 mM

Reaction mixture was incubated for 1 hour at 25°C, 4 µl of 2 µg/µl proteinase K was added and mixture was incubated for an additional 20 minutes at 37°C. Mixture was then extracted with an equal volume of Phenol/Chloroform/ Isoamyl alcohol. The aqueous layer was then collected, and 0.1 volumes of 3 M sodium acetate and 2 volumes of cold 100% ethanol were added. Tubes were then spun in a microcentrifuge at maximum RPM for 10 minutes at room temperature. Ethanol was decanted, and pellets were rinsed with 70% ethanol and re-centrifuged as above. Ethanol was decanted, and pellets were allowed to air dry for 5-10 minutes and then dissolved in 20 µl of 33 mM Tris-Acetate (pH 7.8), 66 mM potassium acetate, 10 mM magnesium acetate, 1 mM DTT, and 1 mM ATP. 2 units of exonuclease V (e.g., Plasmid Safe; EpiCentre, Inc., Madison, WI) was then added, and the mixture was incubated at 37°C for 30 minutes.

Samples were then TCA-washed by spotting 30 μ l of reaction mixture onto a Whatman GF/C filter, washing filters once with 10% TCA + 1% NaPPi for 10 minutes, three times with 5% TCA for 5 minutes each, and twice with ethanol for 5 minutes each. Filters were then dried under a heat lamp, placed into a scintillation vial, and counted on a β liquid scintillation counter (LSC).

The principle behind this assay is that, after exonuclease V digestion, only double-stranded circular DNA survives in an acid-insoluble form. All DNA substrates and products that have free ends are digested to an acid-soluble form and are not retained on the filters. Therefore, only the ³H-labeled attB linear DNA which ends up in circular form after both inter- and intramolecular integration is complete is resistant to digestion and is recovered as acid-insoluble product. Optimal enzyme and buffer formulations in the Clonase compositions therefore are those that give the highest levels of circularized ³H-labeled attB-containing

10

5

15

20

25

30

sequences, as determined by highest cpm in the LSC. Although this assay was designed for optimization of GATEWAYTM BP ClonaseTM Enzyme Mix compositions (Int + IHF), the same type of assay may be performed to optimize GATEWAYTM LR ClonaseTM Enzyme Mix compositions (Int + IHF + Xis), except that the reaction mixtures would comprise 1000 ng of AttR (instead of AttP) and 600 ng of AttL (instead of AttB), and 40 ng of His₆-carboxy- tagged Xis (XisH6) in addition to the IntH6 and IHF.

Example 19: Testing Functionality of Entry and Destination Vectors

As part of assessment of the functionality of particular vectors of the

invention, it is important to functionally test the ability of the vectors to

recombine. This assessment can be carried out by performing a recombinational

cloning reaction (as schematized in Figures 2, 4, and 5A and 5B, and as described

herein and in commonly owned U.S. Application Nos. 08/486,139, filed June 7,

1995, 08/663,002, filed June 7, 1996 (now U.S. Patent No. 5,888,732),

09/005,476, filed January 12, 1998, and 09/177,387, filed October 23, 1998, the

disclosures of all of which are incorporated by reference herein in their entireties),

by transforming E. coli and scoring colony forming units. However, an alternative

assay may also be performed to allow faster, more simple assessment of the

functionality of a given Entry or Destination Vector by agarose gel

electrophoresis. The following is a description of such an in vitro assay.

10

5

15

20

25

Materials and Methods:

Plasmid templates pEZC1301 (Figure 84) and pEZC1313 (Figure 85), each containing a single wild type att site, were used for the generation of PCR products containing attL or attR sites, respectively. Plasmid templates were linearized with AlwNI, phenol extracted, ethanol precipitated and dissolved in TE to a concentration of 1 ng/µl.

-142-

PCR primers (capital letters represent base changes from wildtype):

attL1

gggg agcct gcttttttGtacAaa gttggcatta taaaaaagca ttgc

attL2

gggg agcct gctttCttGtacAaa gttggcatta taaaaaagca ttgc

attL right

tgttgccggg aagctagagt aa

5

attR1

gggg Acaag ttTgtaCaaaaaagc tgaacgaga aacgtaaaat

attR2

gggg Acaag ttTgtaCaaGaaagc tgaacgaga aacgtaaaat

attR right

ca gacggcatga tgaacctgaa

10

PCR primers were dissolved in TE to a concentration of 500 pmol/µl. Primer mixes were prepared, consisting of attL1 + attLright primers, attL2 + attLright primers, attR1 + attRright primers, and attR2 + attRright primers, each mix containing 20 pmol/µl of each primer.

PCR reactions:

15

1 μl plasmid template (1 ng)

1 μl primer pairs (20 pmoles of each)

 $3 \mu l \text{ of } H_20$

45 μl of Platinum PCR SuperMix® (Life Technologies, Inc.)

20

Cycling conditions (performed in MJ thermocycler):

95°C/2 minutes

94°C/30 seconds

25 cycles of 58°C/30 seconds and 72°C/1.5 minutes

72°C/5 minutes

25

5°C/hold

The resulting attL PCR product was 1.5 kb, and the resulting attR PCR product was 1.0 kb.

30

PCR reactions were PEG/MgCl₂ precipitated by adding 150 μ l H₂O and 100 μ l of 3x PEG/MgCl₂ solution followed by centrifugation. The PCR products were dissolved in 50 μ l of TE. Quantification of the PCR product was performed by gel electrophoresis of 1 μ l and was estimated to be 50-100 ng/ μ l.

WO 00/52027 PCT/US00/05432

-143-

Recombination reactions of PCR products containing attL or attR sites with GATEWAYTM plasmids was performed as follows:

8 μl of H₂0

5

10

15

20

25

30

2 μl of attL or attR PCR product (100-200 ng)

2 μl of GATEWAYTM plasmid (100 ng)

4 μl of 5x Destination buffer

4 μl of GATEWAYTM LR ClonaseTM Enzyme Mix

 $20 \,\mu l$ total volume (the reactions can be scaled down to a 5 $\,\mu l$ total volume by adjusting the volumes of the components to about $\,\%$ of those shown above, while keeping the stoichiometries the same).

Clonase reactions were incubated at 25°C for 2 hours. 2 µl of proteinase K (2 mg/ml) was added to stop the reaction. 10 µl was then run on a 1% agarose gel. Positive control reactions were performed by reacting attL1 PCR product (1.0 kb) with attR1 PCR product (1.5 kb) and by similarly reacting attL2 PCR product with attR2 PCR product to observe the formation of a larger (2.5 kb) recombination product. Negative controls were similarly performed by reacting attL1 PCR product with attR2 PCR product and vice versa or reactions of attL PCR product with an attL plasmid, etc.

In alternative assays, to test attB Entry vectors, plasmids containing single attP sites were used. Plasmids containing single att sites could also be used as recombination substrates in general to test all Entry and Destination vectors (i.e., those containing attL, attR, attB and attP sites). This would eliminate the need to do PCR reactions.

Results:

Destination and Entry plasmids when reacted with appropriate att-containing PCR products formed linear recombinant molecules that could be easily visualized on an agarose gel when compared to control reactions containing no attL or attR PCR product. Thus, the functionality of Destination and Entry vectors constructed according to the invention may be determined either by carrying out the Destination or Entry recombination reactions as depicted in

Figures 2, 4, and 5A and 5B, or more rapidly by carrying out the linearization assay described in this Example.

Example 20: PCR Cloning Using Universal Adapter-Primers

5

10

15

20

25

As described herein, the cloning of PCR products using the GATEWAYTM PCR Cloning System (Life Technologies, Inc.; Rockville, MD) requires the addition of attB sites (attB1 and attB2) to the ends of gene-specific primers used in the PCR reaction. The protocols described in the preceding Examples suggest that the user add 29 bp (25 bp containing the attB site plus four G residues) to the gene-specific primer. It would be advantageous to high volume users of the GATEWAYTM PCR Cloning System to generate attB-containing PCR product using universal attB adapter-primers in combination with shorter gene-specific primers containing a specified overlap to the adapters. The following experiments demonstrate the utility of this strategy using universal attB adapter-primers and gene-specific primers containing overlaps of various lengths from 6 bp to 18 bp. The results demonstrate that gene-specific primers with overlaps of 10 bp to 18 bp can be used successfully in PCR amplifications with universal attB adapterprimers to generate full-length PCR products. These PCR products can then be successfully cloned with high fidelity in a specified orientation using the GATEWAY™ PCR Cloning System.

Methods and Results:

To demonstrate that universal attB adapter-primers can be used with genespecific primers containing partial attB sites in PCR reactions to generate fulllength PCR product, a small 256 bp region of the human hemoglobin cDNA was chosen as a target so that intermediate sized products could be distinguished from full-length products by agarose gel electrophoresis.

The following oligonucleotides were used:

30

B1-Hgb: GGGG ACA AGT TTG TAC AAA AAA GCA GGC T-5'-Hgb* B2-Hgb:GGGG ACC ACT TTG TAC AAG AAA GCT GGG T-3'-Hgb**

PCT/US00/05432

-145-

	18B1-Hgb:	TG TAC AAA AAA GCA GGC T-5'-Hgb
	18B2-Hgb:	TG TAC AAG AAA GCT GGG T-3'-Hgb
	15B1-Hgb:	AC AAA AAA GCA GGC T-5'-Hgb
	15B2-Hgb:	AC AAG AAA GCT GGG T-3'-Hgb
5	12B1-Hgb:	AA AAA GCA GGC T-5'-Hgb
	12B2-Hgb:	AG AAA GCT GGG T-3'-Hgb
	11B1-Hgb:	A AAA GCA GGC T-5'-Hgb
	11B2-Hgb:	G AAA GCT GGG T-3'-Hgb
	10B1-Hgb:	AAA GCA GGC T-5'-Hgb
10	10B2-Hgb:	AAA GCT GGG T-3'-Hgb
	9B1-Hgb:	AA GCA GGC T-5'-Hgb
	9B2-Hgb:	AA GCT GGG T-3'-Hgb
	8B1-Hgb:	A GCA GGC T-5'-Hgb
	8B2-Hgb:	A GCT GGG T-3'-Hgb
15	7B1-Hgb:	GCA GGC T-5'-Hgb
	7B2-Hgb:	GCT GGG T-3'-Hgb
	6B1-Hgb:	CA GGC T-5'-Hgb
	6B2-Hgb:	CT GGG T-3'-Hgb
20		CA AGT TTG TAC AAA AAA GCA GGC T
	attB2 adapter: GGGG A	CC ACT TTG TAC AAG AAA GCT GGG T
	TO THE COURT ACTOR	AGC CTG TGG AGC AAG A
	\star -5'-Hqb = GTC ACT	AGC CIG IGG AGC AAG A

25

30

35.

The aim of these experiments was to develop a simple and efficient universal adapter PCR method to generate attB containing PCR products suitable for use in the GATEWAYTM PCR Cloning System. The reaction mixtures and thermocycling conditions should be simple and efficient so that the universal adapter PCR method could be routinely applicable to any PCR product cloning application.

-3'-Hgb = AGG ATG GCA GAG GGA GAC GAC A

PCR reaction conditions were initially found that could successfully amplify predominately full-length PCR product using gene-specific primers containing 18bp and 15 bp overlap with universal attB primers. These conditions are outlined below:

10 pmoles of gene-specific primers
10 pmoles of universal attB adapter-primers
1 ng of plasmid containing the human hemoglobin cDNA.
100 ng of human leukocyte cDNA library DNA.
5 μl of 10x PLATINUM Taq HiFi® reaction buffer (Life Technologies, Inc.)
2 μl of 50 mM MgSO₄
1 μl of 10 mM dNTPs
0.2 μl of PLATINUM Taq HiFi® (1.0 unit)

10

5

Cycling conditions:

H₂O to 50 μl total reaction volume

20

15

To assess the efficiency of the method, 2 μ l (1/25) of the 50 μ l PCR reaction was electrophoresed in a 3 % Agarose-1000 gel. With overlaps of 12 bp or less, smaller intermediate products containing one or no universal attB adapter predominated the reactions. Further optimization of PCR reaction conditions was obtained by titrating the amounts of gene-specific primers and universal attB adapter-primers. The PCR reactions were set up as outlined above except that the amounts of primers added were:

25

0, 1, 3 or 10 pmoles of gene-specific primers

0, 10, 30 or 100 pmoles of adapter-primers

Cycling conditions:

The use of limiting amounts of gene-specific primers (3 pmoles) and excess adapter-primers (30 pmoles) reduced the amounts of smaller intermediate products. Using these reaction conditions the overlap necessary to obtain predominately full-length PCR product was reduced to 12 bp. The amounts of gene-specific and adapter-primers was further optimized in the following PCR reactions:

15

5

10

0, 1, 2 or 3 pmoles of gene-specific primers

0, 30, 40 or 50 pmoles of adapter-primers

Cycling conditions:

20

25

30

The use of 2 pmoles of gene-specific primers and 40 pmoles of adapter-primers further reduced the amounts of intermediate products and generated predominately full-length PCR products with gene-specific primers containing an 11 bp overlap. The success of the PCR reactions can be assessed in any PCR application by performing a no adapter control. The use of limiting amounts of gene-specific primers should give faint or barely visible bands when 1/25 to 1/10 of the PCR reaction is electrophoresed on a standard agarose gel. Addition of the

10

15

20

25

30

universal attB adapter-primers should generate a robust PCR reaction with a much higher overall yield of product.

PCR products from reactions using the 18 bp, 15 bp, 12 bp, 11 bp and 10 bp overlap gene-specific primers were purified using the CONCERT® Rapid PCR Purification System (PCR products greater than 500 bp can be PEG precipitated). The purified PCR products were subsequently cloned into an attP containing plasmid vector using the GATEWAYTM PCR Cloning System (Life Technologies, Inc.; Rockville, MD) and transformed into *E. coli*. Colonies were selected and counted on the appropriate antibiotic media and screened by PCR for correct inserts and orientation.

Raw PCR products (unpurified) from the attB adapter PCR of a plasmid clone of part of the human beta-globin (Hgb) gene were also used in GATEWAYTM PCR Cloning System reactions. PCR products generated with the full attB B1/B2-Hgb, the 12B1/B2, 11B1/B2 and 10B1/B2 attB overlap Hgb primers were successfully cloned into the GATEWAYTM pENTR21 attP vector (Figure 49). 24 colonies from each (24 x 4 = 96 total) were tested and each was verified by PCR to contain correct inserts. The cloning efficiency expressed as cfu/ml is shown below:

Primer Used	cfu/ml
Hgb full attB	8,700
Hgb 12 bp overlap	21,000
Hgb 11 bp overlap	20,500
Hgb 10 bp overlap	13,500
GFP control	1.300

Interestingly, the overlap PCR products cloned with higher efficiency than did the full attB PCR product. Presumably, and as verified by visualization on agarose gel, the adapter PCR products were slightly cleaner than was the full attB PCR product. The differences in colony output may also reflect the proportion of PCR product molecules with intact attB sites.

Using the attB adapter PCR method, PCR primers with 12 bp attB overlaps were used to amplify cDNAs of different sizes (ranging from 1 to 4 kb)

10

15

20

25

30

from a leukocyte cDNA library and from first strand cDNA prepared from HeLa total RNA. While three of the four cDNAs were able to be amplified by this method, a non-specific amplification product was also observed that under some conditions would interfere with the gene-specific amplification. This non-specific product was amplified in reactions containing the attB adapter-primers alone without any gene-specific overlap primers present. The non-specific amplification product was reduced by increasing the stringency of the PCR reaction and lowering the attB adapter PCR primer concentration.

These results indicate that the adapter-primer PCR approach described in this Example will work well for cloned genes. These results also demonstrate the development of a simple and efficient method to amplify PCR products that are compatible with the GATEWAYTM PCR Cloning System that allows the use of shorter gene-specific primers that partially overlap universal attB adapter-primers. In routine PCR cloning applications, the use of 12 bp overlaps is recommended. The methods described in this Example can thus reduce the length of gene-specific primers by up to 17 residues or more, resulting in a significant savings in oligonucleotide costs for high volume users of the GATEWAYTM PCR Cloning System. In addition, using the methods and assays described in this Example, one of ordinary skill can, using only routine experimentation, design and use analogous primer-adapters based on or containing other recombination sites or fragments thereof, such as *att*L, *att*R, *att*P, *lox*, FRT, etc.

Example 21: Mutational Analysis of the Bacteriophage Lambda attL and attR Sites: Determinants of att Site Specificity in Site-specific Recombination

To investigate the determinants of att site specificity, the bacteriophage lambda attL and attR sites were systematically mutagenized. As noted herein, the determinants of specificity have previously been localized to the 7 bp overlap region (TTTATAC, which is defined by the cut sites for the integrase protein and is the region where strand exchange takes place) within the 15 bp core region (GCTTTTTTATACTAA) which is identical in all four lambda att sites, attB, attP, attL and attR. This core region, however, has not heretofore been systematically

mutagenized and examined to define precisely which mutations produce unique changes in *att* site specificity.

Therefore, to examine the effect of att sequence on site specificity, mutant attL and attR sites were generated by PCR and tested in an in vitro site-specific recombination assay. In this way all possible single base pair changes within the 7 bp overlap region of the core att site were generated as well as five additional changes outside the 7 bp overlap but within the 15 bp core att site. Each attL PCR substrate was tested in the in vitro recombination assay with each of the attR PCR substrates.

10

15

20

25

30

5

Methods

To examine both the efficiency and specificity of recombination of mutant attL and attR sites, a simple in vitro site-specific recombination assay was developed. Since the core regions of attL and attR lie near the ends of these sites, it was possible to incorporate the desired nucleotide base changes within PCR primers and generate a series of PCR products containing mutant attL and attR sites. PCR products containing attL and attR sites were used as substrates in an in vitro reaction with GATEWAYTM LR ClonaseTM Enzyme Mix (Life Technologies, Inc.; Rockville, MD). Recombination between a 1.5 kb attL PCR product and a 1.0 kb attR PCR product resulted in a 2.5 kb recombinant molecule that was monitored using agarose gel electrophoresis and ethidium bromide staining.

Plasmid templates pEZC1301 (Figure 84) and pEZC1313 (Figure 85), each containing a single wild type attL or attR site, respectively, were used for the generation of recombination substrates. The following list shows primers that were used in PCR reactions to generate the attL PCR products that were used as substrates in L x R Clonase reactions (capital letters represent changes from the wild-type sequence, and the underline represents the 7 bp overlap region within the 15 bp core att site; a similar set of PCR primers was used to prepare the attR PCR products containing matching mutations):

PCT/US00/05432

GATEWAYTM sites (note. attL2 sequence in GATEWAYTM plasmids begins "accca" while the attL2 site in this example begins "agcct" to reflect wild-type attL outside the core region.):

5

attL1: gggg agcct gcttttttGtacAaa gttggcatta taaaaaagca ttgc

10

attL2: gggg agcct gctttCttGtacAaa gttggcatta taaaaaagca ttgc

Wild-type:

attL0: gggg agcct gcttttttatactaa gttggcatta taaaaaagca ttgc

15

Single base changes from wild-type:

attLT1A: gggg agcct gctttAttatactaa gttggcatta taaaaaagca ttgc

20

attLT1C: gggg agcct gctttCttatactaa gttggcatta taaaaaagca ttgc

attLT1G: gggg agcct gctttGttatactaa gttggcatta taaaaaagca ttgc

25

attLT2A: gggg agcct gcttttAtatactaa gttggcatta taaaaaagca ttgc

30

attLT2C: gggg agcct gcttttCtatactaa gttggcatta taaaaaagca ttgc

attLT2G: gggg agcct gcttttGtatactaa gttggcatta taaaaaagca ttgc

WO 00/52027

-152-

PCT/US00/05432

	attLT3A: gggg agcct gcttt <u>ttAatac</u> taa gttggcatta taaaa- aagca ttgc
5	attLT3C: gggg agcct gcttt <u>ttCatac</u> taa gttggcatta taaaa- aagca ttgc
10	attLT3G: gggg agcct gcttt <u>ttGatac</u> taa gttggcatta taaaa- aagca ttgc
	attLA4C: gggg agcct gcttt <u>tttCtac</u> taa gttggcatta taaaa- aagca ttgc
15	attLA4G: gggg agcct gcttt <u>tttGtac</u> taa gttggcatta taaaa- aagca ttgc
20	attLA4T: gggg agcct gcttt <u>tttTtac</u> taa gttggcatta taaaa- aagca ttgc
25	attLT5A: gggg agcct gcttt <u>tttaAac</u> taa gttggcatta taaaa-aagca ttgc
	attLT5C: gggg agcct gcttt <u>tttaCac</u> taa gttggcatta taaaa- aagca ttgc
30	attLT5G: gggg agcct gcttt <u>tttaGac</u> taa gttggcatta taaaa-aagca ttgc
35	attLA6C: gggg agcct gcttt <u>tttatCc</u> taa gttggcatta taaaa-aagca ttgc

-153-

WO 00/52027 PCT/US00/05432

attLA6G:	gggg	agcct	gcttt <u>tttatGc</u> taa	gttggcatta	taaaa-
aag	gca tt	:gc			

- *att*LA6T: gggg agcct gcttt<u>tttatTc</u>taa gttggcatta taaaaaagca ttgc
- attLC7A: gggg agcct gcttttttataAtaa gttggcatta taaaa-10 aagca ttgc
 - attLC7G: gggg agcct gcttttttataGtaa gttggcatta taaaaaagca ttgc

attLC7T: gggg agcct gcttttttataTtaa gttggcatta taaaaaagca ttgc

Single base changes outside of the 7 bp overlap:

- 20 attL8: gggg agcct Acttttttatactaa gttggcatta taaaaaagca ttgc
- attL9: gggg agcct gcCtt<u>tttatac</u>taa gttggcatta taaaaaagca ttgc
 - attL10: gggg agcct gcttCtttatactaa gttggcatta taaaaaagca ttgc
- attL14: gggg agcct gcttttttatacCaa gttggcatta taaaaaagca ttgc
- attL15: gggg agcct gcttttttatactaG gttggcatta taaaaaagca ttgc

Note: additional vectors wherein the first nine bases are gggg agcca (i.e., substituting an adenine for the thymine in the position immediately preceding the 15-bp core region), which may or may not contain the single base pair substitutions (or deletions) outlined above, can also be used in these experiments.

5

Recombination reactions of attL- and attR-containing PCR products was performed as follows:

 $8 \mu l \text{ of } H_20$

10

2 μl of attL PCR product (100 ng)

2 μl of attR PCR product (100 ng)

4 μl of 5x buffer

4 μl of GATEWAYTM LR ClonaseTM Enzyme Mix

20 µl total volume

15

Clonase reactions were incubated at 25°C for 2 hours.

 $2 \mu l$ of 10X Clonase stop solution (proteinase K, 2 mg/ml) were added to stop the reaction.

10 μl were run on a 1 % agarose gel.

20

Results

Each attL PCR substrate was tested in the in vitro recombination assay with each of the attR PCR substrates. Changes within the first three positions of the 7 bp overlap (TTTATAC) strongly altered the specificity of recombination. These mutant att sites each recombined as well as the wild-type, but only with their cognate partner mutant; they did not recombine detectably with any other att site mutant. In contrast, changes in the last four positions (TTTATAC) only partially altered specificity; these mutants recombined with their cognate mutant as well as wild-type att sites and recombined partially with all other mutant att sites except for those having mutations in the first three positions of the 7 bp

30

overlap. Changes outside of the 7 bp overlap were found not to affect specificity of recombination, but some did influence the efficiency of recombination.

Based on these results, the following rules for att site specificity were determined:

•Only changes within the 7 bp overlap affect specificity.

- •Changes within the first 3 positions strongly affect specificity.
- •Changes within the last 4 positions weakly affect specificity.

Mutations that affected the overall efficiency of the recombination reaction were also assessed by this method. In these experiments, a slightly increased (less than 2-fold) recombination efficiency with attLT1A and attLC7T substrates was observed when these substrates were reacted with their cognate attR partners. Also observed were mutations that decreased recombination efficiency (approximately 2-3 fold), including attLA6G, attL14 and attL15. These mutations presumably reflect changes that affect Int protein binding at the core att site.

The results of these experiments demonstrate that changes within the first three positions of the 7 bp overlap (TTTATAC) strongly altered the specificity of recombination (i.e., att sequences with one or more mutations in the first three thymidines would only recombine with their cognate partners and would not cross-react with any other att site mutation). In contrast, mutations in the last four positions (TTTATAC) only partially altered specificity (i.e., att sequences with one or more mutations in the last four base positions would cross-react partially with the wild-type att site and all other mutant att sites, except for those having mutations in one or more of the first three positions of the 7 bp overlap). Mutations outside of the 7 bp overlap were not found to affect specificity of recombination, but some were found to influence (i.e., to cause a decrease in) the efficiency of recombination.

Example 22: Discovery of Att Site Mutations That Increase the Cloning Efficiency of GATEWAYTM Cloning Reactions

In experiments designed to understand the determinants of att site specificity, point mutations in the core region of attL were made. Nucleic acid molecules containing these mutated attL sequences were then reacted in an LR

15

10

5

20

25

reaction with nucleic acid molecules containing the cognate attR site (i.e., an attR site containing a mutation corresponding to that in the attL site), and recombinational efficiency was determined as described above. Several mutations located in the core region of the att site were noted that either slightly increased (less than 2-fold) or decreased (between 2-4-fold) the efficiency of the recombination reaction (Table 3).

Table 3. Effects of attL mutations on Recombination Reactions.

10	Site	Sequence	Effect on
	attL0	agcctgcttttttatactaagttggcatta	Recombination
	attL5	agcctgctttAttatactaagttggcatta	slightly increased
	attL6	agcctgcttttttataTtaagttggcatta	slightly increased
15	attL13	agcctgcttttttatGctaagttggcatta	decreased
	attL14	agcctgcttttttatacCaagttggcatta	decreased
	attL15	agcctgcttttttatactaGgttggcatta	decreased
	consensus	CAACTTnnTnnnAnnAAGTTG	

20

25

30

5

It was also noted that these mutations presumably reflected changes that either increased or decreased, respectively, the relative affinity of the integrase protein for binding the core att site. A consensus sequence for an integrase corebinding site (CAACTTNNT) has been inferred in the literature but not directly tested (see, e.g., Ross and Landy, Cell 33:261-272 (1983)). This consensus core integrase-binding sequence was established by comparing the sequences of each of the four core att sites found in attP and attB as well as the sequences of five non-att sites that resemble the core sequence and to which integrase has been shown to bind in vitro. These experiments suggest that many more att site mutations might be identified which increase the binding of integrase to the core att site and thus increase the efficiency of GATEWAYTM cloning reactions.

Example 23: Effects of Core Region Mutations on Recombination Efficiency

To directly compare the cloning efficiency of mutations in the att site core region, single base changes were made in the attB2 site of an attB1-TET-attB2 PCR product. Nucleic acid molecules containing these mutated attB2 sequences were then reacted in a BP reaction with nucleic acid molecules containing noncognate attP sites (i.e., wildtype attP2), and recombinational efficiency was determined as described above The cloning efficiency of these mutant attB2 containing PCR products compared to standard attB1-TET-attB2 PCR product are shown in Table 4.

10

5

Table 4. Efficiency of Recombination With Mutated attB2 Sites.

	<u>Site</u>	Sequence	Mutation	Cloning Efficiency
15	attB0	tcaagttagtataaaaaagcaggct		
	attB1	ggggacaagtttgtacaaaaaaagcaggct		
	attB2	ggggaccactttgtacaagaaagctgggt		100%
	attB2.1	ggggaAcactttgtacaagaaagctgggt	C→A	40%
	attB2.2	ggggacAactttgtacaagaaagctgggt	C→A	131%
20	attB2.3	ggggaccCctttgtacaagaaagctgggt	A→C	4%
	attB2.4	ggggaccaAtttgtacaagaaagctgggt	C→A	11%
	attB2.5	ggggaccacGttgtacaagaaagctgggt	T→G	4%
	attB2.6	ggggaccactGtgtacaagaaagctgggt	T→G	6%
	attB2.7	ggggaccacttGgtacaagaaagctgggt	T→G	1%
25	attB2.8	ggggaccactttTtacaagaaagctgggt	$G \rightarrow T$	0.5%

30

As noted above, a single base change in the attB2.2 site increased the cloning efficiency of the attB1-TET-attB2.2 PCR product to 131% compared to the attB1-TET-attB2 PCR product. Interestingly, this mutation changes the integrase core binding site of attB2 to a sequence that matches more closely the proposed consensus sequence.

-158-

5

10

15

20

25

30

Additional experiments were performed to directly compare the cloning efficiency of an attB1-TET-attB2 PCR product with a PCR product that contained attB sites containing the proposed consensus sequence (see Example 22) of an integrase core binding site. The following attB sites were used to amplify attB-TET PCR products:

attB1 ggggacaagtttgtacaaaaaagcaggct
attB1.6 ggggacaaCtttgtacaaaaaagTTggct
attB2 ggggaccactttgtacaagaaagctgggt
attB2.10 ggggacAactttgtacaagaaagTtgggt

BP reactions were carried out between 300 ng (100 fmoles) of pDONR201 (Figure 49A) with 80 ng (80 fmoles) of attB-TET PCR product in a 20 µl volume with incubation for 1.5 hrs at 25°C, creating pENTR201-TET Entry clones. A comparison of the cloning efficiencies of the above-noted attB sites in BP reactions is shown in Table 5.

Table 5. Cloning efficiency of BP Reactions.

PCR product	CFU/ml	Fold Increase
B1-tet-B2	7,500	
B1.6-tet-B2	12,000	1.6 x
B1-tet-B2.10	20,900	2.8 x
B1.6-tet-B2.10	30,100	4.0 x

These results demonstrate that attB PCR products containing sequences that perfectly match the proposed consensus sequence for integrase core binding sites can produce Entry clones with four-fold higher efficiency than standard Gateway attB1 and attB2 PCR products.

The entry clones produced above were then transferred to pDEST20 (Figure 40A) via LR reactions (300 ng (64 fmoles) pDEST20 mixed with 50 ng (77 fmoles) of the respective pENTR201-TET Entry clone in 20 µl volume; incubated for 1 hr incubation at 25°C). The efficiencies of cloning for these reactions are compared in Table 6.

10

15

20

25

30

Table 6. Cloning Efficiency of LR Reactions.

pENTR201-TET x pDEST20	CFU/ml	Fold Increase
L1-tet-L2	5,800	
L1.6-tet-L2	8,000	1.4
L1-tet-L2.10	10,000	1.7
L1.6-tet-L2.10	9,300	1,6

These results demonstrate that the mutations introduced into attB1.6 and attB2.10 that transfer with the gene into entry clones slightly increase the efficiency of LR reactions. Thus, the present invention encompasses not only mutations in attB sites that increase recombination efficiency, but also to the corresponding mutations that result in the attL sites created by the BP reaction.

To examine the increased cloning efficiency of the attB1.6-TET-attB2.10 PCR product over a range of PCR product amounts, experiments analogous to those described above were performed in which the amount of attB PCR product was titrated into the reaction mixture. The results are shown in Table 7.

Table 7. Titration of attB PCR products.

Amount of attB PCR product (ng)	PCR product	CFU/ml	Fold Increase
20	attB1-TET-attB2	3,500	6.1
	attB1.6-TET-attB2.10	21,500	
50	attB1-TET-attB2	9,800	5.0
	attB1.6-TET-attB2.10	49,000	
100	attB1-TET-attB2	18,800	2.8
	attB1,6-TET-attB2.10	53,000	
200	attB1-TET-attB2	19,000	2.5
	attB1.6-TET-attB2.10	48,000	

These results demonstrate that as much as a six-fold increase in cloning efficiency is achieved with the attB1.6-TET-attB2.10 PCR product as compared to the standard attB1-TET-attB2 PCR product at the 20 ng amount.

10

15

30

Example 24: Determination of attB Sequence Requirements for Optimum Recombination Efficiency

To examine the sequence requirements for attB and to determine which attB sites would clone with the highest efficiency from populations of degenerate attB sites, a series of experiments was performed. Degenerate PCR primers were designed which contained five bases of degeneracy in the B-arm of the attB site. These degenerate sequences would thus transfer with the gene into Entry clone in BP reactions and subsequently be transferred with the gene into expression clones in LR reactions. The populations of degenerate attB and attL sites could thus be cycled from attB to attL back and forth for any number of cycles. By altering the reaction conditions at each transfer step (for example by decreasing the reaction time and/or decreasing the concentration of DNA) the reaction can be made increasingly more stringent at each cycle and thus enrich for populations of attB and attL sites that react more efficiently.

The following degernerate PCR primers were used to amplify a 500 bp fragment from pUC18 which contained the lacZ alpha fragment (only the attB portion of each primer is shown):

attB1 GGGG ACAAGTTTGTACAAA AAAGC AGGCT
attB1n16-20 GGGG ACAAGTTTGTACAAA nnnnn AGGCT
attB1n21-25 GGGG ACAAGTTTGTACAAA AAAGC nnnnn

attB2 GGGG ACCACTTTGTACAAG AAAGC TGGGT
attB2n16-20 GGGG ACCACTTTGTACAAG nnnnn TGGGT
attB2n21-25 GGGG ACCACTTTGTACAAG AAAGC nnnnn

The starting population size of degenerate att sites is 4⁵ or 1024 molecules. Four different populations were transferred through two BP reactions and two LR reactions. Following transformation of each reaction, the population of transformants was amplified by growth in liquid media containing the appropriate selection antibiotic. DNA was prepared from the population of clones by alkaline

10

15

20

25

30

35

lysis miniprep and used in the next reaction. The results of the BP and LR cloning reactions are shown below.

BP-1, overnight reactions

	cfu/ml	percent of contr
attB1-LacZa-attB2	78,500	100 %
attB1n16-20-LacZa-attB2	1,140	1.5 %
attB1n21-25-LacZa-attB2	11,100	14 %
attB1-LacZa-attB2n16-20	710	0.9 %
attB1-LacZa-attB2n21-25	16,600	21 %

LR-1, pENTR201-LacZa x pDEST20/EcoRI, 1hr reactions

	cfu/ml	percent of control
attL1-LacZa-attL2	20,000	100 %
attLln16-20-LacZa-attL2	2,125	11 %
attLln21-25-LacZa-attL2	2,920	15 %
attL1-LacZa-attL2n16-20	3,190	16 %
attL1-LacZa-attL2n21-25	1,405	7 %

BP-2, pEXP20-LacZa/ScaI x pDONR 201, 1hr reactions

	cfu/ml	percent of control
attB1-LacZa-attB2	48,600	100 %
attB1n16-20-LacZa-attB2	22,800	47 %
attB1n21-25-LacZa-attB2	31,500	65 %
attB1-LacZa-attB2n16-20	42,400	87 %
attB1-LacZa-attB2n21-25	34,500	71 %

LR-2, pENTR201-LacZa x pDEST6/NcoI, 1hr reactions

	cfu/ml	percent of control
attL1-LacZa-attL2	23,000	100 %
attL1n16-20-LacZa-attL2	49,000	213 %
attL1n21-25-LacZa-attL2	18,000	80 %
attL1-LacZa-attL2n16-20	37,000	160 %
attL1-LacZa-attL2n21-25	57,000	250 %

These results demonstrate that at each successive transfer, the cloning efficiency of the entire population of att sites increases, and that there is a great deal of flexibility in the definition of an attB site. Specific clones may be isolated from the above reactions, tested individually for recombination efficiency, and

sequenced. Such new specificities may then be compared to known examples to guide the design of new sequences with new recombination specificities. In addition, based on the enrichment and screening protocols described herein, one of ordinary skill can easily identify and use sequences in other recombination sites, e.g., other att sites, lox, FRT, etc., that result in increased specificity in the recombination reactions using nucleic acid molecules containing such sequences.

Example 25: Design of att Site PCR Adapter-Primers

10

5

Additional studies were performed to design gene-specific primers with 12bp of attB1 and attB2 at their 5'-ends. The optimal primer design for attcontaining primers is the same as for any PCR primers: the gene-specific portion of the primers should ideally have a Tm of > 50°C at 50 mM salt (calculation of Tm is based on the formula 59.9 + 41(%GC) - 675/n).

15

Primers:

12bp attB1 AA AAA GCA GGC TNN - forward gene-specific primer

20

A GAA AGC TGG GTN - reverse gene-specific primer 12bp attB2:

attB1 adapter primer: GGGGACAAGTTTGTACAAAAAAGCAGGCT

attB2 adapter primer: GGGGACCACTTTGTACAAGAAAGCTGGGT

25

Protocol:

(1) Mix 200 ng of cDNA library or 1 ng of plasmid clone DNA (alternatively, genomic DNA or RNA could be used) with 10 pmoles of gene specific primers in a 50 µl PCR reaction, using one or more polypeptides having DNA polymerase activity such as those described herein. (The addition of greater than 10 pmoles of gene-specific primers can decrease the yield of attB PCR product. In addition, if RNA is used, a standard reverse transcriptase-PCR (RT-

PCR) protocol should be followed; see, e.g., Gerard, G.F., et al., FOCUS 11:60 (1989); Myers, T.W., and Gelfand, D.H., Biochem. 30:7661 (1991); Freeman, W.N., et al., BioTechniques 20:782 (1996); and U.S. Application No. 09/064,057, filed April 22, 1998, the disclosures of all of which are incorporated herein by reference.)

1st PCR profile:

- (a) 95°C for 3 minutes
- (b) 10 cycles of:

10

5

- (i) 94°C for 15 seconds
- (ii) 50°C* for 30 seconds
- (iii) 68°C for 1 minute/kb of target amplicon
- (c) 68°C for 5 minutes
- (d) 10°C hold

15

- *The optimal annealing temperature is determined by the calculated Tm of the gene-specific part of the primer.
- (2) Transfer 10 µl to a 40 µl PCR reaction mix containing 35 pmoles each of the attB1 and attB2 adapter primers.

2nd PCR profile:

- (a) 95°C for 1 minute
- 25

- (b) 5 cycles of:
 - (i) 94°C for 15 seconds
 - (ii) 45°C* for 30 seconds
 - (iii) 68°C for 1 minute/kb of target amplicon
- (c) 15-20 cycles** of:
- 30

- (i) 94°C for 15 seconds
- (ii) 55°C* for 30 seconds

- (iii) 68°C for 1 minute/kb of target amplicon
- (d) 68°C for 5 minutes
- (e) 10°C hold
- *The optimal annealing temperature is determined by the calculated Tm of the gene-specific part of the primer.
 - **15 cycles is sufficient for low complexity targets.

Notes:

10

5

- 1. It is useful to perform a no-adapter primer control to assess the yield of attB PCR product produced.
- 2. Linearized template usually results in slightly greater yield of PCR product.

15

Example 26: One-Tube Recombinational Cloning Using the GATEWAYTM Cloning System

20

To provide for easier and more rapid cloning using the GATEWAYTM cloning system, we have designed a protocol whereby the BP and LR reactions may be performed in a single tube (a "one-tube" protocol). The following is an example of such a one-tube protocol; in this example, an aliquot of the BP reaction is taken before adding the LR components, but the BP and LR reactions may be performed in a one-tube protocol without first taking the BP aliquot:

25

Reaction Component	<u>Volume</u>
attB DNA (100-200 ng/25 µl reaction)	1-12.5 μΙ
attP DNA (pDONR201) 150 ng/ μ l	2.5 μl
5X BP Reaction Buffer	5.0 μl
Tris-EDTA	(to 20 μl)
BP Clonase	5.0 μl
Total vol.	25 µl

After the above components were mixed in a single tube, the reaction mixtures were incubated for 4 hours at 25°C. A 5 µl aliquot of reaction mixture was removed, and 0.5 µl of 10X stop solution was added to this reaction mixture and incubated for 10 minutes at 37°C. Competent cells were then transformed with 1-2 µl of the BP reaction per 100 µl of cells; this transformation yielded colonies of Entry Clones for isolation of individual Entry Clones and for quantitation of the BP Reaction efficiency.

To the remaining 20 μ l of BP reaction mixture, the following components of the LR reaction were added:

10

5

Reaction Component	Final Concentration	Volume Added
NaCl	0.75 M	1 μl
Destination Vector	150 ng/ul	3 μ1
LR Clonase		<u>6 µl</u>
Total vol.		30 цІ

20

15

After the above components were mixed in a single tube, the reaction mixtures were incubated for 2 hours at 25°C. 3 μ l of 10X stop solution was added, and the mixture was incubated for 10 minutes at 37°C. Competent cells were then transformed with 1-2 μ l of the reaction mixture per 100 μ l of cells

Notes:

- 1. If desired, the Destination Vector can be added to the initial BP reaction.
- 2. The reactions can be scaled down by 2x, if desired.

25

3. Shorter incubation times for the BP and/or LR reactions can be used (scaled to the desired cloning efficiencies of the reaction), but a lower number of colonies will typically result.

30

4. To increase the number of colonies obtained by several fold, incubate the BP reaction for 6-20 hours and increase the LR reaction to 3 hours. Electroporation also works well with 1-2 ul of the PK-treated reaction mixture.

WO 00/52027 PCT/US00/05432

-166-

5. PCR products greater than about 5 kb may show significantly lower cloning efficiency in the BP reaction. In this case, we recommend using a one-tube reaction with longer incubation times (e.g., 6-18 hours) for both the BP and LR steps.

5

10

Example 27: Relaxation of Destination Vectors During the LR Reaction

To further optimize the LR Reaction, the composition of the LR Reaction buffer was modified from that described above and this modified buffer was used in a protocol to examine the impact of enzymatic relaxation of Destination Vectors during the LR Reaction.

LR Reactions were set up as usual (see, e.g., Example 6), except that 5X BP Reaction Buffer (see Example 5) was used for the LR Reaction. To accomplish Destination Vector relaxation during the LR Reaction, Topoisomerase I (Life Technologies, Inc., Rockville, MD; Catalogue No. 38042-016) was added to the reaction mixture at a final concentration of ~15U per µg of total DNA in the reaction (for example, for reaction mixtures with a total of 400ng DNA in the 20 µl LR Reaction, ~6units of Topoisomerase I was added). Reaction mixtures were set up as follows:

20

15

Reaction Component	<u>Volume</u>
ddH_2O	6.5 µl
4X BP Reaction Buffer	5 μl
100ng single chain/linear pENTR CAT, 50 ng/µl	2 μl
300ng single chain/linear pDEST6, 150ng/μl	2 μl
Topoisomerase I, 15 U/ml	0.5 μl
LR Clonase	4 μl

30

25

Reaction mixtures were incubated at 25°C for 1hour, and 2 μ l of 2 μ g/ μ l Proteinase K was then added and mixtures incubated for 10 minutes at 37°C to stop the LR Reaction. Competent cells were then transformed as described in the preceding examples. The results of these studies demonstrated that relaxation of

substrates in the LR reaction using Topoisomerase I resulted in a 2- to 10-fold increase in colony output compared to those LR reactions performed without including Topoisomerase I.

5

10

15

Having now fully described the present invention in some detail by way of illustration and example for purposes of clarity of understanding, it will be obvious to one of ordinary skill in the art that the same can be performed by modifying or changing the invention within a wide and equivalent range of conditions, formulations and other parameters without affecting the scope of the invention or any specific embodiment thereof, and that such modifications or changes are intended to be encompassed within the scope of the appended claims.

All publications, patents and patent applications mentioned in this specification are indicative of the level of skill of those skilled in the art to which this invention pertains, and are herein incorporated by reference to the same extent as if each individual publication, patent or patent application was specifically and individually indicated to be incorporated by reference.

167.1

Applicant's or agent's file
reference number

0942.¬ა8PC03

International application No. tl

00/05432

INDICATIONS RELATING TO DEPOSITED MICROORGANISM OR OTHER BIOLOGICAL MATERIAL REC'D 17 APR 2000 OR OTHER BIOLOGICAL MATERIAL (PCT Rule 13bis)

(1 O 1 Nuic 15013)	WIPC)	PCT	
. The indications made below relate to the microorganism referred to in the description on	nage	52	line	

	WPO PCI	
A. The indications made below relate to the microorganism referred to in the description on page 52, line 31.		
B. IDENTIFICATION OF DEPOSIT	Further deposits are identified on an additional sheet	
Name of depositary institution Agricultural Research Culture Collection (NRRL) International Depository Authority		
Address of depositary institution (including postal code and count	(ימי	
1815 N. University Street Peoria, Illinois 61604 United States of America		
Date of deposit February 27, 1999	Accession Number NRRL B-30099	
C. ADDITIONAL INDICATIONS (leave blank if not appli	cable) This information is continued on an additional sheet	
Escherichia coli DB3.1(pAHPKan) or Escherichia coli DB3	. l(pAttPKan)	
D. DESIGNATED STATES FOR WHICH INDICATION	NS ARE MADE (if the indications are not for all designated States)	
	•	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)		
The indications listed below will be submitted to the international E "Accession Number of Deposit")	Bureau later (specify the general nature of the indications, e.g.,	

For	receiving Office use only	For International Bureau use only
This sheet was rece	eived with the international application	☐ This sheet was received by the International Bureau on:
Authorized officer	of Operations (SARI Tables) conversions of the Saria S	Authorized officer

WO 00/52027 PCT/US00/05432

Applicant's or agent's file reference number 0942.468PC03 International application No. tt PCT/US 00/05432

INDICATIONS RELATING TO DEPOSITED MICROORGANISM OR OTHER BIOLOGICAL MATERIAL REC'D 17 APR 2000 (PCT Rule 13bis) A. The indications made below relate to the microorganism referred to in the description on page **B. IDENTIFICATION OF DEPOSIT** Further deposits are identified on an additional sheet Name of depositary institution Agricultural Research Culture Collection (NRRL) International Depository Authority Address of depositary institution (including postal code and country) 1815 N. University Street Peoria, Illinois 61604 United States of America Date of deposit Accession Number February 27, 1999 NRRL B-30100 C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet \Box Escherichia coli DB3.1(pENTR-1A) D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States) E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable) The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")

For	receiving Office use only	7	For International Bureau use only
This sheet was rece	ived with the international application	1	☐ This sheet was received by the International Bureau on:
Authorized officer	Carbara Fridis 197		Authorized officer

Applicant's or agent's file reference number 0942.468PC03	tional application No. tb. 00/05432

	TO DEPOSITED MICROORGA	NISM		
	DLOGICAL MATERIAL T Rule 13 <i>bis</i>)			
	, 	RECU 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
A. The indications made below relate to the microorganism	n referred to in the description on p			
<u>16</u> .		WIPO PCT		
B. IDENTIFICATION OF DEPOSIT	Further deposits are	e identified on an additional sheet 🖾		
Name of depositary institution	,			
Agricultural Research Culture Collection (NRRL) International Depository Authority				
·		•		
Address of depositary institution (including postal code and count	(עזי	·		
1815 N. University Street				
Peoria, Illinois 61604				
United States of America				
Date of deposit February 27, 1999	Accession Number NRRL B-30101			
C. ADDITIONAL INDICATIONS (leave blank if not appl.	icable) This information is co	ntinued on an additional sheet		
Escherichia coli DB3.1(pENTR-2B)				
D. DESIGNATED STATES FOR WHICH INDICATION	ONS ARE MADE (if the indications a	re not for all designated States)		
= 19 me numerica un nerjet un unigrando status				
E. SEPARATE FURNISHING OF INDICATIONS (leave	blank if not applicable)			
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")				
For receiving Office use only	For International 1	D		
1 of feetiving Office ase only	For International	Bureau use only		
This sheet was received with the international application	☐ This sheet was received by the Inter	national Bureau on		
<u> </u>		THE PERSON OF TH		
Authorized officer CT Congress COST Toront	Authorized officer			
15 6 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -				

	·	167.4
Applicant's or agent's file reference number	0942.468PC03	International improperties No. the 0/05432
	OR OTHER B	REC'D 17 APR 2000
A. The indications made	le below relate to the microorgani	sm referred to in the description on page <u>55</u> , line
B. IDENTIFICATIO	N OF DEPOSIT	Further deposits are identified on an additional sheet 🖾
Name of depositary institu Agricultural Research (International Depositor	Culture Collection (NRRL)	·
Address of depositary institution (including postal code and country) 1815 N. University Street Peoria, Illinois 61604 United States of America		
Date of deposit February 27, 1999		Accession Number NRRL B-30102
C. ADDITIONAL IN	DICATIONS (leave blank if not a	pplicable) This information is continued on an additional sheet
Escherichia coli DB3.1(pENTR-3C)		
D. DESIGNATED S	TATES FOR WHICH INDICA	TIONS ARE MADE (if the indications are not for all designated States)
E. SEPARATE FUR	NISHING OF INDICATIONS	Neave blank if not applicable)
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")		
For rec	eiving Office use only	For International Bureau use only
This sheet was received	d with the international application	☐ This sheet was received by the International Bureau on:
Authorized officer Authorized officer Authorized officer		

167.5				
Applicant's or agent's file reference number	0942.468PC03	International application No. 11	00/05432	
		TO DEPOSITED MICROOF OLOGICAL MATERIAL T Rule 13bis)	V. OT	
A. The indications made	de below relate to the microorganis	m referred to in the description		
B. IDENTIFICATION	N OF DEPOSIT	Further deposi	its are identified on an additional sheet 🖾	
Name of depositary institu Agricultural Research C International Depository	Culture Collection (NRRL)	·		
Address of depositary insti	tution (including postal code and coun	atry)	·	
1815 N. University Stre Peoria, Illinois 61604 United States of Americ			·	
Date of deposit February 27, 1999		Accession Number NRRL B-30103		
C. ADDITIONAL INI	DICATIONS (leave blank if not app	licable) This information	is continued on an additional sheet	
Escherichia coli DB3.1(pEZC15101)				
·				
D. DESIGNATED STA	ATES FOR WHICH INDICATION	ONS ARE MADE (if the indicati	ons are not for all designated States)	
			ons are not you an assignated states)	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)				
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")				
For receiving Office use only For International Bureau use only				
This sheet was received w	vith the international application	☐ This sheet was received by the	International Bureau on:	
Authorized officer Authorized officer Authorized officer				

167.6

Applicant's or agent's file reference number

0942.468PC03

REC'D 17 INDICATIONS RELATING TO DEPOSITED MICROORGANISM OR OTHER BIOLOGICAL MATERIAL 'VIPO

(PC	T Rule 13bis)			
A. The indications made below relate to the microorganism referred to in the description on page 54, line 9				
B. IDENTIFICATION OF DEPOSIT	Further deposits are identified on an additional sheet 🛛			
Name of depositary institution Agricultural Research Culture Collection (NRRL) International Depository Authority				
Address of depositary institution (including postal code and count	(ry)			
1815 N. University Street Peoria, Illinois 61604 United States of America				
Date of deposit February 27, 1999	Accession Number NRRL B-30104			
C. ADDITIONAL INDICATIONS (leave blank if not appli	icable) This information is continued on an additional sheet			
Escherichia coli DB3.1(pEZC15102) D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)				
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable) The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g.,				
"Accession Number of Deposit")				
For receiving Office use only	For International Bureau use only			
This sheet was received with the international application	☐ This sheet was received by the International Bureau on:			
Authorized officer Impara Fricing 37	Authorized officer			

167.7				
Applicant's or agent's file reference number	0942.468PC03	International application No. the	00/05432	
INDICATIONS RELATING TO DEPOSITED MICROORGARDSM 17 ARR 1000 OR OTHER BIOLOGICAL MATERIAL (PCT Rule 13bis)				
A. The indications made	de below relate to the microorganism	n referred to in the description on	page54, line	
B. IDENTIFICATIO	N OF DEPOSIT	Further deposits a	are identified on an additional sheet 🛭	
Name of depositary institution Agricultural Research Culture Collection (NRRL) International Depository Authority				
Address of depositary inst	itution (including postal code and coun	try)		
1815 N. University Stre Peoria, Illinois 61604 United States of America				
Date of deposit February 27, 1999		Accession Number NRRL B-30105		
C. ADDITIONAL IN	DICATIONS (leave blank if not appl	icable) This information is	continued on an additional sheet 🛛	
Escherichia coli DB3.1(pEZC15103)				
D. DESIGNATED ST	ATES FOR WHICH INDICATION	ONS ARE MADE (if the indications	are not for all designated States)	
E. SEPARATE FURN	ISHING OF INDICATIONS (leav	e blank if not applicable)		
The indications listed below "Accession Number of Dep	w will be submitted to the international osit")	Bureau later (specify the general natu	re of the indications, e.g.,	
For receive	ving Office use only	For International	al Bureau use only	
This sheet was received	with the international application	☐ This sheet was received by the Int	ternational Bureau on:	
Authorized officer	rhern Frida III	Authorized officer		

167.8					
Applicant's or agent's file reference number	0942.408PC03	International application No. tl PCT/US 00/05432			
INDICATIONS RELATING TO DEPOSITED MICROPREANISM OR OTHER BIOLOGICAL MATERIAL (PCT Rule 13bis)					
A. The indications made20-21	below relate to the microorganism	n referred to in the description on page51, line			
B. IDENTIFICATION	OF DEPOSIT	Further deposits are identified on an additional sheet			
Name of depositary instituti Agricultural Research Cu International Depository	lture Collection (NRRL)				
Address of depositary institu	ution (including postal code and coun	try)			
1815 N. University Street Peoria, Illinois 61604 United States of America					
Date of deposit February 27, 1999		Accession Number NRRL B-30108			
C. ADDITIONAL IND	ICATIONS (leave blank if not appl	icable) This information is continued on an additional sheet			
Escherichia coli DB10B(j	oCMVSport6)	·			
D. DESIGNATED STA	TES FOR WHICH INDICATION	ONS ARE MADE (if the indications are not for all designated States)			
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
E. SEPARATE FURNIS	SHING OF INDICATIONS (leave	e blank if not applicable;			
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")					
For receiving	ng Office use only	For International Bureau use only			
This sheet was received wi	th the international application	☐ This sheet was received by the International Bureau on:			
Authorized officer Authorized officer					

10

15

20

25

30

WHAT IS CLAIMED IS:

- 1. An isolated nucleic acid molecule comprising a nucleotide sequence selected from the group of nucleotide sequences consisting of an attB1 nucleotide sequence as set forth in Figure 9, an attB2 nucleotide sequence as set forth in Figure 9, an attP1 nucleotide sequence as set forth in Figure 9, an attP2 nucleotide sequence as set forth in Figure 9, an attL1 nucleotide sequence as set forth in Figure 9, an attR1 nucleotide sequence as set forth in Figure 9, an attR1 nucleotide sequence as set forth in Figure 9, an attR2 nucleotide sequence as set forth in Figure 9, an attR1 nucleotide sequence as set forth in Figure 9, an attR2 nucleotide sequence as set forth in Figure 9, and attR2 nucleotide sequence as set forth in Figure 9, and attR2 nucleotide sequence as set forth in Figure 9, and attR2 nucleotide sequence as set forth in Figure 9, and attR2 nucleotide sequence as set forth in Figure 9, and attR2 nucleotide sequence as set forth in Figure 9, and attR1 nucleotide
- 2. An isolated nucleic acid molecule comprising an attB1 nucleotide sequence as set forth in Figure 9, a polynucleotide complementary thereto, or a mutant, fragment, variant or derivative thereof.
- 3. An isolated nucleic acid molecule comprising an attB2 nucleotide sequence as set forth in Figure 9, a polynucleotide complementary thereto, or a mutant, fragment, variant or derivative thereof.
- 4. An isolated nucleic acid molecule comprising an attP1 nucleotide sequence as set forth in Figure 9, a polynucleotide complementary thereto, or a mutant, fragment, variant or derivative thereof.
- 5. An isolated nucleic acid molecule comprising an attP2 nucleotide sequence as set forth in Figure 9, a polynucleotide complementary thereto, or a mutant, fragment, variant or derivative thereof.
- 6. An isolated nucleic acid molecule comprising an attL1 nucleotide sequence as set forth in Figure 9, a polynucleotide complementary thereto, or a mutant, fragment, variant or derivative thereof.

WO 00/52027 PCT/US00/05432

-169-

7. An isolated nucleic acid molecule comprising an attL2 nucleotide sequence as set forth in Figure 9, a polynucleotide complementary thereto, or a mutant, fragment, variant or derivative thereof.

5

8. An isolated nucleic acid molecule comprising an attR1 nucleotide sequence as set forth in Figure 9, a polynucleotide complementary thereto, or a mutant, fragment, variant or derivative thereof.

10

9. An isolated nucleic acid molecule comprising an attR2 nucleotide sequence as set forth in Figure 9, a polynucleotide complementary thereto, or a mutant, fragment, variant or derivative thereof.

15

one or more functional or structural nucleotide sequences selected from the group consisting of one or more multiple cloning sites, one or more localization signals, one or more transcription termination sites, one or more transcriptional regulatory sequences, one or more translational signals, one or more origins of replication, one or more fusion partner peptide-encoding nucleic acid molecules, one or more protease cleavage sites, and one or more 5' polynucleotide extensions.

20

The nucleic acid molecule of claim 10, wherein said transcriptional regulatory sequence is a promoter, an enhancer, or a repressor.

25

12. The nucleic acid molecule of claim 10, wherein said fusion partner peptide-encoding nucleic acid molecule encodes glutathione S-transferase (GST), hexahistidine (His₆), or thioredoxin (Trx).

The nucleic acid molecule of claim 10, wherein said 5'

30

13.

14. The nucleic acid molecule of claim 13, wherein said 5' polynucleotide extension consists of four or five guanine nucleotide bases.

polynucleotide extension consists of from one to five nucleotide bases.

WO 00/52027 PCT/US00/05432

-170-

15. A primer nucleic acid molecule suitable for amplifying a target nucleotide sequence, comprising the isolated nucleic acid molecule of claim 1 or a portion thereof linked to a target-specific nucleotide sequence useful in amplifying said target nucleotide sequence.

5

The primer nucleic acid molecule of claim 15, wherein said primer comprises an attB1 nucleotide sequence having the sequence shown in Figure 9 or a portion thereof, or a polynucleotide complementary to the sequence shown in Figure 9 or a portion thereof.

10

17. The primer nucleic acid molecule of claim 15, wherein said primer comprises an attB2 nucleotide sequence having the sequence shown in Figure 9 or a portion thereof, or a polynucleotide complementary to the sequence shown in Figure 9 or a portion thereof.

15

18. The primer nucleic acid molecule of claim 15, further comprising a 5' terminal extension of four or five guanine bases.

19.

A vector comprising the isolated nucleic acid molecule of claim 1.

20

20. The vector of claim 19, wherein said vector is an Expression Vector.

25

A host cell comprising the isolated nucleic acid molecule of claim 1 or the vector of claim 19.

22. A method of synthesizing or amplifying one or more nucleic acid molecules comprising:

30

(a) mixing one or more nucleic acid templates with at least one polypeptide having polymerase or reverse transcriptase activity and at least a first primer comprising a template-specific sequence that is complementary to or capable of hybridizing to said

(a)

first primer; and

templates and at least a second primer comprising all or a portion of a recombination site wherein said at least a portion of said second primer is homologous to or complementary to at least a portion of said first primer; and

5

(b) incubating said mixture under conditions sufficient to synthesize or amplify one or more nucleic acid molecules complementary to all or a portion of said templates and comprising one or more recombination sites or portions thereof at one or both termini of said molecules.

10

A method of synthesizing or amplifying one or more nucleic acid molecules comprising:

15

polypeptide having polymerase or reverse transcriptase activity and at least a first primer comprising a template-specific sequence that is complementary to or capable of hybridizing to said templates and at least a portion of a recombination site, and at least a second primer comprising all or a portion of a recombination site wherein said at least a portion of said recombination site on said second primer is complementary to or homologous to at least a portion of said recombination site on said

mixing one or more nucleic acid templates with at least one

20

25

(b) incubating said mixture under conditions sufficient to synthesize or amplify one or more nucleic acid molecules complementary to all or a portion of said templates and comprising one or more recombination sites or portions thereof at one or both termini of said molecules.

- 24. A method of amplifying or synthesizing one or more nucleic acid molecules comprising:
 - (a) mixing one or more nucleic acid templates with at least one polypeptide having polymerase or reverse transcriptase activity

WO 00/52027 PCT/US00/05432

-172-

and one or more first primers comprising at least a portion of a recombination site and a template-specific sequence that is complementary to or capable of hybridizing to said template;

(b) incubating said mixture under conditions sufficient to synthesize or amplify one or more first nucleic acid molecules complementary to all or a portion of said templates wherein said molecules comprise at least a portion of a recombination site at one or both termini of said molecules;

5

10

15

20

25

- (c) mixing said molecules with one or more second primers comprising one or more recombination sites, wherein said recombination sites of said second primers are homologous to or complementary to at least a portion of said recombination sites on said first nucleic acid molecules; and
- (d) incubating said mixture under conditions sufficient to synthesize or amplify one or more second nucleic acid molecules complementary to all or a portion of said first nucleic acid molecules and which comprise one or more recombination sites at one or both termini of said molecules.
- 25. A polypeptide encoded by the isolated nucleic acid molecule of any one of claims 1-10.
- 26. An isolated nucleic acid molecule comprising one or more att recombination sites comprising at least one mutation in its core region that increases the specificity of interaction between said recombination site and a second att recombination site.
- 27. The isolated nucleic acid molecule of claim 26, wherein said mutation is at least one substitution mutation of at least one nucleotide in the seven basepair overlap region of said core region of said recombination site.

5

10

15

20

25

- 28. The isolated nucleic acid molecule of claim 26, wherein said nucleic acid molecule comprises the sequence NNNATAC, wherein "N" refers to any nucleotide with the proviso that if one of the first three nucleotides in the consensus sequence is a T/U, then at least one of the other two of the first three nucleotides is not a T/U.
- 29. An isolated nucleic acid molecule comprising one or more mutated att recombination sites comprising at least one mutation in its core region that enhances the efficiency of recombination between a first nucleic acid molecule comprising said mutated att recombination site and a second nucleic acid molecule comprising a second recombination site that interacts with said mutated att recombination site.
- 30. The isolated nucleic acid molecule of claim 29, wherein said mutated att recombination site is a mutated attL site comprising a core region having the nucleotide sequence caacttnntnnnannaagttg, wherein "n" represents any nucleotide.
- 31. The isolated nucleic acid molecule of claim 30, wherein said mutated attL recombination site comprises a core region having a nucleotide sequence selected from agcctgctttattatactaagttggcatta (attL5) and agcctgcttttttatattaagttggcatta (attL6).
- 32. The isolated nucleic acid molecule of claim 29, wherein said mutated att recombination site comprises a core region having a nucleotide sequence selected from the group consisting of ggggacaactttgtacaaaaaagttggct (attB1.6), ggggacaactttgtacaagaaagctgggt (attB2.2), and ggggacaactttgtacaagaaagttgggt (attB2.10).
- 33. A vector selected from the group consisting of pENTR1A, pENTR2B, pENTR3C, pENTR4, pENTR5, pENTR6, pENTR7, pENTR8, pENTR9, pENTR10, pENTR11, pDEST1, pDEST2, pDEST3, pDEST4,

pDEST5, pDEST6, pDEST7, pDEST8, pDEST9, pDEST10, pDEST11, pDEST12.2 (also known as pDEST12), pDEST13, pDEST14, pDEST15, pDEST16, pDEST17, pDEST18, pDEST19, pDEST20, pDEST21, pDEST22, pDEST23, pDEST24, pDEST25, pDEST26, pDEST27, pDEST28, pDEST29, pDEST30, pDEST31, pDEST32, pDEST33, pDEST34, pDONR201 (also known as pENTR21 attP vector or pAttPkan Donor Vector), pDONR202, pDONR203 (also known as pEZ15812), pDONR204, pDONR205, pDONR206 (also known as pENTR22 attP vector or pAttPgen Donor Vector), pDONR207, pMAB58, pMAB62, pMAB85 and pMAB86.

10

5

- 34. A host cell comprising the vector of claim 33.
- 35. A polypeptide encoded by the vector of claim 33.

15

36. A kit for use in synthesizing a nucleic acid molecule, said kit comprising the isolated nucleic acid molecule of any one of claims 1-10, 26 and 29.

20

37.

comprising the primer of claim 15 or claim 18.

A kit for use in synthesizing a nucleic acid molecule, said kit

A kit for use in cloning a nucleic acid molecule, said kit comprising the vector of claim 19 or claim 33.





Figure 1



Amp T Colonies Next Day.

Maure 2





FIGURE 3



Kan Colonies Next Day

Faure 4

Donor Phanid

Kanr

By-product

Ampr

A

À







FIGURE 5



Figuret 6



FOURT 7



FOURT 8

Recombination Site Nucleotide Sequences

- attB1: 5'-ACAAGTTTGTACAAAAAAGCAGGCT-3'
- attB2: 5'-ACCCAGCTTTCTTGTACAAAGTGGT-3'
- attP1: 5'-TACAGGTCACTAATACCATCTAAGTAGTTGATTCATAGTGACTGGATATG-TTGTGTTTTACAGTATTATGTAGTCTGTTTTTTATGCAAAATCTAATTTA-ATATATTGATATTTATATCATTTTACGTTTCTCGTTCAGCTTTTTTGTAC-AAAGTTGGCATTATAAAAAAGCATTGCTCATCAATTTGTTGCAACGAACA-GGTCACTATCAGTCAAAATAAAATCATTATTTG-3'
- attP2: 5'-CAAATAATGATTTTATTTTGACTGATAGTGACCTGTTCGTTGCAACAAATTGATAAGCAATGCTTTCTTATAATGCCAACTTTGTACAAGAAAGCTGAACGAGAAACGTAAAATGATATAAATATCAATATTAAATTAGATTTTGCATAAAAAACAGACTACATAATACTGTAAAACACAACATATCCAGTCACTATGAATCAACTACTTAGATGGTATTAGTGACCTGTA-3'
- <u>attR1</u>: 5'-ACAAGTTTGTACAAAAAAGCTGAACGAGAAACGTAAAATGATATAAA-TATCAATATATAAATTAGATTTTGCATAAAAAACAGACTACATAATAC-TGTAAAACACAACATATCCAGTCACTATG-3'
- <u>attR2</u>: 5'-GCAGGTCGACCATAGTGACTGGATATGTTGTGTTTTACAGTATTAT-GTAGTCTGTTTTTATGCAAAATCTAATTTAATATATTGATATTT-ATACATTTTACGTTTCTCGTTCAGCTTTCTTGTACAAAGTGGT-3'
- <u>attL2</u>: 5'-CAAATAATGATTTTTTTTGACTGATAGTGACCTGTTCGTTGCAACAA-ATTGATAAGCAATGCTTTCTTATAATGCCAACTTTGTACAAGAAAGCTGGGT-3'

Figure 9


Figure 10A: Cloning sites of the Enty Vector PENTRIA (reading frame A)

ACT TTG TAC AAA AAA GCA GGC TTT AAA GGA ACC AAT TCA GTC GAC TGG ATC CGG TACI CGA ATT C TGA AAC ATG TTT TTT CGT CCG AAA TTT CCT TGG TTA AGT CAG CTG ACC TAGI GCC ATG GCT TAA G thr leu tyr lys lys ala gly phe lys gly thr asn ser val asp trp ile arg tyr arg ile

ECOR I NOT I Xho I ECOR V

CCOB gene - GLAAT TCG CGG CCG CAC ITCG AGA TAT CTA GAC CCA GCT TTC TTG TAC AAA

CCOB gene - GLAAT TCG CGG CCG GGC GTG AGC TCT ATA GAT CTG GGT CGA AAG AAC ATG TTT



pENTR1A 2717 bp

Base Nos.	Gene Encoded
67166	attL1
321626	ccdB
655754	attL2
8771686	KmR
17912364	ori -

				ACTCTTCCTG		
				ATAGTGACCT		
				TACAAAAAAG		
				TTACTAAAAG		
				TATACTGATA		
301	AAAAGAGGTG	TGCTTCTAGA	ATGCAGTTTA	AGGTTTACAC	CTATAAAAGA	GAGAGCCGTT
				TTATTGACAC		
				ATAAAGTCTC		
481	TGCATATCGG	GGATGAAAGC	TGGCGCATGA	TGACCACCGA	TATGGCCAGT	GTGCCGGTCT
				GCCACCGCGA		
601	TTAACCTGAT	GTTCTGGGGA	ATATAGAATT	CGCGGCCGCA	CTCGAGATAT	CTAGACCCAG
				AGCATTGCTT		
				TTTGCCATCC		
				GATAAAAATA		
841	CTGTCTGCTT	ACATAAACAG	TAATACAAGG	GGTGTTATGA	GCCATATTCA	ACGGGAAACG
901	TCGAGGCCGC	GATTAAATTC	CAACATGGAT	GCTGATTTAT	ATGGGTATAA	ATGGGCTCGC
				TATCGCTTGT		
1021	GAGTTGTTTC	TGAAACATGG	CAAAGGTAGC	GTTGCCAATG	ATGTTACAGA	TGAGATGGTC
				CTTCCGACCA		
				ATCCCCGGAA		
				GTTGATGCGC		
				TTTAACAGCG		
				GTTGATGCGA		
				GAAATGCATA		
				CTTGATAACC		
				GGAATCGCAG		
				CCTTCATTAC		
				TTGCAGTTTC		
				CATTATTCAG		
				TCTTCTTGAG		
				CTACCAGCGG		
				GGCTTCAGCA		
				CACTTCAAGA		
				GCTGCTGCCA		
				GATAAGGCGC		
				ACGACCTACA		
				GAAGGGAGAA		
				AGGGAGCTTC		
				TGACTTGAGC		
2341	TCAGGGGGC	GGAGCCTATG	GAAAAACGCC	AGCAACGCGG	CCTTTTTACG	GTTCCTGGCC
				CCTGCGTTAT		
2461	CGTATTACCG	CTAGCATGGA	TCTCGGGGAC	GTCTAACTAC	TAAGCGAGAG	TAGGGAACTG
				CGGAAGACTG		
				CAAATCCGCC		
			TGGCGGGCAG	GACGCCCGCC	ATAAACTGCC	AGGCATCAAA
2701	CTAAGCAGAA	GGCCATC				

FIGURE 10B

Figure UA: Cloning Sites of the Entry Vector pENTR2B (reading frame B)

Int attl1

EheI XmnI SalI BamHI

TTG TAC AAA AAA GCA GGC TGG CGC CGG AAC CAA TTC AGT CGA CTG GAT CCG
AAC ATG TTT TTT CGT CCG ACC GCG GCC TTG GTT AAG TCA GCT GAC CTA GGC

Leu Tyr Lys Lys Ala Gly Trp Arg Arg Asn Gln Phe Ser Arg Leu Asp Pro

KpnI EcoRI EcoRI NotI XhoI EcoRV XbaI

GTA dCG AAT TC- ccdB --G AAT TCG dGG CCG CAC TCG AGA TAT CTA GAC CCA
CAT GGC TTA AG C TTA AGC GCC GGC GTG AGC TCT ATA GAT GTG GGT

Val Pro Asn Asn Ser Arg Pro His Ser Arg Tyr Leu Asp Pro

Int attL2

GCT TTC TTG TAC AAA G
CGA AAG AAC ATG TTT C

Ala Phe Leu Tyr Lys

pENTR2B 2718 bp

Location (Base Nos.)	Gene Encoded
67166	attLl
322627	ccdB
656755	attL2
8781687	KmR
17922365	ori

1 CTGACGGATG GCCTTTTTGC GTTTCTACAA ACTCTTCCTG TTAGTTAGTT ACTTAAGCTC 61 GGGCCCCAAA TAATGATTTT ATTTTGACTG ATAGTGACCT GTTCGTTGCA ACAAATTGAT 121 AAGCAATGCT TTTTTATAAT GCCAACTTTG TACAAAAAAG CAGGCTGGCG CCGGAACCAA 181 TTCAGTCGAC TGGATCCGGT ACCGAATTCG CTTACTAAAA GCCAGATAAC AGTATGCGTA 241 TTTGCGCGCT GATTTTGCG GTATAAGAAT ATATACTGAT ATGTATACCC GAAGTATGTC 301 AAAAAGAGGT GTGCTTCTAG AATGCAGTTT AAGGTTTACA CCTATAAAAG AGAGAGCCGT 361 TATCGTCTGT TTGTGGATGT ACAGAGTGAT ATTATTGACA CGCCCGGGCG ACGGATGGTG 421 ATCCCCTGG CCAGTGCACG TCTGCTGTCA GATAAAGTCT CCCGTGAACT TTACCCGGTG 481 GTGCATATCG GGGATGAAAG CTGGCGCATG ATGACCACCG ATATGGCCAG TGTGCCGGTC 541 TCCGTTATCG GGGAAGAAGT GGCTGATCTC AGCCACCGCG AAAATGACAT CAAAAACGCC 601 ATTAACCTGA TGTTCTGGGG AATATAGAAT TCGCGGCCGC ACTCGAGATA TCTAGACCCA 661 GCTTTCTTGT ACAAAGTTGG CATTATAAGA AAGCATTGCT TATCAATTTG TTGCAACGAA 721 CAGGTCACTA TCAGTCAAAA TAAAATCATT ATTTGCCATC CAGCTGCAGC TCTGGCCCGT 781 GTCTCAAAAT CTCTGATGTT ACATTGCACA AGATAAAAAT ATATCATCAT GAACAATAAA 841 ACTGTCTGCT TACATAAACA GTAATACAAG GGGTGTTATG AGCCATATTC AACGGGAAAC 901 GTCGAGGCCG CGATTAAATT CCAACATGGA TGCTGATTTA TATGGGTATA AATGGGCTCG 961 CGATAATGTC GGGCAATCAG GTGCGACAAT CTATCGCTTG TATGGGAAGC CCGATGCGCC 1021 AGAGTTGTTT CTGAAACATG GCAAAGGTAG CGTTGCCAAT GATGTTACAG ATGAGATGGT 1081 CAGACTAAAC TGGCTGACGG AATTTATGCC TCTTCCGACC ATCAAGCATT TTATCCGTAC 1141 TCCTGATGAT GCATGGTTAC TCACCACTGC GATCCCCGGA AAAACAGCAT TCCAGGTATT 1201 AGAAGAATAT CCTGATTCAG GTGAAAATAT TGTTGATGCG CTGGCAGTGT TCCTGCGCCG 1261 GTTGCATTCG ATTCCTGTTT GTAATTGTCC TTTTAACAGC GATCGCGTAT TTCGTCTCGC 1321 TCAGGCGCAA TCACGAATGA ATAACGGTTT GGTTGATGCG AGTGATTTTG ATGACGAGCG 1381 TAATGGCTGG CCTGTTGAAC AAGTCTGGAA AGAAATGCAT AAACTTTTGC CATTCTCACC 1441 GGATTCAGTC GTCACTCATG GTGATTTCTC ACTTGATAAC CTTATTTTTG ACGAGGGGAA 1501 ATTAATAGGT TGTATTGATG TTGGACGAGT CGGAATCGCA GACCGATACC AGGATCTTGC 1561 CATCCTATGG AACTGCCTCG GTGAGTTTTC TCCTTCATTA CAGAAACGGC TTTTTCAAAA 1621 ATATGGTATT GATAATCCTG ATATGAATAA ATTGCAGTTT CATTTGATGC TCGATGAGTT 1681 TTTCTAATCA GAATTGGTTA ATTGGTTGTA ACATTATTCA GATTGGGCCC CGTTCCACTG 1741 AGCGTCAGAC CCCGTAGAAA AGATCAAAGG ATCTTCTTGA GATCCTTTTT TTCTGCGCGT 1801 AATCTGCTGC TTGCAAACAA AAAAACCACC GCTACCAGCG GTGGTTTGTT TGCCGGATCA 1861 AGAGCTACCA ACTCTTTTC CGAAGGTAAC TGGCTTCAGC AGAGCGCAGA TACCAAATAC 1921 TGTTCTTCTA GTGTAGCCGT AGTTAGGCCA CCACTTCAAG AACTCTGTAG CACCGCCTAC 1981 ATACCTCGCT CTGCTAATCC TGTTACCAGT GGCTGCTGCC AGTGGCGATA AGTCGTGTCT 2041 TACCGGGTTG GACTCAAGAC GATAGTTACC GGATAAGGCG CAGCGGTCGG GCTGAACGGG 2101 GGGTTCGTGC ACACAGCCCA GCTTGGAGCG AACGACCTAC ACCGAACTGA GATACCTACA 2161 GCGTGAGCTA TGAGAAAGCG CCACGCTTCC CGAAGGGAGA AAGGCGGACA GGTATCCGGT 2221 AAGCGGCAGG GTCGGAACAG GAGAGCGCAC GAGGGAGCTT CCAGGGGGAA ACGCCTGGTA 2281 TCTTTATAGT CCTGTCGGGT TTCGCCACCT CTGACTTGAG CGTCGATTTT TGTGATGCTC 2341 GTCAGGGGGG CGGAGCCTAT GGAAAAACGC CAGCAACGCG GCCTTTTTAC GGTTCCTGGC 2401 CTTTTGCTGG CCTTTTGCTC ACATGTTCTT TCCTGCGTTA TCCCCTGATT CTGTGGATAA 2461 CCGTATTACC GCTAGCATGG ATCTCGGGGA CGTCTAACTA CTAAGCGAGA GTAGGGAACT 2521 GCCAGGCATC AAATAAAACG AAAGGCTCAG TCGGAAGACT GGGCCTTTCG TTTTATCTGT 2581 TGTTTGTCGG TGAACGCTCT CCTGAGTAGG ACAAATCCGC CGGGAGCGGA TTTGAACGTT 2641 GTGAAGCAAC GGCCCGGAGG GTGGCGGGCA GGACGCCCGC CATAAACTGC CAGGCATCAA 2701 ACTAAGCAGA AGGCCATC

Figure ILB.

Figure [2A: Cloning Sites of the Entry Vector pENTR3C (reading frame C)

Int	:	attL:	1				Dra:	ľ		Xmn!	I.	Sá	alI	1	BamH:	Į.	
TTG	TAC	AAA	AAA	GCA	GGC	тст	TTA	AAG	GAA	cda	ATT	CAG	TCG	<u>A</u> CT	GGA	TCC	GGT
AAC	ATG	TTT	TTT	CGT	.CCG	AGA	AAT	TTC	CTT	GCT	TAA	GTC	AGC	TGA	CCT	AGG	QCA.
Leu							•			•				•		•	•

KpnI EcoRI PvuI EcoRI NotI XhoI EcoRV XbaI

ACC CAA TTC GAT CGC-- ccdB --G AAT TCG CGG CCG CAC TCG AGA TAT CTA
TGG CTT AAG CTA GCG CTT AAG CTA AGC GCC GGC GTG AGC TCT ATA GAT

Thr Glu Phe Asn Ser Arg Pro His Ser Arg Tyr Leu

attL2 Int

GAC CCA GCT TIC TTG TAC AAA G CIG GGT CGA AAG AAC ATG TTT C

Asp Pro Ala Phe Leu Tyr Lys

pENTR3C 2723 bp

Location (Base Nos.)	Gene Encoded
67166	attL1
327632	ccdB
661760	attL2
8831692	KmR
17972370	ori

1	CTGACGGATG	GCCTTTTTGC	GTTTCTACAA	ACTCTTCCTG	TTAGTTAGTT	ACTTAAGCTC
61	GGGCCCCAAA	TAATGATTTT	ATTTTGACTG	ATAGTGACCT	GTTCGTTGCA	ACAAATTGAT
121	AAGCAATGCT	TTTTTTATAAT	GCCAACTTTG	TACAAAAAAG	CAGGCTCTTT	AAAGGAACCA
181	ATTCAGTCGA	CTGGATCCGG	TACCGAATTC	GATCGCTTAC	TAAAAGCCAG	ATAACAGTAT
241	GCGTATTTGC	GCGCTGATTT	TTGCGGTATA	AGAATATATA	CTGATATGTA	TACCCGAAGT
301	ATGTCAAAAA	GAGGTGTGCT	TCTAGAATGC	AGTTTAAGGT	TTACACCTAT	AAAAGAGAGA
361	GCCGTTATCG	TCTGTTTGTG	GATGTACAGA	GTGATATTAT	TGACACGCCC	GGGCGACGGA
421	TGGTGATCCC	CCTGGCCAGT	GCACGTCTGC	TGTCAGATAA	AGTCTCCCGT	GAACTTTACC
481	CGGTGGTGCA	TATCGGGGAT	GAAAGCTGGC	GCATGATGAC	CACCGATATG	GCCAGTGTGC
541	CGGTCTCCGT	TATCGGGGAA	GAAGTGGCTG	ATCTCAGCCA	CCGCGAAAAT	GACATCAAAA
601	ACGCCATTAA	CCTGATGTTC	TGGGGAATAT	AGAATTCGCG	GCCGCACTCG	AGATATCTAG
661	ACCCAGCTTT	CTTGTACAAA	GTTGGCATTA	TAAGAAAGCA	TTGCTTATCA	ATTTGTTGCA
721	ACGAACAGGT	CACTATCAGT	CAAAATAAAA	TCATTATTTG	CCATCCAGCT	GCAGCTCTGG
781	CCCGTGTCTC	AAAATCTCTG	ATGTTACATT	GCACAAGATA	AAAATATATC	ATCATGAACA
841	ATAAAACTGT	CTGCTTACAT	AAACAGTAAT	ACAAGGGGTG	TTATGAGCCA	TATTCAACGG
901	GAAACGTCGA	GGCCGCGATT	AAATTCCAAC	ATGGATGCTG	ATTTATATGG	GTATAAATGG
961	GCTCGCGATA	ATGTCGGGCA	ATCAGGTGCG	ACAATCTATC*	GCTTGTATGG	GAAGCCCGAT
1021	GCGCCAGAGT	TGTTTCTGAA	ACATGGCAAA	GGTAGCGTTG	CCAATGATGT	TACAGATGAG
1081	ATGGTCAGAC	TAAACTGGCT	GACGGAATTT	ATGCCTCTTC	CGACCATCAA	GCATTTTATC
1141	CGTACTCCTG	ATGATGCATG	GTTACTCACC	ACTGCGATCC	CCGGAAAAAC	AGCATTCCAG
		AATATCCTGA				
1261	CGCCGGTTGC	ATTCGATTCC	TGTTTGTAAT	TGTCCTTTTA	ACAGCGATCG	CGTATTTCGT
1321	CTCGCTCAGG	CGCAATCACG	AATGAATAAC	GGTTTGGTTG	ATGCGAGTGA	TTTTGATGAC
1381	GAGCGTAATG	GCTGGCCTGT	TGAACAAGTC	TGGAAAGAAA	TGCATAAACT	TTTGCCATTC
1441	TCACCGGATT	CAGTCGTCAC	TCATGGTGAT	TTCTCACTTG	ATAACCTTAT	TTTTGACGAG
1501	GGGAAATTAA	TAGGTTGTAT	TGATGTTGGA	CGAGTCGGAA	TCGCAGACCG	ATACCAGGAT
1561	CTTGCCATCC	TATGGAACTG	CCTCGGTGAG	TTTTCTCCTT	CATTACAGAA	ACGGCTTTTT
		GTATTGATAA				
		AATCAGAATT				
		CAGACCCCGT				TTTTTTTCTG
		GCTGCTTGCA				TTGTTTGCCG
1861	GATCAAGAGC	TACCAACTCT	TTTTCCGAAG	GTAACTGGCT	TCAGCAGAGC	GCAGATACCA
		TTCTAGTGTA				
		TCGCTCTGCT			•	
2041	TGTCTTACCG	GGTTGGACTC	AAGACGATAG	TTACCGGATA	AGGCGCAGCG	GTCGGGCTGA
•		CGTGCACACA				
						GGACAGGTAT
						GGGAAACGCC
_						ATTTTTGTGA
		GGGGGCGGAG				
						TGATTCTGTG
						CGAGAGTAGG
						TTTCGTTTTA
						GCGGATTTGA
				GGGCAGGACG	CCCGCCATAA	ACTGCCAGGC
2701	ATCAAACTAA	GCAGAAGGCC	ATC			

Figure 13A: Cloning Sites of the Entry Vector pENTR4:

Int attL1	NcoI	Kozak XmnI	SalI	BamHI
TTG TAC AAA AAA AAC ATG TTT TTT	GCA GGC TCC ACC A	ATG GGA ACC AAT	TCA GTC GAC	TGG ATC CGG ACC TAG GCC
Leu Tyr Lys Lys	Ala Gly Ser Thr	V V Met Gly Thr Asn	Ser Val Asp	Trp Ile Arg

Int attL2

TTC TTG TAC AAA G AAG AAC ATG TTT C

Phe Leu Tyr Lys

pENTR4 2720 bp

Location (Base Nos.)		Gene Encoded
67166		attL1
324629		ccdB
658757	i	attL2
8801689		KmR
17942367		ori

1	CTGACGGATG	GCCTTTTTGC	GTTTCTACAA	ACTCTTCCTG	TTAGTTAGTT	ACTTAAGCTC
61	GGGCCCCAAA	TAATGATTTT	ATTTTGACTG	ATAGTGACCT	GTTCGTTGCA	ACAAATTGAT
121	AAGCAATGCT	TTTTTTATAAT	GCCAACTTTG	TACAAAAAAG	CAGGCTCCAC	CATGGGAACC
181	AATTCAGTCG	ACTGGATCCG	GTACCGAATT	CGCTTACTAA	AAGCCAGATA	ACAGTATGCG
241	TATTTGCGCG	CTGATTTTTG	CGGTATAAGA	ATATATACTG	ATATGTATAC	CCGAAGTATG
301	TCAAAAAGAG	GTGTGCTTCT	AGAATGCAGT	TTAAGGTTTA	CACCTATAAA	AGAGAGAGCC
361	GTTATCGTCT	GTTTGTGGAT	GTACAGAGTG	ATATTATTGA	CACGCCCGGG	CGACGGATGG
421	TGATCCCCCT	GGCCAGTGCA	CGTCTGCTGT	CAGATAAAGT	CTCCCGTGAA	CTTTACCCGG
481	TGGTGCATAT	CGGGGATGAA	AGCTGGCGCA	TGATGACCAC	CGATATGGCC	AGTGTGCCGG
541	TCTCCGTTAT	CGGGGAAGAA	GTGGCTGATC	TCAGCCACCG	CGAAAATGAC	ATCAAAAACG
601	CCATTAACCT	GATGTTCTGG	GGAATATAGA	ATTCGCGGCC	GCACTCGAGA	TATCTAGACC
661	CAGCTTTCTT	GTACAAAGTT	GGCATTATAA	GAAAGCATTG	CTTATCAATT	TGTTGCAACG
721	AACAGGTCAC	TATCAGTCAA	AATAAAATCA	TTATTTGCCA	TCCAGCTGCA	GCTCTGGCCC
781	GTGTCTCAAA	ATCTCTGATG	TTACATTGCA	CAAGATAAAA	ATATATCATC	ATGAACAATA
841	AAACTGTCTG	CTTACATAAA	CAGTAATACA	AGGGGTGTTA	TGAGCCATAT	TCAACGGGAA
901	ACGTCGAGGC	CGCGATTAAA	TTCCAACATG	GATGCTGATT	TATATGGGTA	TAAATGGGCT
961	CGCGATAATG	TCGGGCAATC	AGGTGCGACA	ATCTATCGCT	TGTATGGGAA	GCCCGATGCG
1021	CCAGAGTTGT	TTCTGAAACA	TGGCAAAGGT	AGCGTTGCCA	ATGATGTTAC	AGATGAGATG
	GTCAGACTAA					
	ACTCCTGGTG					
	TTAGAAGAAT					
	CGGTTGCATT					
	GCTCAGGCGC					
	CGTAATGGCT					
	CCGGATTCAG					
	AAATTAATAG					
	GCCATCCTAT				*	
	AAATATGGTA					
	TTTTTCTAAT					
	TGAGCGTCAG					
	GTAATCTGCŤ					
	CAAGAGCTAC					
	ACTGTTCTTC					
	ACATACCTCG					•
	CTTACCGGGT					
	GGGGGTTCGT					
	CAGCGTGAGC					
	GTAAGCGGCA					
	TATCTTTATA					
	TCGTCAGGGG					
	GCCTTTTGCT					
	AACCGTATTA					
	CTGCCAGGCA					
	GTTGTTTGTC					
	TTGTGAAGCA		GGGTGGCGGG	CAGGACGCCC	GCCATAAACT	GCCAGGCATC
2/01	AAACTAAGCA	GAAGGCCATC				

FGURE 13B

Figure 14: Cloning sites of the Entry Vector PENTES

Int att-1 Not I Kaxin I Sil I For page tac as as as as god god out cat at god as too god as too god as the cot tog the agt cag Leu Tup Lys Lys Ma Gly Me His Met Gly The As Ser Val

BamHI Kun I Ecc RI Ecc RI

gac tob atc con tac con att coc --- Death --- aga att coc

cto acc tag goc atg got taa gog --- (ccdB) --- tot taa gog

Asp Trp IIe Ary Tyr Ary IIe

Nut I XNI Ecci I XV. Int att LZ

bgc cgc act cga gat atc tag acc cag ctt tcz zgz aca acg --
ccg gcg tga gct cta tag atc tgg gtc gaa aga aca tgt ttc ---

pENTR5 2720 bp

Location (Base Nos.)	Gene Encoded
67166	attL1
324629	ccdB
658757	attL2
8801689	KmR
17942367	ori

1	CTGACGGATG	GCCTTTTTGC	GTTTCTACAA	ACTCTTCCTG	TTAGTTAGTT	ACTTAAGCTC
61	GGGCCCCAAA	TAATGATTTT	ATTTTGACTG	ATAGTGACCT	GTTCGTTGCA	ACAAATTGAT
121	AAGCAATGCT	TTTTTTATAAT	GCCAACTTTG	TACAAAAAAG	CAGGCTTTCA	TATGGGAACC
181	AATTCAGTCG	ACTGGATCCG	GTACCGAATT	CGCTTACTAA	AAGCCAGATA	ACAGTATGCG
241	TATTTGCGCG	CTGATTTTTG	CGGTATAAGA	ATATATACTG	ATATGTATAC	CCGAAGTATG
301	TCAAAAAGAG	GTGTGCTTCT	AGAATGCAGT	TTAAGGTTTA	CACCTATAAA	AGAGAGAGCC
361	GTTATCGTCT	GTTTGTGGAT	GTACAGAGTG	ATATTATTGA	CACGCCCGGG	CGACGGATGG
421	TGATCCCCCT	GGCCAGTGCA	CGTCTGCTGT	CAGATAAAGT	CTCCCGTGAA	CTTTACCCGG
481	TGGTGCATAT	CGGGGATGAA	AGCTGGCGCA	TGATGACCAC	CGATATGGCC	AGTGTGCCGG
541	TCTCCGTTAT	CGGGGAAGAA	GTGGCTGATC	TCAGCCACCG	CGAAAATGAC	ATCAAAAACG
601	CCATTAACCT	GATGTTCTGG	GGAATATAGA	ATTCGCGGCC	GCACTCGAGA	TATCTAGACC
661					CTTATCAATT	
721	AACAGGTCAC					
781					ATATATCATC	
841					TGAGCCATAT	
901					TATATGGGTA	
961					TGTATGGGAA	
	CCAGAGTTGT					
	GTCAGACTAA					
	ACTCCTGATG					
	TTAGAAGAAT					
	CGGTTGCATT					
	GCTCAGGCGC					
	CGTAATGGCT					
	CCGGATTCAG					
	AAATTAATAG					
	GCCATCCTAT					
	AAATATGGTA					
	TTTTTCTAAT					
	TGAGCGTCAG					
	GTAATCTGCT					
	CAAGAGCTAC					
	ACTGTTCTTC					
	ACATACCTCG					
	CCCCCTTCCT					
	GGGGGTTCGT					
	CAGCGTGAGC					
	GTAAGCGGCA					
	TATCTTTATA					
	TCGTCAGGGG					
	GCCTTTTGCT					
	AACCGTATTA					
	CTGCCAGGCA GTTGTTTGTC					
	TTGTGAAGCA					
	AAACTAAGCA		33010000	CAGGACGCCC	GCCATAAACT	GCCAGGCATC
2 / U I	MADDAM LARGE	CHARGECONIC				

FIGURE 14B

Figure 154: Cloning sites of the Entry Vector PEUTR 6

Int attll SphI Kaxma I Sull and tac and tac get to age the age cag led tac get to age the age cag Leu Tyr Lys Lys Ma Gly Cys Met My The Asa Ser Vol

BunHI KonI EpcRI EccRI

gac top atc cog tac cog att coc --- Death --- aga att coc

cto acc tag got atg get taa gog --- (cod8) --- tot taa gog

Asp Trp Ile Ary Tyr Ary Ile

pENTR6 2717 bp

<u>Location (Base Nos.)</u>	<u>Gene Encoded</u>
67166	attL1
321626	ccdB
655754	attL2
8771686	KmR
17912364	ori

1	CTGACGGATG	GCCTTTTTGC	GTTTCTACAA	ACTCTTCCTG	TTAGTTAGTT	ACTTAAGCTC
61	GGGCCCCAAA	TAATGATTTT	ATTTTGACTG	ATAGTGACCT	GTTCGTTGCA	ACAAATTGAT
121	AAGCAATGCT	TTTTTTATAAT	GCCAACTTTG	TACAAAAAAG	CAGGCTGCAT	GCGAACCAAT
181	TCAGTCGACT	GGATCCGGTA	CCGAATTCGC	TTACTAAAAG	CCAGATAACA	GTATGCGTAT
241	TTGCGCGCTG	ATTTTTGCGG	TATAAGAATA	TATACTGATA	TGTATACCCG	AAGTATGTCA
301	AAAAGAGGTG	TGCTTCTAGA	ATGCAGTTTA	AGGTTTACAC	CTATAAAAGA	GAGAGCCGTT
361	ATCGTCTGTT	TGTGGATGTA	CAGAGTGATA	TTATTGACAC	GCCCGGGCGA	CGGATGGTGA
421	TCCCCCTGGC	CAGTGCACGT	CTGCTGTCAG	ATAAAGTCTC	CCGTGAACTT	TACCCGGTGG
	TGCATATCGG					
	CCGTTATCGG					
	TTAACCTGAT					-
	CTTTCTTGTA					
	AGGTCACTAT					
	TCTCAAAATC					
	CTGTCTGCTT					
901	TCGAGGCCGC	GATTAAATTC	CAACATGGAT	GCTGATTTAT	ATGGGTATAA	ATGGGCTCGC
	GATAATGTCG					
	GAGTTGTTTC					
	AGACTAAACT					
1141	CCTGATGATG	CATGGTTACT	CACCACTGCG	ATCCCCGGAA	AAACAGCATT	CCAGGTATTA
1201	GAAGAATATC	CTGATTCAGG	TGAAAATATT	GTTGATGCGC	TGGCAGTGTT	CCTGCGCCGG
1261	TTGCATTCGA	TTCCTGTTTG	TAATTGTCCT	TTTAACAGCG	ATCGCGTATT	TCGTCTCGCT
1321	CAGGCGCAAT	CACGAATGAA	TAACGGTTTG	GTTGATGCGA	GTGATTTTGA	TGACGAGCGT
1381	AATGGCTGGC	CTGTTGAACA	AGTCTGGAAA	GAAATGCATA	AACTTTTGCC	ATTCTCACCG
1441	GATTCAGTCG	TCACTCATGG	TGATTTCTCA	CTTGATAACC	TTATTTTTGA	CGAGGGGAAA
1501	TTAATAGGTT	GTATTGATGT	TGGACGAGTC	GGAATCGCAG	ACCGATACCA	GGATCTTGCC
1561	ATCCTATGGA	ACTGCCTCGG	TGAGTTTTCT	CCTTCATTAC	AGAAACGGCT	TTTTCAAAAA
1621	TATGGTATTG	ATAATCCTGA	TATGAATAAA	TTGCAGTTTC	ATTTGATGCT	CGATGAGTTT
1681	TTCTAATCAG	AATTGGTTAA	TTGGTTGTAA	CATTATTCAG	ATTGGGCCCC	GTTCCACTGA
1741	GCGTCAGACC	CCGTAGAAAA	GATCAAAGGA	TCTTCTTGAG	ATCCTTTTTT	TCTGCGCGTA
1801	ATCTGCTGCT	TGCAAACAAA	AAAACCACCG	CTACCAGCGG	TGGTTTGTTT	GCCGGATCAA
1861	GAGCTACCAA	CTCTTTTTCC	GAAGGTAACT	GGCTTCAGCA	GAGCGCAGAT	ACCAAATACT
1921	GTTCTTCTAG	TGTAGCCGTA	GTTAGGCCAC	CACTTCAAGA	ACTCTGTAGC	ACCGCCTACA
1981	TACCTCGCTC	TGCTAATCCT	GTTACCAGTG	GCTGCTGCCA	GTGGCGATAA	GTCGTGTCTT
2041	ACCGGGTTGG	ACTCAAGACG	ATAGTTACCG	GATAAGGCGC	AGCGGTCGGG	CTGAACGGGG
2101	GGTTCGTGCA	CACAGCCCAG	CTTGGAGCGA	ACGACCTACA	CCGAACTGAG	ATACCTACAG
2161	CGTGAGCTAT	GAGAAAGCGC	CACGCTTCCC	GAAGGGAGAA	AGGCGGACAG	GTATCCGGTA
2221	AGCGGCAGGG	TCGGAACAGG	AGAGCGCACG	AGGGAGCTTC	CAGGGGGAAA	CGCCTGGTAT
2281	CTTTATAGTC	CTGTCGGGTT	TCGCCACCTC	TGACTTGAGC	GTCGATTTTT	GTGATGCTCG
	TCAGGGGGGC					
	TTTTGCTGGC					
	CGTATTACCG					
	CCAGGCATCA					
	GTTTGTCGGT					
	TGAAGCAACG					
	CTAAGCAGAA					

FIGURE 15B

Figure 16A: Cloning sites of the Entry Vector PENTRI

```
attL1
    ttg tac aaa aaa gca ggc ttt gaa aac ctg tat ttt caa gga
--- aac atg ttt ttt cgt ccg aaa ctt ttg gac ata aaa gtt cct
     Leu Tyr Lys VLys Ala Gly Phe Glu Asn Leu Tyr Phe Gln AGly
                                                 TEV Protease
   Xmn I
                     Sal I
                               Bam
                                           KpnI Eco RI
acc gtt tca tgc atc gtc gac tgg atc cgg tac cga att cgc ---
tgg caa agt acg tag cag ctg acc tag gqc atg gct taa gcg ---
Thr Val Ser Cys Ile Val Asp Trp Ile Arg Tyr Arg Ile
            EcoR I
                       Not I
                                  Xho I EcoR V Xba I
        --- aga att cgc ggc cgc adt cga gat atc tag acc cag
 Death
        --- tet taa geg eeg geg tga get eta tag ate tgg gte
    Int
         att 12
ctt tct tgt aca aag ---
gaa aga aca tgt ttc ---
```

23/240

pENTR7 2738 bp

Location (Base Nos.)	<u>Gene Encoded</u>
67166	attLl
342647	ccdB
676775	attL2
8981707	KmR
18122385	ori

1	CTGACGGATG	GCCTTTTTGC	GTTTCTACAA	ACTCTTCCTG	TTAGTTAGTT	ACTTAAGCTC
61	GGGCCCCAAA	TAATGATTTT	ATTTTGACTG	ATAGTGACCT	GTTCGTTGCA	ACAAATTGAT
121	AAGCAATGCT	TTTTTTATAAT	GCCAACTTTG	TACAAAAAAG	CAGGCTTTGA	AAACCTGTAT
181	TTTCAAGGAA	CCGTTTCATG	CATCGTCGAC	TGGATCCGGT	ACCGAATTCG	CTTACTAAAA
241	GCCAGATAAC	AGTATGCGTA	TTTGCGCGCT	GATTTTTGCG	GTATAAGAAT	ATATACTGAT
301	ATGTATACCC	GAAGTATGTC	AAAAAGAGGT	GTGCTTCTAG	AATGCAGTTT	AAGGTTTACA
361	CCTATAAAAG	AGAGAGCCGT	TATCGTCTGT	TTGTGGATGT	ACAGAGTGAT	ATTATTGACA
	CGCCCGGGCG					
	CCCGTGAACT					
	ATATGGCCAG					
	AAAATGACAT					
661	ACTCGAGATA	TCTAGACCCA	GCTTTCTTGT	ACAAAGTTGG	CATTATAAGA	AAGCATTGCT
	TATCAATTTG		· · · · ·			
	CAGCTGCAGC					
841	ATATCATCAT	GAACAATAAA	ACTGTCTGCT	TACATAAACA	GTAATACAAG	GGGTGTTATG
901	AGCCATATTC	AACGGGAAAC	GTCGAGGCCG	CGATTAAATT	CCAACATGGA	TGCTGATTTA
961	TATGGGTATA	AATGGGCTCG	CGATAATGTC	GGGCAATCAG	GTGCGACAAT	CTATCGCTTG
1021	TATGGGAAGC	CCGATGCGCC	AGAGTTGTTT	CTGAAACATG	GCAAAGGTAG	CGTTGCCAAT
1081	GATGTTACAG	ATGAGATGGT	CAGACTAAAC	TGGCTGACGG	AATTTATGCC	TCTTCCGACC
1141	ATCAAGCATT	TTATCCGTAC	TCCTGATGAT	GCATGGTTAC	TCACCACTGC	GATCCCCGGA
1201	AAAACAGCAT	TCCAGGTATT	AGAAGAATAT	CCTGATTCAG	GTGAAAATAT	TGTTGATGCG
1261	CTGGCAGTGT	TCCTGCGCCG	GTTGCATTCG	ATTCCTGTTT	GTAATTGTCC	TTTTAACAGC
1321	GATCGCGTAT	TTCGTCTCGC	TCAGGCGCAA	TCACGAATGA	ATAACGGTTT	GGTTGATGCG
1381	AGTGATTTTG	ATGACGAGCG	TAATGGCTGG	CCTGTTGAAC	AAGTCTGGAA	AGAAATGCAT
1441	AAACTTTTGC	CATTCTCACC	GGATTCAGTC	GTCACTCATG	GTGATTTCTC	ACTTGATAAC
1501	CTTATTTTTG	ACGAGGGGAA	ATTAATAGGT	TGTATTGATG	TTGGACGAGT	CGGAATCGCA
1561	GACCGATACC	AGGATCTTGC	CATCCTATGG	AACTGCCTCG	GTGAGTTTTC	TCCTTCATTA
1621	CAGAAACGGC	TTTTTCAAAA	ATATGGTATT	GATAATCCTG	ATATGAATAA	ATTGCAGTTT
1681	CATTTGATGC	TCGATGAGTT	TTTCTAATCA	GAATTGGTTA	ATTGGTTGTA	ACATTATTCA
1741	GATTGGGCCC	CGTTCCACTG	AGCGTCAGAC	CCCGTAGAAA	AGATCAAAGG	ATCTTCTTGA
1801	GATCCTTTTT	TTCTGCGCGT	AATCTGCTGC	TTGCAAACAA	AAAAACCACC	GCTACCAGCG
1861	GTGGTTTGTT	TGCCGGATCA	AGAGCTACCA	ACTCTTTTTC	CGAAGGTAAC	TGGCTTCAGC
	AGAGCGCAGA					
1981	AACTCTGTAG	CACCGCCTAC	ATACCTCGCT	CTGCTAATCC	TGTTACCAGT	GGCTGCTGCC
2041	AGTGGCGATA	AGTCGTGTCT	TACCGGGTTG	GACTCAAGAC	GATAGTTACC	GGATAAGGCG
2101	CAGCGGTCGG	GCTGAACGGG	GGGTTCGTGC	ACACAGCCCA	GCTTGGAGCG	AACGACCTAC
2161	ACCGAACTGA	GATACCTACA	GCGTGAGCTA	TGAGAAAGCG	CCACGCTTCC	CGAAGGGAGA
2221	AAGGCGGACA	GGTATCCGGT	AAGCGGCAGG	GTCGGAACAG	GAGAGCGCAC	GAGGGAGCTT
2281	CCAGGGGGAA	ACGCCTGGTA	TCTTTATAGT	CCTGTCGGGT	TTCGCCACCT	CTGACTTGAG
	CGTCGATTTT					
2401	GCCTTTTTAC	GGTTCCTGGC	CTTTTGCTGG	CCTTTTGCTC	ACATGTTCTT	TCCTGCGTTA
2461	TCCCCTGATT	CTGTGGATAA	CCGTATTACC	GCTAGCATGG	ATCTCGGGGA	CGTCTAACTA
2521	CTAAGCGAGA	GTAGGGAACT	GCCAGGCATC	AAATAAAACG	AAAGGCTCAG	TCGGAAGACT
	GGGCCTTTCG					
	CGGGAGCGGA					
2701	CATAAACTGC	CAGGCATCAA	ACTAAGCAGA	AGGCCATC		

TIGURE 16B

Figure 17A: Cloning Sites of the EATY Vector PEUTRB

The stril

-- Tot stril

-- Tot tac and and god god tot god and cot tot god at the can god

-- page at the tot cot cog and cot tog god at and got cot

Leu Tyr Lys Lys Ma Gly Phe Glu Asn Lau Tyr Phe Gln Gly

TEV Protesse

NCOI ha II 501 Bout I Kon I Ecol I ace atg bac cta ste sac top ate cgg tac cda att cgc --tgg tac ctg gat cag ctg ace tag gcc atg gct taa gcg --Thr Met Asp Lan Val Asp Trp IIe Arg Tyr Arg IIe

Death --- aga att cgc ggc cgc act cga gat atc tag acc cag
--- tet taa geg ecg geg tga get eta tag atc tgg gtc

ctt tct/kgt/aca aag --gaa aga aca tgt ttc/---

25/240

pENTR8 2735 bp

Location (Base Nos.)	<u>Gene Encoded</u>
67166	attL1
339644	ccdB
673772	attL2
8951704	KmR
18092382	ori

1 CTGACGGATG GCCTTTTTGC GTTTCTACAA ACTCTTCCTG TTAGTTAGTT ACTTAAGCTC 61 GGGCCCCAAA TAATGATTTT ATTTTGACTG ATAGTGACCT GTTCGTTGCA ACAAATTGAT 121 AAGCAATGCT TTTTTATAAT GCCAACTTTG TACAAAAAAG CAGGCTTTGA AAACCTGTAT 181 TTTCAAGGAA CCATGGACCT AGTCGACTGG ATCCGGTACC GAATTCGCTT ACTAAAAGCC 241 AGATAACAGT ATGCGTATTT GCGCGCTGAT TTTTGCGGTA TAAGAATATA TACTGATATG 301 TATACCCGAA GTATGTCAAA AAGAGGTGTG CTTCTAGAAT GCAGTTTAAG GTTTACACCT 361 ATAAAAGAGA GAGCCGTTAT CGTCTGTTTG TGGATGTACA GAGTGATATT ATTGACACGC 421 CCGGGCGACG GATAGTGATC CCCCTGGCCA GTGCACGTCT GCTGTCAGAT AAAGTCTCCC 481 GTGAACTTTA CCCGGTGGTG CATATCGGGG ATGAAAGCTG GCGCATGATG ACCACCGATA 541 TGGCCAGTGT GCCGGTCTCC GTTATCGGGG AAGAAGTGGC TGATCTCAGC CACCGCGAAA 601 ATGACATCAA AAACGCCATT AACCTGATGT TCTGGGGAAT ATAGAATTCG CGGCCGCACT 661 CGAGATATCT AGACCCAGCT TTCTTGTACA AAGTTGGCAT TATAAGAAAG CATTGCTTAT 721 CAATTTGTTG CAACGAACAG GTCACTATCA GTCAAAATAA AATCATTATT TGCCATCCAG 781 CTGCAGCTCT GGCCCGTGTC TCAAAATCTC TGATGTTACA TTGCACAAGA TAAAAATATA 841 TCATCATGAA CAATAAAACT GTCTGCTTAC ATAAACAGTA ATACAAGGGG TGTTATGAGC 901 CATATTCAAC GGGAAACGTC GAGGCCGCGA TTAAATTCCA ACATGGATGC TGATTTATAT 961 GGGTATAAAT GGGCTCGCGA TAATGTCGGG CAATCAGGTG CGACAATCTA TCGCTTGTAT 1021 GGGAAGCCCG ATGCGCCAGA GTTGTTTCTG AAACATGGCA AAGGTAGCGT TGCCAATGAT 1081 GTTACAGATG AGATGGTCAG ACTAAACTGG CTGACGGAAT TTATGCCTCT TCCGACCATC 1141 AAGCATTTTA TCCGTACTCC TGATGATGCA TGGTTACTCA CCACTGCGAT CCCCGGAAAA 1201 ACAGCATTCC AGGTATTAGA AGAATATCCT GATTCAGGTG AAAATATTGT TGATGCGCTG 1261 GCAGTGTCCC TGCGCCGGTT GCATTCGATT CCTGTTTGTA ATTGTCCTTT TAACAGCGAT 1321 CGCGTATTTC GTCTCGCTCA GGCGCAATCA CGAATGAATA ACGGTTTGGT TGATGCGAGT 1381 GATTTTGATG ACGAGCGTAA TGGCTGGCCT GTTGAACAAG TCTGGAAAGA AATGCATAAA 1441 CTTTTGCCAT TCTCACCGGA TTCAGTCGTC ACTCATGGTG ATTTCTCACT TGATAACCTT 1501 ATTTTTGACG AGGGGAAATT AATAGGTTGT ATTGATGTTG GACGAGTCGG AATCGCAGAC 1561 CGATACCAGG ATCTTGCCAT CCTATGGAAC TGCCTCGGTG AGTTTTCTCC TTCATTACAG 1621 AAACGGCTTT TTCAAAAATA TGGTATTGAT AATCCTGATA TGAATAAATT GCAGTTTCAT 1681 TTGATGCTCG ATGAGTTTTT CTAATCAGAA TTGGTTAATT GGTTGTAACA TTATTCAGAT 1741 TGGGCCCCGT TCCACTGAGC GTCAGACCCC GTAGAAAAGA TCAAAGGATC TTCTTGAGAT 1801 CCTTTTTTC TGCGCGTAAT CTGCTGCTTG CAAACAAAA AACCACCGCT ACCAGCGGTG 1861 GTTTGTTTGC CGGATCAAGA GCTACCAACT CTTTTTCCGA AGGTAACTGG CTTCAGCAGA 1921 GCGCAGATAC CAAATACTGT TCTTCTAGTG TAGCCGTAGT TAGGCCACCA CTTCAAGAAC 1981 TCTGTAGCAC CGCCTACATA CCTCGCTCTG CTAATCCTGT TACCAGTGGC TGCTGCCAGT 2041 GGCGATAAGT CGTGTCTTAC CGGGTTGGAC TCAAGACGAT AGTTACCGGA TAAGGCGCAG 2101 CGGTCGGGCT GAACGGGGG TTCGTGCACA CAGCCCAGCT TGGAGCGAAC GACCTACACC 2161 GAACTGAGAT ACCTACAGCG TGAGCTATGA GAAAGCGCCA CGCTTCCCGA AGGGAGAAAG 2221 GCGGACAGGT ATCCGGTAAG CGGCAGGGTC GGAACAGGAG AGCGCACGAG GGAGCTTCCA 2281 GGGGGAAACG CCTGGTATCT TTATAGTCCT GTCGGGTTTC GCCACCTCTG ACTTGAGCGT 2341 CGATTTTGT GATGCTCGTC AGGGGGGCGG AGCCTATGGA AAAACGCCAG CAACGCGGCC 2401 TTTTTACGGT TCCTGGCCTT TTGCTGGCCT TTTGCTCACA TGTTCTTTCC TGCGTTATCC 2461 CCTGATTCTG TGGATAACCG TATTACCGCT AGCATGGATC TCGGGGACGT CTAACTACTA 2521 AGCGAGAGTA GGGAACTGCC AGGCATCAAA TAAAACGAAA GGCTCAGTCG GAAGACTGGG 2581 CCTTTCGTTT TATCTGTTGT TTGTCGGTGA ACGCTCTCCT GAGTAGGACA AATCCGCCGG 2641 GAGCGGATTT GAACGTTGTG AAGCAACGGC CCGGAGGGTG GCGGGCAGGA CGCCCGCCAT 2701 AAACTGCCAG GCATCAAACT AAGCAGAAGG CCATC

FIGURE 17B

: 26/240

Figure 18A: Cloning sites of the Entry Vector PENTRA

Int situl

Fig tac aaa aaa gca ggc ttt gaa aac ctg tat ttt caa gga

Fig tac aaa aaa gca ggc ttt gaa aac ctg tat ttt caa gga

Fig tac aaa aaa gca ggc ttt gaa aac ctg tat ttt caa gga

Lau Tyr Lys Lys Ma Gly Phe Glu Asn Leu Tyr Phe Gln Gly

TEV protease

NdeI ByII SalI BunHI KenI EcoRI

cat atg aga tot get gat tot atc ogg tacloga att ogc --gta tac tot aga cag odg acc tag got atg got taa gog --
His Met Ang Ser Val Asp Trp Ite Ang Tyr Ang Ite

Death --- aga att ege loge ege act ega gat ate tag acc cag
--- tet taa geg eeg geg tga get eta tag ate tgg gte

ctt tet tet aea sag --gaa aga aca tet tec ----

27/240

pENTR9 2735 bp

Location (Base Nos.)	Gene Encoded
67166	attL1
339644	ccdB
673772	attL2
8951704	KmR
18092382	ori

1	CTGACGGATG	GCCTTTTTGC	GTTTCTACAA	ACTCTTCCTG	TTAGTTAGTT	ACTTAAGCTC
61	GGGCCCCAAA	TAATGATTTT	ATTTTGACTG	ATAGTGACCT	GTTCGTTGCA	ACAAATTGAT
121	AAGCAATGCT	TTTTTTATAAT	GCCAACTTTG	TACAAAAAAG	CAGGCTTTGA	AAACCTGTAT
181	TTTCAAGGAC	ATATGAGATC	TGTCGACTGG	ATCCGGTACC	GAATTCGCTT	ACTAAAAGCC
241	AGATAACAGT	ATGCGTATTT	GCGCGCTGAT	TTTTGCGGTA	TAAGAATATA	TACTGATATG
301	TATACCCGAA	GTATGTCAAA	AAGAGGTGTG	CTTCTAGAAT	GCAGTTTAAG	GTTTACACCT
361	ATAAAAGAGA	GAGCCGTTAT	CGTCTGTTTG	TGGATGTACA	GAGTGATATT	ATTGACACGC
421	CCGGGCGACG	GATAGTGATC	CCCCTGGCCA	GTGCACGTCT	GCTGTCAGAT	AAAGTCTCCC
481	GTGAACTTTA	CCCGGTGGTG	CATATCGGGG	ATGAAAGCTG	GCGCATGATG	ACCACCGATA
541	TGGCCAGTGT	GCCGGTCTCC	GTTATCGGGG	AAGAAGTGGC	TGATCTCAGC	CACCGCGAAA
601	ATGACATCAA	AAACGCCATT	AACCTGATGT	TCTGGGGAAT	ATAGAATTCG	CGGCCGCACT
661	CGAGATATCT	AGACCCAGCT	TTCTTGTACA	AAGTTGGCAT	TATAAGAAAG	CATTGCTTAT
721	CAATTTGTTG	CAACGAACAG	GTCACTATCA	GTCAAAATAA	AATCATTATT	TGCCATCCAG
781	CTGCAGCTCT	GGCCCGTGTC	TCAAAATCTC	TGATGTTACA	TTGCACAAGA	TAAAAATATA
841	TCATCATGAA	CAATAAAACT	GTCTGCTTAC	ATAAACAGTA	ATACAAGGGG	TGTTATGAGC
901	CATATTCAAC	GGGAAACGTC	GAGGCCGCGA	TTAAATTCCA	ACATGGATGC	TGATTTATAT
961	GGGTATAAAT	GGGCTCGCGA	TAATGTCGGG	CAATCAGGTG	CGACAATCTA	TCGCTTGTAT
1021	GGGAAGCCCG	ATGCGCCAGA	GTTGTTTCTG	AAACATGGCA	AAGGTAGCGT	TGCCAATGAT
1081	GTTACAGATG	AGATGGTCAG	ACTAAACTGG	CTGACGGAAT	TTATGCCTCT	TCCGACCATC
1141	AAGCATTTTA	TCCGTACTCC	TGATGATGCA	TGGTTACTCA	CCACTGCGAT	CCCCGGAAAA
1201	ACAGCATTCC	AGGTATTAGA	AGAATATCCT	GATTCAGGTG	AAAATATTGT	TGATGCGCTG
1261	GCAGTGTCCC	TGCGCCGGTT	GCATTCGATT	CCTGTTTGTA	ATTGTCCTTT	TAACAGCGAT
1321	CGCGTATTTC	GTCTCGCTCA	GGCGCAATCA	CGAATGAATA	ACGGTTTGGT	TGATGCGAGT
1381	GATTTTGATG	ACGAGCGTAA	TGGCTGGCCT	GTTGAACAAG	TCTGGAAAGA	AATGCATAAA
1441	CTTTTGCCAT	TCTCACCGGA	TTCAGTCGTC	ACTCATGGTG	ATTTCTCACT	TGATAACCTT
1501	ATTTTTGACG	AGGGGAAATT	AATAGGTTGT	ATTGATGTTG	GACGAGTCGG	AATCGCAGAC
1561	CGATACCAGG	ATCTTGCCAT	CCTATGGAAC	TGCCTCGGTG	AGTTTTCTCC	TTCATTACAG
1621	AAACGGCTTT	TTCAAAAATA	TGGTATTGAT	AATCCTGATA	TGAATAAATT	GCAGTTTCAT
1681	TTGATGCTCG	ATGAGTTTTT	CTAATCAGAA	TTGGTTAATT	GGTTGTAACA	TTATTCAGAT
1741	TGGGCCCCGT	TCCACTGAGC	GTCAGACCCC	GTAGAAAAGA	TCAAAGGATC	TTCTTGAGAT
1801	CCTTTTTTTC	TGCGCGTAAT	CTGCTGCTTG	CAAACAAAAA	AACCACCGCT	ACCAGCGGTG
1861	GTTTGTTTGC	CGGATCAAGA	GCTACCAACT	CTTTTTCCGA	AGGTAACTGG	CTTCAGCAGA
1921	GCGCAGATAC	CAAATACTGT	TCTTCTAGTG	TAGCCGTAGT	TAGGCCACCA	CTTCAAGAAC
	TCTGTAGCAC	•	_			
2041	GGCGATAAGT	CGTGTCTTAC	CGGGTTGGAC	TCAAGACGAT	AGTTACCGGA	TAAGGCGCAG
	CGGTCGGGCT					
	GAACTGAGAT					
2221	GCGGACAGGT	ATCCGGTAAG	CGGCAGGGTC	GGAACAGGAG	AGCGCACGAG	GGAGCTTCCA
1	GGGGGAAACG	· -				
	CGATTTTTGT				•	
	TTTTTACGGT					·
2461	CCTGATTCTG	TGGATAACCG	TATTACCGCT	AGCATGGATC	TCGGGGACGT	CTAACTACTA
2521	AGCGAGAGTA	GGGAACTGCC	AGGCATCAAA	TAAAACGAAA	GGCTCAGTCG	GAAGACTGGG
2581	CCTTTCGTTT	TATCTGTTGT	TTGTCGGTGA	ACGCTCTCCT	GAGTAGGACA	AATCCGCCGG
2641	GAGCGGATTT	GAACGTTGTG	AAGCAACGGC	CCGGAGGGTG	GCGGGCAGGA	CGCCCGCCAT
2701	AAACTGCCAG	GCATCAAACT	AAGCAGAAGG	CCATC		

Fame 18B

Figure 19A: Cloning sites of the Entry Vector PEVILIO

Int Stell 5.D. - 12 Nde -- 200 tac aaa aaa gca ggc tic gaa cta agg aaa tac tta cat -- dad atg ett ttt cgt ccg aag ctt gat tec ttt atg aat gta Leu Tyr Lys Lys Ma Gy Phe Glu Leu Arg Lys Tyr Lou His

atg gga lace aat toa gto gao tgb ato cgg tac cga att cgc --tac cot tgg tta agt cag cag acc tag gcp atg gct taa gcg --Met Gly The Asn Ser Val Asp Trp Ile Arg Tyr Ag Ile

EaskI Not No EaskI No. 2462

Death --- aga att ege gge ege adt ega gat ate tag acc cag

(ccdB) --- tet taa geg eeg geg tga get eta tag atd tgg gte

ctt the egy are any -7-7
gan aga aca top tor ---

29/240

pENTR10 2738 bp

Location (Base Nos.)	Gene Encoded
67166	attL1
342647	ccdB
676775	attL2
8981707	KmR
18122385	ori

1 CTGACGGATG GCCTTTTTGC GTTTCTACAA ACTCTTCCTG TTAGTTAGTT ACTTAAGCTC 61 GGGCCCCAAA TAATGATTTT ATTTTGACTG ATAGTGACCT GTTCGTTGCA ACAAATTGAT 121 AAGCAATGCT TTTTTATAAT GCCAACTTTG TACAAAAAAG CAGGCTTCGA ACTAAGGAAA 181 TACTTACATA TGGGAACCAA TTCAGTCGAC TGGATCCGGT ACCGAATTCG CTTACTAAAA 241 GCCAGATAAC AGTATGCGTA TTTGCGCGCT GATTTTTGCG GTATAAGAAT ATATACTGAT 301 ATGTATACCC GAAGTATGTC AAAAAGAGGT GTGCTTCTAG AATGCAGTTT AAGGTTTACA 361 CCTATAAAAG AGAGAGCCGT TATCGTCTGT TTGTGGATGT ACAGAGTGAT ATTATTGACA 421 CGCCCGGGCG ACGGATGGTG ATCCCCCTGG CCAGTGCACG TCTGCTGTCA GATAAAGTCT 481 CCCGTGAACT TTACCCGGTG GTGCATATCG GGGATGAAAG CTGGCGCATG ATGACCACCG 541 ATATGGCCAG TGTGCCGGTC TCCGTTATCG GGGAAGAAGT GGCTGATCTC AGCCACCGCG 601 AAAATGACAT CAAAAACGCC ATTAACCTGA TGTTCTGGGG AATATAGAAT TCGCGGCCGC 661 ACTCGAGATA TCTAGACCCA GCTTTCTTGT ACAAAGTTGG CATTATAAGA AAGCATTGCT 721 TATCAATTTG TTGCAACGAA CAGGTCACTA TCAGTCAAAA TAAAATCATT ATTTGCCATC 781 CAGCTGCAGC TCTGGCCCGT GTCTCAAAAT CTCTGATGTT ACATTGCACA AGATAAAAAT 841 ATATCATCAT GAACAATAAA ACTGTCTGCT TACATAAACA GTAATACAAG GGGTGTTATG 901 AGCCATATTC AACGGGAAAC GTCGAGGCCG CGATTAAATT CCAACATGGA TGCTGATTTA 961 TATGGGTATA AATGGGCTCG CGATAATGTC GGGCAATCAG GTGCGACAAT CTATCGCTTG 1021 TATGGGAAGC CCGATGCGCC AGAGTTGTTT CTGAAACATG GCAAAGGTAG CGTTGCCAAT 1081 GATGTTACAG ATGAGATGGT CAGACTAAAC TGGCTGACGG AATTTATGCC TCTTCCGACC 1141 ATCAAGCATT TTATCCGTAC TCCTGATGAT GCATGGTTAC TCACCACTGC GATCCCCGGA 1201 AAAACAGCAT TCCAGGTATT AGAAGAATAT CCTGATTCAG GTGAAAATAT TGTTGATGCG 1261 CTGGCAGTGT TCCTGCGCCG GTTGCATTCG ATTCCTGTTT GTAATTGTCC TTTTAACAGC 1321 GATCGCGTAT TTCGTCTCGC TCAGGCGCAA TCACGAATGA ATAACGGTTT GGTTGATGCG 1381 AGTGATTTTG ATGACGAGCG TAATGGCTGG CCTGTTGAAC AAGTCTGGAA AGAAATGCAT 1441 AAACTTTTGC CATTCTCACC GGATTCAGTC GTCACTCATG GTGATTTCTC ACTTGATAAC 1501 CTTATTTTG ACGAGGGGAA ATTAATAGGT TGTATTGATG TTGGACGAGT CGGAATCGCA 1561 GACCGATACC AGGATCTTGC CATCCTATGG AACTGCCTCG GTGAGTTTTC TCCTTCATTA 1621 CAGAAACGGC TTTTTCAAAA ATATGGTATT GATAATCCTG ATATGAATAA ATTGCAGTTT 1681 CATTTGATGC TCGATGAGTT TTTCTAATCA GAATTGGTTA ATTGGTTGTA ACATTATTCA 1741 GATTGGGCCC CGTTCCACTG AGCGTCAGAC CCCGTAGAAA AGATCAAAGG ATCTTCTTGA 1801 GATCCTTTT TTCTGCGCGT AATCTGCTGC TTGCAAACAA AAAAACCACC GCTACCAGCG 1861 GTGGTTTGTT TGCCGGATCA AGAGCTACCA ACTCTTTTTC CGAAGGTAAC TGGCTTCAGC 1921 AGAGCGCAGA TACCAAATAC TGTTCTTCTA GTGTAGCCGT AGTTAGGCCA CCACTTCAAG 1981 AACTCTGTAG CACCGCCTAC ATACCTCGCT CTGCTAATCC TGTTACCAGT GGCTGCTGCC 2041 AGTGGCGATA AGTCGTGTCT TACCGGGTTG GACTCAAGAC GATAGTTACC GGATAAGGCG 2101 CAGCGGTCGG GCTGAACGGG GGGTTCGTGC ACACAGCCCA GCTTGGAGCG AACGACCTAC 2161 ACCGAACTGA GATACCTACA GCGTGAGCTA TGAGAAAGCG CCACGCTTCC CGAAGGGAGA 2221 AAGGCGGACA GGTATCCGGT AAGCGGCAGG GTCGGAACAG GAGAGCGCAC GAGGGAGCTT 2281 CCAGGGGAA ACGCCTGGTA TCTTTATAGT CCTGTCGGGT TTCGCCACCT CTGACTTGAG 2341 CGTCGATTTT TGTGATGCTC GTCAGGGGGG CGGAGCCTAT GGAAAAACGC CAGCAACGCG 2401 GCCTTTTAC GGTTCCTGGC CTTTTGCTG CCTTTTGCTC ACATGTTCTT TCCTGCGTTA 2461 TCCCCTGATT CTGTGGATAA CCGTATTACC GCTAGCATGG ATCTCGGGGGA CGTCTAACTA 2521 CTAAGCGAGA GTAGGGAACT GCCAGGCATC GAATAAAACG AAAGGCTCAG TCGGAAGACT 2581 GGGCCTTTCG TTTTATCTGT TGTTTGTCGG TGAACGCTCT CCTGAGTAGG ACAAATCCGC 2641 CGGGAGCGGA TTTGAACGTT GTGAAGCAAC GGCCCGGAGG GTGGCGGGCA GGACGCCCGC 2701 CATAAACTGC CAGGCATCAA ACTAAGCAGA AGGCCATC

FIGURE 19B

30/240

Figure 20A: Cloning Sites of the Entry Vector pENTR11

His Ser Arg Tyr Leu Asp Pro Ala Phe Leu Tyr Lys

Int	attLl		S.D.	Kozak XmnI	S.D.
TTG TAC	AAA AAA TTT TTT	GCA GGC TTC CGT CCG AAG	GAA GGA GAT CTT CCT CTA	AGA ACC AAT TCT TCT TGG TTA AGA	CTA AGG AAA TAC GAT-TCC TTT ATG.
Leu Tyr	Lys Lys	Ala Gly Phe	Glu Gly Asp	Arg Thr Asn Ser	Leu Arg Lys Tyr
••					
Kozak No	coI SalI	BamHI	KpnI Ec	ORI	EcoRI NotI
TTA ACC AAT TGG	ATG CTC TAC CAG	GAC TGG ATC	CGG TAC CCA GCC ATG GCT	ATT C ccdB	G AAT TCG CGC CCG C TTA AGC GCC GGC
Leu Thr	Met Val	Asp Trp Ile	Arg Tyr Arg	Ile	Asn Ser Arg Pro
XhoI	EcoRV X	(baI	Int at	tL2	
CAC TCG GTG AGC	AGA TAT	CTA GAC CCA GAT CTG GGT	GCT TTC TTG CGA AAG AAC	TAC AAA G ATG TTT C	
17: a G	Ψ				

pENTR11 2744 bp (rotated to position 2578)


Location (Base Nos.)	Gene Encoded
67166	attL1
348653	ccdB
683781	attL2
9041713	KmR
18182391	ori

1	CTGACGGATG	GCCTTTTTGC	GTTTCTACAA	ACTCTTCCTG	TTAGTTAGTT	ACTTAAGCTC
61	GGGCCCCAAA	TAATGATTTT	ATTTTGACTG	ATAGTGACCT	GTTCGTTGCA	ACAAATTGAT
121	AAGCAATGCT	TTTTTATAAT	GCCAACTTTG	TACAAAAAAG	CAGGCTTCGA	AGGAGATAGA
181	ACCAATTCTC	TAAGGAAATA	CTTAACCATG	GTCGACTGGA	TCCGGTACCG	AATTCGCTTA
241	CTAAAAGCCA	GATAACAGTA	TGCGTATTTG	CGCGCTGATT	TTTGCGGTAT	AAGAATATAT
	ACTGATATGT					
	TTTACACCTA					
421	TTGACACGCC	CGGGCGACGG	ATAGTGATCC	CCCTGGCCAG	TGCACGTCTG	CTGTCAGATA
481	AAGTCTCCCG	TGAACTTTAC	CCGGTGGTGC	ATATCGGGGA	TGAAAGCTGG	CGCATGATGA
541	CCACCGATAT	GGCCAGTGTG	CCGGTCTCCG	TTATCGGGGA	AGAAGTGGCT	GATCTCAGCC
601	ACCGCGAAAA	TGACATCAAA	AACGCCATTA	ACCTGATGTT	CTGGGGAATA	TAGAATTCGC
661	GGCCGCACTC	GAGATATCTA	GACCCAGCTT	TCTTGTACAA	AGTTGGCATT	ATAAGAAAGC
721	ATTGCTTATC	AATTTGTTGC	AACGAACAGG	TCACTATCAG	TCAAAATAAA	ATCATTATTT
781	GCCATCCAGC	TGCAGCTCTG	GCCCGTGTCT	CAAAATCTCT	GATGTTACAT	TGCACAAGAT
841	AAAAATATAT	CATCATGAAC	AATAAAACTG	TCTGCTTACA	TAAACAGTAA	TACAAGGGGT
901	GTTATGAGCC	ATATTCAACG	GGAAACGTCG	AGGCCGCGAT	TAAATTCCAA	CATGGATGCT
961	GATTTATATG	GGTATAAATG	GGCTCGCGAT	AATGTCGGGC	AATCAGGTGC	GACAATCTAT
1021	CGCTTGTATG	GGAAGCCCGA	TGCGCCAGAG	TTGTTTCTGA	AACATGGCAA	AGGTAGCGTT
1081	GCCAATGATG	TTACAGATGA	GATGGTCAGA	CTAAACTGGC	TGACGGAATT	TATGCCTCTT
	CCGACCATCA					
1201	CCCGGAAAAA	CAGCATTCCA	GGTATTAGAA	GAATATCCTG	ATTCAGGTGA	AAATATTGTT
1261	GATGCGCTGG	CAGTGTTCCT	GCGCCGGTTG	CATTCGATTC	CTGTTTGTAA	TTGTCCTTTT
1321	AACAGCGATC	GCGTATTTCG	TCTCGCTCAG	GCGCAATCAC	GAATGAATAA	CGGTTTGGTT
1381	GATGCGAGTG	ATTTTGATGA	CGAGCGTAAT	GGCTGGCCTG	TTGAACAAGT	CTGGAAAGAA
	ATGCATAAAC					
1501	GATAACCTTA	TTTTTGACGA	GGGGAAATTA	ATAGGTTGTA	TTGATGTTGG	ACGAGTCGGA
1561	ATCGCAGACC	GATACCAGGA	TCTTGCCATC	CTATGGAACT	GCCTCGGTGA	GTTTTCTCCT
1621	TCATTACAGA	AACGGCTTTT	TCAAAAATAT	GGTATTGATA	ATCCTGATAT	GAATAAATTG
1681	CAGTTTCATT	TGATGCTCGA	TGAGTTTTTC	TAATCAGAAT	TGGTTAATTG	GTTGTAACAT
1741	TATTCAGATT	GGGCCCCGTT	CCACTGAGCG	TCAGACCCCG	TAGAAAAGAT	CAAAGGATCT
1801	TCTTGAGATC	CTTTTTTTCT	GCGCGTAATC	TGCTGCTTGC	AAACAAAAAA	ACCACCGCTA
1861	CCAGCGGTGG	TTTGTTTGCC	GGATCAAGAG	CTACCAACTC	TTTTTCCGAA	GGTAACTGGC
1921	TTCAGCAGAG	CGCAGATACC	AAATACTGTT	CTTCTAGTGT	AGCCGTAGTT	AGGCCACCAC
1981	TTCAAGAACT	CTGTAGCACC	GCCTACATAC	CTCGCTCTGC	TAATCCTGTT	ACCAGTGGCT
2041.	GCTGCCAGTG	GCGATAAGTC	GTGTCTTACC	GGGTTGGACT	CAAGACGATA	GTTACCGGAT
2101	AAGGCGCAGC	GGTCGGGCTG	AACGGGGGGT	TCGTGCACAC	AGCCCAGCTT	GGAGCGAACG
2161	ACCTACACCG	AACTGAGATA	CCTACAGCGT	GAGCTATGAG	AAAGCGCCAC	GCTTCCCGAA
2221	GGGAGAAAGG	CGGACAGGTA	TCCGGTAAGC	GGCAGGGTCG	GAACAGGAGA	GCGCACGAGG
2281	GAGCTTCCAG	GGGGAAACGC	CTGGTATCTT	TATAGTCCTG	TCGGGTTTCG	CCACCTCTGA
2341	CTTGAGCGTC	GATTTTTGTG	ATGCTCGTCA	GGGGGGCGGA	GCCTATGGAA	AAACGCCAGC
2401	AACGCGGCCT	TTTTACGGTT	CCTGGCCTTT	TGCTGGCCTT	TTGCTCACAT	GTTCTTTCCT
2401 2521	GCGTTATCCC	CTGATTCTGT	GGATAACCGT	ATTACCGCTA	GCATGGATCT	CGGGGACGTC
2521 2521	TAACTACTAA	GCGAGAGTAG	GGAACTGCCA	GGCATCAAAT	AAAACGAAAG	GCTCAGTCGG
2541 2541	AAGACTGGGC	ACCCCATTT	ATCIGTTGTT	TGTCGGTGAA	CGCTCTCCTG	AGTAGGACAA
2041 2701	ATCCGCCGGG	AGCGGATTTG	AACGTTGTGA	AGCAACGGCC	CGGAGGGTGG	CGGGCAGGAC
Z / UI	GCCCGCCATA	MACTGCCAGG	CATCAAACTA	AGCAGAAGGC	CATC	

FIGURE ZOB

Figure 2/A: pDEST1 Native Protein Expression in E. coli

- 1 atgagetget gacaattaat cateeggete geataatgtg tggaattgtg ageggataac tactegacaa etggtaatta gtaggeegag catattacae acettaacae tegeetattg
- 61 aatttcacac aggaaacaga caggtatagg atcacaagtt tyteodaada agetgaagga ttaaagtgtg teetttgtet gtecatatee tagtgtteaa acatgtttt tegacttget



pDEST1 6464 bp


Location (Base Nos.)			Gene	Encoded		
216257			Trc promoter			
		39727		attR1		
		64713		CmR		
		14261			ivated ccdA	
					Ivaceu ccua	
		16481		ccdB		
		19942		attR2		
		25983		ampR		
		41044		ori	40-	
		45044			(fl interg	enic region)
		53406	420	lacIq		
				CACCAATGCT		
				AATCACTGCA		
				CCGACATCAT		
				GTCCGTATAA		
				TCACAAGTTT		
301	AAACGTAAAA	TGATATAAAT	ATCAATATAT	TAAATTAGAT	TTTGCATAAA	AAACAGACTA
361	CATAATACTG	TAAAACACAA	CATATCCAGT	CACTATGGCG	GCCGCTAAGT	TGGCAGCATC
421	ACCCGACGCA	CTTTGCGCCG	AATAAATACC	TGTGACGGAA	GATCACTTCG	CAGAATAAAT
481	AAATCCTGGT	GTCCCTGTTG	ATACCGGGAA	GCCCTGGGCC	AACTTTTGGC	GAAAATGAGA
541	CGTTGATCGG	CACGTAAGAG	GTTCCAACTT	TCACCATAAT	GAAATAAGAT	CACTACCGGG
601	CGTATTTTTT	GAGTTATCGA	GATTTTCAGG	AGCTAAGGAA	GCTAAAATGG	AGAAAAAAAT
				ATGGCATCGT		
				GACCGTTCAG		
				TTATCCGGCC		
				GGCAATGAAA		
				CCATGAGCAA		
				GTTTCTACAC		
				TAAAGGGTTT		
				TTTTGATTTA		
				ATATTATACG		
				CTGTGATGGC		
				GCAGGGCGGG		
				TTTGCGCGCT		
				AAAAAGAGGT		
				TTGCTCAAGG		
				AAGCCCGTCG		
				TCGCCCGGTT		
				CAGTTTAAGG		
1681	AGCCGTTATC	GTCTGTTTGT	GGATGTACAG	AGTGATATTA	TTGACACGCC	CGGGCGACGG
1741	ATGGTGATCC	CCCTGGCCAG	TGCACGTCTG	CTGTCAGATA	AAGTCTCCCG	TGAACTTTAC
1801	CCGGTGGTGC	ATATCGGGGA	TGAAAGCTGG	CGCATGATGA	CCACCGATAT	GGCCAGTGTG
1861	CCGGTCTCCG	TTATCGGGGA	AGAAGTGGCT	GATCTCAGCC	ACCCCCAAAA	TGDCDTCDDD
1921	AACGCCATTA	ACCTGATGTT	CTGGGGAATA	TAAATGTCAG	CCTCCCTTAT	DCDCDCCCDC
1981	TCTGCAGGTC	GACCATAGTG	ACTGGATATG	TTGTGTTTTA	CACTATTATC	TAGTOTOTT
2041	TTTATGCAAA	ATCTAATTTA	АТАТАТТСАТ	ATTTATATCA	CAGIAITAIO	CTCCTTCACC
2101	TTTCTTGTAC	AAAGTGGTGA	TAGCTTGGCT	GTTTTGGCGG	TITIMOGITI	ATTTTCACC
2161	TGATACAGAT	TAAATCAGAA	CGCAGAAGCG	GTCTGATAAA	ATGAGAGAAAG	CCTCCCCCC
2221	GTAGCGCGGT	GGTCCCACCT	GACCCCATGC	CGAACTCAGA	ACAGAMITIC	CCTGGCGGCA
2281	ATGGTAGTGT	GGGGTCTCCC	CATGCGAGAG	TAGGGAACTG	GCACGCAMCA	AATAAAAACCA
2341	AAGGCTCAGT	CGAAAGACTG	GGCCTTTCGT	TTTATCTGTT	CCAGGCAICA	CAACCCTCTC
2401	CTGAGTAGGA	CAAATCCGCC	CCCTITCGI	TTGAACGTTG	CCARCCARCC	CCCCCCCCCCC
2461	TGGCGGGCAG	GACGCCCGCC	ATANACOGAI	AGGCATCAAA	TTD ACCACA	CCCCACCACCC
2521	ACGGATGGCC	TTTTTGCGTT	TCTACAAACT	AGGCATCAAA	1 I AAGCAGAA	ATACATTCAA-
			*CINCHAMCI	CITITIGITI	ATTTTTTAA	ATACATTCAA-

2501	A TRATICTE A TRACC	acmanmanan	63.3 m. 3.6 ccm			
	ATATGTATCC					
	AGAGTATGAG					
	TTCCTGTTTT					
	GTGCACGAGT					
	GCCCCGAAGA					
	TATCCCGTGT					
	ACTTGGTTGA					
	AATTATGCAG					
	CGATCGGAGG					
	GCCTTGATCG					
3181	CGATGCCTAC	AGCAATGGCA	ACAACGTTGC	GCAAACTATT	AACTGGCGAA	CTACTTACTC
	TAGCTTCCCG					
	TGCGCTCGGC					
	GGTCTCGCGG					
	TCTACACGAC					
	GTGCCTCACT					
	TTGATTTAAA					
	TCATGACCAA					
	AGATCAAAGG					
	AAAAACCACC					
	CGAAGGTAAC					
	AGTTAGGCCA					
	TGTTACCAGT					
	GATAGTTACC					
	GCTTGGAGCG					
	CCACGCTTCC					
	GAGAGCGCAC					
	TTCGCCACCT					
	GGAAAAACGC					
	ACATGTTCTT					
	GAGCTGATAC					
	CGGAAGAGCG					
	TAATTTTGTT					
4561	CCGAAATCGG	CAAAATCCCT	TATAAATCAA	AAGAATAGAC	CGAGATAGGG	TTGAGTGTTG
4621	TTCCAGTTTG	GAACAAGAGT	CCACTATTAA	AGAACGTGGA	CTCCAACGTC	AAAGGGCGAA
4681	AAACCGTCTA	TCAGGGCGAT	GGCCCACTAC	GTGAACCATC	ACCCTAATCA	AGTTTTTTGG
4741	GGTCGAGGTG	CCGTAAAGCA	CTAAATCGGA	ACCCTAAAGG	GAGCCCCCGA	TTTAGAGCTT
4801	GACGGGGAAA	GCCGGCGAAC	GTGGCGAGAA	AGGAAGGGAA	GAAAGCGAAA	GGAGCGGGCG
4861	CTAGGGCGCT	GGCAAGTGTA	GCGGTCACGC	TGCGCGTAAC	CACCACACCC	GCCGCGCTTA
	ATGCGCCGCT					
4981	AATCTGCTCT	GATGCCGCAT	AGTTAAGCCA	GTACCAGTCA	CGTAGCGATA	TCGGAGTGTA
5041	TACACTCCGC	TATCGCTACG	TGACTGGGTC	ATGGCTGCGC	CCCGACACCC	GCCAACACCC
5101	GCTGACGCGC	CCTGACGGGC	TTGTCTGCTC	CCGGCATCCG	CTTACAGACA	AGCTGTGACC
5161	GTCTCCGGGA	GCTGCATGTG	TCAGAGGTTT	TCACCGTCAT	CACCGAAACG	CGCGAGGCAG
,5221	CAGATCAATT	CGCGCGCGAA	GGCGAAGCGG	CATGCATTTA	CGTTGACACC	ATCGAATGGT
5281	GCAAAACCTT	TCGCGGTATG	GCATGATAGC	GCCCGGAAGA	GAGTCAATTC	AGGGTGGTGA
5341	ATGTGAAACC	AGTAACGTTA	TACGATGTCG	CAGAGTATGC	CGGTGTCTCT	TATCAGACCG
5401	TTTCCCGCGT	GGTGAACCAG	GCCAGCCACG	TTTCTGCGAA	AACGCGGGAA	AAAGTGGAAG
5461	CGGCGATGGC	GGAGCTGAAT	TACATTCCCA	ACCGCGTGGC	ACAACAACTG	GCGGGCAAAC
5521	AGTCGTTGCT	GATTGGCGTT	GCCACCTCCA	GTCTGGCCCT	GCACGCGCCG	TCGCAAATTG
5581	TCGCGGCGAT	TAAATCTCGC	GCCGATCAAC	TGGGTGCCAG	CGTGGTGGTG	TCGATGGTAG
5641	AACGAAGCGG	CGTCGAAGCC	TGTAAAGCGG	CGGTGCACAA	TCTTCTCGCG	CAACGCGTCA
5701	GTGGGCTGAT	CATTAACTAT	CCGCTGGATG	ACCAGGATGC	CATTGCTGTG	GAAGCTGCCT
5761	GCACTAATGT	TCCGGCGTTA	TTTCTTGATG	TCTCTGACCA	GACACCCATC	AACAGTATTA
5821	TTTTCTCCCA	TGAAGACGGT	ACGCGACTGG	GCGTGGAGCA	TCTGGTCGCA	TTGGGTCACC
5881	AGCAAATCGC	GCTGTTAGCG	GGCCCATTAA	GTTCTGTCTC	GGCGCGTCTG	CGTCTGGCTG
5941	GCTGGCATAA	ATATCTCACT	CGCAATCAAA	TTCAGCCGAT	AGCGGAACGG	GAAGGCGACT
6001	GGAGTGCCAT	GTCCGGTTTT	CAACAAACCA	TGCAAATGCT	GAATGAGGGC	ATCGTTCCOX =

6061	CTGCGATGCT	GGTTGCCAAC	GATCAGATGG	CGCTGGGCGC	AATGCGCGCC	ATTACCGAGT
6121	CCGGGCTGCG	CGTTGGTGCG	GATATCTCGG	TAGTGGGATA	CGACGATACC	GAAGACAGCT
6181	CATGTTATAT	CCCGCCGTTA	ACCACCATCA	AACAGGATTT	TCGCCTGCTG	GGGCAAACCA
6241	GCGTGGACCG	CTTGCTGCAA	CTCTCTCAGG	GCCAGGCGGT	GAAGGGCAAT	CAGCTGTTGC
6301	CCGTCTCACT	GGTGAAAAGA	AAAACCACCC	TGGCACCCAA	TACGCAAACC	GCCTCTCCCC
6361	GCGCGTTGGC	CGATTCATTA	ATGCAGCTGG	CACGACAGGT	TTCCCGACTG	GAAAGCGGGC
6421	AGTGAGCGCA	ACGCAATTAA	TGTGAGTTAG	CGCGAATTGA	TCTG	

Figure 22A: PDCST2

His6 fusions in E. coli



pDEST2 6553 bp

Location (Base Nos.)				.			
	<u> </u>	ation (Base) 912962		Gene E Trc	Encoded		
	12231009			attR1			
	14732132			CmR			
	22522336			inactivated ccdA			
		247427		ccdB	.vaceu ccux		
•		282029		attR2			
		350944		ampR			
		501551		ori			
		541558			(fl interde	enic region)	
		622575		lacIq	111 11100191	tc region,	
1	GGCGGTGCAC	AATCTTCTCG	CGCAACGCGT	CAGTGGGCTG	ATCATTAACT	ATCCGCTGGA	
61	TGACCAGGAT	GCCATTGCTG	TGGAAGCTGC	CTGCACTAAT	GTTCCGGCGT	TATTTCTTGA	
121	TGTCTCTGAC	CAGACACCCA	TCAACAGTAT	TATTTTCTCC	CATGAAGACG	GTACGCGACT	
181	GGGCGTGGAG	CATCTGGTCG	CATTGGGTCA	CCAGCAAATC	GCGCTGTTAG	CGGGCCCATT	
241	AAGTTCTGTC	TCGGCGCGTC	TGCGTCTGGC	TGGCTGGCAT	AAATATCTCA	CTCGCAATCA	
301	AATTCAGCCG	ATAGCGGAAC	GGGAAGGCGA	CTGGAGTGCC	ATGTCCGGTT	TTCAACAAAC	
361	CATGCAAATG	CTGAATGAGG	GCATCGTTCC	CACTGCGATG	CTGGTTGCCA	ACGATCAGAT	
421	GGCGCTGGGC	GCAATGCGCG	CCATTACCGA	GTCCGGGCTG	CGCGTTGGTG	CGGATATCTC	
	GGTAGTGGGA						
541	CAAACAGGAT	TTTCGCCTGC	TGGGGCAAAC	CAGCGTGGAC	CGCTTGCTGC	AACTCTCTCA	
601	GGGCCAGGCG	GTGAAGGGCA	ATCAGCTGTT	GCCCGTCTCA	CTGGTGAAAA	GAAAAACCAC	
661	CCTGGCACCC	AATACGCAAA	CCGCCTCTCC	CCGCGCGTTG	GCCGATTCAT	TAATGCAGCT	
721	GGCACGACAG	GTTTCCCGAC	TGGAAAGCGG	GCAGTGAGCG	CAACGCAATT	AATGTGAGTT	
781	AGCGCGAATT	GATCTGGTTT	GACAGCTTAT	CATCGACTGC	ACGGTGCACC	AATGCTTCTG	
	GCGTCAGGCA						
	TCGTGTCGCT						
	GTTCTGGCAA		-				
	TGGAATTGTG						
	CATCACCATC	•					
	ATAAATATCA						
	ACACAACATA						
	GCGCCGAATA						
	CTGTTGATAC						
	TAAGAGGTTC						
	TATCGAGATT						
	CCGTTGATAT						
	AATGTACCTA						
	AAAATAAGCA						
	ATCCGGAATT						
	CTTGTTACAC						
•	ACGACGATTT						
	ACCTGGCCTA						
	GGGTGAGTTT						
	TTTTCACCAT						
	AGGTTCATCA AGTACTGCGA						
	GATAACAGTA ATACCCGAAG						
	CAGCGACAGC						
	ACAACCATGC						
	GAAGGGATGG						
	AGGGACTGGT						
						TGATCCCCCT-	
	CILIGIOGAI	O AFACAGAGIG	HILLIALION	CACUCCCUGG	CONCOUNTED	- UNICCCCCI-	

FIGURE ZZB

2581 GGCCAGTGCA CGTCTGCTGT CAGATAAAGT CTCCCGTGAA CTTTACCCGG TGGTGCATAT 2641 CGGGGATGAA AGCTGGCGCA TGATGACCAC CGATATGGCC AGTGTGCCGG TCTCCGTTAT 2701 CGGGGAAGAA GTGGCTGATC TCAGCCACCG CGAAAATGAC ATCAAAAACG CCATTAACCT 2761 GATGTTCTGG GGAATATAAA TGTCAGGCTC CCTTATACAC AGCCAGTCTG CAGGTCGACC 2821 ATAGTGACTG GATATGTTGT GTTTTACAGT ATTATGTAGT CTGTTTTTTA TGCAAAATCT 2881 AATTTAATAT ATTGATATTT ATATCATTTT ACGTTTCTCG TTCAGCTTTC TTGTACAAAG 2941 TGGTGATGCC CATATGGGAA TTCAAAGGCC TACGTCGACG AGCTCACTAG TCGCGGCCGC 3001 TTCTAGAGGA TCCCTCGAGG CATGCGGTAC CAAGCTTGGC TGTTTTGGCG GATGAGAGAA 3061 GATTTTCAGC CTGATACAGA TTAAATCAGA ACGCAGAAGC GGTCTGATAA AACAGAATTT 3121 GCCTGGCGGC AGTAGCGCGG TGGTCCCACC TGACCCCATG CCGAACTCAG AAGTGAAACG 3181 CCGTAGCGCC GATGGTAGTG TGGGGTCTCC CCATGCGAGA GTAGGGAACT GCCAGGCATC 3241 AAATAAAACG AAAGGCTCAG TCGAAAGACT GGGCCTTTCG TTTTATCTGT TGTTTGTCGG 3301 TGAACGCTCT CCTGAGTAGG ACAAATCCGC CGGGAGCGGA TTTGAACGTT GCGAAGCAAC 3361 GGCCCGGAGG GTGGCGGCCA GGACGCCCGC CATAAACTGC CAGGCATCAA ATTAAGCAGA 3421 AGGCCATCCT GACGGATGGC CTTTTTGCGT TTCTACAAAC TCTTTTTGTT TATTTTTCTA 3481 AATACATTCA AATATGTATC CGCTCATGAG ACAATAACCC TGATAAATGC TTCAATAATA 3541 TTGAAAAAGG AAGAGTATGA GTATTCAACA TTTCCGTGTC GCCCTTATTC CCTTTTTTGC 3601 GGCATTTTGC CTTCCTGTTT TTGCTCACCC AGAAACGCTG GTGAAAGTAA AAGATGCTGA 3661 AGATCAGTTG GGTGCACGAG TGGGTTACAT CGAACTGGAT CTCAACAGCG GTAAGATCCT 3721 TGAGAGTTTT CGCCCCGAAG AACGTTTTCC AATGATGAGC ACTTTTAAAG TTCTGCTATG 3781 TGGCGCGGTA TTATCCCGTG TTGACGCCGG GCAAGAGCAA CTCGGTCGCC GCATACACTA 3841 TTCTCAGAAT GACTTGGTTG AGTACTCACC AGTCACAGAA AAGCATCTTA CGGATGGCAT 3901 GACAGTAAGA GAATTATGCA GTGCTGCCAT AACCATGAGT GATAACACTG CGGCCAACTT 3961 ACTTCTGACA ACGATCGGAG GACCGAAGGA GCTAACCGCT TTTTTGCACA ACATGGGGGA 4021 TCATGTAACT CGCCTTGATC GTTGGGAACC GGAGCTGAAT GAAGCCATAC CAAACGACGA 4081 GCGTGACACC ACGATGCCTA CAGCAATGGC AACAACGTTG CGCAAACTAT TAACTGGCGA 4141 ACTACTTACT CTAGCTTCCC GGCAACAATT AATAGACTGG ATGGAGGCGG ATAAAGTTGC 4201 AGGACCACTT CTGCGCTCGG CCCTTCCGGC TGGCTGGTTT ATTGCTGATA AATCTGGAGC 4261 CGGTGAGCGT GGGTCTCGCG GTATCATTGC AGCACTGGGG CCAGATGGTA AGCCCTCCCG 4321 TATCGTAGTT ATCTACACGA CGGGGAGTCA GGCAACTATG GATGAACGAA ATAGACAGAT 4381 CGCTGAGATA GGTGCCTCAC TGATTAAGCA TTGGTAACTG TCAGACCAAG TTTACTCATA 4441 TATACTTTAG ATTGATTTAA AACTTCATTT TTAATTTAAA AGGATCTAGG TGAAGATCCT 4501 TTTTGATAAT CTCATGACCA AAATCCCTTA ACGTGAGTTT TCGTTCCACT GAGCGTCAGA 4561 CCCCGTAGAA AAGATCAAAG GATCTTCTTG AGATCCTTTT TTTCTGCGCG TAATCTGCTG 4621 CTTGCAAACA AAAAAACCAC CGCTACCAGC GGTGGTTTGT TTGCCGGATC AAGAGCTACC 4681 AACTCTTTTT CCGAAGGTAA CTGGCTTCAG CAGAGCGCAG ATACCAAATA CTGTCCTTCT 4741 AGTGTAGCCG TAGTTAGGCC ACCACTTCAA GAACTCTGTA GCACCGCCTA CATACCTCGC 4801 TCTGCTAATC CTGTTACCAG TGGCTGCTGC CAGTGGCGAT AAGTCGTGTC TTACCGGGTT 4861 GGACTCAAGA CGATAGTTAC CGGATAAGGC GCAGCGGTCG GGCTGAACGG GGGGTTCGTG 4921 CACACAGCCC AGCTTGGAGC GAACGACCTA CACCGAACTG AGATACCTAC AGCGTGAGCT 4981 ATGAGAAAGC GCCACGCTTC CCGAAGGGAG AAAGGCGGAC AGGTATCCGG TAAGCGGCAG 5041 GGTCGGAACA GGAGAGCGCA CGAGGGAGCT TCCAGGGGGA AACGCCTGGT ATCTTTATAG 5101 TCCTGTCGGG TTTCGCCACC TCTGACTTGA GCGTCGATTT TTGTGATGCT CGTCAGGGGG 5161 GCGGAGCCTA TGGAAAAACG CCAGCAACGC GGCCTTTTTA CGGTTCCTGG CCTTTTGCTG 5221 GCCTTTTGCT CACATGTTCT TTCCTGCGTT ATCCCCTGAT TCTGTGGATA ACCGTATTAC 5281 CGCCTTTGAG TGAGCTGATA CCGCTCGCCG CAGCCGAACG ACCGAGCGCA GCGAGTCAGT 5341 GAGCGAGGAA GCGGAAGAGC GCCTGATGCG GTATTTTCTC CTTACGCATC TGTGCGGTAT 5401 TTCACACCGC ATAATTTTGT TAAAATTCGC GTTAAATTTT TGTTAAATCA GCTCATTTTT 5461 TAACCAATAG GCCGAAATCG GCAAAATCCC TTATAAATCA AAAGAATAGA CCGAGATAGG 5521 GTTGAGTGTT GTTCCAGTTT GGAACAAGAG TCCACTATTA AAGAACGTGG ACTCCAACGT 5581 CAAAGGGCGA AAAACCGTCT ATCAGGGCGA TGGCCCACTA CGTGAACCAT CACCCTAATC 5641 AAGTTTTTTG GGGTCGAGGT GCCGTAAAGC ACTAAATCGG AACCCTAAAG GGAGCCCCCG 5701 ATTTAGAGCT TGACGGGGAA AGCCGGCGAA CGTGGCGAGA AAGGAAGGGA AGAAAGCGAA 5761 AGGAGCGGCC GCTAGGGCGC TGGCAAGTGT AGCGGTCACG CTGCGCGTAA CCACCACACC 5821 CGCCGCGCTT AATGCGCCGC TACAGGGCGC GTCCCATTCG CCATTCAGGC TGCTATGGTG 5881 CACTCTCAGT ACAATCTGCT CTGATGCCGC ATAGTTAAGC CAGTATACAC TCCGCTATCG 5941 CTACGTGACT GGGTCATGGC TGCGCCCCGA CACCCGCCAA CACCCGCTGA CGCGCCCTGA 6001 CGGGCTTGTC TGCTCCCGGC ATCCGCTTAC AGACAAGCTG TGACCGTCTC CGGGAGCTGC-

6061	ATGTGTCAGA	GGTTTTCACC	GTCATCACCG	AAACGCGCGA	GGCAGCAGAT	CAATTCGCGC
6121	GCGAAGGCGA	AGCGGCATGC	ATTTACGTTG	ACACCATCGA	ATGGTGCAAA	ACCTTTCGCG
6181	GTATGGCATG	ATAGCGCCCG	GAAGAGAGTC	AATTCAGGGT	GGTGAATGTG	AAACCAGTAA
6241	CGTTATACGA	TGTCGCAGAG	TATGCCGGTG	${\tt TCTCTTATCA}$	GACCGTTTCC	CGCGTGGTGA
6301	ACCAGGCCAG	CCACGTTTCT	GCGAAAACGC	${\tt GGGAAAAAGT}$	GGAAGCGGCG	ATGGCGGAGC
6361	TGAATTACAT	TCCCAACCGC	GTGGCACAAC	AACTGGCGGG	CAAACAGTCG	TTGCTGATTG
6421	GCGTTGCCAC	CTCCAGTCTG	GCCCTGCACG	${\tt CGCCGTCGCA}$	AATTGTCGCG	GCGATTAAAT
6481	CTCGCGCCGA	TCAACTGGGT	GCCAGCGTGG	TGGTGTCGAT	${\tt GGTAGAACGA}$	AGCGGCGTCG
6541	AAGCCTGTAA	AGC				

Figure 23A: PDEST3

GST fusions in E. coli


cgg ttc tgg caa ata ttc tga aat gag ctg ttg aca att aat cat cgg ctc gcc aag acc gtt tat aag act tta ctc gac aac tgt taa tta gta gcc gag

205 gta taa igt gtg gaa ttg tga gcg gat aac aat ttc aca cag gaa aca gta cat att aca cac ctt aac act cgc cta ttg tta aag tgt gtc ctt tgt cat

256 ttc atg tcc cct ata cta ggt tat tgg aaa att aag ggc ctt gtg caa ccc aag tac agg gga tat gat cca ata acc ttt taa ttc ccg gaa cac gtt ggg

919 ctg gtt ccg cgt gga tct cgt cgt gca tct gtt gga tcc cca tca act agg gac caa ggc gca cct aga gca gca cgt aga caa cct agg ggt agt tgt tca

970 ttg zac aaa get gaa cga gaa acg taa aat aat aat aat ata a



pDEST3 6823 bp

Location (Base Nos.)	Gene Encoded
150200	Trc
1087963	attR1
13371996	CmR
21162200	inactivated ccdA
23382643	ccdB
26842808	attR2
32314091	ampR
52956254	lacIq

1	ACGTTATCGA	CTGCACGGTG	CACCAATGCT	TCTGGCGTCA	GGCAGCCATC	GGAAGCTGTG
61	GTATGGCTGT	GCAGGTCGTA	AATCACTGCA	TAATTCGTGT	CGCTCAAGGC	GCACTCCCGT
121	TCTGGATAAT	GTTTTTTGCG	CCGACATCAT	AACGGTTCTG	GCAAATATTC	TGAAATGAGC
181	TGTTGACAAT	TAATCATCGG	CTCGTATAAT	GTGTGGAATT	GTGAGCGGAT	AACAATTTCA
241	CACAGGAAAC	AGTATTCATG	TCCCCTATAC	TAGGTTATTG	GAAAATTAAG	GGCCTTGTGC
301	AACCCACTCG	ACTTCTTTTG	GAATATCTTG	AAGAAAAATA	TGAAGAGCAT	TTGTATGAGC
361	GCGATGAAGG	TGATAAATGG	CGAAACAAAA	AGTTTGAATT	GGGTTTGGAG	TTTCCCAATC
421	TTCCTTATTA	TATTGATGGT	GATGTTAAAT	TAACACAGTC	TATGGCCATC	ATACGTTATA
481	TAGCTGACAA	GCACAACATG	TTGGGTGGTT	GTCCAAAAGA	GCGTGCAGAG	ATTTCAATGC
541	TTGAAGGAGC	GGTTTTGGAT	ATTAGATACG	GTGTTTCGAG	AATTGCATAT	AGTAAAGACT
601	TTGAAACTCT	CAAAGTTGAT	TTTCTTAGCA	AGCTACCTGA	AATGCTGAAA	ATGTTCGAAG
661	ATCGTTTATG	TCATAAAACA	TATTTAAATG	GTGATCATGT	AACCCATCCT	GACTTCATGT
721	TGTATGACGC	TCTTGATGTT	GTTTTATACA	TGGACCCAAT	GTGCCTGGAT	GCGTTCCCAA
781	AATTAGTTTG	TTTTAAAAAA	CGTATTGAAG	CTATCCCACA	AATTGATAAG	TACTTGAAAT
841	CCAGCAAGTA	TATAGCATGG	CCTTTGCAGG	GCTGGCAAGC	CACGTTTGGT	GGTGGCGACC
901	ATCCTCCAAA	ATCGGATCTG	GTTCCGCGTG	GATCTCGTCG	TGCATCTGTT	GGATCCCCAT
961	CAACAAGTTT	GTACAAAAA	GCTGAACGAG	AAACGTAAAA	TGATATAAAT	ATCAATATAT
1021	TAAATTAGAT	TTTGCATAAA	AAACAGACTA	CATAATACTG	TAAAACACAA	CATATCCAGT
1081	CACTATGGCG	GCCGCTAAGT	TGGCAGCATC	ACCCGACGCA	CTTTGCGCCG	AATAAATACC
1141	TGTGACGGAA	GATCACTTCG	CAGAATAAAT	AAATCCTGGT	GTCCCTGTTG	ATACCGGGAA
1201	GCCCTGGGCC	AACTTTTGGC	GAAAATGAGA	CGTTGATCGG	CACGTAAGAG	GTTCCAACTT
1261	TCACCATAAT	GAAATAAGAT	CACTACCGGG	CGTATTTTTT	GAGTTATCGA	GATTTTCAGG
1321	AGCTAAGGAA	GCTAAAATGG	AGAAAAAAT	CACTGGATAT	ACCACCGTTG	ATATATCCCA
1381	ATGGCATCGT	AAAGAACATT	TTGAGGCATT	TCAGTCAGTT	GCTCAATGTA	CCTATAACCA
1441	GACCGTTCAG	CTGGATATTA	CGGCCTTTTT	AAAGACCGTA	AAGAAAAATA	AGCACAAGTT
1501	TTATCCGGCC	TTTATTCACA	TTCTTGCCCG	CCTGATGAAT	GCTCATCCGG	AATTCCGTAT
1561	GGCAATGAAA	GACGGTGAGC	TGGTGATATG	GGATAGTGTT	CACCCTTGTT	ACACCGTTTT
1621	CCATGAGCAA	ACTGAAACGT	TTTCATCGCT	CTGGAGTGAA	TACCACGACG	ATTTCCGGCA
1681	GTTTCTACAC	ATATATTCGC	AAGATGTGGC	GTGTTACGGT	GAAAACCTGG	CCTATTTCCC
1741	TAAAGGGTTT	ATTGAGAATA	TGTTTTTCGT	CTCAGCCAAT	CCCTGGGTGA	GTTTCACCAG
1801	TTTTGATTTA	AACGTGGCCA	ATATGGACAA	CTTCTTCGCC	CCCGTTTTCA	CCATGGGCAA
1861	ATATTATACG	CAAGGCGACA	AGGTGCTGAT	GCCGCTGGCG	ATTCAGGTTC	ATCATGCCGT
1921	CTGTGATGGC	TTCCATGTCG	GCAGAATGCT	TAATGAATTA	CAACAGTACT	GCGATGAGTG
	GCAGGGCGGG					
	TTTGCGCGCT					
	AAAAAGAGGT					
	TTGCTCAAGG		-	_		
	AAGCCCGTCG					
2281	TCGCCCGGTT	TATTGAAATG	AACGGCTCTT	TTGCTGACGA	GAACAGGGAC	TGGTGAAATG
	CAGTTTAAGG					
	AGTGATATTA					
	CTGTCAGATA					
	CGCATGATGA					
	GATCTCAGCC					
2641	TAAATGTCAG	GCTCCCTTAT	ACACAGCCAG	TCTGCAGGTC	GACCATAGTG	ACTGGATATG-

FIGURE 23B

2222	mmomomom.					
						ATATATTGAT
						ATGGGAATTC
	ATCGTGACTG					
	ACATGCAGCT					
	CCCGTCAGGG					
	GTAGCGATAG					
	TATAGGTTAA					
3121	ATGTGCGCGG	AACCCCTATT	TGTTTATTTT	TCTAAATACA	TTCAAATATG	TATCCGCTCA
3181	TGAGACAATA	ACCCTGATAA	ATGCTTCAAT	AATATTGAAA	AAGGAAGAGT	ATGAGTATTC
3241	AACATTTCCG	TGTCGCCCTT	ATTCCCTTTT	TTGCGGCATT	TTGCCTTCCT	GTTTTTGCTC
	ACCCAGAAAC					
	ACATCGAACT					
	TTCCAATGAT					
	CCGGGCAAGA					
	CACCAGTCAC					
	CCATAACCAT					
	AGGAGCTAAC					
	AACCGGAGCT					
	TGGCAACAAC					
	AATTAATAGA					
	CGGCTGGCTG					
	TTGCAGCACT					
	GTCAGGCAAC					
	AGCATTGGTA					
	ATTITTAATT					
	CTTAACGTGA					
	CTTGAGATCC					
	CAGCGGTGGT					
	TCAGCAGAGC					
	TCAAGAACTC					
4501	CTGCCAGTGG	CGATAAGTCG	TGTCTTACCG	GGTTGGACTC	AAGACGATAG	TTACCGGATA
4561	AGGCGCAGCG	GTCGGGCTGA	ACGGGGGGTT	CGTGCACACA	GCCCAGCTTG	GAGCGAACGA
4621	CCTACACCGA	ACTGAGATAC	CTACAGCGTG	AGCTATGAGA	AAGCGCCACG	CTTCCCGAAG
4681	GGAGAAAGGC	GGACAGGTAT	CCGGTAAGCG	GCAGGGTCGG	AACAGGAGAG	CGCACGAGGG
4741	AGCTTCCAGG	GGGAAACGCC	TGGTATCTTT	ATAGTCCTGT	CGGGTTTCGC	CACCTCTGAC
4801	TTGAGCGTCG	ATTTTTGTGA	TGCTCGTCAG	GGGGGCGGAG	CCTATGGAAA	AACGCCAGCA
4861	ACGCGGCCTT	TTTACGGTTC	CTGGCCTTTT	GCTGGCCTTT	TGCTCACATG	TTCTTTCCTG
4921	CGTTATCCCC	TGATTCTGTG	GATAACCGTA	TTACCGCCTT	TGAGTGAGCT	GATACCGCTC
4981	GCCGCAGCCG	AACGACCGAG	CGCAGCGAGT	CAGTGAGCGA	GGAAGCGGAA	GAGCGCCTGA
5041	TGCGGTATTT	TCTCCTTACG	CATCTGTGCG	GTATTTCACA	CCGCATAAAT	TCCGACACCA
5101	TCGAATGGTG	CAAAACCTTT	CGCGGTATGG	CATGATAGCG	CCCGGAAGAG	AGTCAATTCA
5161	GGGTGGTGAA	TGTGAAACCA	GTAACGTTAT	ACGATGTCGC	AGAGTATGCC	GGTGTCTCTT
5221	ATCAGACCGT	TTCCCGCGTG	GTGAACCAGG	CCAGCCACGT	TTCTGCGAAA	ACCCCCCAAA
5281	AAGTGGAAGC	GGCGATGGCG	GAGCTGAATT	ACATTCCCAA	CCGCGTGGCA	CAACAACTCC
5341	CGGGCAAACA	GTCGTTGCTG	ATTGGCGTTG	CCACCTCCAC	TCTCCCCCTC	CACCACCACT
5401	CGCAAATTGT	CGCGGCGATT	AAATCTCGCG	CCGATCAACT	GGGTGCCAGC	CACGCGCCGI
5461	CGATGGTAGA	ACGAAGCGGC	GTCGAAGCCT	GTANACCCCC	CCTCCACAAT	CTTCTCCCCC
5521	AACGCGTCAG	TGGGCTGATC	ATTAACTATC	CCCTCCATCA	CCACCATTCCC	Ammagmana
5581:	AAGCTGCCTG	CACTAATGTT	CCGCCGTTAT	TTCTTCATCA	CTCTCAGGAIGCC	ATTGCTGTGG
5641	ACAGTATTAT	TTTCTCCCAT	CANCACCCTA	CCCCACTCCC	CICIGACCAG	ACACCCATCA
5701	TGGGTCACCA	CCAAATCCCAI	CTCTTACCCC	CCCCACTGGG	CGTGGAGCAT	CIGGICGCAT
5761	TGGGTCACCA	CTGGCATAAA	TATCTCACGG	COLLEGE	TICIGICICG	GCGCGTCTGC
5821	GTCTGGCTGG	CIGGCATAAA	TOCCOTTO	GCAATCAAAT	TCAGCCGATA	GCGGAACGGG
5021	AAGGCGACTG	TOCOMBOOMO	CETCOOL 3	AACAAACCAT	GCAAATGCTG	AATGAGGGCA
5001	TCGTTCCCAC	CCCCCTCCCC	CTTCCTACC	ATCAGATGGC	GCTGGGCGCA	ATGCGCGCCA
2347	TTACCGAGTC	ATCTTONES TO	GITGGTGCGG	ATATCTCGGT	AGTGGGATAC	GACGATACCG
6061	AAGACAGCTC	CCTCCACCCC	CCGCCGTTAA	CCACCATCAA	ACAGGATTTT	CGCCTGCTGG
6121	GGCAAACCAG	COTTOMOS	TIGCIGCAAC	TCTCTCAGGG	CCAGGCGGTG	AAGGGCAATC
0121	MGCTGTTGCC	CGTCTCACTG	GTGAAAAGAA	AAACCACCCT	GGCGCCCAAT	ACGCAAACCG-

Fauré 23C

6181	CCTCTCCCCG	CGCGTTGGCC	GATTCATTAA	TGCAGCTGGC	ACGACAGGTT	TCCCGACTGG
6241	AAAGCGGGCA	GTGAGCGCAA	CGCAATTAAT	GTGAGTTAGC	TCACTCATTA	GGCACCCCAG
6301	GCTTTACACT	TTATGCTTCC	GGCTCGTATG	TTGTGTGGAA	TTGTGAGCGG	ATAACAATTT
6361	CACACAGGAA	ACAGCTATGA	CCATGATTAC	GGATTCACTG	GCCGTCGTTT	TACAACGTCG
6421	TGACTGGGAA	AACCCTGGCG	TTACCCAACT	TAATCGCCTT	GCAGCACATC	CCCCTTTCGC
6481	CAGCTGGCGT	AATAGCGAAG	AGGCCCGCAC	CGATCGCCCT	TCCCAACAGT	TGCGCAGCCT
6541	GAATGGCGAA	TGGCGCTTTG	CCTGGTTTCC	GGCACCAGAA	GCGGTGCCGG	AAAGCTGGCT
6601	GGAGTGCGAT	CTTCCTGAGG	CCGATACTGT	CGTCGTCCCC	TCAAACTGGC	AGATGCACGG
	TTACGATGCG					
6721	TCCCACGGAG	AATCCGACGG	GTTGTTACTC	GCTCACATTT	AATGTTGATG	AAAGCTGGCT
6781	ACAGGAAGGC	CAGACGCGAA	TTATTTTTGA	TGGCGTTGGA	ATT	

FIGURE 23D

Figure 24A: PDEST4

His6-thioredoxin fusions in E. coli

919 gca aat att ctg aaa tga gct gtt gat aat taa tca tcc ggt ccg tat aat cgt tta taa gac ttt act cga caa ctg tta att agt agg cca ggc ata tta


978 ctg tgg laat tgt gag cgg ata aca att tca cac agg aaa cag acc atg ggt gac acc tta aca ctc gcc tat tgt taa agt gtg tcc ttt gtc tgg tac cca

this 6

1021 cat cat cat cat cat cat gat tac gat atc cca acg acc gas aac ctg tac gta gta gta gta gta gtg cta atg cta tag ggt tgc tgg ctt ttg gac ata

TEV professe | Thioredoxin - (~150 amine deids)

1072 tet cag gge gee cat atg age gat at att ett cae etg act gae gat agt
ana gte eeg egg gta tae teg eta tet taa taa gtg gae tga etg etg tea



Hindiii.

pDEST4 6964 bp

Location (Base Nos.)			Gene F	Encoded		
9641003			Trc	<u> meoded</u>		
		157714	· -	attR1		
	•	182724		CmR		
					vated ccdA	•
		260626 282831		ccdB	vaceu ccux	
		317432		attR2		
		387247	-			
		537855		ampR ori		
		577862		-	/fl intorgo	enic region)
		658770		lacIq	(II Incerge	inic region,
		030770	/3	raciq		
1	CTATCCGCTG	GATGACCAGG	ATGCCATTGC	TGTGGAAGCT	GCCTGCACTA	ATGTTCCGGC
61	GTTATTTCTT	GATGTCTCTG	ACCAGACACC	CATCAACAGT	ATTATTTTCT	CCCATGAAGA
121	CGGTACGCGA	CTGGGCGTGG	AGCATCTGGT	CGCATTGGGT	CACCAGCAAA	TCGCGCTGTT
181	AGCGGGCCCA	TTAAGTTCTG	TCTCGGCGCG	TCTGCGTCTG	GCTGGCTGGC	ATAAATATCT
241	CACTCGCAAT	CAAATTCAGC	CGATAGCGGA	ACGGGAAGGC	GACTGGAGTG	CCATGTCCGG
301	TTTTCAACAA	ACCATGCAAA	TGCTGAATGA	GGGCATCGTT	CCCACTGCGA	TGCTGGTTGC
361	CAACGATCAG	ATGGCGCTGG	GCGCAATGCG	CGCCATTACC	GAGTCCGGGC	TGCGCGTTGG
421	TGCGGATATC	TCGGTAGTGG	GATACGACGA	TACCGAAGAC	AGCTCATGTT	ATATCCCGCC
481	GTCAACCACC	ATCAAACAGG	ATTTTCGCCT	GCTGGGGCAA	ACCAGCGTGG	ACCGCTTGCT
541	GCAACTCTCT	CAGGGCCAGG	CGGTGAAGGG	CAATCAGCTG	TTGCCCGTCT	CACTGGTGAA
601	AAGAAAAACC	ACCCTGGCAC	CCAATACGCA	AACCGCCTCT	CCCCGCGCGT	TGGCCGATTC
661	ATTAATGCAG	CTGGCACGAC	AGGTTTCCCG	ACTGGAAAGC	GGGCAGTGAG	CGCAACGCAA
721	TTAATGTGAG	TTAGCGCGAA	TTGATCTGGT	TTGACAGCTT	ATCATCGACT	GCACGGTGCA
781	CCAATGCTTC	TGGCGTCAGG	CAGCCATCGG	AAGCTGTGGT	ATGGCTGTGC	AGGTCGTAAA
841	TCACTGCATA	ATTCGTGTCG	CTCAAGGCGC	ACTCCCGTTC	TGGATAATGT	TTTTTGCGCC
901	GACATCATAA	CGGTTCTGGC	AAATATTCTG	AAATGAGCTG	TTGACAATTA	ATCATCCGGT
961	CCGTATAATC	TGTGGAATTG	TGAGCGGATA	ACAATTTCAC	ACAGGAAACA	GACCATGGGT
1021	CATCATCATC	ATCATCACGA	TTACGATATC	CCAACGACCG	AAAACCTGTA	TTTTCAGGGC
1081	GCCCATATGA	GCGATAAAAT	TATTCACCTG	ACTGACGACA	GTTTTGACAC	GGATGTACTC
1141	AAAGCGGACG	GGGCGATCCT	CGTCGATTTC	TGGGCAGAGT	GGTGCGGTCC	GTGCAAAATG
1201	ATCGCCCCGA	TTCTGGATGA	AATCGCTGAC	GAATATCAGG	GCAAACTGAC	CGTTGCAAAA
1261	CTGAACATCG	ATCAAAACCC	TGGCACTGCG	CCGAAATATG	GCATCCGTGG	TATCCCGACT
1321	CTGCTGCTGT	TCAAAAACGG	TGAAGTGGCG	GCAACCAAAG	TGGGTGCACT	GTCTAAAGGT
1381	CAGTTGAAAG	AGTTCCTCGA	CGCTAACCTG	GCCGGTTCTG	GTTCTGGTGA	TGACGATGAC
1441	AAGGTACCCA	TCACAAGTTT	GTACAAAAA	GCTGAACGAG	AAACGTAAAA	TGATATAAAT
1501	ATCAATATAT	TAAATTAGAT	TTTGCATAAA	AAACAGACTA	CATAATACTG	TAAAACACAA
1561	CATATCCAGT	CACTATGGCG	GCCGCTAAGT	TGGCAGCATC	ACCCGACGCA	CTTTGCGCCG
1621	AATAAATACC	TGTGACGGAA	GATCACTTCG	CAGAATAAAT	AAATCCTGGT	GTCCCTGTTG
1681	ATACCGGGAA	GCCCTGGGCC	AACTTTTGGC	GAAAATGAGA	CGTTGATCGG	CACGTAAGAG
1741	GTTCCAACTT	TCACCATAAT	GAAATAAGAT	CACTACCGGG	CGTATTTTTT	GAGTTATCGA
1801	GATTTTCAGG	AGCTAAGGAA	GCTAAAATGG	AGAAAAAAAT	CACTGGATAT	ACCACCGTTG
1861	ATATATCCCA	ATGGCATCGT	AAAGAACATT	TTGAGGCATT	TCAGTCAGTT	GCTCAATGTA
1921	CCTATAACCA	GACCGTTCAG	CTGGATATTA	CGGCCTTTTT	AAAGACCGTA	AAGAAAAATA
1981	AGCACAAGTT	TTATCCGGCC	TTTATTCACA	TTCTTGCCCG	CCTGATGAAT	GCTCATCCGG
2041	AATTCCGTAT	GGCAATGAAA	GACGGTGAGC	TGGTGATATG	GGATAGTGTT	CACCCTTGTT
	ACACCGTTTT					
	ATTTCCGGCA					
2221	CCTATTTCCC	TAAAGGGTTT	ATTGAGAATA	TGTTTTTCGT	CTCAGCCAAT	CCCTGGGTGA
	GTTTCACCAG					
	CCATGGGCAA					
	ATCATGCCGT					
	GCGATGAGTG					
2521	AGTATGCGTA	TTTGCGCGCT	GATTTTTGCG	GTATAAGAAT	ATATACTGAT	ATGTATACCC-

FIGURE 24B

2581 GANGTATOTC AHAAAGAGGT GIGCITATGAA GCACCETATT ACAGTGACA TIGACAGCCA 2701 ATGCAGANTA AAGCCCCGTC TCTGCCTCCC GAACGCTCCA AAGCGANAA TCAGGAAAGC 2701 ATGCAGAATG AAGCCCCGTC TCTGCCTCCC GAACGCTCCA AAGCGANAA TCAGGAAGGC 2701 ATGCAGAATG AAGCCCCGTC TCTGCCTCCC GAACGCCTCCA AAGCGANAA TCAGGAAGGC 2701 ATGCAGGAT CACCCCGTT TATTAGATTAGA CAGCCCTTCT TTGCTGACCA GAACAGGGCAC 2821 TGGTGAAATG CAGTTTAAGG TTTACACCCCA TAAAAAGAGGA AGCCGATATC GTCTGTTTTGT 2881 GGATGACAGT AAGTGTCACCT AAGACTCACC GCGGCGAGG ATGGTGATCC CCTGGCCCAG 2891 TGCAGGTTG CCTCCAGATA AAGTCTCCCC GAGCCAGGG ATGGTGATCC CCTGGCCGAG 3001 TGAAAGCTGG CCCATGATGA CCACCGAATT GCCAGTGTG CCGGTGTGTC AACCGGAGAA 3011 AGAAGTGCCT GATCCAGCC ACCGGAAAT TAACGCACTTA ACCGACTTT 1121 CTGGGGAATA TAAATGCCAG GCCCCCTTAT ACACACCCAG TCTCCCAGGT AACCGCATTT 1122 CTGGGGAATA TAAATGCCAG GCCCCCTTAT ACACACCCAG TCTCCCAGGT AACCGCAGTAT 1123 ATATATGAT AITTATACA TTTTACGTTT CTGGTTCAGC TTTCTCTGAAA ACCGACTTA 3301 TGGGGATCCT CTAGAGTGA CCTCCCCATGAT CCTGTACAGCT TTCTCTGTAA 3301 TGGGGATCCT CTAGAGTGA CGTGCCCTTT TCTTGTGAAC GCTCTTTTTCTTGTAAA 3301 TGGGGATCCT CTAGAGTGA CGTGTGCCC ACCGACCCAG ACCGGATATA AACAAAGCCA 3421 GAAGATTTC AGCCTGATCA CGATTAAATC AGAACCCAAA ACCGACCAC AACCGACCAC 3481 TCTGCCTGCG GCCGATTGGC GCGGTGGTCC ACCTGACCCCA ACCGGCTTTTA TAAAACAGAA 3421 CCCCCGTAGC GCCGATTGGC GCGGTGGTCC ACCTGACCCCA AACCGACCAC ACCGGCATTGAAC 3421 CAAAATACAA TCAAATACAT AGACCAAATC ACCGGACCT TCCTTTTTTCTTTTTTTTTT	2581	GAAGTATGTC	' אאאאהאהמכיד	' ('ጥር'ርጥአጥር'እ		1010ma1a1	
2701 ATGCAGARG AAGCCCGTG TETGGTGCC GAACGCTGGA AAGGGGAAA TCAGGAGGGA 2821 TIGGTGAAGTG CAGTTTAAGG TETTGAAATG AAGGGCTTT TTGCTGAGGA GAACAGGGAC 2821 TIGGTGAAATG CAGTTTAAGG TETTGAAATG AAGGGCTTT TTGCTGAGGA GAACAGGGAC 2821 TIGGTGAAATG CAGTTTAAGG TETTGAAATG AAGGGCTTT TTGCTGAGGA GAACAGGGAC 2821 TIGCACGTCTG CTGTCAGATA AAGTCTCCCG GGGCGACGG ATGGTGATC CCCTGGCCGAG 2821 TIGCACGTCTG CTGTCAGATA AAGTCTCCCG GGGCGACGG ATGGTGATC CCCTGGCCGAG 3001 TIGAAAGCTGG GGCATGATGA CCACCGATAT GGCCAGTGTG CCGGTTTCG TATATCGGGA 3001 TIGAAAGCTGG GGCTCCTTAT AAGTCTCCCG TATATCGGGA 3001 TIGAAAGCTGG GGCTCCTTAT ACACAGCCAG TCTCCAGGTC GACCATAGTG 3112 TCTGGGATAT TAAATGTCAG GCCCCCTTAT ACACAGCCAG TCTCCAGGTC GACCATAGTG 3121 ACTGGATATC TTGTGTTTTA CAGTATTATG TTTTATGCATAT TATATCAGTTT 3241 ATATATCAT ATTTATATCA TTTTATCGTTT TCTGTTTAGCTTT TTTATGCAAAT AAAAAAAGGCA 3361 CGTCAGAATGA TAGACATATC AGATTATATC ACCTAGAGTG TGCTGCTTTTT TTGTGTGAG GAGTAAACTT GGCGGTTAGAAGAAGAAAAAAAAAA	2641	CAGCTATCAG	: TTCCTCAACC	CATATATATCAT	CTCARCGIAII	ACAGIGACAS	TIGACAGCGA
2761 ATGGCTGAGG TEGCCCGGTT TATTGAARTG AACGGCTCTT TTGCTGACGA GAACAGGGAC 2821 TGGTGAARTG CAGTTTAAG TTTGACACCA TAAAAGAGGA GACCGTTATC GTCTGTTTGT 2821 TGCAGTCTG CTGTCAGTA AAGTCTCCCG TGAACTTTAC CCGGTGGTG ATATCGGGGA 2941 TGCACGTCTG CTGTCAGTA AAGTCTCCCG TGAACTTTAC CCGGTGGTGC TATTCGGGGA 3061 GAAAGCTGG CGCATGATA ACCACCGATATA TGCACGATATA CCGGTGTGC TATTCGGGGA 3061 AGAAGTGGCT GATCTCAGCC ACCGGAAAA TGACATCAAA AACGCCATTA ACCTGATGTT 3121 CTGGGGATAT TAAATGTCAG GCCCCTTATA TACCAGACGAC TCTGCAGGTC GACCATAGTG 3121 ACTGGATATT TTGTGTTTTA CAGTATTATG TAGTCTGTTT 3241 ATATATGAT TTGTGTTTTA CAGTATTATG TCTCTTCAGC TTTCTGTGTC GACCATAGTG 31241 ATATATGAT ATTTATATCA TTTTACGTTT CTCGTTCAGC TTTCTTGTGAA ATCTAATTGA 3361 GGTCAGATGA CGTGCCTTTT TTCTTGTGAG CAGTAGCTG GACCATAGTG 3361 GGTCAGATGA CGTGCCTTTT TTCTTGTGAG CAGTAGCTG GGTGTGTTTG GCGGATGAGA 3481 TTGCCTGGC GGCATGAGC CGGTGGTCCC ACCTGACACA AGCGGTCTCA TAAAACAGAA 3481 TTGCCTGGC GCCATGGTA GTGTGGGGGT TCCCCATGGA AGCGGTCTCA TAAAACAGAA 3481 ACCCCGTAGGC CGCTGGTGCC CACCTGAGC AGCGGTCATAAAC AGCGATCAGA 3481 ACCCGTAGAC CTCCCTGAT AGGACAAAAT CCCCCGAGGAC 3781 AGAAGGCCCA CCTCCTGAT AGGACAAAAT CCCCCGAGGAC 3781 AGAAGGCCCA CCTCCTGAT AGGACAAAAT CCCCTAGCACACC CACCACACAC TCCCCAGGATGGAC 3781 AGAAGGCCCA CCTCGAGTAGT AGGCCTATAAC TCCCTTATAC 3781 AGAAGGCCCA CCTCGAGCAGCCC CGCCATAAAC TCCCCAGAAAA 3881 CTAAAATACAT TCAAATATGT ATCCGCTCAT GAGACAAATAA CCCTGAATAA TCCTTTTTT 3781 TGCGGCCCG AGGAGGCCC CGCCGAAAAAC CCCTGAAAAA CGCAAAAAC 3781 AGAAGGCCCA CCTGGGCGAGCGCC CGCCAAAAACA TCCCCAGAAAAA 3811 TGCGCGCGTTT TGCCTTCCTG TTTTTGCCCCCC CGCGCAAAAAA CCCTGAAAAA 3811 TGCGGCATTT TGCCTTCCTG TTTTTGCCA CCCGAGAAACA CCCTGAAAAAAAAAA	2701	ATGCAGAATG	AAGCCCGTCG	TOTOTOTOTO	CARCECTCCA	2200101002	AAGCACAACC
2881 GGATGACA GGATTHAGG TTHACACCCC COGGGCAGG AGGGTATC CCCTGGCCAG 2941 TGCACGTCTC CTGTCAGATA AAGTCTCCCG TGAACTTTAC CCGGGGAGG 3001 TGAAAGCTG CGCATGATGA CCACCGATAT GCCCAGTGTC 3001 TGAAAGCTG CGCATGATGA CCACCGATAT GCCCAGTGTG 3011 TGAAAGCTG CGCATGATGA CCACCGATAT GCCCAGTGTG 3011 TGAAAGTGCT GATCTCAGCC ACCGGGAAAA TGCACCTATA ACCGAGGGGT 3121 CTGGGGATA TAAATGCAG GCCCCCTTAT ACACAGCCG TCTCCAGGTG GACCATAGTG 3121 ACTGGATAT TTGGTTTTA CAGATATTAT TACACAGCCG TCTCCAGGTG GACCATAGTG 3121 ACTGGATAT TATGGTTTTA CAGATATTAT TCTCTTCTTT TTTTATCAAA ATCTAATTTA 3311 TGGGGATCT CTAGAGTCGA CCTGCAGTAA TCGTTACAGG TATTCCAGAT AAAATAGGCA 3310 TGGCGAGTAC GGTCCCTTT TCTTGTTGAC GGATTACAGT GGCGTTTTT GCGGATAGAGA 3311 TGGCGAGTAC GGTCCCTTTTTTTTTTTTTTTTTTTTTT	2761	ATGGCTGAGG	TOGOCOGGTT	י דמיייבא א אייר	ANDCCCTCTT	TTCCTCACA	1 CAGGAAGGG
2891 IGAGTGTACAG AGTGATATTA TTGACAGCC CGGGGGAGG ATGGTANTC CCTGGGCAG 2901 TGAAAGCTGG GCATGTAGACTA AACTGCCCG TGAACTTAG CCGGTGGTGC ATATCGGGA 3001 TGAAAGCTGG GCATGATGA CCACCGATAT GGCCAGTGTG CCGGTGTCC ATATCGGGA 3001 TGAAAGCTGG GATCTAGCC ACCGGGAAA TGACATCAAA AACGCCATTA ACCTGATGTT 3121 CTGGGGAATA TAAATGTCAG GCTCCCTTAT ACCAGCCGC TCTGCAGGTG GACCATAGTG 3121 ACTGGATATG TTATGTTTTA CAGTATTATG TACATGCCGT TTTTTAGCAAA ATCTAATTTA 3121 ATATATTGAT TTATATATCA TTTTAGCTATA TCCGTTCAGG TTTTTTGTCA AAATGGTGTG 3181 ACTGGATAG CTGCCTTTT TTCTTGTGAG CAGTAAGCTT GGCCTTTTTG GCGGATGAGA 3241 ATATATTGAT ACTTTTATATCATT TTTTAGCAAA ACCAGCAGAG 3241 GGAGATTATC AGCCCTATAC AGATTAAATT AGACCACCAGA ACGGGTCTAA AAAAAAGGCA 3242 GAACATTTTC AGCCTCATAC AGATTAAATT AGAACCCCAG AGCGGTCTAT AAAACAGGAG 3243 TTCCCCTAGGG GCGATGAGG GGGTGGTCC ACCTGACCC ATGCCGAACT CAGAAGTGAA 3244 TTCCCCTGGG GCCGATGAGG GGGTGGGTCC ACCTGACCCC ATGCCGAACC CAGAAGGGGGAACG 3221 AACGGCCCGA AGGGTGGGG GCGGAGAGCG CGCCATAAAC TGCCAAGAGC 3221 AACGGCCCGA AGGGTGGGG GCAGGAACC CGCCATAAAC TCCCAAGAGG 3221 AACGGCCCGA AGGGTGGGG GCAGAACC CGCCATAAAC TCCCAAGAGG 3221 AACGGCCCGA AGGGTGGGG GCAGAACC CGCCATAAAC TCCCAAGAGG 3231 AGAAGGCCAT CCTGACGGAT GGCTTTTTG CGCTTTCTACA AACTCTTTTT GTTTATTTT 3221 AACGGCCCGA AGGGTGGCGG GCAGAGCGC CGCCATAAAC TCCAAGAGAAG 3231 AGAAAGCACT CCTGACGGAT GGCTTTTTC GCTTTTACA AACTCTTTTT GTTTATTTTT 3221 AACGGCCCGA AGGGTGGCGG GCAGAGCCC GCCCATAAAC TCCAAGAAGA 3231 CTGAAGAATCA TTCCCCCTAGT TGCTTTCTC TTTTTCCCCCCAGAACG CCCCTAAAAAC CCCCTAAAAAC 3231 TGCGGCATT TGCCTTCCTG TTTTTCCCCCCAGAACG CTGCGAAAACC TCCACACAACA 3231 CTGAAGAACAA TGCGACCAAA CCGGAACAACA AAAAAAAAAA	2821	TGGTGAAATG	CAGTTTAAGG	יייייייייייייייייייייייייייייייייייייי	TARCOGCICII	ACCCCCCCA	GAACAGGGAC
2941 TGCACGTCTC CTGTCAGATA AAGTCTCCCG TGAACTTTAC CCGGTGGTG: ATATCGGGGA 3061 AGAAGCTGG CGCATGATGA CCACGGATATA GGCACGTGTC 3121 CTGGGGATAT TAAATGTCAG CACGCGATATA GGCACGTGTC 3121 CTGGGGATAT TAAATGTCAG GCTCCCTTAT ACACAGCAG TCTGCAGGTT ACCTATATTG 3121 ACTGGATAT TAAATGTCAG GCTCCCTTAT ACACAGCAG TCTGCAGGTT ACCTATATTG 3121 ACTGGATATA TATTGTGTTTTA CAGTATTATA TAGTCTGTTTT TTATTGCAGAT AAAAAAAGCCATATATTG 3121 ATATATGAT ATTTATATCA TTTTACGTTT CTCGTTCAGC TTTCTGTCACA AAAAAAAAGGCAGA 3101 TGGGGATCT CTAAGACCAA CCTGCAGTAA TCGTACAGGT TAGTCAAAAT AAAAAAAGGCA 3321 GGGGATCTC TAGAGCCAG ACGTGACCCT GGCGATCTTT GCGTGAGATAAA AAAAAAAGGCAGA 3421 GAAGATTTTC AGCCTGATAC AGATTAAAT AGAACGCAGA AGCGGTCTGA TAAAACAGAA 3421 TGCCCTGCAGTAA CAGTCAAAAA ACCAGAACGAA 3421 ACGCCGTAGC GCGATGAGC GGGTGGTCCC ACCTGACCCC ATGCCGAACC CAGAAGGCT 3421 ACGCCGTAGC CCGCATGAGG CGGTGGTCCC ACCTGACCCC ATGCCGAACC CAGAAGGCT 3421 ACGCCGCAG AGGGTGAGGG GCAGAACACC CGCCCATAAAC TGCCAAGAC 3421 ACGCCCCGG AGGGTGAGGG GCAGACACCC CGCCATAAAC TGCCAAGACG 3421 ACGCCCCCG AGGGTGAGGG GCAGACCACC CGCCATAAAC TGCCAAGAAG 3421 ACGCCCCCG AGGGTGAGGAG CGCCCTTTTTC GTTTCATTTTC 3411 CTAAATACAA TCAAATAATA AACCGCTCAT GAGACAATAA CCCTTTTTTC 3411 CTAAATACAA TCAAATAATA AACCGCCTCAT TCCTTTTTTC 3411 CTAAATACAA AGGAAGAGT TAAGACTATC ACCACTTTTC 3411 TGAAATACAA TCAAATAATA ACCGCTCAT GAGACAATAA 3411 CTAAATACAA TCAAATAATA ACCGCTCAA ACCACTTTC GTTTCATCATA 3411 CTAAATACAA TTCGCCCCC AGGTGGGTTA CACCAGAACAC CACCAGAACA 4021 CTATCAAAA AGGAAGAGT TAAGACATCC CCCCGAAAAC CACCCCCTTA TCCCCTTTTT 3411 ACGTGGAGG GCAGACCC CGCCATAAAC CACCGCCCTA TCCCTTTTT 3411 ACGTGAGAG TTGCCCCC CAGTGAGAC CACCAGAACA CACCAGACA 4021 CTATCTCAA ATGACTTCC CGTTTAACCC CCCCAAAACAC ACCACCAGAACA 4031 CTATCTCAA AAGAAATAT GCACTTGACC CACGAGAACA CACCAGAACA 4031 CTATCTCAA AAGAAATAT GCACTTGACC CACCAGAACA ACCACAACAA 4041 CATCACACATA AACAAATACC CCCCGCAAACA ACCAAACAA 4041 CACACACTCT AACCAATCC CACCAGACA ATTAAACATA GCACTTTTTCAACACAACA	2881	GGATGTACAG	במסונות המשמט ביים ביים ביים ביים ביים ביים ביים ביי	TTCACACCIA	CCCCCCACACAGAG	AGCCGTTATC	GICTGITTGT
3001 TGAAAGCIGG CGCATGATGA CCACGGATAT GGCCATTGT GCGGTCTCG TTATCGGGGA 3061 AGAAGGCGT GATCTCAGCC ACCGGGAAAA TGACATCAAA AACGCATTA ACTGATGTT 3121 CTGGGGATAT TAAATGTCAG GCTCCCTTAT ACACAGCCAG TCTGCAGGTC GACCATAGTG 3181 ACTGGATATG TTGTGTTTTA CAGTATTATAT TAGTCTGTTT TTTATGCAAA ATCTAATTTA 3241 ATATATTATATATA TTTTATATTAT TAGTCTTTT CCGTTCAG TTTCTGACAGAT ACCTGATGTG 3301 TGGGGATCCT CTAGAGTGGA CCTGCAGTAA TCGTACAGGG TAGTACAAT AAAAAAGGCA 3301 TGGGGATCCT CTAGAGTGGA CCTGCAGTAA TCGTACAGGG TAGTACAAT AAAAAAAGGCA 3301 TGGGGATCCT CTAGAGTGGA CCTGCCAGTAA TCGTACAGGG TAGTACAAT AAAAAAAGGCA 3481 TTTGCCTGGC GGCGATGAGA GAGTGTGCCA ACCTGACCCC AGCAGTAGGA ACCGGTCTGA TAAAACAGAA 3481 TTTGCCTGGC GGCGATGAGC GGGTGTCCC ACCTGACCA GAGAGTGGGA ACCGGCAGGA 3481 TTTGCCTGGC GGCGATGAGC GGGTGGTCC ACCTGACCC AGCAGTAGGGA ACCGGCAGGA 3601 ATCAAATAAA ACGAAAGGCT CAGTCGAAGA ACCGGCAGGAC CGCATAAAAA TGCCACGGGA 3601 ACCAAAATAAA ACGAAAGGCT CAGTCGAAGA ACCGGCCGGAGC GGATTTGAAC GTTGCGAAGG 3781 AAAAGGCCCAT CCTGACAGGA GGCGTTTTC CCCCGGGAGC GGATTTGAAC GTTGCGAAGC 3781 AAAAAGACC TCTCCTGAGT AGGACAATAA CCCCGGAACA CCCCCTATAAA 3811 CTAAATACAT TCAAATATGT ATCCGCTCAT GAGACAATAA CCCCTGATAAA TGCTTCAAAT 3901 ATATTGAAAA AGGAAGAGTT TACCGCTCAT TACCGTCTAC ACCATTCAA TCCCTGATAAA 3901 ATATTGAAAA AGGAAGAGTT TACCGCTCAT CAGAGACATAA CCCTGAAACA TCCCTGTTTT 3951 TGCGGCATTT TGCCTTCCTT TTTTTGCTCA CACAGAACAC GACACTCAAC ACCGCCCTTAAC 4021 TGAAAACACT TTGGGGTCAC AGGAGACGTAC CACGGCACAAC GAACACCAC GAACACCAC TCCCTTTTA 4021 TAAAACACT TTGGGGTCAC AGGAGACGCT ACCAGTCAAC GACACCACCAC TCCCCTTAAC 4021 TAATCCCAC AATCACATCC GAGGAGCCTAC CACACCACAC	2941	TGCACGTCTG	רדבייבאנאווא : בייבייבאנאייא	A A CTCTCCCC	CGGGCGACGG	AIGGIGATCC	CCCTGGCCAG
3101 CIGGGGGATT TARANGTCING GCTCCCTTATT ACACAGCCAG TCTGCAGGTC GACCATAGTG 3121 CITGGGGGATAT TARANGTCING GCTCCCTATATT ACACAGCCAG TCTGCAGGTC GACCATAGTG 3121 ATATATTGAT ATTTATATCA TTTTACCTTT CAGTATTCA TTTATGCAAA ATCTAATTA 3221 ATATATTGAT ATTTATATCA TTTTACCTTT CTCTTCAGG 3301 TGGGGATCT CTGAGATCGA CCTGCAGTATA TCGTTCAGG TAGTCAAAT AAAAAGGCA 3301 TGGGGATCT CTGAGATCGA CCTGCAGTATA TCGTTCAGG TAGTCAAAT AAAAAGGCA 3361 CCTCAGATGA CCTGCACTAT TCTTTGTGAG CAGTAACCT GCCTGTTTTG GCGGATGAGA 3421 GAACATTTCA ACCCTGATCA AGATAAATC AGAACCCAGA AGCGGACT CAGAAGGGA 3481 TTTGCCTGC GCCGATGGCA GGGTGGTCC CCCCCTGCA AGCGGACC CAGAAGGGA 3501 ATCAAATAAA AGAAAGGCT CAGTCGAAAG ACCTGACCCC ATGCGGAAC 3601 ATCAAATAAA AGAAAGGCT CAGTCGAAAG ACCTGACCCC AGCGGACC CAGAAGTGAG 3721 AACGGCCCGG AGGGTGGCG GCAGGACACC CCGCGGAGC GGATTTGAC GTTCTTTGTTTCT 3661 CGGTGAACGC TCTCACGGAT GGCCTTTTTC CCTTTCTACA ACCTTTTACT TCTTTTTTTT	3001	TGAAAGCTGG	CIGICAGAIA	CCACCCATAT	GAACTTTAC	CCGGTGGTGC	ATATCGGGGA
3181 ACTGGGATAT TARATGTCAG GCTCCCTTAT ACACAGCCAG TCTGCAGGGT GACCATAGTG 3241 ATATATTGAT ATTTATATCA TTTTACTTTT CAGTATTGTT TTATGCAAA ATCTAATTTA 3241 ATATATTGAT ATTTATATCA TTTTACGTTT CTCGTTCAGC TTTCTTGTCAAA ATCTAATTTA 3301 TGGGGATCCT CTAGAGTGGA CCTGCAGTAA TCGTACAGGG TAGTACAAAAT AAAAAAGGCAA 3310 CGCGCAGATGAG CGTGCGATTAA TCGTACAGGG TAGTACAAAAT AAAAAAGGCAA 3421 GAAGATTTTC AGCCTGATAC AGATTAAATC AGAACGCAGA AGCGGTCTGA TAGAACGAAA 3481 TTTGCCTGGC GGCAGTAGGC CGTGGGAGCA CCTGACCCC ATGCGGAACT CAGAAGGAAA 3481 TTGCCCTGGC GGCGATGGGC GGTGGAGAAA CCTGGGCCTT TCGCTTTTTTT TGTTCTTTTGT 3661 CGGGTAACGC TCTCCCGAGAGG GCCGCATAAAA CCGCCGGGAGC CAGATTGAAC 3721 AACGGCCCGG AGGGTGGCG GCAGAGACC CGCCATAAAA TCCGCCCGGAGC 3721 AACGGCCCG AGGGTGGCG GCAGAATC CGCCGGGAGC GGATTTGAC GTTCCGATGCG 3721 AACAGCCCT CCTGACCGAT ATCCGCTCAGT CAGAATATAA CCTCTACTAAC TTCCGTTTTTGTT 3841 CTAAATACAT TCAAATATGT ATCCGCTCAT CAGACAATAA CCTCCAGGCAT CAAATAAGG 3721 ACAGGCCAT CCTGACCGAT ATCCGCTCAT CAGACAATAA CCTCCAGGCAT CAAATAAGG 3721 AACAGGCCAT CCTGACCGAT ATCCGCTCAT CAAATATAAGC CGCCGGAAC CAAATAAGGC 3721 AACAGCCCT CAAAATACAT TACCGCTCAT CAGACAATAA CCCTCAGACA CAAATAAGGC 3721 AACAGCATC TTGGCTCCAC GGGCGAATAC CACACTCCAT CACAATACAAT	3061	AGAAGTGGCT	GATOTOACCO	CCACCGAIAI	GGCCAGIGIG	CCGGTCTCCG	TTATCGGGGA
3181 ACTGGATATE TITGGTTTTA CAGTATTATE TAGTCTTTT TITATGCAAA ACTTAATTCA 3241 ATATATCAA TATTAATACA TITTACGTTT CTCGTTCAGG TITCTTGTCA CAAGTGGTGA 3361 TGGGGATCCT CTAGAGTCGA CCTGCACTAA TCGTACAGGG TAGTACAAAT AAAAAAGGCA 3361 CGTCAGATGA CCTGCCTTTT TTCTTGTGAG CAGTAAGCTT GGCTGTTTTG GGGATCAGAA 3481 TTTGCCTGGC GGCAGTAGCG CGGTGGTCCC ACCTGACCCC ATGCCGAAC CAGAGTGAGA 3481 TTTGCCTGGC GGCAGTAGCG CGGTGGGCT CAGCTGAGCA ACGGCTCGA ACGGCAGAG 3661 ATCAAATAAA ACGAAAGGCT CAGTGCAAAG ACTGCCCAGGCA ACGGCAGAC 3661 ATCAAATAAA ACGAAAGGCT CAGTGCAAAG CCCCGAGGAG GGATTTGAC GTTCTTGGTG 3661 ATCAAATAAA ACGAAAGGCT CAGTGCAAAG CCCCGAGAG GGATTTGAC GTTCTTGGT 3661 CGGTGAACGC TCTCCTGAGT AGGACAAATC CGCCGGGAG GGATTTGAC GTTCTTACT 3661 CGGTGAACGC TCTCCTGAGT AGGACAAATC CGCCGGGAG GGATTTGAC GTTCTTACT 3661 TACAAATACA TCAAATAGT ATCGGCTCAT GAGACAATAA CCCTGATAAA TCCTTCAATA 3871 AGAAGGCCAT CTGACGGAT TGCGTTTTCC CCCCAGAAAC ACCTTTTTT TTTTTTTTTT	3121	CTGGGGAATA	TAAATCTCAGCC	CCTCCCTTTTTT	IGACATCAAA	AACGCCATTA	ACCTGATGTT
3241 ATATATTAT ATTITATATA TITTACGITT CICGITCAGA TAGACAAAA AAAAAAGCA 3361 CGTCAGATGA CCTGCAGTAA CCTGCAGAGG TAGTACAAAT AAAAAAGCA 3361 CGTCAGATGA CGTGCCTTT TICTITGAG CAGTAAGCT GGCTGITTTG GGGATGAGA 3421 GAAGATTTC AGCCTGATAC AGATTAAATC AGAACGCAGA AGCGGTCTGA TAAAACAGGA 3481 TITGCCTGGC GGCAGTAGGG GGGGGTCCC ACCTGACCCC ATCCGCACC CAGACGCAGA 3541 AGGCGTAGC GCGATAGGA GGTGGTGCC ACCTGACCC ATCCGCAGC CAGAGGGGAGGA 3601 ATCAAATAAA ACGAAAGGCT CAGTCGAAGA ACTGGCCTT TCGTTTTAT TGTTGTGAG 361 CGGTGAAGGC TCTCCTGAGT AGGACAAATC CCCCAGGGGC GATTTGAAC 3721 AACGGCCCGG AGGGTGGGG GCAGAGGCC CGCCATAAAC TCCCAGGCAT 3721 AACGGCCCGG AGGGTGGCG GCAGAGCGC CGCCATAAAC TGCCAGGCAT CAAATTAAGC 3721 AACGGCCCGG AGGGTGGCG GCAGACGCC CGCCATAAAC TGCCAGGCAT CAAATTAAGC 3721 AACGGCCCGG AGGGTGGCG GCAGTTTTC CGTTTCTAC ACCTTTTT 3841 CTAAATACAT TCAAATAGT ATCCGCTCAT GAGACAATAA CCCCTGATAAA TGCCTCCATAA 3901 ATATTGAAAA AGGAACAGTT TGAGTATTCA CACATTCCGT GTGCCCCTT TTCCCTTATT 3961 TGCCGCAGT TTGCCTTCCTG TTTTTGCTCA CCCAGAAACG TCGGTGAAAC TTCCCTTTTT 3961 TGCCGCAGT TTGCCTTCCTG TTTTTGCTCA CCCAGAAACG TCGGTGAAAC TACAAATGAC 4021 TGAAGATCAG TTGGGTGCAC GAGTGGGTTA CATCGAACG TGCGCCTTTA AAAAGATGC 4021 TGAAGATCAG TTGGGTGCAC GAGTGGGTTA CATCGAACG TGCGGCAAACG TTCAACAACGA 4031 CTTTACGAGAT TTTCCCCCG AAGAACGTT TCCAATCAAC AGCACTTTTA AAAGATGCC 4021 CTATTCTCAG AATGACTTGG TGAGGACCTC CACAGAACG CACTGATCA 4021 CTATCTTCAG AAAGAATTA GCAGTGCTC CACAGAACG AATGAACGT TTCAGGATGA 4321 CTTACTTTAG ACAACGATCG GAGGACCACAA TACAACGAAC 4321 CTTACTTTAG ACAACGATCG GAGGACCACAA TTCCAACGAACG TACCAAACGA 4321 CGCGGTAAAC ACCACGATCC CTACACGAAC ATAACCATA AGGATAACAC TTCCGGCTGAACG ATCAACGAACG TTCCAGCCTT ACCAGAACG ATCAACGAACG TTCCAGCCTT ACCAAACGA 4321 CGCGGTGAAC CTTCTGCGCT CGCGCCTTCC GGCTGAACC TTCTACGACC TACACAACGA 4321 AGCGCGGGAG CTTCCAGCGTAC ATCAGAGACG TTCCAGCCC TACACGAACG TTCCAGCCC TACACGAACG TTCCAGCCC TACACGAAC ATCAGAGACC TTCTACCAGACG TACACGAACG TTCCAGCCC TACACGACT TTCAGACCAACG TTCTACCAGACG TACACGACG TTCTACCACACG TTCTACCACACG TTCTACCACACG TTCTACCACACG TTCTACCACACG TTCTACCACACG TTCTACCACACG TTCTACCACACG TTCTACACACG TTCTACCACACG TTCTA	3121	ACTGGATATG		CACTACTIAL	ACACAGCCAG	TCTGCAGGTC	GACCATAGTG
3301 TGGGGATCCT CTAGAGTCGA CCTGCAGTAA TGGTACAGGG TAGTACAAAT AAAAAGGCAGA 3421 GAAGATTTC AGCCTGATAC AGATTAAATC AGAACGCAGA AGCGGTCTTTT GCGGGATAGGA 3421 TTGCCTGGC GGCAGTAGCG GGGGGTCCC ACCTGACCCC ATGCCGACC AGAGTAGGGA 3421 AGCCGTAGGC GCCGATGGGT GGGGGGTCCC ACCTGACCCC ATGCCGACCC 3421 ATCAAATAAA ACGAAAGGCT CAGTCGAAAG ACTGGGCCT TCGTTTTATC TGTTTTTGT 3421 ACGCGCCGA GGGGGGGGG GCAGGAGGCC CGCCATAAAC TGCCAGGCAC 3421 ACGACCCGA GGGTGGCGG GCAGGAGGCC CGCCATAAAC TGCCAGGCAC CAAATTAAGC 3421 AACGCCCGA GGGTGGCGG GCAGGAGGCC CGCCATAAAC TGCCAGGCAT CAAATTAAGC 3421 AACGCCCGA GGGTGGCGG GCAGGAGCCC CGCCATAAAC TGCCAGGCAT CAAATTAAGC 3421 ACGACGCCGA GAGACAAATC CCTGACAGATAA CCTGCAGCAT CAAATTAAGC 3421 ACGACGCCGA GAGACAAATTC ACATTTCCG TGTCCCTTTTT 3441 CTAAATACAT TCAAATATAT TACCGCTCAT GAGACAATAA CCCTGATAAA TGCTTCAATT 3441 CTAAATACAT TCCAAATATAT TAGCATTCAA CACTTTCCG TGTCGCCCTTT TCCCTTTTT 3441 TGGGTGCAT TTTCGCTCCG TTTTTGCTAC CCCAGAAACG CTGGTGAAA3 TAAAAGATGC 4021 TGAAGATCAG TTGGGTGCA GAGTGGGTTA CACTGGACCTA GACTCCATCA GCGGTAAGAT 4021 TGAAGATCAG TTTCGCCCCG AAGAACGTTT TCCAATGATG AGCACTTTA AAGTTCCCTTTTT 4141 ATGTGGCGCG GTATTATCCC GTGTTCACCC CGGGCAACAG CAACTGGGTC GCCCATACA 4021 CTATCTCCA AATGACTTG TTTGAGTACTC ACCAGTCACA GAAAACCATT TACGGATGG 4261 CATGACAGTA AAGAACATTA TGCAGTCTG GCAGTCACA GAAAACCATC TACGGGCCAA 4321 CTTACTTCTG ACAACGATG GAGGACGAA GACACGATG GCCCATACA 4321 CTTACTTCTG ACAACGATG CACACGAGGA ACCACCAGACGA CACCACGACGA 4321 CTACTCCCATT ACTCCTGGT ACCTGCACA ATGAACCATC TACCAACGA 4411 CGAGCCTG ACCACGATGC CACCACGACG ACCACCAGCAC TTCCACCACA 4411 CGAGCCTG ACTCCTCTGCT CCCGGCACCAC ATTAAACCAT TGCGGCCCAA 4411 CGACCGTTA ACTCTTGCT CCCGGCACCA ATTAAACCAT TGCGGCCCAA 4411 CGACCGTAC ACCACGATGC CACCGCACAC TTCCACGCAC TACCAACGA 4411 CGACCGTAC ACCACGATGC CACCGCACAC ATTAAACCAT TACCAACACA 4411 CGACCGTAC ACCACGATGC CACCGCACAC ACCACACACAC TGCGCCCTC ACCACACAC TGCGCCTCC ACCACACAC TGCGCCCTC ACCACACAC ACCACCAC CACCACACAC CACCACACAC TTCCCCGACC CACCACACAC TTCCACGCAC TACCACAC CACCACACAC CACCACACAC CACCACACAC CACCAC	3241	הבוסטואוט דמטיית מימים	TIGIGILIIA TUTUTATATA	CAGIAITAIG	TAGTCTGTTT	TTTATGCAAA	ATCTAATTTA
3361 CGTCAGATGA CGTGCCTTT TTCTGTGAG CAGTAGGTA GGCTGTTTG GCGGATGAGA 3481 TTTGCCTGGC GGCAGTAGGC GGGTGGTCC AGACGCAGA ACCGTCTGA TAAAACCAGA 3481 TTTGCCTGGC GGCAGTAGGC GGGTGGTCC AGCTGACCC ATGCCGAGCT CAGAGGTGAGA 3541 AGGCCGTAGC GCGATGGTA GTGTGGGGTC TCCCCATGGG AGAGTAGGGA ACTGCCAGAGC 3661 ATCAAATACAA ACGAAAGGCT CAGTCGAAGA CCGCGGGAGC GGATTTGAC TGTTTTTGT 3661 CGGTGAACGC TCTCCTGAGT AGGACAAACA CCCCGGGAGC GGATTTGAC TGTTTTTGT 3721 AACGGCCCGG AGGGTGGCGG GCAGAGGCC CGCCATAAAC TGCCAGGCAT CAAATTAGAG 3721 AACGGCCCGG AGGGTGGCGG GCAGAGGCC CGCCATAAAC TGCCAGGCAT CAAATTAGAG 3721 AACGGCCCGG AGGGTGGCGG GCAGAGCC CGCCATAAAC TGCCAGGCAT CAAATTAGAG 3721 AACGGCCCGG AGGGTGGCGG GCAGAGCC CGCCATAAAC TGCCAGGCAT CAAATTAGG 3721 AATTGAAAAA AGGAAAGATA TGAGTATTCA CACATTCCGT GTGCCCCTTA TTCCCTTTTT 3841 CTAAATACAT TCAAATATGT ATCCGCTCAT GAGACCATACA CCCTGATAAA TGCCTTCATA 3961 TGCGGCATTT TGCCTTCCCTG TTTTTGCTA CACATTCCGT GTGCCCCTTA TTCCCTTTTT 3961 TGCGGCATTT TGCCTTCCCTG TTTTTGCTA CACATTCCGT GTGCGCCTTA TAAAAGATGC 4021 TGAAGATCAG TTGCGTCCCC GAGAGCGTT CATCGAACG CTGGTAAAC TAAAAGATGC 4021 TGAAGATCAG TTCGCCCCG AGAGACGTTT TCCAATGATG AGCACTTTTA AAGTTCTCCT 4021 TGAAGATCAG TTCGCCCCG AGAGACGTTT TCCAATGATG AGCACTTTTA AAGTTCTCCT 4021 CTATTCTCAG AATGACTTGG TTGAGTACC CGGGCAAGAG CAACTCGGTC GCCGCATACC 4201 CTATTCTCAG AATGACTTGG TTGAGTACC CGGGCAAGAG CAACTCGGTC GCCGCATACC 4201 CTATTCTCAG AATGACTTGG TTGAGTACC ACCAGCATAC AGGACACACA AGGACACAC ATCACCATAC 4221 CATGACAGATA ACCACCATG GAGGACCAAA GAGACACAC TTCACGCATA ACCACACACAC GAGGACCAAAC GAGACACAC TTCACGCATA ACCACACACAC CAACCACACAC CTCCTGCCC CACACCACAC	3301	TCCCCATCCT	CTACACTCA	CCTCCACTA	CTCGTTCAGC	TITCITGTAC	AAAGTGGTGA
3481 TITGCCTGGG GGCAGTIAGG CGGTGGTCCC ACCTGACCC ATGCCGAACT CAGAGGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGG	3361	CCTCAGATGA	CIAGAGICGA	TTCTTCTTCTC	COCCACAGGG	TAGTACAAAT	AAAAAAGGCA
3481 TITGCCTGGG GGCATTAGG GGTGGTCC ACCTGACCC ATGCGACT CAGAAGGAA 3601 ATCAAATAAA ACGAAAGGCT CAGTCGAAAG ACTGCCAGGC 3601 ATCAAATAAA ACGAAAGGCT CAGTCGAAAG ACTGCGCCTT 3661 CGGTGAACG TCTCCTGAGT AGGACAAATC CGCCGGGAGG 3721 AACGGCCCGG AGGGTGGGG GCAGAGACGC CGCCATAAAC TGCCAGGCAT CAGTCGAAGG 3781 AGAAGGCCCT CCTGACGGAT GGCCTTTTTG CGTTTCTTACA ACTCTTTTT GTTTTTTTTTT	3421	COICAGAIGA	ACCCTCATAC	1 TCTTGTGAG	CAGTAAGCTT	GGCTGTTTTG	GCGGATGAGA
3541 ACGCCGTAGG GCCGATGGTA GTGTGGGGTC TCCCCATGGG ACAGTAGGGA ACTGCAAGG 3601 ATCANATANA ACGANAGGCT CAGTCGAAAG ACTGGCCTT TCGTTTTATC TGTTGTTTGT 3661 CGGTGAACGC TCTCCTGAGT AGGACAAATC CGCCGGGAGC GGATTTGAC GTTGCTAGGA 3721 AACGGCCCGG AGGGTGGGG GCAGGACGC CGCCATANAC TGCCAGGCAT 3781 AGAAGGCCAT CCTGACGGAT GGCCTTTTG CGTTTTTACA ACCTTTTTTTTTT	3481	TTTCCCTCC	GCCACTACCC	CCCTCCTCCT	AGAACGCAGA	AGCGGTCTGA	TAAAACAGAA
3661 GGGGGAACGG TCTCCTGAGT AGGACAAATC CCCCGGGAGC GGATTIGAC GTTGCGAGGC 3781 AACGGCCCG AGGGTGGCGG GCAGGACGCC CCCCATAAAC TGCCAGGCAT CAAATTAAGC 3781 AGAAGGCCAT CCTGACGGAT GGCCTTTTTG CGTTTCTACA ACCTCTATAA 3811 CTAAATACAT TCAAATATGT ATCCGCTCAT GAGACAATAA CCCTGATAAA TGCTTCAATA 3901 ATATTCAAAA AGGAAGACTA TGAGTATATCA CACATTTCCCT GTTGACATA 3901 ATATTCAAAA AGGAAGACTA TGAGTATATCA CCCAGAAATAA CCCTGATAAA TGCTTCAATA 3901 TGGGGCATT TGCCTTCCTG TTTTTGCTCA CCCAGAAACG CTGGTGAAAC TACCCTTTTT 3961 TGGGGCATT TTCCCCCCG AGGACGCTT CCCAGAAACG CTGGTGAAAC AGCCCTTTAAA 4021 TGAAGACT TTTCCCCCCG AGGAACGTTT TCCCATACAC GCGGTAAAGATA 4021 CTATTCTCAG AATGACTTGG TTGAGTACC CCGGGAAGAC CACCTCGTC ACCACTACAC 4020 CTATTCTCAG AATGACTTGG TTGAGTACC CGGGCAAGAC 4201 CTATTCTCAG AATGACTTGG TTGAGTACC CGGGCAAGAC 4201 CTATTCTCAG AATGACTTGG TTGAGTACC CGGGCAAGAC 4201 CTATCTCTG ACACGATCG GAGGACCGAA GGAGCCACAC 4201 CTATCTCTCA ACACGATCG GAGGACCGAA GGAGCCAAC 4201 CTATCTCTCA ACACGATCG GAGGACCGAA GGAGCCAAC 4201 CTATCTTCTC ACACGATCG GAGGACCGAA GGAGCCAACCAC TTACCAACACA 4321 CTTACTTCTC ACACGATCG CACACCACACACCAC TCCCAACACACACACCA TTACCAACACACAC	3541	ACCCCCTACC	CCCCATCCTA	CTCTCCCC	ACCTGACCCC	ATGCCGAACT	CAGAAGTGAA
3661 CGGTGAAGGC TCTCCTGAGT AGGACAAATC CGCCGGGAGC GGATTTGAAC GTTGCGAAGG 3721 AACGGCCCGG AGGGTGGCGG GCAGACCGC CGCCATAAAC TGCCAGGCAT CAAATTAAGGC 3781 AGAAGGCCAT CCTGACGGAT GGCCTTTTTG CGTTTCTACA AACTCTTTTTT GTTTATTTT 3841 CTAAATACAT TCAAAATATGT ATCCGCTCAT GAGACAATAA CCCTGATAAA TGCTCCTTTTT 3901 ATATTGAAAA AGGAAAGATA TGCGCTCAT GAGACAATAA CCCTGATAAA TGCTCCTTTTT 3901 ATATTGAAAA AGGAAGAGTA TGAGTATTA ACATTTCCGT GTCGCCCTTA TTCCCTTTTT 3901 ATATTGAAAA AGGAAGAGTA TGAGTATCA ACATTTCCGT GTCGCCCTTA TTCCCTTTTT 3901 ATATTGAAAA AGGAAGAGTA TGAGTGTCA CCCGGAAACG CTGGTGAAAA TAAAAGATGC 4021 TGAAGATCAG TTGGCTCCCG AAGAACGTTT TCCCAGAACCG CTGGTGAAAA TAAAAGATGC 4021 CTATTCTCAG ATGACTTGG TTGAGTCC CAGGACACG CAACTCGGTC GCCGCATACA 4031 CTTATTCTCAG AATGACTTGG TTGAGTACC CACAGTCACA GAAAACCACT TTACGGCAGC 4201 CTATTCTCAG AATGACTTGG TTGAGTACC CACAGTCACA GAAAACCACT TTACCGATGC 4201 CTATTCTCAG AATGACTTGG TTGAGTACC CACAGTCACA GAAAACCACT TTACCGATGC 4201 CTATTCTCAG AATGACTTGG TGGGTGCCC CACAGACCG GGAGCTAACC GCCGCATACA 4211 CTACCTCTAG ACACCGATCG GAGGACCCGA GGAGCTAACC GCTTTTTTGC 4221 CGAGCGTGAC ACCACGATGC CTACAGCAAA GGAGCTAACC GCTTTTTTGC 4221 CGAGCGTGAC ACCACGATGC CTACAGCAACA ATTAATAGAC TGGGGAGCCA ACCACAGGG 4381 GGATCATCT ACTCTAGCTT CCCGGCAACA ATTAATAGAC TGGAGCACA ACCACAGGGGACT ACCACACGAGGACT ACCACACGAGGACT ACCACACGAGGACT ACCACACACACACACACACACACACACACACACACA	3601	ACGCCGIAGC	ACCA AACCCT	GIGIGGGGTC	TCCCCATGCG	AGAGTAGGGA	ACTGCCAGGC
3781 AGCGCCCGG AGGGTGGCGG GCAGGACGCC CGCCATAAAC TGCCAGGCAT CAAATTAAGC 3781 AGAAGGCCAT CCTGACGGAT GGCTTTTTG CGTTTCTTACA AACTCTTTT 3841 CTAAAATACAT TCAAAATATGT ATCCGCTCAT GAGACAATAA CCCTGATAAA TGCTTCAATA 3901 ATATTGAAAA AGGAAGAGTA TGAGTATTCA ACATTTCCGT GTCGCCCTTA TTCCCTTTTT 3961 TGCGGCATTT TGCCTTCCTG TTTTTTCTCTCA CCCAGAAACC CTGGTGAAAC TAAAAACATCT 3961 TGCAGGACTT TGCCTTCCTG TTTTTTTCTCA CCCAGAAACC CTGGTGAAAC TAAAAACATCA 4021 TGAAGAGTAA TTGCCTCCCG AAGAACGTTT TCCAATCATC GATCCTAACA GCGGTAAGAT 4021 TGAAGAGTAA TTTCGCCCCG AAGAACGTTT TCCAATCATC GACCACTTAAA AGGTTCTGCT 4141 ATGTGGCGCG GTATTATCCC GTGTTGACGC CGGGCAAGAG CAACTCGGTC GCCGCATACA 4021 CTATCTCAG AATGACTTGG TTGAGTACC ACCAGTCACA GAAAACCATC TTACGGATGG 4261 CATGACAGTA AGACATTG GCAGTGCTG CATAACCATG AGGAAAACCATC TTACGGATGG 4261 CATGACAGTA AGACAATTA GCAGTGCTG CATAACCATG AGTGATACA CTCGGGCCAA 4321 CTTACTTCTG ACAACGATCG GAGGACCGAA GGAGCCTAAC ACTCGATGCA ACTCGCTTG ACCAACGACA GGAGCCTAAC ACTCGCTGCAAC ACTCGTTGGGA ACCGACAACC TTCGCGGCCAAC ACTCCTGAGCC CCGGCCCTTCC GGCCTGCCTC GCGCTCCC GGCCTGCACA ATTGACTGAC CCGAAACAACA 4441 CGAGCGTGAC CTCTCGCGCT CGCGCCTTCC GGCTGGCTG TTTATTGCCT ATAAACTCG 4501 CGAACTACTT ACTCTAGCTT CCGGCCCTTCC GGCTGGCTGG TTTATTGCC ATAAACTCG 4501 CCGATACGTA GTTATCTACA CGACGGGGAC ATTGAGCACAC ACGACAACA 4501 AGCCCGTAAG GTAAGTTAAT TAAAACTTCA TTCAGGCCTC ACCAGATGA GAAAAAAAC CACCGGAGAT TTCAGCACAC AAGTTTACTC 4801 ATATATACTT TAGGATTGATT TAAAACTTCA TTTAAACTTCA ACAACAACACA AAGTTTACTC 4810 ATATATACTT TAGGATTGATT TAAAACTTCA ACCAGCACACA CAAAAAAAAC CACCGCGTCC CACCACTTC TTTTTCCCGAACG ACCAACAACC TTTTTTCCCGAAGG TAACCGACACAC CACAACACAC CCCACCTTC CACCACAC CCCACCTT TTTTCCCGAAG TAACCGAGACAC CCCACCACT TTTTTCCCGC GCTTAACCTAA ACCAAAAAAAAC CACCGCGCCAC CCCACCTTC CACCACCAC TTTTTTCCCGC ATCCAACCAC ACCAACACAC CCCACCTTC CACCACAC CCACCACTT TTTCCCGAGG GACAACACC CTACCCCAC TTTTTCCCGC GCTTAACCACAA ACCCAACACAC CCACCACCT TTTCCCGAGG GACAACACC CTACCCCAC TTTTTCCCGC GCGTAACCA CCACCACCT TTTTCCCGC GCGTAACCAC CTACCCCAC TTTTTCCCGC GCGTAACCA CTACCCCAAC CCGCGCCTCC CCCACCTTCC ACCCCACC TTTTTTCCGC GCGTAACCA CTACCCCAAC CCACC	3661	CCCTCDACCC	TCTCCTCACT	CAGTCGAAAG	ACTGGGCCTT	TCGTTTTATC	TGTTGTTTGT
3781 GAAGGCCAT CCTGACGGAT GGCCTTTTTG CGTTTATA AACTCTTTT GTTTATTTTT 3841 CTAAATACAT TCAAATATGT ATCCGCTCAT GAGACAATAA CCCTGATAAA TGCTTCAATA 3901 ATATTGAAAA AGGAAGAGTA TGAGTATCA CACATTTCCGT GTGCCCCTTA TTCCCTTTTT 3961 TGCGGCATT TGCCTCCTG TTTTTGCTCA CCCAGAACG CTGGTGAAAG TAAAAGATGC 4021 TGAAGATCAG TTGCGCTCCG GATGGGTTA CATCGAAGCAG GATCTCAACA GCGGTAAGAT 4081 CCTTGAGAGT TTTCGCCCCG AAGAACGGTTT TCCAATGATA AGCACTTTTA AAGTTCGCT 4141 ATGTGGCGCG GTATTATCCC GTGTTGACCC 4201 CTATTCTCA AATGACTTG TTGAGTACC CCCAGAACG CAACTCGGTC GCCGCATACA 4201 CTATCTCAG AATGACTTG TTGAGTACC CACAGTCCA AGAAACGATC TTACGGATGG 4201 CTATCTCAG AATGACTTG TTGAGTACCC CATAACCAT AGCACTTTTA AGGACTGG 4321 CTTACTTCTG ACAACGATCG GAGGACCCAAA ACCACGATCA ACCACGATCA ACCACGATCA ACCACGATCA ACCACGATCA ACCACGATCA ACCACGATCA ACCACGATCA ACCACGATCA ACCACGACACA TTGCGCAACACACACACACACACACACACACACACACACA	3721	AACGCCCCCC	ACCCTCCCCC	AGGACAAATC	CGCCGGGAGC	GGATTTGAAC	GTTGCGAAGC
3841 CTAAATACAT TCAAATATGT ATCCGCTCAT GAGACAATAA CCCTGATAAA TGCTTCAATA 3901 ATATTGAAAA AGGAAGAGTA TGAGTATTCA ACATTTCCGT GTGCCCCTTA TTCCCTTTTT 3961 TGCGGCATT TGCCTTCCTG TTTTTGTCTA CCCAGAAAAGG CTGGTGAAAG TAAAAGAGTC 4021 TGAAGATCAG TTGGGTGCAC GAGTGGGTTA CATCGAACTG GATCTCAACA GCGGTAAGAT 4081 CCTTGAGGAGT TTTCGCCCCG AAGAAGCGTTT TCCAATATATA 4081 CTTATCTCAG ATTATCCC GTGTTGACGC CGGCAAGAG CAACTCGGTC GCCGCATACA 4201 CTATTCTCAG AATGACTTG TTGAGTACTC ACCAGTCACA GAAAAGCATC TTACGGATGG 4261 CATGACAGTA AGAGAATTAT GCAGTCTC CATGACCCAG GAAGAGCATC TTACGGATGG 4261 CATGACAGTA ACCACGATTG ACCAGTCACA GAAAAGCATC TTACGGATGG 4381 GGATCATGTA ACTCGCCTTG ATCGTTGGGA ACCGGAGCTG AATGAGCAAC TACCAAACGA 4381 GGATCATGTA ACTCGCCTTG ATCGTTGGGA ACCGGAGCTG AATGAGCAAC TACCAAACGA 4441 CGAGCGTGAC ACCACGATGC CTACAGCAAA ATTAATAGAC TGGATGGAGCAA TATAAATAGAC 4501 CGAACTACTT ACTCTGCCT CGGCCCTTCC 4621 AGCCGGTGAC CTTCTCGCCT CGGCCCTTCC 4621 AGCCGGTGAC CTTCTCGCCT CGGCCCTTCC 4621 AGCCGGTGAG CTTCTCACC CGGCCCTTCC 4621 AGCCGGTGAG CTTCTCACC CGGCCCTTCC 4631 CCGTATCGTA CTTCTACCA CGACGAGGAG TCAGGCAAC ATTAATAGAC 4741 GATCGCTGAG CTTCTCACC CGGCCCTTCC 4641 CCGTATCGTA CTTCTCACA CACCGATACA ATTAATAGAC TGGATGAACCA ATAAATCCTG 4641 ACCAACCTGT ACTCTACA CACCGATACA ATTAATAGAC TGGATGAACCA 4741 GATCGCTGAG CTTCTCACA CACCGATACA ATTAATAGAC ATGGATGAAC 4741 GATCGCTGAG ATAGGTGCCT CACTGATTAA GCATTGGTAA CTGTCAGACC AGTTAACTC 4801 ATATATACTT TAGATTGATA CACCGATACA TTTTTTATTT AAAAGGATC 4801 ATATAACTT TAGATTGATA CACCGATACA ATTATATTT AAAAGGATC 4801 ATATAACTT TAGATTGATA CACCGATACC ATTAAACTCA 4801 ATATATACTT TAGATTGATA CACCGATACCA ATACCTGTAC 4810 ACCAACCTTT TTTCCGAAG TAACTGCC TTTATTCTGC GCGTAACCA 4811 ACCAACCTTT TTTCCGAAGG TAACTGCCT CAGAGACCC TTTTTTCCGG CAGAGACCA 4811 ACCAACCTTT TTTCCGAAGG TAACTGGCT CAGAGAACCA ATACCGGTCC 4811 CCTCTTGAA ACCAGATACT ACCGGATAC CAGCGACAC CAGCGACA CAGAGACC CAGCGACAC CTCACACGGG CAGAACCAC CTCACACGC CAGCGACAC CTCACACGGG CAGAACCAC CTCACACGC CAGCGACAC CTCACACGC CAGCAGACC CTCACACGGG CACACACAC TTTCCCGAA CACACACAC CTCACCGTAC CAGCGACAC CTCACCGACA CACCACACAC CTCACCACAC CACCACAC TTACCCGAA	3721	ARCOGCCCOG	CCTCA CCCAM	GCAGGACGCC	CGCCATAAAC	TGCCAGGCAT	CAAATTAAGC
3961 TGCGGCATT 3961 TGCGGGCATT 3961 TGCGGGCATT 3961 TGCATGAAGA 4021 TGAAGATCA 4021 TGAAGATCA 4021 TGAAGATCA 4021 TGAAGATCA 4021 CTATGAGAGT 4021 CTATGAGAGT 4021 CTATTCTCA 4021 CTATCTCA 4021 CTACACATT 4021 CTACACATT 4021 CTACACATT 4021 CTACACATT 4021 CTACACATT 4021 CTACACACT 4021 CTACACACAC 402	30/1	CTNNNTNCNT	TCDARTGGAI	GGCCTTTTTG	CGTTTCTACA	AACTCTTTTT	GTTTATTTTT
3961 TGCGGCATTT TGGGTGCAC 4021 TGAAGATCAG TTGGGTGCAC GAGTGGGTTA CATCGAACTG GATTCAACCA GCGGTAAGAT TTTTCGCCCCG AAGACGTTT TCCAATGATG GACTCTTTTA AAGTTCTGCT 4141 ATGTGGCGCG GTATTATCCC GTGTTGACGC CGGGCAAGAG CACCTCGGTC AACTACCCCC AACACTCG CTGATCCTCCAACCAC ACACTCCCCCCC AACACTCCC CACCCCCCCC	2001	CIMMMIMUMI	1 CAAATATGT	ATCCGCTCAT	GAGACAATAA	CCCTGATAAA	TGCTTCAATA
4081 CCTTGAGGATCA TTTGCCCCG AAGAACGTTT TCCAATGATG ACACTTGTA AAGTTCTGCT 4141 ATGTGGCGCG GTATTATCCC GTGTTGACGC CGGGCAAGAG ACACTCGGTC GCCCATACA 4201 CTATTCTCAG AATGACTTG TTGAGTACC ACCAGTCACA GAAAAGCATC TTACGGATGG 4261 CATGACAGTA AGAGAATTAT GCAGTGCC CATACACAG GAAAAGCATC TTACGGATGG 4261 CATGACAGTA AGAGAATTAT GCAGTGCCC CATACACAGACCG GAGACTACAC ACCAGTCACA AGACACATGG GAGGACCAACC GCATACACAGATCG GAGGACCAACC GCATACACA AGACATGGG ACCAGGACCA ACCACGATCA ACCAGTCACA ACCACGATCC CTACACCAAACGA GGAACCACCG AATGAACCAT TACCAAACGAACGA ACCACGATCA ACCACGATCC CTACACCAAA GGCAACAACG TTGCCCAAACCGA TACCAAACGA ACCACGACCA CTTCTGCCTT CCCGGCCACA ATTAATAGAC TGGATGAGAC CTTCTGCCCT CGCGCCTTCC GGCCTGCTGC TTTATTGCTG ATAAACTTGG 4501 CGAACTACTT ACTCTAGCTT CCCGGCAACA ATTAATAGAC TGGATGAGGC CGGATAAAGT 4561 TGCAGGACCA CTTCTGCCCT CGCGCCTTCC GGCTGGCTGG TTTTATTGCTG ATAAACTTGG 4621 AGCCCGTTGAG CTTCTGCCCT CGCGCTATCAT TGCAGCACAC GTAAGCCATC GTAAGCCCTC 4681 CCGTTATCATA GTATCTACAC CGACCGGGAG TCAGGCAACC ATTATTACTGCTG ATAAACTTCG 4681 CCGTATCCTA GTATCTCACA CCACCGGGAG TCAGGCAACC ATGTATACCC GAGCGAACG TAAGACACC ATGTATACCC ACCTGATTAA GCATTGTAAA ATTCTATGAT TAAAACTTCA TAAACTTCA TTTTACGATGA AACCAAAAAAAAC CACCGCCTAC AAGGATCCT TTTTCGGACG ACCACCCTT TTTCCGAAG TAACTGGCCTC TTTTTCGTCC GCGTAATCTG TTTCCGAAGCGTC TTTTCCGTCC CCGTAACTCT TTTCCGAAGG TAACTGGCTC TTTAGGATCCT TTTTCCGAAGG TAACTGGCTC TTTAGGACCCC CTACACACCGC CTACACCGAACCG CTACACCACCT TACACCGAAC CCCACCTTC CAGCGAGCGC TCGCGCTGAA CGGGGGGTTC TTCCCGAACGA CCCCCCTTCC ACCCGCTCC TACACCGAA CTGAGACCCC TTACCCGAACCG CTACACCGAA CTGAGACCCC TTACCCGAAC CCCACCTTT TACCGGCTCA ACCCGCTCACA CCCGCTACAC CCCACCTT TACCCGG GAAAAGCCC GAAAAGCCC GAACACCC CTACACCGAA CCCACCTTT TACCGGCTCA ACCCGCACAC CCCACCTTC TACACCGAA CCCACCTTC TACACCGAA CCCACCTT TTACCGG GAAAAGCCC GAAAAGCCC GAACAGCC CTACACCGAA CCCACCTTT TACCGGCTCA ACCCGCACAC CCCACCTTT TACCGGCTCA ACCCGCACAC CCCACCTTT TACCGGCTCA ACCCGCACAC CCCACCTTT TACCGGCTCA ACCCCCTTT TACCGGCTCA ACCCCCTTT TACCGGCTCA ACCCCCTTT TACCGGCTCA ACCCCC	3901	TCCCCCATTU	AGGAAGAGTA	TGAGTATTCA	ACATITECGT	GTCGCCCTTA	TTCCCTTTTT
4081 CTTGAGAGT TTTGCCCG AAGAACGTTT TCCAATGATG AGCACTTTA AAGTTCTGCT 4141 ATGTGGCGCG GTATTATCCC GTGTTGACGC CGGGCAAGAG CAACTCGGTC GCCGCATACA 4201 CTATTCTCAG AATGACTTGG TTGAGTACTC ACACTCAGTC CAACTCGGTC GCCGCATACA 4261 CATGACAGTA AGAGAATTAT GCAGTGCTC CATAACCATG AGGAAAAGCATC TTACGGATGG 4261 CATGACAGTA ACACGATCG GAGGACCGAA GGAGCTAACC 4321 GTTACTTCTG ACAACGATCG GAGGACCGAA GGAGCTAACC 4321 GGATCATGTA ACTCGCCTTG ATCGTTGGGA ACGAGCACAACG TTGCGCAAAC 4341 CGAGCGTGAC ACCACGATCG CTACACACAT GGCAACAACG TTGCGCAAAC 4441 CGAGCGTGAC ACCACGATCG CTCACGACAACG GGCAACAACG TTGCGCAAAC 4501 CGAACTACTT ACTCTAGCTT CCCGGCACAC ATTAATAGAC TGGATGGAG CGGATAAAGT 4501 TGCAGGACCA CTTCTGCGCT CGGCCCTTCC GGCTGGCCGTG 4621 AGCCGGTGAC CGTGGGTCC CGGCCCTTCC GGCTGGCTGG TTTATTGTCT ATAAACTCG 4621 AGCCGGTGAC CTTTACTACA CGACGGGGGA TCAGAGCACA ATTGTACAC GGAGCACACACT 4681 CCGTATCGTA GTTATCTACA CGACGGGGGA TCAGAGCACT ATGGATGAAC AAGATTAATCTC 4681 CCTTTTGAT AATCTCACA CACCGATACA TTTTTATATT AAAACTCCA ATAGACCAC 4741 GATCGCTGAG ATAGGTCCT CACCGAATCC TTTTATATT AAAACTCCA ATTGGTAAC AAGTTAACTC 4801 ATATATACTT TAGATTGATT TAAAACTCCA TTTTTATATT AAAAGGACC AAGTTTACTC 4921 AGACCCCGTA GAAAAAAAC CACCGCTACC ACGGAGCGA TTTTTCGTCC ACTGAGAGC 4921 AGACCCCGTA GAAAAAAAC CACCGCTACC AAGGATCCT TTTTCGTTCC ACTGAGAGCT 4921 ACCAACTCTT TTTCCGAAGG TAACTGGCTT CAAGAACACC TTTTTCGTCC GCGTAATCTG 5041 ACCAACTCTT TTTCCGAAGG TAACTGGCTT CAAGAACACC TTTTTCCTTCC ACTGAGAGCT 5101 TCTAGTGTAG CCGATATAG TAACTGGCTT CAAGAACACC TTTTCCGGA 5221 GTGGACCAC ACCCGTTTC CAGCGAGCGC TGCCAACACAA ATACTGTCCT 5101 TCTAGTGTAA ACCCGATTGG ACCAACACT TTCCCGGAGG GCAACACC TAACACACAA ATACTGTCCT 5101 TCTAGTGTAA ACCCGATTGG ACCAACACT TTCCCGGAGG GCAACACC TTACACCGAA CTGACACCAA ATACTGTCCT 5101 TCTAGTGTAA ACCCGATTGG ACCACCACT TACCAGGAG GCAACACC TTACCAGGA CCACCACT TTCCCGAGG GAAACACC TTCACAGAGCG TTCCCGAAGG GCAACACC TTACCAGGA CCACCACT TTCCCGAGG GAAACACC TTCACAGGAGC GAAACACC TCACACTAC TTCCCGGAGG GAAACACC TTCCCGAGG GAAACACC TC	3 2 0 1	TCAACATCAC	TGCCTTCCTG	TITTIGCTCA	CCCAGAAACG	CTGGTGAAAG	TAAAAGATGC
4141 ATGTGGGGG GTATTATCCC GTGTTGACGC CGGGCAAGAG CAACTCGGTC GCCGCATACA 4201 CTATTCTCAG AATGACTTGG TTGAGTACTC ACCAGTCACA GAAAAGCATC TTACGGATGG 4261 CATGACAGTA AGAGAATTAT GCAGTGCTGC CATAACCATG AGTGATAACA 4321 CTTACTTCTG ACAACGATCG GAGGACCGAA GGAGCTAACC GCTTTTTTGC ACAACATGGG 4381 GGATCATGTA ACTCGCCTTG ATCGTTGGGA ACCGGAGCTG AATGAAGCCA TACCAAACGA 4441 CGAGCGTGAC ACCACGATGC CTACAGCAAT GGCAACAACC TTGCGCGAAAC TATTAACTGG 4501 CGAACTACTT ACTCTAGCTT CCCGGCAACA ATTAATAGAC TTGGATGGAGG CGGATAAAGT 4561 TGCAGGACCA CTCTCGCGCT CGGCCCTTCC GGCCTGGCTGG TTTATTGCTG ATAATATCG 4621 AGCCGGTGAG CTTCTGCGCT CGCGCTACAT TGCAGCACTG GGGCCAGATG GTAAGCTCTC 4681 CCGTATCGTA GTTATCTACA CGACGGGGGG TCAGGCACAT ATGGATGGAC GTAAACTTCG 4741 GATCGCTGAG GTTATCTACA CGACGGGGGAG TCAGGCACAT ATGGATGAAC GAAATAGACA 4741 GATCGCTGAG GTTATCTACA CGACGGGGAG TCAGGCACAT ATGGATGAAC AACTTTACTC 4801 ATATATACTT TAGATTGATT TAAAACTTCA TTTTTAATTT AAAAGGGACC AACTTTACTC 4921 AGACCCCGTA GAAAAGAAC CACCGCTACC AGGGTGGTT TTTTTTCTTCG 4921 AGACCCCGTA GAAAAAAAAC CACCGCTACC AGGGTGGTT TTTTTTCTTCC 4921 ACCAACTCTT TTTCCGAAGG TAACTGGCTT CAGAGAACTCT TTTTCTCTCAGACCT 5041 ACCAACTCTT TTTCCGAAGG TAACTGGCTT CAGAGAACTCT TTTTTCTCGAGCT 5041 ACCAACTCTT TTTCCGAAGG TAACTGGCTT CAGAGAACTCT TTTTTCTCGCG CAGATACCT 5101 TCTAGTGTAG CCGTAGTTAG GCACCACCTT CAGAGAACTCT GTAGCACCGC CTACATACCT 5101 TCTAGTGTAG CCGTAGTTAG GCACCACACTT CAGAGAACTCT GTAGCACCGC CTACATACCT 5101 TCTAGTGTAG CCGACGCTTGA GCCACACCTT CAGAGAACTCT GTAGCACCGC CTACATACCT 5221 GTGGACACAG CCCACCTTTGA ACCAGAGCGA CCCACCACTT CAGAGAACTCT GTAGCACCGC CTACATACCT 5221 GTGGACACAG CCCACCTTTGA ACCAGCAGAGCA CCCACCACTT CAGAGAACTC GTAGCACCGC CTACACTCT 5101 TCTAGTGTAG CCGACTAGT TACCGGAACACAC CTACACCGAA ATCCTTTCCCGG 5221 GTGGACCACAG CCCACCTTTGA ACCACACACTT TACCGGAAAACCG CTACACCGAA ACGCGCACACACT TACCGGGGAAAGACC CTACACCGAA CCCACACACTT TACCGGAAACCGC CTACACCGAA CCCGCACACACT TACACCGAA CCCGCACACACT TACACCGAA CCCCACACTTT TACCGCT TACACCCGAA CCCGACCGAC GACAGAGCGA CCCGCACACACT TACACCGAA ACCGCCTAC CCGACACACACT TACACCCAAC CCCACACACT TACACCCAAC CCCACACACA	4001	CCTTCXCXCT	TTTCCCCCCC	GAGTGGGTTA	CATCGAACTG	GATCTCAACA	GCGGTAAGAT
4261 CATGACAGTA AAGAGAATTAT GCAGTGCTGC CATAACCATG AGTGATAACA CTGGGGCCAA 4261 CATGACAGTA AGAGAATTAT GCAGTGCTGC CATAACCATG AGTGATAACA CTGGGGCCAA 4321 CTTACTTCTG ACAACGATCG GAGGACCGAA GGAGCTAACC GCTTTTTTGC ACAACTGGG 4381 GGATCATGTA ACTCGCCTTG ATCGTTGGGA ACCGGAGCTG AATGAAGCCA TACCAACGGA 4441 CGAGCGTGAC ACCACGATGC CTACAGCAAT GGCAACACGG TTGGGCCAAACGA 4501 CGAACTACTT ACTCTAGCTT CCCGGCACCA ATTAATAGAC TTGGGCAAAC TATTAACTGG 4501 CGAACTACTT ACTCTAGCTT CCCGGCACCA ATTAATAGAC TTGGATGAGG CGAACAACGT 4501 CGAACTACTT ACTCTAGCTT CCCGGCACCA ATTAATAGAC TTGGATGAGG CGAACAACGT 4501 CGACCACGTA GCTTCTGCCCT CGGCCCTTCC GGCTGCCTGG GGCCCACCA ATTAATAGCT GGATGAACG TATAACCTGG 4621 AGCCGGTGAG CTTCTGCCCT CGCGCTACCA TTGCAGCACCA ATGAAGCAC GTAAACCCCTC 4681 CCGTTATCTTACA CGACCGGGGAG TCAGGCACCA ATGGATGAAC GAAATACCCC 4741 GATCGCTGA ATAGGTGCCT CACTGATTAA GCATTGGTAA CTAACACCAC 4741 CATCCCTTACA ATAGGTGCCT CACTGATTAA GCATTGGTAA CAACATACCCT 4801 ATATATACTT TAGATTGATT TAAAACTTCA TTTTTAATTT AAAAGGATCT AGGTGAACA 4861 CCTTTTTGAT AATCCATGA CCAAAATCCC TTAACGTGAG TTTTTCGTTCC ACCTGAGCTC 4801 ACCAACTCTT TTTCCGAAGG TAACTGGCTT CTAGGATCCCT TTTTTTTTCCTTCC GCGTAATCTG 481 CTCCTGCAA ACCAAAAAAAC CACCGCTACC ACGGGGGGT TTTTTTCGTTCC ACCTGAGCT 481 ACCAACTCTT TTTCCGAAGG TAACTGGCTT CAGCAGAGCG CACAATACCA ATACCTGCTC 5041 ACCAACTCTT TTTCCGAAGG TAACTGGCTT CAGCAGAGCG CACAATACCA ATACCTGCTC 5101 CTCAGTGTAA CACCACAATGT TACCGGCTAC TCAGCAGACCG CTACAACACCA 5341 GCTCTGCAA AGACGATAGT TACCGGATAAA GGCCCACCACT TACCGGATGC GATAACTGT TCACGGGTTC 5221 GTTGGACCAG CCCACCTTTGACCACAC CTACACCGAA CACAAAAAAAC CCCGCCACCCT TCCCGAACGA CCCACGCTTCC 5341 GCTATGGAAA ACCCCACCAC TTCCCGAACGA CTGAGATACC TACCAGCGGGTTC 5521 GGGCGGAGC CCACCACTT TACCGGATAC CTGAGATACC TACCAGCGGA 5401 CAGGCTCGAAAAAAAAAAAA CACCCAGCAAACGAC CTACACCGAA CTGAGATACC TACCAGCGG 5401 CAGGCTCGAAAAAAAAAAAAAC ACCCCAGCAAACGAC CTACACCGAA CTGAGATACC TACCAGCGGGTACC TACCACCAAA ACGACCAGAA CAGACCGAC CCACCACAACTAC CTACACCGAA ACGACCAGAC ACGACCAGAC ACGACCAGAC ACGACCAGAC ACGACCAGAC CCACCACAACTAC TTTTTTTTTT	4141	ATCTCCCCCC	CTATTATATA	AAGAACGTTT	TCCAATGATG	AGCACTITTA	AAGTTCTGCT
4251 CATGACAGTA AGAGAATTAT GCAGTGCTGC CATAACCATG AGTGATAACA CTGCGGCCAA 4321 CTTACTTCTG ACAACGATCG GAGGACCGAA GGAGCTAACC GCTTTTTTTGC ACAACATGGG 4381 GGATCATGTA ACTCGCCTTG ATCGTTGGGA ACCGAGCTG AATGAAGCCA TACCAAACGA 4441 CGAGCGTGAC ACCACGATGC CTACAGCAAT GGCAACAACG TTGCGCAAAC TATAACTGG 4501 CGAACTACTT ACTCTAGCTT CCCGGCAACA ATTAATAGAC TGGATGGAGC CGGATAAAGT 4561 TGCAGGACCA CTTCTGCGCT CGGCCCTTCC GGCTGGCTGG TTTATTGCTG ATAAACTTGG 4621 AGCCGGTGAG CGTGGGTCTC CGGCCTTCC GGCTGACCA ATTAATAGAC TGGATGGAGC CGGATAAAGT 4741 GATCGCTCAG GTTATCTACA CGACGGGGAG TCAGGCAACT ATGGATGAAC AAATAGACA 4741 GATCGCTCAG ATAGGTGCCT CACTGATTAA GCATTGGTAA CTGTCAGACC AAAATAGACA 4741 GATCGCTCAG ATAAGGTCC TAAAAATACCT TAAAAACTTCA TTTTTAATTT AAAAAGGATCT AGGTGAACAT 4861 CTTTTTGAT AAATCTCATCA CCAAAAATCCC TTAACGTGAG TTTTTCTTCC ACTGAGCGTC 4921 AGACCCCGTA GAAAAGAAC CACCGCTACC AGCGTGGTT TTTTTTCTCC GCGTAATCTG 4921 AGACCCCGTA ACAAAAAAAC CACCGCTACC AGCGTGGTT TTTTTTCTGC GCGTAATCTG 4981 CTGCTTGCAA ACAAAAAAAC CACCGCTACC AGCGTGGTT TTTTTTCTGC GCGTAATCCT 5101 TCTAGTGTAG CCGTAGTTAG CACCGCCACCT TCGCCAGAGCG CAGATACCAA ATACTGTCCT 5101 TCTAGTGTAG CCGTAGTTAG CACGCACCT TCAGCAGAGCC CAGATACCAA ATACTGTCCT 5101 TCTAGTGTAG CCGTAGTTAG CACGCACACT TCAGCAGAGCC CAGATACCAA ATACTGTCCT 5101 TCTAGTGTAA AGCCGCTAG AGCAACACAC TACACCGG GAAAAGACC CTACACCGAA ACCAGACACT TCCGGAAGG GCGCAGCGG TCGGGCTGAA CCGGGGGTTC 5221 GTTGGACTCA AGACGATAT TACCGGTAA GCGCAACGC CTACACCGA CTGAGAACCA CTGAGATACC ACCGGGGGTTC 5221 GTGGACTCA AGACGATAT TACCGGTAA GCGCCAGCG TCGGGCTGAA CCGGGGGTTC 5341 GCCTCTGCA ACAGAGAC CTCCGGAAGGC GACAGGATAC CACCGGAACGC CTACACCGAA CCGAGAGC CTACACCGAA CCGGGGGTTC 5401 CAGGGTGGA ACAGGAGAC CTCCGAACG CTACACCGAA CCGGGGCTC 5401 CAGGGTGGA ACAGGAGAC CTCCGAACG CTACACCGAA CCGGGCCTT TTTTTGTGAT CCGGGGGGTC 5401 CAGGGGGAG ACAGGAGA ACCGCCGAACGGGG GCCGACGGGGC GACAGGGTC GACAGGAC CTACGCGAAC CTACCGCAA TTC	4141	AIGIGGCGCG	DATTATCCC	GTGTTGACGC	CGGGCAAGAG	CAACTCGGTC	GCCGCATACA
4381 GGATCATGTA ACAGGATCG GAGGACCGAA GGAGCTAACC GCTTTTTGC ACACACAGA 4441 CGAGGGTGC ACCACGATGC CTACAGCAAT GGCAACAACG TTGCGCAAAC TACTAACTGG 4501 CGAACTACTT ACTCTAGCTT CCCGGCAACA GGCAACAACG TTGCGCAAAC TATTAACTGG 4501 TGCAGGACCA CTTCTGCGCT CGGCCCTTCC GGCTGCTGC TTTATTGCTG ATAAACTGG 4501 TGCAGGACCA CTTCTGCGCT CGGCCCTTCC GGCTGCTGG TTTATTGCTG ATAAACTGG 4501 ACCACGATGC CTTCTGCGCT CGCGCCTTCC GGCTGCTGG TTTATTGCTG ATAAACTCGG 4621 AGCCGGTGAG CGTGGTCTC GCGGTATCAT TGCAGCACTG GGGCCAGATG GTAAGCCCTC 4681 CCGTATCGTA GTTATCTACA CGACGGGGAG TCAGGCAACA ATGGATGAAC AAGTTTACTC 4741 GATCGCTGAG ATAGGTGCCT CACTGATTAA GCATTGGTAA CTGTCAGACC AAGTTTACTC 4801 ATATATACTT TAGATTGATT TAAAACTTCA TTTTATATTT AAAAGGATCT AGGTGAACAACG 4741 CCTTTTTCAT AAATCTCATGA CCAAAAATCCC TTAACGTGAG TTTTCCGTACG ACTGAGCGTC 4921 AGACCCCGTA GAAAAGATCA AAGGATCTC TTAACGTGAG TTTTTCTGTCC GCGTAATCGT 4981 CTGCTTGCAA ACAAAAAAAC CACCGCTACC AGCGGTGGTT TGTTTCCGCG ATCAAGAGCT 4981 ACCAACTCTT TTTCCGAAGG TAACTGGCTT CAGCAGCGC CAGATACCAA ATACTGTCCT 5041 ACCAACTCTT TTTCCGAAGG TAACTGGCTT CAGCAACCCC CTACACACACT 5041 ACCAACTCTT TTCCGAAGG TAACTGGCTT CAGCAACCCC CTACACACACT 5041 ACCAACTCTT ACCCGTTTAC CAGTGGCTC CAGCAGACCC CTACACACAC CCGTACTCT ACCCGATACCT 5041 ACCAACTCT TTCCGAAGG TAACTGGCTC CAGCAGACCC CTACACACCG CTACACACAC CCGCACTTC CAGCAGCGC CAGATACCAA ATACTGTCCT 5041 ACCAACTCT ACCCGTTAC CAGTGGCTC CAGCACACC CTACACACCG CTACACACCG CTACACACGC CTACACACGC CTACACACGC CTACACACG CCGCGCGTCG CTACACACGC CTACACACGC CTACACACGC CTACACACGC CTACACACG CCCACGTTC CAGCACACG CCGCGCGTCG CTACACACGC CTACACCGC GAAAAGCCC CTACCACCTC TTACCCGG GAAAAGCCC CTACCACGC GACAGGTAC CTACACCGAA CCGCGCGTCG GCGCGCGCG GCGGCGG GCAGCGGTC CTACACCGC CACCACCGC CTACACCGC CTACCCCC ACCCCACCCC	4201	CATCACACA	AATGACTTGG	TTGAGTACTC	ACCAGTCACA	GAAAAGCATC	TTACGGATGG
4381 GGATCATGTA ACTCGCCTTG ATCGTTGGGA ACCGGAGCTG AATGAAGCCA TACCAAACGA 4441 CGAGCGTGAC ACCACGATGC CTACAGCAAT GGCAACAACG TTGGGCAAC TATTAACTGG 4501 CGAACTACTT ACTCTAGCTT CCCGGCAACA ATTAATAGAC TGGAGCAAC TATATACTGG 4501 TGCAGGACCA CTTCTGCGCT CGGCCCTTCC GGCTGGCTGG TTTATTGCTG ATAAATCTGG 4621 AGCCGGTGAG CGTGGGTCTC GGCGTATCAT TGCAGCAACT ATGGATGAAC GAAATCAGCA 4741 GATCGCTGA GTTATCTACA CGACGGGGAG TCAGGCAACT ATGGATGAAC GAAATCAGCA 4741 GATCGCTGAG ATAGGTGCCT CACTGATTAA GCATTGGTAA CTGTCAGACC AAGTTTACTC 4801 ATATATACTT TAGATTGATT TAAAACTTCA TTTTTAATTT AAAAGGATCT AGGTGAAGAT 4801 ATATATACTT TAGATTGAT TAAAACTTCA TTTTTAATTT AAAAGGATCT AGGTGAAGAT 4921 AGACCCCGTA GAAAAAAAC CACAGCACCC TTGACGTGAG TTTTTCTCCG GCGTAATCTG 4921 AGACCCCGTA GAAAAAAAC CACCGCTACC AGCGGTGGT TTTTTCTCCG GCGTAATCTG 5041 ACCAACTCTT TTTCCGAAGG TAACTGGCTT CAGCAGAGCG CAGATACCAA ATACTGTCCT 5101 TCTAGTGTAG CCGTAGTTAG GCCACCACTT CAAGAACCC TTGTTTCCCGG ATCAACAGCT 5102 TCTAGTGAG CCGTAGTTAG GCCACCACTT CAAGAACTCT GTAGCACCCG CTACATACCT 5103 TCTAGTGAG CCCAGCATAGT TACCGGATAG GGCGCAGCGG TTGGGCTGAA CCGGGGGTTC 5221 GTTGGACTCA AGACGATAGT TACCGGATAA GGCCCACCACTT CAAGAACTCT GTAGCACCCG CTACATACCT 5221 GTGGACTCA AGACGATAGT TACCGGATAA GGCCCACGC TCCCGAAGG GCACAGAGGG GAAAAGGGC GCCACGCGG TCCGGGCTGAA CGGGGGGTTC 5221 GTGGACTCA AGCGCATAGT TACCGGATAAC GGCCACGCG CTCCCGAAGG GCACAGAGGG GCACAGAGGC CTACACCGAA ACCCGCTGA CGGGGGTTC 5221 GTGGACTCA AGCGCACAC CCCACCTT CAAGAACCGC CTACACCGA CCGGGGGTTC 5221 GTGGACTCA AGCGCACAC CCCACCTT TACCGG GGAAACGCC CTACACCGA CCGGCCTGA CGGGGGTTC 5221 GTGGACTCA AGCGCACAC CCCAGCTAG GGCACAGGG GCTCCAGGG GAAACGCC TTACACCGA CCGCCTGA CCGGGCTTC 5221 GTGGACCCA CCCACCTT TACCGGC GAAACGCC TTACACCGA CCGCCTGA CCGGCCTTT TTTTTTTTTT	4201	CATGACAGIA	AGAGAATTAT	GCAGTGCTGC	CATAACCATG	AGTGATAACA	CTGCGGCCAA
4441 CGAGGTGAC ACCACGATGC CTACAGCAAT GGCAACAAGG TTGCGCAAC TATTAACTGG 4501 CGAACTACTT ACTCTAGGTT CCCGGCAACA ATTAATAGAC TGGATGAGG CGGATAAAGT 4561 TGCAGGACCA CTTCTGCGCT CGGCCTTCC GGCTGGCTGG TTTATTGCTG ATAAATCTGG 4621 AGCCGGTGAG CGTGGGTCTC GGCGTACAT TGCAGCACTG GGGCCAGATG GTAAGCCCTC 4681 CCGTATCGTA GTTATCTACA CGACGGGGAG TCAGGCAACT ATGGATGAAC GAAATAGACA 4741 GATCGCTGAG ATAGGTCCT CACTGATTA GCATTGGTAA CTGTCAGACC AAGTTTACTC 4801 ATATATACTT TAGATTGATT TAAAACTTCA TTTTTAATTT AAAAGGATCT AGGTGAAGAT 4861 CCTTTTGAT AATCTCATGA CCAAAATCCC TTAACGTGAG TTTTCGTTCC ACTGAGCGT 4921 AGACCCCGTA GAAAAAAAC CACCGCTACC AGGCAGTGGT TTTTTTTCCG GCGTAATCTG 4981 CTGCTTGCAA ACAAAAAAAC CACCGCTACC AGCAGTGGT TTTTTTCCGC GTGATACTT 5041 ACCAACTCTT TTTCCGAAGG TAACTGGCTT CAGCAGAGCG CAGATACCAA ATACTGTCCT 5101 TCTAGTGTAG CCGTAGTTAG GCCACCACTT CAAGAACTCT GTGGCACCAC ATACCACT 5101 TCTAGTGTAG CCGTAGTTAG GCCACCACTT CAAGAACTCT GTAGCACCAC ATACCTGCT 5221 GTTGGACTCA AGACGATAGT TACCGGATAAC GGCGCAGCGG TCGGGCTGAA CCGGGGGGTTC 5221 GTTGGACTCA AGACGATAGT TACCGGATAAC GGCGCAGCGG TCGGGCTGAA CCGGGGGGTTC 5221 GTTGGACACAG CCCAGCTTGG ACCGAACGAC CTACACCGAA CCGGGGGGTTC 5221 GTGGACTCA AGACGATAGT TACCGGAACGAC CTACACCGAA CCGGGGGGTTC 5221 GTGGACTCA AGACGATAGT TACCGGATAAG GGCCCACCGC TCCCGAAGG GCTCCCGAAGG GCTCCAGGG GGAAACGCC TGGGGGTTC 5241 GCAGCGGAA ACGCCCACCT TCAGCGAGGG GCTCCAGGG GGAAACGCCT GGGGGGTTC 5251 GGGGCGGAG CCAAGGAGAC CCCCAGCTACCACT TGAGCCGCAGGG GCTCCAGGG GGAAACGCCT GGGCTTTTACGGT 5461 TAGTCCTGTC GGGTTTCGCC ACCTCTGACT TGAGCCGCC TTTTTTGGAT GCCCGCTAGG 5521 GGGCCGAGC CTATGGAAAA ACGCCAGCA CCCCCAGGGG GCTCCAGGG GGAAACGCCT GGGCCTTTTACGGT 5521 GGGCCTTTT GCCCAAGT TCTTTCCTGC GCTTATACCT TTTTTTTTTT	4321	CCAMCAMONA	ACAACGATCG	GAGGACCGAA	GGAGCTAACC	GCTTTTTTGC	ACAACATGGG
4501 CGAACTACTT ACTCTAGCTT CCCGGCAACA ATTAATAGAC TGGATGAGG CGGATAAAGT TGCAGGACCA CTTCTGCGCT CGGCCTTCC GGCTGCTGG TTTATTGCTG ATAAATCTGG AGCCGTGAC CGTGGGTCC GCGGTATCAT TGCAGCACTG GGGCCAGATG GTAAGCCCTC GGCTACATCAT TGCAGCACTG GGGCCAGATG GTAAGCCCTC GATTACTACA CGACGGGGGA TCAGGCACT ATGGATGAAC AAGTTTACTC CACTGATAA GCATTGGTAA CTGTCAGACC AAGTTTACTC AGGTGAACC AAGTTTACTC AGGTGAAC AAGTTTACTC AGGTGAACAC AAGTTTACTC AGGTGAAC AAGTTTACTC AGGTGAACAC AAGTTTACTC AGGTGAAGAT TTTATATACTT TAGATTGAT TAAAACTTCA TTTTTAATATT AAAAGGATCT AGGTGAAGAT AGGTGCACT AGGTGAAGAT TTTTCGTTCC ACTGAGCGTC ACTGAGCGTC TTTTCTGTCC ACTGAGCGTC ACTGAGCGTC AGCGGTGGTT TTTTTCTGCC GCGTAATCTG AGCACACACT TTTTCCGAAG TTTTCCTGC GCGTAATCTG AGCACACACT TTTCCGAAG TAACTGCT CAGGAGCGC CAGATACCAA ATACTGTCCT CAGGAGCTC CAGGAGCGC CTACATACCT CAGGAGCTC CAGGAGCGC CTACATACCT CAGGAGCTC CAGGAGCGC CTACATACCT CAGGAGCTC CTACATACCT CAGGAGCTC CAGGAGCGC CTACATACCT CAGGAACTCT GTAGGACCGC CTACATACCT CAGGAGCTC CAGGAGCGC CTACATACCT CAGGAACTCC TCGGCGTGAA CGGGGGTTC CAGGAACACC CCCACACTT CAGGAACTCC TCGGCGCTGAA CGGGGGTTC CAGGAACACC CCCACACTT CAGGAACTCC TCGGCGCTGAA CCGGGGTTC CAGGACGAC CTACACCGAA CTGCACACAC CCGACACAC CCCACACTT CAGGAACACC CTACACCGAA CTGCACACAC CCGGACGAC CTACACCGAA CTGCACACAC CCGACACAC CTACACCGAA CCGGAAAAGCCC CAGGAAAACACC CTACACCGAA CCGGAAAACACC CCGGAACACAC CTACACCGAA CCGGAAAACACC CCGGAACACAC CTACACCGAA CCGCACACAC CTACACCGAA CCGGAAAACACC CCGGAACACAC CTACACCGAA CCGCACACAC CCCCACACAC CTACACCGAA CCGCACACAC CCCCACACAC CCCCACACAC CTACACCCACAC CCCACACACA	4301	GGATCATGTA	ACTOGCOTTG	ATCGTTGGGA	ACCGGAGCTG	AATGAAGCCA	TACCAAACGA
4561 TGCAGGACCA CTTCTGCGCT CGGCCCTTCC GGCTGGCTGG TTTATTGCTG ATAAATCTGG 4621 AGCCGGTGAG CGTGGGTCTC GCGGTATCAT TGCAGCACTG GGGCCAGATG GTAAGCCCTC 4681 CCGTATCGTA GTTATCTACA CGACGGGGAG TCAGGCAACT ATGGATGAAC GAAATAGACA 4741 GATCGCTGAG ATAGGTGCCT CACTGATTAA GCATTGGTAA CTGTCAGACC AAGTTTACTC 4801 ATAATACTT TAGATTGATT TAAAACTTCA TTTTTAATTT AAAAGGATCT AGGTGAAGAC 4861 CCTTTTTGAT AATCTCATGA CCAAAATCCC TTAACGTGAG TTTTCGTTCC ACTGAGCGTC 4921 AGACCCCGTA GAAAAGATCA AAGGATCTC TTGAGGATCCT TTTTTTTTCTGC GCGTAATCTG 4981 CTGCTTGCAA ACAAAAAAC CACCGCTACC AGCGGTGGT TGTTTGCCGG ATCAGAGGCT 5041 ACCAACTCTT TTTCCGAAGG TAACTGGCTT CAGGAGACC CAGGATACCAA ATACTGTCCT 5101 TCTAGTGTAG CCGTAGTTAG GCCACCACTT CAAGAACTCT GTAGCACCGC CTACATACCT 5101 TCTAGTGTAG CCCGAGTTAG GCCACCACTT CAAGAACTCT GTAGCACCGC CTACATACCT 5101 TCTAGTGTAG CCCAGCTTG AGCGACAGG TACCGGGTGGC GATAAGTCGT TCGCGGGGGTTC 5221 GTTGGACTCA AGCGATAGT TACCGGATAA GGCGCACCGC TCGGGCTGAA CGGGGGGTTC 5221 GTTGGACTCA AGCGCTAGT TACCGGATAA GGCGCACCGC TCGGGCTGAA CGGGGGGTTC 5281 GCCACACAG CCCAGCTTGG AGCGAACGAC CTACACCGAA CTGAGATACC CGGGGGGTTC 5281 GCTATGAGAA AGCGCCACCG TTCCCGAAGG GAGAAAGGC GACAGGTATC CGGTAAGCGG 5341 GCTATGAGAA AGCGCCACCG TTCCCGAAGG GAGAAAGGC GACAGGTATC CGGTAAGCGG 5401 CAGGGTCGA ACAGGAGAC CCCCAGCGGA GCTTCCAGGG GAAAAGCCC GGTAACCGTA 5461 TAGTCCTGTC GGGTTTCGCC ACCTTGACT TGAGCGTCGA TTTTTGTGAT GCTCTTTA 5461 TAGTCCTGTC GGGTTTCGCC ACCTCTGACT TGAGCGTCGA TTTTTTGTGAT GCTCCTTTG 5521 GGGCCGGAGC CTATGGAAAA ACGCCAGCAA CGCGCGCGTT TTACGGTTCC GGGTTATCTTTA 5461 TAGTCCTGTC GCCCACACTT TCTTTCCTGC GTTATCCCCT GATTCTTTG 55701 AGGCCCTTT GCTCACATGT TCTTTCCTGC GTTATCCCCT GATTCTTGAG ACGCCTGAATCC 55701 AGGGCGAAAACCG TTTTTCCTGC GTTATCACG ACGCCTACACTATT TCTTTCCTGC GTTATCACG ACGCCTACACTATT TCTTTCCTGC GTTATAAAT TTTTTTTAAA TCAAAAAAACCG TTTTTAAAATT TCCGCTTAAAT TTTTTTTTAAA TCAAAAAAACCG TTTTTCAAAACCGTAAT TTTTTTTTAAAA TCAAAAAAACCG TCTATCACACAAAACCG CTAAATATT TTTTTAAAAA TCAAAAAAAACCG TCTATCACGG CGATGGCCCA CTACCGTAA TTTAAAAAACCG TCTATCACACAAAACCG CTAAATATT TCAAAAAAAACCG TCTATCACGG CAAAAAACCG CTAACTCACCATA	4501	CGAGCG1GAC	ACCACGATGC	CTACAGCAAT	GGCAACAACG	TTGCGCAAAC	TATTAACTGG
4621 AGCCGGTGAG CGTGGGTCTC GCGGTATCAT TGCAGCACTG GGGCCAGATG GTAAGCCCTC 4681 CCGTATCGTA GTTATCTACA CGACGGGAG TCAGGCAACT ATGGATGAC GAAATAGACA 4741 GATCGCTGAG ATAGGTGCCT CACTGATTAA GCATTGGTAA CTGTCAGACC AAGTTTACTC 4801 ATATATACTT TAGATTGATT TAAAACTTCA TTTTTAATTT AAAAGGATCT AGGTGAAGAT 4861 CCTTTTTGAT AATCTCATGA CCAAAATCCC TTAACGTGAG TTTTCGTTCC ACTGAGGGTC 4921 AGACCCCGTA GAAAGAACA CACCGCTACC AGGGTGGTT TTTTTCTGC GCGTAATCTG 4981 CTGCTTGCAA ACAAAAAAAC CACCGCTACC AGCGGTGGTT TTTTTCTCGC GCGTAATCTG 5041 ACCAACTCTT TTTCCGAAGG TAACTGGCTT CAAGAACTCT GTAGCACCGC ATCATACCT 5101 TCTAGTGTAG CCGTAGTTAG GCCACCACTT CAAGAACTCT GTAGCACCGC CTACATACCT 5102 GTTGGACTCA AGACGATAGT TACCGGATAA GGCGAACGCC GATAAGTCGT GTCTTACCGG 5221 GTTGGACTCA AGACGATAGT TACCGGATAA GGCGAACGCC GATAAGTCGT GTCTTACCGG 5221 GTGGACACAG CCCAGCTTG AGCGAACGAC CTACACCGAA CTGAGATACC TACAGCGTGA 5341 GCTATGAGAA AGCGCCACGC TTCCCGAAGG GAGAAAGGCG GACAGGTAC CGGGGGGTTC 5461 TAGTCCTGTC GGGTTCCGC ACCTCTGACT TGAGCACCGC GAAACGCCT GGGTAACCGG 5401 CAGGGTCGA ACAGGAGAC GCACGAGGG GCGGCGG GAAACGCCT GGTAACCGG 5401 CAGGGTCGA ACAGGAGAC GCACGAGGGA GCTTCCAGGG GAAACGCCT GGTTATCTTA 5461 TAGTCCTGTC GGGTTTCGCC ACCTCTGACT TGAGCGTCGA TTTTTGTGAT GCTCACAGG 5521 GGGGCGGAC CTATGGAAAA ACGCCAGCA CCGCGCCTT TTACCGGTC GCTCACGG 5521 GGGGCGGAC CTATGGAAAA ACGCCAGCA CCGCGCCTT TTACCGGTCC TGCCTTTTG 5521 GGGGCCGGAC CTATGGAAAA ACGCCAGCA CCGCGCCTT TTACGGTTCC TGCCTTTTG 5521 TAGCCCTTT GAGTGACTA TCTTCCTCC GTTATCCCT GATTCTTCC GCCTTTTTG 5641 TACCCCCTTT GAGTGACTA TCTTCCTCC GTTATCCCT GATTCTTCCC GATTCTTCCC 5701 AGTGACCAG GAAGCGGAA AGCGCCTGAT TCTTTCCTGC GTTATCCCCT GATTCTTCCC ACCCTATTT TCTTTCCTGC GTTATCCCCT GATTCTTCCC ACCCTATTT 5621 TATTCACAC CGCATAATTT TGTTAAAATT CCCTTAAAT TTTTTTTAACAAA AGCCCAAAT 5701 AGTGACCAAA TAGGCCGAAA TCCGCCAAAT TTTTTTTTTAACAAAACC TCCCTTAAAAT TTTTTTTAACCAA TAGGCCGAAA TCCGCCAAAT TTTTTTTTTT	4501	CGAACTACTT	ACTOTAGOTT	CCCGGCAACA	ATTAATAGAC	TGGATGGAGG	CGGATAAAGT
4741 GATCGCTGAG ATAGGTGCCT CACTGATTAA GCATTGGTAA CTGTCAGACC AAGTTTACTC 4801 ATATATACTT TAGATTGATT TAAAACTCC 4801 ATATATACTT TAGATTGATT TAAAACTCC 4801 CCTTTTTGAT AATCCTAGA CCAAAATCCC 4921 AGACCCGTAA GAAAAAAAAC CACCGCTACC 4921 AGACCCCGTA GAAAAAAAAC CACCGCTACC 4981 CTGCTTGCAA ACAAAAAAAC CACCGCTACC 5041 ACCAAACTCTT TTTCCGAAGG TAACTGGCTT 5101 TCTAGTGTAG CCGTAGTTAG GCCACCACTT CAAGAACTCT GTTTGCCGG ATCAAGAGCT 5101 TCTAGTGTAG CCGTAGTTAG GCCACCACTT CAAGAACTCT GTAGCACCGC CTACATACCT 5101 TCTAGTGTAG CCGTAGTTAG GCCACCACTT CAAGAACTCT GTAGCACCGC CTACATACCT 5221 GTTGGACTCA ACCCGCTACC CAGTGGCTG TCGGGCTGAA CGGGGGGTTC 5221 GTTGGACTCA AGACGATAGT TACCGGATAA GGCGCAGCGG TCGGGCTGAA CGGGGGGTTC 5281 GTGCACACAG CCCACGCT TTCCCGAAGG GAGAAAGGCG CTACACCGAA CTGAGATACC TACAGCGTGA 5341 GCTATGAGAA AGCGCCACGC TTCCCGAAGG GAGAAAGGCG GACAGGTATC CGGTAACCGG 5401 CAGGGTCGA ACAGGAGAGC GCACGAGGG GCACAGGTAC CGGTAACCGG 5401 CAGGGTCGA ACAGGAGAGC GCACGAGGG GCACAGGTAC CGGTAACCGG 541 TAGTCCTGTC GGGTTTCGCC ACCCTCTGACT TGAGCGTCGA CGGGGGGTTC 5521 GGGGCGGAC CTACACAGA ACGCCAGCA CCCCCACCT TTACCGGTGA CGGTAACCGG 5521 GGGCCGGAC CTATGGAAAA ACGCCAGCAA CGCGGCCTT TTACCGGTCC GGTATCTTTA 5641 TACCGCCTTT GCCCACTT TCTTTCCTGC GTTATCCCCT GATTCTTGGA ACACCGTAT TCTTTCCTGC GTTATCCCCT GATTCTTGGA ACACCGCTT TCTTTCCTGC GTTATCCCCT GATTCTGGA ACACCGCTT TCTTTCCTGC GTTATCCCCT GATTCTTGGA ACACCGTAT TCTTTCCTGC GTTATCCCCT GATTCTTGGA ACACCGTAT TCTTTCCTGC GTTATCCCCT GATTCTGGA ACACCGCTTT TCTTTCCTGC GTTATCCCCT GATTCTTGGA ACACCGCTTT TCTTTCCTGC GTTATCCCCT GATTCTTGGA ACACCGCTTT TCTTTCCTGC GTTATCCCCT GATTCTTGGA ACACCGCTTT TCTTTCCTGC GTTATCCCCT GATTCTTGGA ACACCGCTTT TCTTTTCTTGC GCCTTATAAC TCTCTTTACGC ATCCTTTTG 5701 AGTGAGCGAA AGCCCAAAAT TGTTAAAATT CCCCTTAAAA TCAAAAGAAT ACACCGTAT TTTTTTAACAA TAGGCCGAAA AGCCCCTAATTT TGTTAAAATT CCCCTTAAAA TCAAAAGAAT ACACCGCAAAT TTTTTGAAAAT TCAAAAGAAT ACACCGCAAAAT TCAAAAAAAAACCG TCTATCAAAAAAACCG TCTATCAAAAAAACCG TCTATCAACCTA TTAAAAACAC TACAACCCTA TTAAAAACAC TACAACCCTA TTAAAACCGTAT TTAAAAACCG TACCACCCAAAAAAACCG TCTATCAAAAAAACCG TCTATCAAAAAAACCG TCTATCAAAAAAAACCG TCTATCAAAAAAACC	4501	1GCAGGACCA	CTTCTGCGCT	CGGCCCTTCC	GGCTGGCTGG	TTTATTGCTG	ATAAATCTGG
4741 GATCGCTGAG ATAGGTGCCT CACTGATTAA GCATTGGTAA CTGTCAGACC AAGTTTACTC 4801 ATATATACTT TAGATTGATT TAAAACTTCA TTTTTAATTT AAAAGGATCT AGGTGAAGAT 4861 CCTTTTTGAT AATCTCATGA CCAAAATCCC TTAACGTGAG TTTTCGTTCC ACTGAGCGTC 4921 AGACCCCGTA GAAAAGATCA AAGGATCTC TTGAGATCCT TTTTTTTCTGC GCGTAATCTG 4981 CTGCTTGCAA ACAAAAAAAC CACCGCTACC AGCGGTGGTT TGTTTGCCGG ATCAAGAGCT 5041 ACCAACTCTT TTTCCGAAGG TAACTGGCTT CAAGAACTCT GTAGCACCGA ATCATGCCT 5101 TCTAGTGTAG CCGTAGTTAG GCCACCACTT CAAGAACTCT GTAGCACCGC CTACATACCT 5101 TCTAGTGTAG CCGAGTTGG AGCGAACGAC CAGTGGCC GATAAGTCGT GTCTTACCGG 5221 GTTGGACTCA AGACGATAGT TACCGGATAA GGCGCAGCGG TCGGGGTTC 5281 GTGCACACAG CCCAGCTTG AGCGAACGAC CTACACCGAA CTGAGATACC TACAGCGTGA 5401 CAGGGTCGGA ACAGGAAGGC GCACGAGGG GGAAAAGGCG GACAGGTATC CGGTAAGCGG 5401 CAGGGTCGGA ACAGGAAGG GCACGAGGA GCTTCCAGGG GGAAAACGCCT GGTATCTTTA 5461 TAGTCCTGTC GGGTTTCGCC ACCTCTGACT TGAGCGTCGA TTTTTGTGAT GCTCGTCAGG 5521 GGGGCGGAGC CTATGGAAAA ACGCCAGCAA CCGCGCCGA TTTTTTGTGAT GCTCGTCAGG 5521 GGGCCGGAGC CTATGGAAAA ACGCCAGCAA CCGCGCCCT TTACCGCT TTACCGCTTTTG 5581 CTGGCCTTTT GCTCACACGT TCTTTCCTGC GTTATCCCCT GATTCTGTGG ATAACCGTTAT 5641 TACCGCCTTT GCTCACACGT TCTTTCCTGC GTTATCCCCT GATTCTGTGG ATAACCGTTAT 5641 TACCGCCTTT GAGGGGAAA ACGCCACCAA AGCGCCCGAA CCGCAGCAG CCGCAGCCGA ACGACCGAGC GCAGCGAGC CTACACCGTAT 5701 AGTGAGCGAG GAACGGAAA ACGCCCTGAT GCGCAGCCTA ACGCCGAGC GCAGCCGAGC GCAGCCGAGC GCAGCCGAAC TTTTTCTGTGG GCAGCCGAGC ACGACCGAGC GCAGCCGAGC TTTTTCCTGC GTTATCCCCT TCTTTCCTGC GTTATCCCCT TTTTCTTTCTGC CCCCCAGCCGA ACGACCGAGC GCAGCCGAGC TTTTTTCTTGCG GTTTTTCTTTCTGC CCCCCAGCCGA ACGACCGAGC GCAGCCGAGC CTCCTTTTACCCC TTTTTCTTTCTTCTGC CCCCCAGCCGA ACGACCGAGC GCAGCCGAGC TTTTTTCTTTCTTCTGC CCCCCAGCCGA ACGACCGAGC GCAGCCGAGC GCAGCCGAGC TTTTTTTTTT	4621	AGCCGGTGAG	CGTGGGTCTC	GCGGTATCAT	TGCAGCACTG	GGGCCAGATG	GTAAGCCCTC
4801 ATATATACTT TAGATTGATT TAAAACTTCA TTTTTAATTT AAAAGGATCT AGGTGAAGAT 4861 CCTTTTTGAT AATCTCATGA CCAAAATCCC TTAACGTGAG TTTTCGTTCC ACTGAGGGTC 4921 AGACCCCGTA GAAAAGATCA AAGGATCTTC TTGAGATCCT TTTTTCTGC GCGTAATCTG 4981 CTGCTTGCAA ACAAAAAAAC CACCGCTACC AGCGGTGGTT TGTTTGCCGG ATCAAGAGGT 5041 ACCAACTCTT TTTCCGAAGG TAACTGGCTT CAAGAACTCT GTAGCACCAA ATACTGTCCT 5101 TCTAGTGTAG CCGTAGTTAG GCCACCACTT CAAGAACTCT GTAGCACCGC CTACATACCT 5161 CGCTCTGCTA ATCCTGTTAC CAGTGGCTGC TGCCAGTGGC GATAAGTCGT GTCTTACCGG 5221 GTTGGACTCA AGACGATAGT TACCGGATAA GGCGCAGCGG TCGGGCTGAA CGGGGGGTTC 5281 GTCACACAG CCCAGCTTGG AGCGAACGAC CTACACCGAA CTGAGATACC TACAGCGTGA 5341 GCTATGAGAA AGCGCCACGC TTCCCGAAGG GAGAAAGGCG GACAGGTATC CGGTAAGCGG 5401 CAGGGTCGGA ACAGGAGGC GCACGAGGGA GCTTCCAGGG GGAAACGCCT GGTATCTTTA 5461 TAGTCCTGTC GGGTTTCGCC ACCTCTGACT TGAGCGTCGA TTTTTGTGAT GCTCGTCAGG 5521 GGGGCGGAGC CTATGGAAAA ACGCCAGCAA CGCGGCCTTT TTACGGTTCC TGGCCTTTTG 5581 CTGGCCTTTT GCTCACATGT TCTTTCCTGC GTTATCCCCT GATTCTTGGA ATAACCGTAT 5581 CTGGCCTTTT GCTCACATGT TCTTTCCTGC GTTATCCCCT GATTCTTGGA ACAGCGAGTC 5701 AGTGAGCGAG GAAGGGCAG AGCGCCGAA AGCGCCGAA ACGACCGAGC GCAGCGAGTC 5701 AGTGAGCGAG GAAGCGGAA AGCGCCTGAT GCGGTAATTT CTCCTTACGC ATCTTTGCCG 5710 AGTGAGCGAG GAAGCGGAAA ACGCCCTGAT GCGGTATTTT CTCCTTACGC ATCTTTGCCG 5711 TATTTCACAC CGCATAATTT TGTTAAAAATT CGCGTTAAAT TTTTTGTTAAA TCAAAAGAAT AGACCGAGAT 5821 TTTTAACCAA TAGGCCGAAA TCGGCAAAAAT CCCTTATAAA TCAAAAGAAT AGACCGAGAT 5821 TTTTAACCAA TAGGCCGAAA TCGGCAAAAAT CCCTTATAAA TCAAAAGAAT AGACCGAGAT 5821 CGTCAAAGGG CGAAAAACCG TCTATCAGGG CGATGGCCCA CTACGTGAAC CATCACCCTA	4001	COGTATUGTA	GTTATCTACA	CGACGGGGAG	TCAGGCAACT	ATGGATGAAC	GAAATAGACA
4861 CCTTTTGAT AATCTCATGA CCAAAATCCC TTAACGTGAG TTTTCGTTCC ACTGAGGGTC 4921 AGACCCCGTA GAAAAGATCA AAGGATCTTC TTGAGATCCT TTTTTTTCTGC GCGTAATCTG 4981 CTGCTTGCAA ACAAAAAAC CACCGCTACC AGCGGTGGTT TGTTTGCCGG ATCAAGAGGT 5041 ACCAACTCTT TTTCCGAAGG TAACTGGCTT CAGCAGAGCG CAGATACCAA ATACTGTCCT 5101 TCTAGTGTAG CCGTAGTTAG GCCACCACTT CAAGAACTCT GTAGCACCGC CTACATACCT 5161 CGCTCTGCTA ATCCTGTTAC CAGTGGCTGC TGCCAGTGGC GATAAGTCGT GTCTTACCGG 5221 GTTGGACTCA AGACGATAGT TACCGGATAA GGCGCAGCGG TCGGGCTGAA CGGGGGGTTC 5281 GTCACACAG CCCAGCTTGG AGCGAACGAC CTACACCGAA CTGAGATACC TACAGCGTGA 5341 GCTATGAGAA AGCGCCACGC TTCCCGAAGG GAGAAAGGCG GACAGGTATC CGGTAAGCGG 5401 CAGGGTCGGA ACAGGAGGC GCACGAGGGA GCTTCCAGGG GGAAACGCCT GGTATCTTTA 5461 TAGTCCTGTC GGGTTTCGCC ACCTCTGACT TGAGCGTCGA TTTTTGTGAT GCTCGTCAGG 5521 GGGCCGAGC CTATGGAAAA ACGCCAGCAA CGCGGCCTTT TTACGGTTCC TGGCCTTTTG 5581 CTGGCCTTTT GCTCACATGT TCTTTCCTGC GTTATCCCCT GATTCTTGGA ATAACCGTAT 5641 TACCGCCTTT GAGTGAGCTG ATACCGCTCG CCGCAGCCGA ACGACCGAGC GCAGCGAGTC 5701 AGTGAGCGAG GAAGCGGAA AGCGCCTGAT GCGGTAATTT CTCCTTACGC ATCTTTCCTGC 5761 TATTTCACAC CGCATAATTT TGTTAAAAATT CGCGTTAAAT TTTTTGTTAAA TCAGGTCCATT 5821 TTTTAACCAA TAGGCCGAAA TCGGCAAAAT CCCTTATAAA TCAAAAGAAT AGACCGAGAT 5881 AGGGTTGAGT GTTGTTCCAG TTTGGAACAA GAGTCCACTA TTAAAGAACG TGGACTCCAA 5941 CGTCAAAGGG CGAAAAACCG TCTATCAGGG CGATGGCCCA CTACGTGAC CATCACCCTA	4/41	GATCGCTGAG	ATAGGTGCCT	CACTGATTAA	GCATTGGTAA	CTGTCAGACC	AAGTTTACTC
4921 AGACCCCGTA GAAAAGATCA AAGGATCTTC TTGAGATCCT TTTTTTCTGC GCGTAATCTG 4981 CTGCTTGCAA ACAAAAAAAC CACCGCTACC AGCGGTGGTT TGTTTGCCGG ATCAAGAGCT 5041 ACCAACTCTT TTTCCGAAGG TAACTGGCTT CAGCAGAGCG CAGATACCAA ATACTGTCCT 5101 TCTAGTGTAG CCGTAGTTAG GCCACCACTT CAAGAACTCT GTAGCACCGC CTACATACCT 5161 CGCTCTGCTA ATCCTGTTAC CAGTGGCTGC TGCCAGTGGC GATAAGTCGT GTCTTACCGG 5221 GTTGGACTCA AGACGATAGT TACCGGATAA GGCGCAGCGG TCGGGCTGAA CGGGGGGTTC 5281 GTGCACACAG CCCAGCTTGG AGCGAACGAC CTACATACCT TACAGCGTGA 5341 GCTATGAGAA AGCGCCACGC TTCCCGAAGG GAGAAAGGCG GACAGGTATC CGGTAAGCGG 5401 CAGGGTCGGA ACAGGAGAGC GCACGAGGGA GCGCTCCAGG GAAACGCCT GGTATCTTTA 5461 TAGTCCTGTC GGGTTTCGCC ACCTCTGACT TGAGCGTCGA TTTTTGTGAT GCTCGTCAGG 5521 GGGGCGGAGC CTATGGAAAA ACGCCAGCAA CGCGGCCTTT TTACGGTTCC TGGCCTTTTG 5581 CTGGCCTTTT GCTCACATGT TCTTTCCTGC GTTATCCCCT GATTCTGTGG ATAACCGTAT 5641 TACCGCCTTT GAGTGAGCTG ATACCGCTCG CCGCAGCCGA ACGACCGAGC GCAGCGAGTC 5701 AGTGAGCGG GAAGCGGAA AGCGCCTGAT GCGGTTATTTT CTCTCTGC GTTATCCCCT GATTCTTACGC ATCTGTGCGG 5761 TATTTCACAC CGCATAATTT TGTTAAAATT CGCGTTAAAT TTTTTGTTAAA TCAGCTCATT 5821 TTTTAACCAA TAGGCCGAAA TCGGCAAAAT CCCTTATAAA TCAAAAGAAT AGACCGAGAT 5881 AGGGTTGAGT GTTGTTCCAG TTTTGGAACAA GAGTCCACTA TTAAAGAACG TGGACTCCAA 5941 CGTCAAAGGG CGAAAAACCG TCTATCAGGG CGATGGCCCA CTACGTGAAC CATCACCCTA	4801	ATATATACTT	TAGATTGATT	TAAAACTTCA	TTTTTAATTT	AAAAGGATCT	AGGTGAAGAT
4981 CTGCTTGCAA ACAAAAAAAC CACCGCTACC AGCGGTGGTT TGTTTGCCGG ATCAAGAGCT 5041 ACCAACTCTT TTTCCGAAGG TAACTGGCTT CAGCAGAGCG CAGATACCAA ATACTGTCCT 5101 TCTAGTGTAG CCGTAGTTAG GCCACCACTT CAAGAACTCT GTAGCACCGC CTACATACCT 5161 CGCTCTGCTA ATCCTGTTAC CAGTGGCTGC TGCCAGTGGC GATAAGTCGT GTCTTACCGG 5221 GTTGGACTCA AGACGATAGT TACCGGATAA GGCGCAGCGG TCGGGCTGAA CGGGGGGTTC 5281 GTGCACACAG CCCAGCTTGG AGCGAACGAC CTACACCGAA CTGAGATACC TACAGCGTGA 5341 GCTATGAGAA AGCGCCACGC TTCCCGAAGG GAGAAAGGCG GACAGGTATC CGGTAAGCGG 5401 CAGGGTCGGA ACAGGAGAGC GCACGAGGGA GCTTCCAGGG GGAAACGCCT GGTATCTTTA 5461 TAGTCCTGTC GGGTTTCGCC ACCTCTGACT TGAGCGTCGA TTTTTGTGAT GCTCGTCAGG 5521 GGGGCGGAGC CTATGGAAAA ACGCCAGCAA CGCGGCCTTT TTACGGTTCC TGGCCTTTTG 5521 GGGCCTTTT GCTCACATGT TCTTTCCTGC GTTATCCCCT GATTCTGTGG ATAACCGTAT 5641 TACCGCCTTT GAGTGAGCTG ATACCGCTCG CCGCAGCCGA ACGACCGAGC GCAGCGAGTC 5701 AGTGAGCGAG GAAGCGGAAG AGCGCCTGAT GCGGTTATTT CTCCTTCAGC GCAGCGAGTC 5761 TATTTCACAC CGCATAATTT TGTTAAAATT CGCGTTAAAT TTTTGTTAAA TCAGCCTCATT 5821 TTTTAACCAA TAGGCCGAAA TCGGCAAAAT CCCCTTATAAA TCAAAAGAAT AGACCGAGAT 5881 AGGGTTGAGT GTTGTTCCAG TTTGGAACAA GAGTCCACTA TTAAAGAACG TGGACTCCAA 5941 CGTCAAAGGG CGAAAAACCG TCTATCAGGG CGATGGCCCA CTACGTGAAC CATCACCCTA	4861	CCTTTTTGAT	AATCTCATGA	CCAAAATCCC	TTAACGTGAG	TTTTCGTTCC	ACTGAGCGTC
5041 ACCAACTCTT TTTCCGAAGG TAACTGGCTT CAGCAGAGCG CAGATACCAA ATACTGTCCT 5101 TCTAGTGTAG CCGTAGTTAG GCCACCACTT CAAGAACTCT GTAGCACCGC CTACATACCT 5161 CGCTCTGCTA ATCCTGTTAC CAGTGGCTGC TGCCAGTGGC GATAAGTCGT GTCTTACCGG 5221 GTTGGACTCA AGACGATAGT TACCGGATAA GGCGCAGCGG TCGGGCTGAA CGGGGGGTTC 5281 GTGCACACAG CCCAGCTTGG AGCGAACGAC CTACACCGAA CTGAGATACC TACAGCGTGA 5341 GCTATGAGAA AGCGCCACGC TTCCCGAAGG GAGAAAGGCG GACAGGTATC CGGTAAGCGG 5401 CAGGGTCGGA ACAGGAGAGC GCACGAGGGA GCTTCCAGGG GGAAACGCCT GGTATCTTTA 5461 TAGTCCTGTC GGGTTTCGCC ACCTCTGACT TGAGCGTCGA TTTTTGTGAT GCTCGTCAGG 5521 GGGGCGGAGC CTATGGAAAA ACGCCAGCAA CGCGGCCTTT TTACGGTTCC TGGCCTTTTG 5521 GGGCCGTTT GCTCACATGT TCTTTCCTGC GTTATCCCCT GATTCTGTGG ATAACCGTAT 5521 TACCGCCTTT GAGTGAGCA AGCGCCTGAT GCGCAGCCGA ACGACCGAGC GCAGCGAGTC 5641 TACCGCCTTT GAGTGAGCA AGCGCCTGAT GCGCTATTTT CTCCTTACGC ATCTGTGCGG 5701 AGTGAGCGAG GAAGCGGAAG AGCGCCTGAT GCGGTAAAT TTTTGTTAAA TCAGCTCATT 5821 TTTTAACCAA TAGGCCGAAA TCGGCAAAAT CCCTTATAAA TCAAAAGAAT AGACCGAGAT 5881 AGGGTTGAGT GTTGTTCCAG TTTGGAACAA GAGTCCACTA TTAAAGAACG TGGACTCCAA 5941 CGTCAAAGGG CGAAAAACCG TCTATCAGGG CGATGGCCCA CTACGTGAAC CATCACCCTA	4921	AGACCCCGTA	GAAAAGATCA	AAGGATCTTC	TTGAGATCCT	TTTTTTCTGC	GCGTAATCTG
5101 TCTAGTGTAG CCGTAGTTAG GCCACCACTT CAAGAACTCT GTAGCACCGC CTACATACCT 5161 CGCTCTGCTA ATCCTGTTAC CAGTGGCTGC TGCCAGTGGC GATAAGTCGT GTCTTACCGG 5221 GTTGGACTCA AGACGATAGT TACCGGATAA GGCGCAGCGG TCGGGCTGAA CGGGGGGTTC 5281 GTGCACACAG CCCAGCTTGG AGCGAACGAC CTACACCGAA CTGAGATACC TACAGCGTGA 5341 GCTATGAGAA AGCGCCACGC TTCCCGAAGG GAGAAAGGCG GACAGGTATC CGGTAAGCGG 5401 CAGGGTCGGA ACAGGAGAGC GCACGAGGGA GCTTCCAGGG GGAAACGCCT GGTATCTTTA 5461 TAGTCCTGTC GGGTTTCGCC ACCTCTGACT TGAGCGTCGA TTTTTGTGAT GCTCGTCAGG 5521 GGGGCGGAGC CTATGGAAAA ACGCCAGCAA CGCGGCCTTT TTACGGTTCC TGGCCTTTTG 5581 CTGGCCTTTT GCTCACATGT TCTTTCCTGC GTTATCCCCT GATTCTGTGG ATAACCGTAT 5641 TACCGCCTTT GAGTGAGCTG ATACCGCTCG CCGCAGCCGA ACGACCGAGC GCAGCGAGTC 5701 AGTGAGCGAG GAAGCGGAAG AGCGCCTGAT GCGGTATTTT CTCCTTACGC ATCTGTGCG 5761 TATTTCACAC CGCATAATTT TGTTAAAATT CGCGTTAAAT TTTTTGTTAAA TCAGCTCATT 5821 TTTTAACCAA TAGGCCGAAA TCGGCAAAAT CCCTTATAAA TCAAAAGAAT AGACCGAGAT 5881 AGGGTTGAGT GTTGTTCCAG TTTGGAACAA GAGTCCACTA TTAAAGAACG TGGACTCCAA 5941 CGTCAAAGGG CGAAAACCG TCTATCAGGG CGATGGCCCA CTACGTGAAC CATCACCCTA	4981	CTGCTTGCAA	ACAAAAAAAC	CACCGCTACC	AGCGGTGGTT	TGTTTGCCGG	ATCAAGAGCT
5161 CGCTCTGCTA ATCCTGTTAC CAGTGGCTGC TGCCAGTGGC GATAAGTCGT GTCTTACCGG 5221 GTTGGACTCA AGACGATAGT TACCGGATAA GGCGCAGCGG TCGGGCTGAA CGGGGGGTTC 5281 GTGCACACAG CCCAGCTTGG AGCGAACGAC CTACACCGAA CTGAGATACC TACAGCGTGA 5341 GCTATGAGAA AGCGCCACGC TTCCCGAAGG GAGAAAGGCG GACAGGTATC CGGTAAGCGG 5401 CAGGGTCGGA ACAGGAGAGC GCACGAGGGA GCTTCCAGGG GGAAACGCCT GGTATCTTTA 5461 TAGTCCTGTC GGGTTTCGCC ACCTCTGACT TGAGCGTCGA TTTTTGTGAT GCTCGTCAGG 5521 GGGGCGGAGC CTATGGAAAA ACGCCAGCAA CGCGGCCTTT TTACGGTTCC TGGCCTTTTG 5581 CTGGCCTTTT GCTCACATGT TCTTTCCTGC GTTATCCCCT GATTCTGTGG ATAACCGTAT 5641 TACCGCCTTT GAGTGAGCTG ATACCGCTCG CCGCAGCCGA ACGACCGAGC GCAGCGAGTC 5701 AGTGAGCGAG GAAGCGGAAG AGCGCCTGAT GCGGTATTTT CTCTTACACC ATCTTGCGG 5761 TATTTCACAC CGCATAATTT TGTTAAAAATT CGCGTTAAAT TTTTGTTAAA TCAGACCGAGT 5821 TTTAACCAA TAGGCCGAAA TCGGCAAAAT CCCTTATAAA TCAAAAGAAT AGACCGAGAT 5881 AGGGTTGAGT GTTGTTCCAG TTTGGAACAA GAGTCCACTA TTAAAGAACG TGGACTCCAA 5941 CGTCAAAGGG CGAAAAACCG TCTATCAGG CGATGGCCCA CTACGTGAAC CATCACCCTA	5041	ACCAACTCTT	TTTCCGAAGG	TAACTGGCTT	CAGCAGAGCG	CAGATACCAA	ATACTGTCCT
5221 GTTGGACTCA AGACGATAGT TACCGGATAA GGCGCAGCGG TCGGGCTGAA CGGGGGGTTC 5281 GTGCACACAG CCCAGCTTGG AGCGAACGAC CTACACCGAA CTGAGATACC TACAGCGTGA 5341 GCTATGAGAA AGCGCCACGC TTCCCGAAGG GAGAAAGGCG GACAGGTATC CGGTAAGCGG 5401 CAGGGTCGGA ACAGGAGAGC GCACGAGGGA GCTTCCAGGG GGAAACGCCT GGTATCTTTA 5461 TAGTCCTGTC GGGTTTCGCC ACCTCTGACT TGAGCGTCGA TTTTTGTGAT GCTCGTCAGG 5521 GGGGCGGAGC CTATGGAAAA ACGCCAGCAA CGCGGCCTTT TTACGGTTCC TGGCCTTTTG 5581 CTGGCCTTTT GCTCACATGT TCTTTCCTGC GTTATCCCCT GATTCTGTGG ATAACCGTAT 5641 TACCGCCTTT GAGTGAGCTG ATACCGCTCG CCGCAGCCGA ACGACCGAGC GCAGCGAGTC 5701 AGTGAGCGAG GAAGCGGAAG AGCGCCTGAT GCGGTATTTT CTCCTTACGC ATCTGTGCGG 5761 TATTTCACAC CGCATAATTT TGTTAAAATT CGCGTTAAAT TTTTGTTAAA TCAGCTCATT 5821 TTTTAACCAA TAGGCCGAAA TCGGCAAAAT CCCTTATAAA TCAAAAGAAT AGACCGAGAT 5881 AGGGTTGAGT GTTGTTCCAG TTTGGAACAA GAGTCCACTA TTAAAGAACG TGGACTCCAA 5941 CGTCAAAGGG CGAAAAACCG TCTATCAGGG CGATGGCCCA CTACGTGAAC CATCACCCTA	2101	TCTAGTGTAG	CCGTAGTTAG	GCCACCACTT	CAAGAACTCT	GTAGCACCGC	CTACATACCT
5281 GTGCACACAG CCCAGCTTGG AGCGAACGAC CTACACCGAA CTGAGATACC TACAGCGTGA 5341 GCTATGAGAA AGCGCCACGC TTCCCGAAGG GAGAAAGGCG GACAGGTATC CGGTAAGCGG 5401 CAGGGTCGGA ACAGGAGAGC GCACGAGGGA GCTTCCAGGG GGAAACGCCT GGTATCTTTA 5461 TAGTCCTGTC GGGTTTCGCC ACCTCTGACT TGAGCGTCGA TTTTTGTGAT GCTCGTCAGG 5521 GGGGCGGAGC CTATGGAAAA ACGCCAGCAA CGCGGCCTTT TTACGGTTCC TGGCCTTTTG 5581 CTGGCCTTTT GCTCACATGT TCTTTCCTGC GTTATCCCCT GATTCTGTGG ATAACCGTAT 5641 TACCGCCTTT GAGTGAGCTG ATACCGCTCG CCGCAGCCGA ACGACCGAGC GCAGCGAGTC 5701 AGTGAGCGAG GAAGCGGAAG AGCGCCTGAT GCGGTATTTT CTCCTTACGC ATCTGTGCGG 5761 TATTTCACAC CGCATAATTT TGTTAAAATT CGCGTTAAAT TTTTTGTTAAA TCAGACCGAGT 5821 TTTTAACCAA TAGGCCGAAA TCGGCAAAAT CCCTTATAAA TCAAAAGAAT AGACCGAGAT 5881 AGGGTTGAGT GTTGTTCCAG TTTGGAACAA GAGTCCACTA TTAAAGAACG TGGACTCCAA 5941 CGTCAAAGGG CGAAAAACCG TCTATCAGGG CGATGGCCCA CTACGTGAAC CATCACCCTA	2101	CGCTCTGCTA	ATCCTGTTAC	CAGTGGCTGC	TGCCAGTGGC	GATAAGTCGT	GTCTTACCGG
5341 GCTATGAGAA AGCGCCACGC TTCCCGAAGG GAGAAAGGCG GACAGGTATC CGGTAAGCGG 5401 CAGGGTCGGA ACAGGAGAGC GCACGAGGGA GCTTCCAGGG GGAAACGCCT GGTATCTTTA 5461 TAGTCCTGTC GGGTTTCGCC ACCTCTGACT TGAGCGTCGA TTTTTGTGAT GCTCGTCAGG 5521 GGGGCGGAGC CTATGGAAAA ACGCCAGCAA CGCGGCCTTT TTACGGTTCC TGGCCTTTTG 5581 CTGGCCTTTT GCTCACATGT TCTTTCCTGC GTTATCCCCT GATTCTGTGG ATAACCGTAT 5641 TACCGCCTTT GAGTGAGCTG ATACCGCTCG CCGCAGCCGA ACGACCGAGC GCAGCGAGTC 5701 AGTGAGCGAG GAAGCGGAAG AGCGCCTGAT GCGGTTATTT CTCCTTACGC ATCTGTGCGG 5761 TATTTCACAC CGCATAATTT TGTTAAAAATT CGCGTTAAAT TTTTTGTTAAA TCAGCTCATT 5821 TTTTAACCAA TAGGCCGAAA TCGGCAAAAT CCCTTATAAA TCAAAAGAAT AGACCGAGAT 5881 AGGGTTGAGT GTTGTTCCAG TTTGGAACAA GAGTCCACTA TTAAAGAACG TGGACTCCAA 5941 CGTCAAAGGG CGAAAAACCG TCTATCAGGG CGATGGCCCA CTACGTGAAC CATCACCCTA	2271	GTTGGACTCA	AGACGATAGT	TACCGGATAA	GGCGCAGCGG	TCGGGCTGAA	CGGGGGGTTC
5401 CAGGGTCGGA ACAGGAGAGC GCACGAGGGA GCTTCCAGGG GGAAACGCCT GGTATCTTTA 5461 TAGTCCTGTC GGGTTTCGCC ACCTCTGACT TGAGCGTCGA TTTTTGTGAT GCTCGTCAGG 5521 GGGGCGGAGC CTATGGAAAA ACGCCAGCAA CGCGGCCTTT TTACGGTTCC TGGCCTTTTG 5581 CTGGCCTTTT GCTCACATGT TCTTTCCTGC GTTATCCCCT GATTCTGTGG ATAACCGTAT 5641 TACCGCCTTT GAGTGAGCTG ATACCGCTCG CCGCAGCCGA ACGACCGAGC GCAGCGAGTC 5701 AGTGAGCGAG GAAGCGGAAG AGCGCCTGAT GCGGTATTTT CTCCTTACGC ATCTGTGCGG 5761 TATTTCACAC CGCATAATTT TGTTAAAATT CGCGTTAAAT TTTTGTTAAA TCAGCTCATT 5821 TTTTAACCAA TAGGCCGAAA TCGGCAAAAT CCCTTATAAA TCAAAAGAAT AGACCGAGAT 5881 AGGGTTGAGT GTTGTTCCAG TTTGGAACAA GAGTCCACTA TTAAAGAACG TGGACTCCAA 5941 CGTCAAAGGG CGAAAAACCG TCTATCAGGG CGATGGCCCA CTACGTGAAC CATCACCCTA	5281	GTGCACACAG	CCCAGCTTGG	AGCGAACGAC	CTACACCGAA	CTGAGATACC	TACAGCGTGA
5461 TAGTCCTGTC GGGTTTCGCC ACCTCTGACT TGAGCGTCGA TTTTTGTGAT GCTCGTCAGG 5521 GGGGCGAGC CTATGGAAAA ACGCCAGCAA CGCGGCCTTT TTACGGTTCC TGGCCTTTTG 5581 CTGGCCTTTT GCTCACATGT TCTTTCCTGC GTTATCCCCT GATTCTGTGG ATAACCGTAT 5641 TACCGCCTTT GAGTGAGCTG ATACCGCTCG CCGCAGCCGA ACGACCGAGC GCAGCGAGTC 5701 AGTGAGCGAG GAAGCGGAAG AGCGCCTGAT GCGGTATTTT CTCCTTACGC ATCTGTGCGG 5761 TATTTCACAC CGCATAATTT TGTTAAAATT CGCGTTAAAT TTTTGTTAAA TCAGCTCATT 5821 TTTTAACCAA TAGGCCGAAA TCGGCAAAAT CCCTTATAAA TCAAAAGAAT AGACCGAGAT 5881 AGGGTTGAGT GTTGTTCCAG TTTGGAACAA GAGTCCACTA TTAAAGAACG TGGACTCCAA 5941 CGTCAAAGGG CGAAAAACCG TCTATCAGGG CGATGGCCCA CTACGTGAAC CATCACCCTA	5341	GCTATGAGAA	AGCGCCACGC	TTCCCGAAGG	GAGAAAGGCG	GACAGGTATC	CGGTAAGCGG
5521 GGGGCGGAGC CTATGGAAAA ACGCCAGCAA CGCGGCCTTT TTACGGTTCC TGGCCTTTG 5581 CTGGCCTTTT GCTCACATGT TCTTTCCTGC GTTATCCCCT GATTCTGTGG ATAACCGTAT 5641 TACCGCCTTT GAGTGAGCTG ATACCGCTCG CCGCAGCCGA ACGACCGAGC GCAGCGAGTC 5701 AGTGAGCGAG GAAGCGGAAG AGCGCCTGAT GCGGTTATTT CTCCTTACGC ATCTGTGCGG 5761 TATTTCACAC CGCATAATTT TGTTAAAATT CGCGTTAAAT TTTTGTTAAA TCAGCTCATT 5821 TTTTAACCAA TAGGCCGAAA TCGGCAAAAT CCCTTATAAA TCAAAAGAAT AGACCGAGAT 5881 AGGGTTGAGT GTTGTTCCAG TTTGGAACAA GAGTCCACTA TTAAAGAACG TGGACTCCAA 5941 CGTCAAAGGG CGAAAAACCG TCTATCAGGG CGATGGCCCA CTACGTGAAC CATCACCCTA	5401	CAGGGTCGGA	ACAGGAGAGC	GCACGAGGGA	GCTTCCAGGG	GGAAACGCCT	GGTATCTTTA
5581 CTGGCCTTT GCTCACATGT TCTTTCCTGC GTTATCCCCT GATTCTGTGG ATAACCGTAT 5641 TACCGCCTT GAGTGAGCTG ATACCGCTCG CCGCAGCCGA ACGACCGAGC GCAGCGAGTC 5701 AGTGAGCGAG GAAGCGGAAG AGCGCCTGAT GCGGTATTTT CTCCTTACGC ATCTGTGCGG 5761 TATTTCACAC CGCATAATTT TGTTAAAATT CGCGTTAAAT TTTTGTTAAA TCAGCTCATT 5821 TTTTAACCAA TAGGCCGAAA TCGGCAAAAT CCCTTATAAA TCAAAAGAAT AGACCGAGAT 5881 AGGGTTGAGT GTTGTTCCAG TTTGGAACAA GAGTCCACTA TTAAAGAACG TGGACTCCAA 5941 CGTCAAAGGG CGAAAAACCG TCTATCAGGG CGATGGCCCA CTACGTGAAC CATCACCCTA	5461	TAGTCCTGTC	GGGTTTCGCC	ACCTCTGACT	TGAGCGTCGA	TTTTTGTGAT	GCTCGTCAGG
5641 TACCGCCTTT GAGTGAGCTG ATACCGCTCG CCGCAGCCGA ACGACCGAGC GCAGCGAGTC 5701 AGTGAGCGAG GAAGCGGAAG AGCGCCTGAT GCGGTATTTT CTCCTTACGC ATCTGTGCGG 5761 TATTTCACAC CGCATAATTT TGTTAAAATT CGCGTTAAAT TTTTGTTAAA TCAGCTCATT 5821 TTTTAACCAA TAGGCCGAAA TCGGCAAAAT CCCTTATAAA TCAAAAGAAT AGACCGAGAT 5881 AGGGTTGAGT GTTGTTCCAG TTTGGAACAA GAGTCCACTA TTAAAGAACG TGGACTCCAA 5941 CGTCAAAGGG CGAAAAACCG TCTATCAGGG CGATGGCCCA CTACGTGAAC CATCACCCTA	5521	GGGGCGGAGC	CTATGGAAAA	ACGCCAGCAA	CGCGGCCTTT	TTACGGTTCC	TGGCCTTTTG
5641 TACCGCCTTT GAGTGAGCTG ATACCGCTCG CCGCAGCCGA ACGACCGAGC GCAGCGAGTC 5701 AGTGAGCGAG GAAGCGGAAG AGCGCCTGAT GCGGTATTTT CTCCTTACGC ATCTGTGCGG 5761 TATTTCACAC CGCATAATTT TGTTAAAATT CGCGTTAAAT TTTTGTTAAA TCAGCTCATT 5821 TTTTAACCAA TAGGCCGAAA TCGGCAAAAT CCCTTATAAA TCAAAAGAAT AGACCGAGAT 5881 AGGGTTGAGT GTTGTTCCAG TTTGGAACAA GAGTCCACTA TTAAAGAACG TGGACTCCAA 5941 CGTCAAAGGG CGAAAAACCG TCTATCAGGG CGATGGCCCA CTACGTGAAC CATCACCCTA	5581	CTGGCCTTTT	GCTCACATGT	TCTTTCCTGC	GTTATCCCCT	GATTCTGTGG	ATAACCGTAT
5701 AGTGAGCGAG GAAGCGGAAG AGCGCCTGAT GCGGTATTTT CTCCTTACGC ATCTGTGCGG 5761 TATTTCACAC CGCATAATTT TGTTAAAATT CGCGTTAAAT TTTTGTTAAA TCAGCTCATT 5821 TTTTAACCAA TAGGCCGAAA TCGGCAAAAT CCCTTATAAA TCAAAAGAAT AGACCGAGAT 5881 AGGGTTGAGT GTTGTTCCAG TTTGGAACAA GAGTCCACTA TTAAAGAACG TGGACTCCAA 5941 CGTCAAAGGG CGAAAAACCG TCTATCAGGG CGATGGCCCA CTACGTGAAC CATCACCCTA	5641	TACCGCCTTT	GAGTGAGCTG	ATACCGCTCG	CCGCAGCCGA	ACGACCGAGC	GCAGCGAGTC
5761 TATTTCACAC CGCATAATTT TGTTAAAATT CGCGTTAAAT TTTTGTTAAA TCAGCTCATT 5821 TTTTAACCAA TAGGCCGAAA TCGGCAAAAT CCCTTATAAA TCAAAAGAAT AGACCGAGAT 5881 AGGGTTGAGT GTTGTTCCAG TTTGGAACAA GAGTCCACTA TTAAAGAACG TGGACTCCAA 5941 CGTCAAAGGG CGAAAAACCG TCTATCAGGG CGATGGCCCA CTACGTGAAC CATCACCCTA	5701	AGTGAGCGAG	GAAGCGGAAG	AGCGCCTGAT	GCGGTATTTT	CTCCTTACGC	ATCTGTGCGG
5821 TTTTAACCAA TAGGCCGAAA TCGGCAAAAT CCCTTATAAA TCAAAAGAAT AGACCGAGAT 5881 AGGGTTGAGT GTTGTTCCAG TTTGGAACAA GAGTCCACTA TTAAAGAACG TGGACTCCAA 5941 CGTCAAAGGG CGAAAAACCG TCTATCAGGG CGATGGCCCA CTACGTGAAC CATCACCCTA	5761	TATTTCACAC	CGCATAATTT	TGTTAAAATT	CGCGTTAAAT	TTTTGTTAAA	TCAGCTCATT
5881 AGGGTTGAGT GTTGTTCCAG TTTGGAACAA GAGTCCACTA TTAAAGAACG TGGACTCCAA 5941 CGTCAAAGGG CGAAAAACCG TCTATCAGGG CGATGGCCCA CTACGTGAAC CATCACCCTA	5821	TTTTAACCAA	TAGGCCGAAA	TCGGCAAAAT	CCCTTATAAA	TCAAAAGAAT	AGACCGAGAT
5941 CGTCAAAGGG CGAAAAACCG TCTATCAGGG CGATGGCCCA CTACGTGAAC CATCACCCTA	5881	AGGGTTGAGT	GTTGTTCCAG	TTTGGAACAA	GAGTCCACTA	TTAAAGAACG	TGGACTCCAA
6001 ATCAAGTTTT TTGGGGTCGA GGTGCCGTAA AGCACTAAAT CGGAACCCTA AAGGGAGCCC-	5941	CGTCAAAGGG	CGAAAAACCG	TCTATCAGGG	CGATGGCCCA	CTACGTGAAC	CATCACCCTA
	6001	ATCAAGTTTT	TTGGGGTCGA	GGTGCCGTAA	AGCACTAAAT	CGGAACCCTA	AAGGGAGCCC-

FOURE 24C

6061	CCGATTTAGA	GCTTGACGGG	GAAAGCCGGC	GAACGTGGCG	AGAAAGGAAG	GGAAGAAAGC
6121	GAAAGGAGCG	GGCGCTAGGG	CGCTGGCAAG	TGTAGCGGTC	ACGCTGCGCG	TAACCACCAC
6181	ACCCGCCGCG	CTTAATGCGC	CGCTACAGGG	CGCGTCCATT	CGCCATTCAG	GCTGCTATGG
6241	TGCACTCTCA	GTACAATCTG	CTCTGATGCC	GCATAGTTAA	GCCAGTATAC	ACTCCGCTAT
6301	CGCTACGTGA	CTGGGTCATG	GCTGCGCCCC	GACACCCGCC	AACACCCGCT	GACGCGCCCT
6361	GACGGGCTTG	TCTGCTCCCG	GCATCCGCTT	ACAGACAAGC	TGTGACCGTC	TCCGGGAGCT
6421	GCATGTGTCA	GAGGTTTTCA	CCGTCATCAC	CGAAACGCGC	GAGGCAGCAG	ATCAATTCGC
6481	GCGCGAAGGC	GAAGCGGCAT	GCATTTACGT	TGACACCATC	GAATGGTGCA	AAACCTTTCG
6541	CGGTATGGCA	TGATAGCGCC	CGGAAGAGAG	TCAATTCAGG	${\tt GTGGTGAATG}$	TGAAACCAGT
6601	AACGTTATAC	GATGTCGCAG	AGTATGCCGG	TGTCTCTTAT	CAGACCGTTT	CCCGCGTGGT
6661	GAACCAGGCC	AGCCACGTTT	CTGCGAAAAC	GCGGGAAAAA	GTGGAAGCGG	CGATGGCGGA
6721	GCTGAATTAC	ATTCCCAACC	GCGTGGCACA	ACAACTGGCG	GGCAAACAGT	CGTTGCTGAT
6781	TGGCGTTGCC	ACCTCCAGTC	TGGCCCTGCA	CGCGCCGTCG	CAAATTGTCG	CGGCGATTAA
6841	ATCTCGCGCC	GATCAACTGG	GTGCCAGCGT	GGTGGTGTCG	ATGGTAGAAC	GAAGCGGCGT
6901	CGAAGCCTGT	AAAGCGGCGG	TGCACAATCT	TCTCGCGCAA	CGCGTCAGTN	GGGCTGATCA
6961	ጥጥ አ አ					

FIGURE 241)

. : 2

Figure 254 PDESTS

pSPORT '+' (for sequencing, probes, phagemid)

- 1 agg cac ccc agg ctt tac act tta tgc ttc cgg ctc gta tgt tgt gtg gaa tcc gtg ggg tcc gaa atg tga aat acg aag gcc gag cat aca aca cac ctt
- "reverse" sequencing primers

 12 ttg tga gcg gat aac aat ttc aca cag gaa aca gct atg acc atg att acg
 aac act cgc cta ttg tta aag tgt gtc ctt tgt cga tac tgg tac taa tgc
- 103 cca age tet aat acg act cae tat agg gaa age tgg tae gee tge agg taej
 ggt teg aga tta tge tga gtg ata tee ett teg ace atg egg acg teg atg
- Each I Sand Sal Int att Ri

 154 cgg tcc gga att ccc ggg tcg acg atc aca agt ttg kac aka set gaa
 gec agg cct taa ggg ccc agc tgc tag tgt tca aac atg ttt ttk cga gtt

₩ Gene

- Int at R2

 Spe

 the acg tit cit oft can cit tot tot aca aag tog tog toa icta oft ggc


 aaa tog aaa gas caa gtc gas aga acs tog titc acc act agt gat dag ccg
- Not Xba Bam Hmd3 Mlu Sph

 2041 bgc cgc tct aga dga tcc aag ctt acg tac gcg tgc atg] cga cgt cat agc
 ccg gcg aga tct cct agg ttc gaa tgc atg cgc acg tac gct gca gta tcg
- 2092 tet tet ata gtg tea eet aaa ote aat tea etg gee gte gtt tta caa egt aga aga tat cae agt gga ttt aag tta agt gae egg eag eaa aat gtt gea "forward sequencing"...
- cgt gac tgg gaa aac cct ggc gtt acc caa ctt aat cgc ctt gca gca cat gca ctg acc ctt ttg gga ccg oaa tgg gtt gaa tta gcg gaa cgt cgt gta

Figure 45B

7 DESTS

(cont'd)



pDEST5 5957 bp

			•			
	<u>Lo</u>	cation (Base	<u>e Nos.)</u>	<u>Gene</u>	Encoded	
		30518		attR1		
	<u> </u>	55512	14	CmR		
		13341	418	inactivated ccdA		
		15561	861	ccdB	•	
		19022	026	attR2		
		22782	733	f1 (f:	l intergeni	c region)
		28653	722	ampR	_	_
		53785	538 ·	ori		
		47565	922	lacI		
				CGGCTCGTAT		
				ACCATGATTA		
				TACCGGTCCG		
				ACGTAAAATG		
241	AATTAGATTT	TGCATAAAAA	ACAGACTACA	TAATACTGTA	AAACACAACA	TATCCAGTCA
301	CTATGGCGGC	CGCTAAGTTG	GCAGCATCAC	CCGACGCACT	TTGCGCCGAA	TAAATACCTG
361	TGACGGAAGA	TCACTTCGCA	GAATAAATAA	ATCCTGGTGT	CCCTGTTGAT	ACCGGGAAGC
421	CCTGGGCCAA	CTTTTGGCGA	AAATGAGACG	TTGATCGGCA	CGTAAGAGGT	TCCAACTTTC
481	ACCATAATGA	AATAAGATCA	CTACCGGGCG	TATTTTTTGA	GTTATCGAGA	TTTTCAGGAG
541	CTAAGGAAGC	TAAAATGGAG	AAAAAAATCA	CTGGATATAC	CACCGTTGAT	ATATCCCAAT
601	GGCATCGTAA	AGAACATITT	GAGGCATTTC	AGTCAGTTGC	TCAATGTACC	TATAACCAGA
				AGACCGTAAA		
				TGATGAATGC		
				ATAGTGTTCA		
				GGAGTGAATA		
				GTTACGGTGA		
				CAGCCAATCC		
				TCTTCGCCCC		
				CGCTGGCGAT		
				ATGAATTACA		
				TACTAAAAGC		
				ATACTGATAT		
				AGTGACAGTT		
						GCAGAATGAA
				GCGGAAAATC		
				GCTGACGAGA		
				CCGTTATCGT		
				GGTGATCCCC		
				GGTGGTGCAT		
				GGTCTCCGTT		
				CGCCATTAAC		
				TGCAGGTCGA		
				TATGCAAAAT		
				TCTTGTACAA		
				GCGTGCATGC		
				GTTTTACAAC		
				CATCCCCCTT		
				CATTCCCCTT		
				GTGTGGTGGT		
				TCGCTTTCTT		
				GGGGGCTCCC		
				ATTAGGGTGA		
2521	CGCCCTCATA	COLCONCOCC	CCCCCCCCCCC	CGTTGGAGTC	CACCERCO	AGIGGCCAT
						GATTTATAAG-
				CIMICICOGI	CIMILCITIE	GATTTATAAG-

FIGURE 25C

		•				
2641	GGATTTTGCC	GATTTCGGCC	TATTGGTTAA	AAAATGAGCT	GATTTAACAA	AAATTTAACG
2701	CGAATTTTAA	CAAAATATTA	ACGTTTACAA	TTTCAGGTGG	CACTTTTCGG	GGAAATGTGC
2761	GCGGAACCCC	TATTTGTTTA	TTTTTCTAAA	TACATTCAAA	TATGTATCCG	CTCATGAGAC
2821	AATAACCCTG	ATAAATGCTT	CAATAATATT	GAAAAAGGAA	GAGTATGAGT	ATTCAACATT
2881	TCCGTGTCGC	CCTTATTCCC	TTTTTTGCGG	CATTTTGCCT	TCCTGTTTTT	GCTCACCCAG
2941	AAACGCTGGT	GAAAGTAAAA	GATGCTGAAG	ATCAGTTGGG	TGCACGAGTG	GGTTACATCG
3001	AACTGGATCT	CAACAGCGGT	AAGATCCTTG	AGAGTTTTCG	CCCCGAAGAA	CGTTTTCCAA
3061	TGATGAGCAC	TTTTAAAGTT	CTGCTATGTG	GCGCGGTATT	ATCCCGTATT	GACGCCGGGC
3121	AAGAGCAACT	CGGTCGCCGC	ATACACTATT	CTCAGAATGA	CTTGGTTGAG	TACTCACCAG
3101	TCACAGAAAA	GCATCTTACG	GATGGCATGA	CAGTAAGAGA	ATTATGCAGT	GCTGCCATAA
3241	CCATGAGTGA	TAACACTGCG	GCCAACTTAC	TTCTGACAAC	GATCGGAGGA	CCGAAGGAGC
2201	TAACCCCTTT	TTTGCACAAC	ATGGGGGATC	ATGTAACTCG	CCTTGATCGT	TGGGAACCGG
2261	ACCTGAATGA	AGCCATACCA	AACGACGAGC	GTGACACCAC	GATGCCTGTA	GCAATGGCAA
3301	CAACCTURATOR	CAAACTATTA	ACTGGCGAAC	TACTTACTCT	AGCTTCCCGG	CAACAATTAA
3421	CAACGIIGCG	GGAGGCGGAT	AAAGTTGCAG	GACCACTTCT	GCGCTCGGCC	CTTCCGGCTG
3481	CONCOMPANT	TGCTGATAAA	TOTOGAGOOG	GTGAGCGTGG	GTCTCGCGGT	ATCATTGCAG
3541	GCTGGTTTAT	AGATGGTAAG	CCCTCCCGTA	TCGTAGTTAT	CTACACGACG	GGGAGTCAGG
3601	CACTGGGGCC	TGAACGAAAT	ACACACACATA	CTCACATAGG	TGCCTCACTG	ATTAAGCATT
3661	CAACTATGGA	AGACCAAGTT	TACTCATATA	TACTTACAT	TCATTTAAA	CALCALALA
3721	GGTAACTGTC	AGACCAAGII	AACATCCTTT	TACITIAGAI	CATCACCAAA	ልፐርርርፕፕልስር
3781	AATTTAAAAG	GATCTAGGTG	AAGATCCTTT	CCCTACAAAC	CATCARAGGA	TCTTCTTGAG
3841	GTGAGTTTTC	GTTCCACTGA	GCGTCAGACC	CCGIAGAAAA	NANACCACCC	CTACCAGCGG
3901	ATCCTTTTTT	TCTGCGCGTA	ATCTGCTGCT	TGCAAACAAA	CARCCEACCE	CIACCAGCGG
3961	TGGTTTGTTT	GCCGGATCAA	GAGCTACCAA	CTCTTTTTCC	CONTRACT	CACTTCAGCA
4021	GAGCGCAGAT	ACCAAATACT	GTCCTTCTAG	TGTAGCCGTA	GTTAGGCCAC	CACTICAAGA
4081	ACTCTGTAGC	ACCGCCTACA	TACCTCGCTC	TGCTAATCCT	GTTACCAGIG	CATTACCCCC
4141	GTGGCGATAA	GTCGTGTCTT	ACCGGGTTGG	ACTCAAGACG	ATAGTTACCG	ACCACCTACA
4201	AGCGGTCGGG	CTGAACGGGG	GGTTCGTGCA	CACAGCCCAG	CITGGAGCGA	ACGACCTACA
						GAAGGGAGAA
4321	AGGCGGACAG	GTATCCGGTA	AGCGGCAGGG	TCGGAACAGG	AGAGCGCACG	AGGGAGCTTC
4381	CAGGGGGAAA	CGCCTGGTAT	CTTTATAGTC	CTGTCGGGTT	TCGCCACCTC	TGACTTGAGC
4441	GTCGATTTTT	GTGATGCTCG	TCAGGGGGGC	GGAGCCTATG	GAAAAACGCC	AGCAACGCGG
4501	CCTTTTTACG	GTTCCTGGCC	TTTTGCTGGC	CTTTTGCTCA	CATGTTCTTT	CCTGCGTTAT
4561	CCCCTGATTC	TGTGGATAAC	CGTATTACCG	CCTTTGAGTG	AGCTGATACC	GCTCGCCGCA
4621	GCCGAACGAC	CGAGCGCAGC	GAGTCAGTGA	GCGAGGAAGC	GGAAGAGCGC	CCAATACGCA
4681	AACCGCCTCT	CCCCGCGCGT	TGGCCGATTC	ATTAATGCAG	AGCTTGCAAT	TCGCGCGCGA
4741	AGGCGAAGCG	GCATTTACGT	TGACACCATC	GAATGGCGCA	AAACCTTTCG	CGGTATGGCA
4801	TGATAGCGCC	CGGAAGAGAG	TCAATTCAGG	GTGGTGAATG	TGAAACCAGT	AACGTTATAC
4861	GATGTCGCAG	AGTATGCCGG	TGTCTCTTAT	CAGACCGTTT	CCCGCGTGGT	GAACCAGGCC
4921	AGCCACGTTT	CTGCGAAAAC	GCGGGAAAAA	GTGGAAGCGG	CGATGGCGGA	GCTGAATTAC
4981	ATTCCCAACC	GCGTGGCACA	ACAACTGGCG	GGCAAACAGT	CGTTGCTGAT	TGGCGTTGCC
5041	ACCTCCAGTC	TGGCCCTGCA	CGCGCCGTCG	CAAATTGTCG	CGGCGATTAA	ATCTCGCGCC
5101	GATCAACTGO	GTGCCAGCGT	GGTGGTGTCG	ATGGTAGAAC	GAAGCGGCGT	CGAAGCCTGT
5161	AAAGCGGCGC	TGCACAATCT	TCTCGCGCAA	CGGGTCAGTG	GGCTGATCAT	TAACTATCCG
5221	CTGGATGACO	AGGATGCCAT	TGCTGTGGAA	GCTGCCTGCA	CTAATGTTCC	GGCGTTATTT
5281	CTTGATGTCT	CTGACCAGAC	ACCCATCAAC	AGTATTATTI	TCTCCCATGA	AGACGGTACG
5341	CGACTGGGC	TGGAGCATCT	GGTCGCATTG	GGTCACCAGO	AAATCGCGCT	GTTAGCGGGC
5401	CCATTAAGTT	CTGTCTCGGC	GCGTCTGCGT	CTGGCTGGCT	GGCATAAATA	TCTCACTCGC
5461	ידדמממידממ ו	AGCCGATAGC	GGAACGGGAA	GGCGACTGGA	GTGCCATGTC	CGGTTTTCAA
5501	. בממטררמתה. ו. רממטררמתה	AAATGCTGA	TGAGGGCATC	GTTCCCACTC	CGATGCTGGT	TGCCAACGAT
222.	CACATCCCC	TGGGCGCAAT	GCGCGCCATT	ACCGAGTCCC	GGCTGCGCGT	TGGTGCGGAT
220.		TGGGATACCI	CGATACCGAA	GACAGCTCAT	GTTATATCCC	GCCGTCAACC
504.	L AICICGGIAG	ר אונים אונים אונים ב	CCTGCTGGG	CAAACCAGCC	TGGACCGCTT	GCTGCAACTC
570.	TOTOLICAAN	DAGGEGGTGN	GGGCAATCAG	CTGTTGCCC	TCTCACTGGT	GAAAAGAAAA
5/6.	T TOTOMORPH	C LCLCCYFLY(C)	. GCGCAATCAG	. TCTCCCCC	CGTTGGCCGA	TTCATTAATG
502.	T WOOMCOCTO	- CACCCWAIM	. ככבבבבכפכנ י ררפערדפפאא	. 101000000 . acceeeeae	GAGCGCAACC	CAATTAATGT
	CAGCIGGCA		. COUNCION			
374 .	I GAGIIAGCI	CACICALI				

FIGURE 25D

" reverse ..

Figure 26A PDST6

pSPORT "-"
(opposite strand)

"forward" sequencing primers

- 1 taa/egc cag ggt ttt ccc agt cac gac gtt gta aaa cga cgg cca gtg aat att gcg gtc cca aaa ggg tca gtg ctg caa cat ttt gct gcc ggt cac tta
- 596 promoter

 596 Milli

 52 tga att tag gtg aca cta tag aag age tat gae gte gea toe acg egt acg
 act taa ate cae tgt gat ate tte teg ata etg eag egt acg tge gea tge
- Hud3 Bom Xba Not Spe Str I Int

 103 tala get top ate ede tag agelgge ege ega eta gtg ate aca agt tog tag
 att ega ace tag gag ate teg eeg geg get gat dae tag tgt tea aac atg
- 154 and das get gas cgs ges acg tax act gat ata sat atc ast ata tes act tes test ctt top att tta cts tax tax tax act tta

Gene

- 1939 tat tta tat pat tit acg tit ctd gtt tag cet tet tot aca aag tgg tga ata dat ata gta daa toe aan gag ean gtc gan aga aca egt tte acc act
- Sal Sou EcoRI Kin Bt

 1990 teglteg acc dgg daa tte egg ace ggt ade tge agg egt acc age ttt ecc
 age age tgg dec ett aag gee tgg dea tgg acg tee gea tgg teg aaa ggg


 T7 RMA
- 2041 tat agt gag tog tat tag ago ttg gog taa toa tgg toa tag otg ttt cot ata toa oto ago ata ato tog aac ogo att agt acc agt ato gac aaa gga

 T7 promoter K-peptide
- 2092 gtg tga aat tgt tat eeg ete aca att eea cae aac ata ega gee gga age cae act tta aca ata gge gag tgt taa ggt gtg ttg tat get egg eet teg
 ... segnenung primers lac RNA
- 2143 ata ang tgt and gcc tgg ggt gcc tan tga gtg agc tan ctc aca tta att tat ttc aca ttt cgg acc cca cgg att act cac tcg att gag tgt ant tan

Figure 26B

PDEST6

(cont'd)



pDEST6 5957 bp

Gene Encoded

attR1

Location (Base Nos.) 266..142

		26614	2	accki				
		51611	75	CmR				
		12951379			inactivated ccdA			
		151718	322	ccdB				
		18631987		attR2				
		22033	369	lacI	·			
		440352	260	ampR				
		539258	347	f1 (f:	l intergeni	region)		
				-		3 ,		
1	TAACGCCAGG	GTTTTCCCAG	TCACGACGTT	GTAAAACGAC	GGCCAGTGAA	TTGAATTTAG		
	GTGACACTAT							
	AGCGGCCGCC							
	GATATAAATA							
	AAAACACAAC							
	TTTGCGCCGA							
	TCCCTGTTGA							
	ACGTAAGAGG							
	AGTTATCGAG							
	CCACCGTTGA							
	CTCAATGTAC							
	AGAAAAATAA							
	CTCATCCGGA							
	ACCCTTGTTA							
	ACCACGACGA							
	AAAACCTGGC							
	CCTGGGTGAG							
	CCGTTTTCAC							
	TTCAGGTTCA							
	AACAGTACTG							
	CCAGATAACA							
	TGTATACCCG							
	TGACAGCGAC							
	AGCACAACCA							
	CAGGAAGGGA							
	AACAGGGACT							
	TCTGTTTGTG							
	CCTGGCCAGT							
	TATCGGGGAT							
	TATCGGGGAA							
	CCTGATGTTC							
1861	ACCATAGTGA	CIGGATATGT	TGTGTTTTAC	AGTATTATGT	AGTCTGTTTT	TTATGCAAAA		
1921	TCTAATTTAA	TATATTGATA	TITATATCAT	TTTACGTTTC	TCGTTCAGCT	TTCTTGTACA		
	AAGTGGTGAT							
	TATAGTGAGT							
	TGTTATCCGC							
	GGTGCCTAAT							
	TCGGGAAACC							
	TTGCGTATTG							
	GCCCTTCACC							
	CAGGCGAAAA							
	ATCGTCGTAT							
	GCGCATTGCG							
	CTCATTCAGC							
2641	TTCCGCTATC	GGCTGAATTT	GATTGCGAGT	GAGATATTTA	TGCCAGCCAG	CCAGACGCAG-		


FIGURE 26C

2701 ACGCGCCGAG ACAGAACTTA ATGGGCCCGC TAACAGCGCG ATTTGCTGGT GACCCAATGC 2761 GACCAGATGC TCCACGCCCA GTCGCGTACC GTCTTCATGG GAGAAAATAA TACTGTTGAT 2821 GGGTGTCTGG TCAGAGACAT CAAGAAATAA CGCCGGAACA TTAGTGCAGG CAGCTTCCAC 2881 AGCAATGGCA TCCTGGTCAT CCAGCGGATA GTTAATGATC AGCCCACTGA CCCGTTGCGC 2941 GAGAAGATTG TGCACCGCCG CTTTACAGGC TTCGACGCCG CTTCGTTCTA CCATCGACAC 3001 CACCACGCTG GCACCCAGTT GATCGGCGCG AGATTTAATC GCCGCGACAA TTTGCGACGG 3061 CGCGTGCAGG GCCAGACTGG AGGTGGCAAC GCCAATCAGC AACGACTGTT TGCCCGCCAG 3121 TTGTTGTGCC ACGCGGTTGG GAATGTAATT CAGCTCCGCC ATCGCCGCTT CCACTTTTTC 3181 CCGCGTTTTC GCAGAAACGT GGCTGGCCTG GTTCACCACG CGGGAAACGG TCTGATAAGA 3241 GACACCGGCA TACTCTGCGA CATCGTATAA CGTTACTGGT TTCACATTCA CCACCCTGAA 3301 TTGACTCTCT TCCGGGCGCT ATCATGCCAT ACCGCGAAAG GTTTTGCGCC ATTCGATGGT 3361 GTCAACGTAA ATGCCGCTTC GCCTTCGCGC GCGAATTGCA AGCTCTGCAT TAATGAATCG 3421 GCCAACGCGC GGGGAGAGGC GGTTTGCGTA TTGGGCGCTC TTCCGCTTCC TCGCTCACTG 3481 ACTCGCTGCG CTCGGTCGTT CGGCTGCGGC GAGCGGTATC AGCTCACTCA AAGGCGGTAA 3541 TACGGTTATC CACAGAATCA GGGGATAACG CAGGAAAGAA CATGTGAGCA AAAGGCCAGC 3601 AAAAGGCCAG GAACCGTAAA AAGGCCGCGT TGCTGGCGTT TTTCCATAGG CTCCGCCCCC 3661 CTGACGAGCA TCACAAAAAT CGACGCTCAA GTCAGAGGTG GCGAAACCCG ACAGGACTAT 3721 AAAGATACCA GGCGTTTCCC CCTGGAAGCT CCCTCGTGCG CTCTCCTGTT CCGACCCTGC 3781 CGCTTACCGG ATACCTGTCC GCCTTTCTCC CTTCGGGAAG CGTGGCGCTT TCTCAATGCT 3841 CACGCTGTAG GTATCTCAGT TCGGTGTAGG TCGTTCGCTC CAAGCTGGGC TGTGTGCACG 3901 AACCCCCCGT TCAGCCCGAC CGCTGCGCCT TATCCGGTAA CTATCGTCTT GAGTCCAACC 3961 CGGTAAGACA CGACTTATCG CCACTGGCAG CAGCCACTGG TAACAGGATT AGCAGAGCGA 4021 GGTATGTAGG CGGTGCTACA GAGTTCTTGA AGTGGTGGCC TAACTACGGC TACACTAGAA 4081 GGACAGTATT TGGTATCTGC GCTCTGCTGA AGCCAGTTAC CTTCGGAAAA AGAGTTGGTA 4141 GCTCTTGATC CGGCAAACAA ACCACCGCTG GTAGCGGTGG TTTTTTTGTT TGCAAGCAGC 4201 AGATTACGCG CAGAAAAAA GGATCTCAAG AAGATCCTTT GATCTTTTCT ACGGGGTCTG 4261 ACGCTCAGTG GAACGAAAAC TCACGTTAAG GGATTTTGGT CATGAGATTA TCAAAAAGGA 4321 TCTTCACCTA GATCCTTTTA AATTAAAAAT GAAGTTTTAA ATCAATCTAA AGTATATATG 4381 AGTAAACTTG GTCTGACAGT TACCAATGCT TAATCAGTGA GGCACCTATC TCAGCGATCT 4441 GTCTATTTCG TTCATCCATA GTTGCCTGAC TCCCCGTCGT GTAGATAACT ACGATACGGG 4501 AGGGCTTACC ATCTGGCCCC AGTGCTGCAA TGATACCGCG AGACCCACGC TCACCGGCTC 4561 CAGATTTATC AGCAATAAAC CAGCCAGCCG GAAGGGCCGA GCGCAGAAGT GGTCCTGCAA 4621 CTTTATCCGC CTCCATCCAG TCTATTAATT GTTGCCGGGA AGCTAGAGTA AGTAGTTCGC 4681 CAGTTAATAG TTTGCGCAAC GTTGTTGCCA TTGCTACAGG CATCGTGGTG TCACGCTCGT 4741 CGTTTGGTAT GGCTTCATTC AGCTCCGGTT CCCAACGATC AAGGCGAGTT ACATGATCCC 4801 CCATGTTGTG CAAAAAAGCG GTTAGCTCCT TCGGTCCTCC GATCGTTGTC AGAAGTAAGT 4861 TGGCCGCAGT GTTATCACTC ATGGTTATGG CAGCACTGCA TAATTCTCTT ACTGTCATGC 4921 CATCCGTAAG ATGCTTTTCT GTGACTGGTG AGTACTCAAC CAAGTCATTC TGAGAATAGT 4981 GTATGCGGCG ACCGAGTTGC TCTTGCCCGG CGTCAATACG GGATAATACC GCGCCACATA 5041 GCAGAACTTT AAAAGTGCTC ATCATTGGAA AACGTTCTTC GGGGCGAAAA CTCTCAAGGA 5101 TCTTACCGCT GTTGAGATCC AGTTCGATGT AACCCACTCG TGCACCCAAC TGATCTTCAG 5161 CATCTTTTAC TTTCACCAGC GTTTCTGGGT GAGCAAAAAC AGGAAGGCAA AATGCCGCAA 5221 AAAAGGGAAT AAGGGCGACA CGGAAATGTT GAATACTCAT ACTCTTCCTT TTTCAATATT 5281 ATTGAAGCAT TTATCAGGGT TATTGTCTCA TGAGCGGATA CATATTTGAA TGTATTTAGA 5341 AAAATAAACA AATAGGGGTT CCGCGCACAT TTCCCCGAAA AGTGCCACCT GAAATTGTAA 5401 ACGTTAATAT TTTGTTAAAA TTCGCGTTAA ATTTTTGTTA AATCAGCTCA TTTTTTAACC 5461 AATAGGCCGA AATCGGCAAA ATCCCTTATA AATCAAAAGA ATAGACCGAG ATAGGGTTGA 5521 GTGTTGTTCC AGTTTGGAAC AAGAGTCCAC TATTAAAGAA CGTGGACTCC AACGTCAAAG 5581 GGCGAAAAAC CGTCTATCAG GGCGATGGCC CACTACGTGA ACCATCACCC TAATCAAGTT 5641 TTTTGGGGTC GAGGTGCCGT AAAGCACTAA ATCGGAACCC TAAAGGGAGC CCCCGATTTA 5701 GAGCTTGACG GGGAAAGCCG GCGAACGTGG CGAGAAAGGA AGGGAAGAAA GCGAAAGGAG 5761 CGGGCGCTAG GGCGCTGGCA AGTGTAGCGG TCACGCTGCG CGTAACCACC ACACCCGCCG 5821 CGCTTAATGC GCCGCTACAG GGCGCGTCCA TTCGCCATTC AGGCTGCGCA ACTGTTGGGA 5881 AGGCCGATCG GTGCGGGCCT CTTCGCTATT ACGCCAGCTG GCGAAAGGGG GATGTGCTGC 5941 AAGGCGATTA AGTTGGG

FIGURE 260

Figure 27A: PDEST7

CMV promoter for eukaryotic expression



pDEST7 6025 bp (rotated to position 2800)

Location (Base Nos.)	Gene Encoded
67589	CMV promoter
906782	attR1
10151674	CmR
17941878	inactivated ccdA
20162321	ccdB
23622486	attR2
26713033	small t & polyA
32273502	f1
39624822	ampR
50225661	ori

```
1 ATTATCATGA CATTAACCTA TAAAAATAGG CGTAGTACGA GGCCCTTTCA CTCATTAGAT
  61 GCATGTCGTT ACATAACTTA CGGTAAATGG CCCGCCTGGC TGACCGCCCA ACGACCCCCG
 121 CCCATTGACG TCAATAATGA CGTATGTTCC CATAGTAACG CCAATAGGGA CTTTCCATTG
 181 ACGTCAATGG GTGGAGTATT TACGGTAAAC TGCCCACTTG GCAGTACATC AAGTGTATCA
 241 TATGCCAAGT ACGCCCCCTA TTGACGTCAA TGACGGTAAA TGGCCCGCCT GGCATTATGC
 301 CCAGTACATG ACCTTATGGG ACTTTCCTAC TTGGCAGTAC ATCTACGTAT TAGTCATCGC
 361 TATTACCATG GTGATGCGGT TTTGGCAGTA CATCAATGGG CGTGGATAGC GGTTTGACTC
 421 ACGGGGATTT CCAAGTCTCC ACCCCATTGA CGTCAATGGG AGTTTGTTTT GGCACCAAAA
 481 TCAACGGGAC TTTCCAAAAT GTCGTAACAA CTCCGCCCCA TTGACGCAAA TGGGCGGTAG
 541 GCGTGTACGG TGGGAGGTCT ATATAAGCAG AGCTCGTTTA GTGAACCGTC AGATCGCCTG
 601 GAGACGCCAT CCACGCTGTT TTGACCTCCA TAGAAGACAC CGGGACCGAT CCAGCCTCCG
 661 GACTCTAGCC TAGGCCGCGG AGCGGATAAC AATTTCACAC AGGAAACAGC TATGACCATT
 721 AGGCCTTTGC AAAAAGCTAT TTAGGTGACA CTATAGAAGG TACGCCTGCA GGTACCGGAT
 781 CACAAGTTTG TACAAAAAG CTGAACGAGA AACGTAAAAT GATATAAATA TCAATATATT
 841 AAATTAGATT TTGCATAAAA AACAGACTAC ATAATACTGT AAAACACAAC ATATCCAGTC
 901 ACTATGGCGG CCGCATTAGG CACCCCAGGC TTTACACTTT ATGCTTCCGG CTCGTATAAT
 961 GTGTGGATTT TGAGTTAGGA TCCGTCGAGA TTTTCAGGAG CTAAGGAAGC TAAAATGGAG
1021 AAAAAAATCA CTGGATATAC CACCGTTGAT ATATCCCAAT GGCATCGTAA AGAACATTTT
1081 GAGGCATTTC AGTCAGTTGC TCAATGTACC TATAACCAGA CCGTTCAGCT GGATATTACG
1141 GCCTTTTAA AGACCGTAAA GAAAAATAAG CACAAGTTTT ATCCGGCCTT TATTCACATT
1201 CTTGCCCGCC TGATGAATGC TCATCCGGAA TTCCGTATGG CAATGAAAGA CGGTGAGCTG
1261 GTGATATGGG ATAGTGTTCA CCCTTGTTAC ACCGTTTTCC ATGAGCAAAC TGAAACGTTT
1321 TCATCGCTCT GGAGTGAATA CCACGACGAT TTCCGGCAGT TTCTACACAT ATATTCGCAA
1381 GATGTGGCGT GTTACGGTGA AAACCTGGCC TATTTCCCTA AAGGGTTTAT TGAGAATATG
1441 TTTTTCGTCT CAGCCAATCC CTGGGTGAGT TTCACCAGTT TTGATTTAAA CGTGGCCAAT
1501 ATGGACAACT TCTTCGCCCC CGTTTTCACC ATGGGCAAAT ATTATACGCA AGGCGACAAG
1561 GTGCTGATGC CGCTGGCGAT TCAGGTTCAT CATGCCGTCT GTGATGGCTT CCATGTCGGC
1621 AGAATGCTTA ATGAATTACA ACAGTACTGC GATGAGTGGC AGGGCGGGGC GTAAACGCGT
1681 GGATCCGGCT TACTAAAAGC CAGATAACAG TATGCGTATT TGCGCGCTGA TTTTTGCGGT
1741 ATAAGAATAT ATACTGATAT GTATACCCGA AGTATGTCAA AAAGAGGTGT GCTATGAAGC
1801 AGCGTATTAC AGTGACAGTT GACAGCGACA GCTATCAGTT GCTCAAGGCA TATATGATGT
1861 CAATATCTCC GGTCTGGTAA GCACAACCAT GCAGAATGAA GCCCGTCGTC TGCGTGCCGA
1921 ACGCTGGAAA GCGGAAAATC AGGAAGGGAT GGCTGAGGTC GCCCGGTTTA TTGAAATGAA
1981 CGGCTCTTTT GCTGACGAGA ACAGGGACTG GTGAAATGCA GTTTAAGGTT TACACCTATA
2041 AAAGAGAGAG CCGTTATCGT CTGTTTGTGG ATGTACAGAG TGATATTATT GACACGCCCG
2101 GGCGACGGAT GGTGATCCCC CTGGCCAGTG CACGTCTGCT GTCAGATAAA GTCTCCCGTG
2161 AACTTTACCC GGTGGTGCAT ATCGGGGATG AAAGCTGGCG CATGATGACC ACCGATATGG
2221 CCAGTGTGCC GGTCTCCGTT ATCGGGGAAG AAGTGGCTGA TCTCAGCCAC CGCGAAAATG
2281 ACATCAAAAA CGCCATTAAC CTGATGTTCT GGGGAATATA AATGTCAGGC TCCCTTATAC
2341 ACAGCCAGTC TGCAGGTCGA CCATAGTGAC TGGATATGTT GTGTTTTACA GTATTATGTA
2401 GTCTGTTTTT TATGCAAAAT CTAATTTAAT ATATTGATAT TTATATCATT TTACGTTTCT
2461 CGTTCAGCTT TCTTGTACAA AGTGGTGATC GCGTGCATGC GACGTCATAG CTCTCTCCCT
2521 ATAGTGAGTC GTATTATAAG CTAGGCACTG GCCGTCGTTT TACAACGTCG TGACTGGGAA-
```

2581	AACTGCTAGC	TTGGGATCTT	TGTGAAGGAA	CCTTACTTCT	GTGGTGTGAC	ATAATTGGAC
2641	AAACTACCTA	CAGAGATTTA	AAGCTCTAAG	GTAAATATAA	AATTTTTAAG	TGTATAATGT
2701	GTTAAACTAG	CTGCATATGC	TTGCTGCTTG	AGAGTTTTGC	TTACTGAGTA	TGATTTATGA
2761	AAATATTATA	CACAGGAGCT	AGTGATTCTA	ATTGTTTGTG	TATTTTAGAT	TCACAGTCCC
2821	AAGGCTCATT	TCAGGCCCCT	CAGTCCTCAC	AGTCTGTTCA	TGATCATAAT	CAGCCATACC
2881	ACATTTGTAG	AGGTTTTACT	TGCTTTAAAA	AACCTCCCAC	ACCTCCCCCT	GAACCTGAAA
	CATAAAATGA					
	TAAAGCAATA					
	GGTTTGTCCA					
	CGGCCAACGC					
	CACCGATCGC					
	CGGCGCATTA					
	CGCCCTAGCG					
	TCCCCGTCAA					
	CCTCGACCCC					
	GACGGTTTTT					
	AACTGGAACA					
	GATTTCGGCC					
	CAAAATATTA					
	TATTTGTTTA					
	GGTGAGAACG					
	TGTGCGATAG					
	ATGTGTGCCC					
	AAGGAAGAGT					
	TTGCCTTCCT					
	GTTGGGTGCA					
	TTTTCGCCCC					
	GGTATTATCC					
	GAATGACTTG					
	AAGAGAATTA					
	GACAACGATC					
	AACTCGCCTT					
	CACCACGATG					
	TACTCTAGCT					
	ACTTCTGCGC					
	GCGTGGGTCT					
	AGTTATCTAC					
	GATAGGTGCC					
	TTAGATTGAT					
	TAATCTCATG					
	CCCTTAACGT					
	TTCTTGAGAT					
	ACCAGCGGTG					
	CTTCAGCAGA					
	CTTCAAGAAC					
	TGCTGCCAGT					
	TAAGGCGCAG					
5401	GACCTACACC	GAACTGAGAT	ACCTACAGCG	TGAGCATTGA	GAAAGCGCCA	CGCTTCCCGA
5461:	AGGGAGAAAG	GCGGACAGGT	ATCCGGTAAG	CGGCAGGGTC	GGAACAGGAG	AGCGCACGAG
	GGAGCTTCCA					
	ACTTGAGCGT					
	CAACGCGGCC					
	TGCGTTATCC					
5761	TCGCCGCAGC	CGAACGACCG	AGCGCAGCGA	GTCAGTGAGC	GAGGAAGCGG	AAGAGCGCCC
5821	AATACGCAAA	CCGCCTCTCC	CCGCGCGTTG	GCCGATTCAT	TAATGCAGAG	CTTGCAATTC
5881	GCGCGTTTTT	CAATATTATT	GAAGCATTTA	TCAGGGTTAT	TGTCTCATGA	GCGGATACAT
5941	ATTTGAATGT	ATTTAGAAAA	ATAAACAAAT	AGGGGTTCCG	CGCACATTTC	CCCGAAAAGT
	GCCACCTGAC					

Figure 784: pDEST8 Polyhedron Promoter, Baculovirus ...

Transfer Plasmid ...


1 cgt ata ctc cgg aat att aat aga tca tgg aga taa tta aaa tga taa cca gca tat gag gcc tta taa tta tct agt acc tct att aat ttt act att ggt

52 tct cgc aaa taa ata agt att tta ctg ttt tcg taa cag ttt tgt aat aaa aga gcg ttt att tat tca taa aat gac aaa agc att gtc aaa aca tta ttt

103 aaa acc tat aaa tat tcc gga tta ttc ata ccg tcc cac cat cgg gcg cgg ttt tgg ata ttt ata agg cct aat aag tat ggc agg gtg gta gcc cgc gcc

154 atc atc aca agt tig tag aaa aca ctt gta aga gaa aog taa dat gat ata tag tag tag tag tgg tta ctt ata ccg tcc cac cat cgg gcg cgg gcc

154 atc atc aca agt tig tag aaa aaa gct gaa cga gaa aog taa dat gat ata tag tag tag tag tgg tta cts tat



pDEST8 6526 bp

Location (Base Nos.)	Gene Encoded
23152	Ppolh
284160	attRl
5341193	CmR ·
13131397	inactivated ccdA
15351840	ccdB
18812005	attR2
27663146	f1
32404090	ampR
42894869	ori
55646496	genR

				•		
1	CGTATACTCC	GGAATATTAA	TAGATCATGG	AGATAATTAA	AATGATAACC	ATCTCGCAAA
61	TAAATAAGTA	TTTTACTGTT	TTCGTAACAG	TTTTGTAATA	AAAAAACCTA	TAAATATTCC
121	GGATTATTCA	TACCGTCCCA	CCATCGGGCG	CGGATCATCA	CAAGTTTGTA	CAAAAAAGCT
181	GAACGAGAAA	CGTAAAATGA	TATAAATATC	AATATATTAA	ATTAGATTTT	GCATAAAAA
241	CAGACTACAT	AATACTGTAA	AACACAACAT	ATCCAGTCAC	TATGGCGGCC	GCTAAGTTGG
301	CAGCATCACC	CGACGCACTT	TGCGCCGAAT	AAATACCTGT	GACGGAAGAT	CACTTCGCAG
361	AATAAATAA	TCCTGGTGTC	CCTGTTGATA	CCGGGAAGCC	CTGGGCCAAC	TTTTGGCGAA
421	AATGAGACGT	TGATCGGCAC	GTAAGAGGTT	CCAACTTTCA	CCATAATGAA	ATAAGATCAC
481	TACCGGGCGT	ATTTTTTGAG	TTATCGAGAT	TTTCAGGAGC	TAAGGAAGCT	AAAATGGAGA
541	AAAAAATCAC	TGGATATACC	ACCGTTGATA	TATCCCAATG	GCATCGTAAA	GAACATTTTG
		GTCAGTTGCT				
661	CCTTTTTAAA	GACCGTAAAG	AAAAATAAGC	ACAAGTTTTA	TCCGGCCTTT	ATTCACATTC
721	TTGCCCGCCT	GATGAATGCT	CATCCGGAAT	TCCGTATGGC	AATGAAAGAC	GGTGAGCTGG
781	TGATATGGGA	TAGTGTTCAC	CCTTGTTACA	CCGTTTTCCA	TGAGCAAACT	GAAACGTTTT
841	CATCGCTCTG	GAGTGAATAC	CACGACGATT	TCCGGCAGTT	TCTACACATA	TATTCGCAAG
901	ATGTGGCGTG	TTACGGTGAA	AACCTGGCCT	ATTTCCCTAA	AGGGTTTATT	GAGAATATGT
961	TTTTCGTCTC	AGCCAATCCC	TGGGTGAGTT	TCACCAGTTT	TGATTTAAAC	GTGGCCAATA
1021	TGGACAACTT	CTTCGCCCCC	GTTTTCACCA	TGGGCAAATA	TTATACGCAA	GGCGACAAGG
1081		GCTGGCGATT				
		TGAATTACAA				
1201	GATCCGGCTT	ACTAAAAGCC	AGATAACAGT	ATGCGTATTT	GCGCGCTGAT	TTTTGCGGTA
1261	TAAGAATATA	TACTGATATG	TATACCCGAA	GTATGTCAAA	AAGAGGTGTG	CTATGAAGCA
		GTGACAGTTG				
		GTCTGGTAAG				
		CGGAAAATCA				
		CTGACGAGAA				
		CGTTATCGTC				
		GTGATCCCCC				
		GTGGTGCATA				
		GTCTCCGTTA				
		GCCATTAACC				
		GCAGGTCGAC				
		ATGCAAAATC				
1981	GTTCAGCTTT	CTTGTACAAA	GTGGTGATAG	CTTGTCGAGA	AGTACTAGAG	GATCATAATC
2041	AGCCATACCA	CATTTGTAGA	GGTTTTACTT	GCTTTAAAAA	ACCTCCCACA	CCTCCCCCTG
2101	AACCTGAAAC	ATAAAATGAA	TGCAATTGTT	GTTGTTAACT	TGTTTATTGC	AGCTTATAAT
2161	GGTTACAAAT	AAAGCAATAG	CATCACAAAT	TTCACAAATA	AAGCATTTTT	TTCACTGCAT
2221	TCTAGTTGTG	GTTTGTCCAA	ACTCATCAAT	GTATCTTATC	ATGTCTGGAT	CTGATCACTG
		GGAGATCCGA				
2341	TTTAATTTTC	GTATTAGCTT	ACGACGCTAC	ACCCAGTTCC	CATCTATTTT	GTCACTCTTC
2401	CCTAAATAAT	CCTTAAAAAC	TCCATTTCCA	CCCCTCCCAG	TTCCCAACTA	TTTTGTCCGC
2461	CCACAGCGGG	GCATTTTTCT	TCCTGTTATG	TTTTTAATCA	AACATCCTGC	CAACTCCATG
2521	TGACAAACCG	TCATCTTCGG	CTACTTTTTC	TCTGTCACAG	AATGAAAATT	TTTCTGTCAT-

	. •					
2581	CTCTTCGTTA	TTAATGTTTG	TAATTGACTG	AATATCAACG	CTTATTTGCA	GCCTGAATGG
2641	CGAATGGACG	CGCCCTGTAG	CGGCGCATTA	AGCGCGGCGG	GTGTGGTGGT	TACGCGCAGC
2701	GTGACCGCTA	CACTTGCCAG	CGCCCTAGCG	CCCGCTCCTT	TCGCTTTCTT	CCCTTCCTTT
2761	CTCGCCACGT	TCGCCGGCTT	TCCCCGTCAA	GCTCTAAATC	GGGGGCTCCC	TTTAGGGTTC
2821	CGATTTAGTG	CTTTACGGCA	CCTCGACCCC	AAAAAACTTG	ATTAGGGTGA	TGGTTCACGT
2881	AGTGGGCCAT	CGCCCTGATA	GACGGTTTTT	CGCCCTTTGA	CGTTGGAGTC	CACGTTCTTT
2941	AATAGTGGAC	TCTTGTTCCA	AACTGGAACA	ACACTCAACC	CTATCTCGGT	CTATTCTTTT
3001	GATTTATAAG	GGATTTTGCC	GATTTCGGCC	TATTGGTTAA	AAAATGAGCT	GATTTAACAA
3061	AAATTTAACG	CGAATTTTAA	CAAAATATTA	ACGTTTACAA	TTTCAGGTGG	CACTTTTCGG
3121	GGAAATGTGC	GCGGAACCCC	TATTTGTTTA	TTTTTCTAAA	TACATTCAAA	TATGTATCCG
3181	CTCATGAGAC	AATAACCCTG	ATAAATGCTT	CAATAATATT	GAAAAAGGAA	GAGTATGAGT
3241	ATTCAACATT	TCCGTGTCGC	CCTTATTCCC	TTTTTTGCGG	CATTTTGCCT	TCCTGTTTTT
3301	GCTCACCCAG	AAACGCTGGT	GAAAGTAAAA	GATGCTGAAG	ATCAGTTGGG	TGCACGAGTG
3361	GGTTACATCG	AACTGGATCT	CAACAGCGGT	AAGATCCTTG	AGAGTTTTCG	CCCCGAAGAA
3421	CGTTTTCCAA	TGATGAGCAC	TTTTAAAGTT	CTGCTATGTG	GCGCGGTATT	ATCCCGTATT
3481	GACGCCGGGC	AAGAGCAACT	CGGTCGCCGC	ATACACTATT	CTCAGAATGA	CTTGGTTGAG
3541	TACTCACCAG	TCACAGAAAA	GCATCTTACG	GATGGCATGA	CAGTAAGAGA	ATTATGCAGT
3601	GCTGCCATAA	CCATGAGTGA	TAACACTGCG	GCCAACTTAC	TTCTGACAAC	GATCGGAGGA
3661	CCGAAGGAGC	TAACCGCTTT	TTTGCACAAC	ATGGGGGATC	ATGTAACTCG	CCTTGATCGT
3721	TGGGAACCGG	AGCTGAATGA	AGCCATACCA	AACGACGAGC	GTGACACCAC	GATGCCTGTA
3781	GCAATGGCAA	CAACGTTGCG	CAAACTATTA	ACTGGCGAAC	TACTTACTCT	AGCTTCCCGG
3841	CAACAATTAA	TAGACTGGAT	GGAGGCGGAT	AAAGTTGCAG	GACCACTTCT	GCGCTCGGCC
3901	CTTCCGGCTG	GCTGGTTTAT	TGCTGATAAA	TCTGGAGCCG	GTGAGCGTGG	GTCTCGCGGT
3961	ATCATTGCAG	CACTGGGGCC	AGATGGTAAG	CCCTCCCGTA	TCGTAGTTAT	CTACACGACG
4021	GGGAGTCAGG	CAACTATGGA	TGAACGAAAT	AGACAGATCG	CTGAGATAGG	TGCCTCACTG
4081	ATTAAGCATT	GGTAACTGTC	AGACCAAGTT	TACTCATATA	TACTTTAGAT	TGATTTAAAA
4141	CTTCATTTTT	AATTTAAAAG	GATCTAGGTG	AAGATCCTTT	TTGATAATCT	CATGACCAAA
4201	ATCCCTTAAC	GTGAGTTTTC	GTTCCACTGA	GCGTCAGACC	CCGTAGAAAA	GATCAAAGGA
4261	TCTTCTTGAG	ATCCTTTTT	TCTGCGCGTA	ATCTGCTGCT	TGCAAACAAA	AAAACCACCG
4321	CTACCAGCGG	TGGTTTGTTT	GCCGGATCAA	GAGCTACCAA	CTCTTTTTCC	GAAGGTAACT
4381	GGCTTCAGCA	GAGCGCAGAT	ACCAAATACT	GTCCTTCTAG	TGTAGCCGTA	GTTAGGCCAC
4441	CACTTCAAGA	ACTCTGTAGC	ACCGCCTACA	TACCTCGCTC	TGCTAATCCT	GTTACCAGTG
4501	GCTGCTGCCA	GTGGCGATAA	GTCGTGTCTT	ACCGGGTTGG	ACTCAAGACG	ATAGTTACCG
4561	GATAAGGCGC	AGCGGTCGGG	CTGAACGGGG	GGTTCGTGCA	CACAGCCCAG	CTTGGAGCGA
4621	ACGACCTACA	CCGAACTGAG	ATACCTACAG	CGTGAGCATT	GAGAAAGCGC	CACGCTTCCC
4681	GAAGGGAGAA	AGGCGGACAG	GTATCCGGTA	AGCGGCAGGG	TCGGAACAGG	AGAGCGCACG
4741	AGGGAGCTTC	CAGGGGGAAA	CGCCTGGTAT	CTTTATAGTC	CTGTCGGGTT	TCGCCACCTC
4801	ТСАСТТСАСС	GTCGATTTT	GTGATGCTCG	TCAGGGGGGC	GGAGCCTATG	GAAAAACGCC
4861	AGCAACGCGG	CCTTTTTACG	GTTCCTGGCC	TTTTGCTGGC	CTTTTGCTCA	CATGTTCTTT
4921	ССТСССТТАТ	CCCCTGATTC	TGTGGATAAC	CGTATTACCG	CCTTTGAGTG	AGCTGATACC
4981	GCTCGCCGCA	GCCGAACGAC	CGAGCGCAGC	GAGTCAGTGA	GCGAGGAAGC	GGAAGAGCGC
5041	CTGATGCGGT	ATTTTCTCCT	TACGCATCTO	TGCGGTATTT	CACACCGCAG	ACCAGCCGCG
5101	TAACCTGGCA	AAATCGGTTA	CGGTTGAGTA	ATAAATGGAT	GCCCTGCGTA	AGCGGGTGTG
5161	GGCGGACAAT	AAAGTCTTAA	ACTGAACAAA	ATAGATCTAA	ACTATGACAA	TAAAGTCTTA
5221	AACTAGACAG	AATAGTTGTA	AACTGAAATC	AGTCCAGTTA	TGCTGTGAAA	AAGCATACTG
5281	GACTTTTGTT	TATGGCTAAAG	CAAACTCTTC	ATTTTCTGAA	GTGCAAATTC	CCCGTCGTAT
5341	TAAAGAGGG	CGTGGCCAAG	GGCATGGTA	AGACTATATI	CGCGGCGTTC	TGACAATTTA
5401	CCGAACAAC	CCGCGGCCGG	GAAGCCGATC	TCGGCTTGAA	CGAATTGTTA	GGTGGCGGTA
5461	+ CTTGGGTCG	ATATCAAAGTG	CATCACTTCT	TCCCGTATGC	CCAACTTTGT	TATAGAGAGCC
5521	ACTGCGGGAT	r CGTCACCGTA	ATCTGCTTG	ACGTAGATCA	CATAAGCAC	AAGCGCGTTG
5581	1 GCCTCATGC	TGAGGAGAT	GATGAGCGC	GTGGCAATGC	CCTGCCTCCC	GTGCTCGCCG
564	1 GAGACTGCGA	A GATCATAGAT	ATAGATCTC	A CTACGCGGCT	GCTCAAACCT	GGGCAGAACG
570	1 TAAGCCGCG	A GAGCGCCAAC	AACCGCTTCT	TGGTCGAAGG	CAGCAAGCG	GATGAATGTC
576	1 TTACTACGG	A GCAAGTTCC	GAGGTAATC	GAGTCCGGCT	GATGTTGGG	A GTAGGTGGCT
582	1 ACGTCTCCG	A ACTCACGAC	GAAAAGATC	A AGAGCAGCC	GCATGGATT	GACTTGGTCA
588	1 GGGCCGAGC	TACATGTGC	AATGATGCC	ATACTTGAG	CACCTAACT	TGTTTTAGGG
594	CGACTGCCC	r GCTGCGTAA	ATCGTTGCT	G CTGCGTAACA	A TCGTTGCTG	TCCATAACAT
600	1 CAAACATCG	A CCCACGGCG	r AACGCGCTT	G CTGCTTGGAT	C GCCCGAGGC	A TAGACTGTAC
0.00						

6061	AAAAAAACAG	TCATAACAAG	CCATGAAAAC	CGCCACTGCG	CCGTTACCAC	CGCTGCGTTC
						GTTTACGAAC
6181	CGAACAGGCT	TATGTCAACT	GGGTTCGTGC	CTTCATCCGT	TTCCACGGTG	TGCGTCACCC
	GGCAACCTTG					
						ACGGCAAGGT
						CGCGGCGCTT
6421	GCCGGTGGTG	CTGACCCCGG	ATGAAGTGGT.	TCGCATCCTC	GGTTTTCTGG	AAGGCGAGCA
6481	TCGTTTGTTC	GCCCAGGACT	CTAGCTATAG	TTCTAGTGGT	TGGCTA	

Figure 29A: PDGST9

Semliki Forest Virus vector


ttg gcg agg gac att aag gcg ttt aag aaa ttg aga gga cct gtt ata cac
aac cgc tcc ctg taa ttc cgc aaa ttc ttt aac tct cct gga caa tat gtg

245 Acmetr

265 FMA

154 ctc tac dgc ggt cct aga ttg gtg cgt taa tac aca gaa ttc tga ttg gat
gag atg ccg cca gga tct aac cac gca att atg tgt ctt aag act aac cta

205 ccc ggt ccg aag cgc gct ttc cca tca aca agt ttg/bac aca aac gt
ggg cca ggc ttc gcg cga aag ggt agt tgt tca aac atg ttt tt cga ctt



pDEST9 12464 bp

Gene Encoded

attR1

Location (Base Nos.) 355..232

		605126	4	CmR		•
		138414			vated ccdA	
		160619		ccdB		
_		195220		attR2		
•		253227		ori .		
		348242		ampR		
		523253	• .	-	comoter	
		536569		-		al protein 1
		696592				al protein 2
			865			cal protein 3
			.61	·		cal protein 4
		100051	.01	1131 4.1	ion scruccu.	di procein 4
1	AGCAAGTGGT	TCCGGACAGG	CTTGGGGGCC	GAACTGGAGG	TGGCACTAAC	ATCTAGGTAT
		GCTGCAAAAG				
		AATTGAGAGG				
		AATTCTGATT				
		TGAACGAGAA				
		ACAGACTACA				
		GCAGCATCAC				
		GAATAAATAA				
		AAATGAGACG				
		CTACCGGGCG				
		AAAAAAATCA				
		GAGGCATTTC				
		GCCTTTTTAA				
		CTTGCCCGCC				
		GTGATATGGG				
		TCATCGCTCT				
		GATGTGGCGT				
		TTTTTCGTCT				
		ATGGACAACT				
		GTGCTGATGC				
		AGAATGCTTA				
		GGATCCGGCT				
		ATAAGAATAT				
		AGCGTATTAC				
		CAATATCTCC		•		
		ACGCTGGAAA			•	
		CGGCTCTTTT				
		AAAGAGAGAG				
		GGCGACGGAT				
•		AACTTTACCC				
		CCAGTGTGCC				
		ACATCAAAAA				
		ACAGCCAGTC				
		GTCTGTTTTT				
		CTCGTTCAGC				
		GGCCGCTTTC				
		CTACGCAAAC				
		TGCAGGCCAC				
		TCATCAGCGC				
		TAATTCGACG				
2401	TAT ITCCAAA	AAAAAAAAA	AAAAAAAAA	ААААААААА	ААААААААА	-AAAAAAAAA

FIGURE 29B

2461 AAAAAAAAA AAAAAAACTA GAAATCGCGA TTTCTAGTCT GCATTAATGA ATCGGCCAAC 2521 GCGCGGGGAG AGGCGGTTTG CGTATTGGGC GCTCTTCCGC TTCCTCGCTC ACTGACTCGC 2581 TGCGCTCGGT CGTTCGGCTG CGGCGAGCGG TATCAGCTCA CTCAAAGGCG GTAATACGGT 2641 TATCCACAGA ATCAGGGGAT AACGCAGGAA AGAACATGTG AGCAAAAGGC CAGCAAAAGG 2701 CCAGGAACCG TAAAAAGGCC GCGTTGCTGG CGTTTTTCCA TAGGCTCCGC CCCCCTGACG 2761 AGCATCACAA AAATCGACGC TCAAGTCAGA GGTGGCGAAA CCCGACAGGA CTATAAAGAT 2821 ACCAGGCGTT TCCCCCTGGA AGCTCCCTCG TGCGCTCTCC TGTTCCGACC CTGCCGCTTA 2881 CCGGATACCT GTCCGCCTTT CTCCCTTCGG GAAGCGTGGC GCTTTCTCAA TGCTCGCGCT 2941 GTAGGTATCT CAGTTCGGTG TAGGTCGTTC GCTCCAAGCT GGGCTGTGTG CACGAACCCC 3001 CCGTTCAGCC CGACCGCTGC GCCTTATCCG GTAACTATCG TCTTGAGTCC AACCCGGTAA 3061 GACACGACTT ATCGCCACTG GCAGCAGCCA CTGGTAACAG GATTAGCAGA GCGAGGTATG 3121 TAGGCGGTGC TACAGAGTTC TTGAAGTGGT GGCCTAACTA CGGCTACACT AGAAGGACAG 3181 TATTTGGTAT CTGCGCTCTG CTGAAGCCAG TTACCTTCGG AAAAAGAGTT GGTAGCTCTT 3241 GATCCGGCAA ACAAACCACC GCTGGTAGCG GTGGTTTTTT TGTTTGCAAG CAGCAGATTA 3301 CGCGCAGAAA AAAAGGATCT CAAGAAGATC CTTTGATCTT TTCTACGGGG TCTGACGCTC 3361 AGTGGAACGA AAACTCACGT TAAGGGATTT TGGTCATGAG ATTATCAAAA AGGATCTTCA 3421 CCTAGATCCT TTTAAATTAA AAATGAAGTT TTAAATCAAT CTAAAGTATA TATGAGTAAA 3481 CTTGGTCTGA CAGTTACCAA TGCTTAATCA GTGAGGCACC TATCTCAGCG ATCTGTCTAT 3541 TTCGTTCATC CATAGTTGCC TGACTCCCCG TCGTGTAGAT AACTACGATA CGGGAGGGCT 3601 TACCATCTGG CCCCAGTGCT GCAATGATAC CGCGAGACCC ACGCTCACCG GCTCCAGATT 3661 TATCAGCAAT AAACCAGCCA GCCGGAAGGG CCGAGCGCAG AAGTGGTCCT GCAACTTTAT 3721 CCGCCTCCAT CCAGTCTATT AATTGTTGCC GGGAAGCTAG AGTAAGTAGT TCGCCAGTTA 3781 ATAGTTTGCG CAACGTTGTT GCCATTGCTA CAGGCATCGT GGTGTCACGC TCGTCGTTTG 3841 GTATGGCTTC ATTCAGCTCC GGTTCCCAAC GATCAAGGCG AGTTACATGA TCCCCCATGT 3901 TGTGCAAAAA AGCGGTTAGC TCCTTCGGTC CTCCGATCGT TGTCAGAAGT AAGTTGGCCG 3961 CAGTGTTATC ACTCATGGTT ATGGCAGCAC TGCATAATTC TCTTACTGTC ATGCCATCCG 4021 TAAGATGCTT TTCTGTGACT GGTGAGTACT CAACCAAGTC ATTCTGAGAA TAGTGTATGC 4081 GGCGACCGAG TTGCTCTTGC CCGGCGTCAA TACGGGATAA TACCGCGCCA CATAGCAGAA 4141 CTTTAAAAGT GCTCATCATT GGAAAACGTT CTTCGGGGCG AAAACTCTCA AGGATCTTAC 4201 CGCTGTTGAG ATCCAGTTCG ATGTAACCCA CTCGTGCACC CAACTGATCT TCAGCATCTT 4261 TTACTTTCAC CAGCGTTTCT GGGTGAGCAA AAACAGGAAG GCAAAATGCC GCAAAAAAGG 4321 GAATAAGGGC GACACGGAAA TGTTGAATAC TCATACTCTT CCTTTTTCAA TATTATTGAA 4381 GCATTTATCA GGGTTATTGT CTCATGAGCG GATACATATT TGAATGTATT TAGAAAAATA 4441 AACAAATAGG GGTTCCGCGC ACATTTCCCC GAAAAGTGCC ACCTGACGTC TAAGAAACCA 4501 TTATTATCAT GACATTAACC TATAAAAATA GGCGTATCAC GAGGCCCTTT CGTCTCGCGC 4561 GTTTCGGTGA TGACGGTGAA AACCTCTGAC ACATGCAGCT CCCGGAGACG GTCACAGCTT 4621 CTGTCTAAGC GGATGCCGGG AGCAGACAAG CCCGTCAGGG CGCGTCAGCG GGTGTTGGCG 4681 GGTGTCGGGG CTGGCTTAAC TATGCGGCAT CAGAGCAGAT TGTACTGAGA GTGCACCATA 4741 TCGACGCTCT CCCTTATGCG ACTCCTGCAT TAGGAAGCAG CCCAGTACTA GGTTGAGGCC 4801 GTTGAGCACC GCCGCCGCAA GGAATGGTGC ATGCAAGGAG ATGGCGCCCA ACAGTCCCCC 4861 GGCCACGGG CCTGCCACCA TACCCACGCC GAAACAAGCG CTCATGAGCC CGAAGTGGCG 4921 AGCCCGATCT TCCCCATCGG TGATGTCGGC GATATAGGCG CCAGCAACCG CACCTGTGGC 4981 GCCGGTGATG CCGGCCACGA TGCGTCCGGC GTAGAGGATC TGGCTAGCGA TGACCCTGCT 5041 GATTGGTTCG CTGACCATTT CCGGGGTGCG GAACGGCGTT ACCAGAAACT CAGAAGGTTC 5101 GTCCAACCAA ACCGACTCTG ACGGCAGTTT ACGAGAGAGA TGATAGGGTC TGCTTCAGTA 5161 AGCCAGATGC TACACAATTA GGCTTGTACA TATTGTCGTT AGAACGCGGC TACAATTAAT 5221 ACATAACCTT ATGTATCATA CACATACGAT TTAGGTGACA CTATAGATGG CGGATGTGTG 5281 ACATACACGA CGCCAAAAGA TTTTGTTCCA GCTCCTGCCA CCTCCGCTAC GCGAGAGATT 5341 AACCACCCAC GATGGCCGCC AAAGTGCATG TTGATATTGA GGCTGACAGC CCATTCATCA 5401 AGTCTTTGCA GAAGGCATTT CCGTCGTTCG AGGTGGAGTC ATTGCAGGTC ACACCAAATG 5461 ACCATGCAAA TGCCAGAGCA TTTTCGCACC TGGCTACCAA ATTGATCGAG CAGGAGACTG 5521 ACAAAGACAC ACTCATCTTG GATATCGGCA GTGCGCCTTC CAGGAGAATG ATGTCTACGC 5581 ACAAATACCA CTGCGTATGC CCTATGCGCA GCGCAGAAGA CCCCGAAAGG CTCGATAGCT 5641 ACGCAAAGAA ACTGGCAGCG GCCTCCGGGA AGGTGCTGGA TAGAGAGATC GCAGGAAAAA 5701 TCACCGACCT GCAGACCGTC ATGGCTACGC CAGACGCTGA ATCTCCTACC TTTTGCCTGC 5761 ATACAGACGT CACGTGTCGT ACGGCAGCCG AAGTGGCCGT ATACCAGGAC GTGTATGCTG 5821 TACATGCACC AACATCGCTG TACCATCAGG CGATGAAAGG TGTCAGAACG GCGTATTGGA 5881 TTGGGTTTGA CACCACCCG TTTATGTTTG ACGCGCTAGC AGGCGCGTAT CCAACCTACG-

FIGURE Z9C

				•		
5941	CCACAAACTG	GGCCGACGAG	CAGGTGTTAC	AGGCCAGGAA	CATAGGACTG	TGTGCAGCAT
	CCTTGACTGA					
	GCGACACAGT					
6121	GGAGCTGGCA	CTTACCCTCC	GTATTCCACC	TGAAAGGTAA	ACAATCCTTT	ACCTGTAGGT
6181	GCGATACCAT	CGTATCATGT	GAAGGGTACG	TAGTTAAGAA	AATCACTATG	TGCCCCGGCC
6241	TGTACGGTAA	AACGGTAGGG	TACGCCGTGA	CGTATCACGC	GGAGGGATTC	CTAGTGTGCA
6301	AGACCACAGA	CACTGTCAAA	GGAGAAAGAG	TCTCATTCCC	TGTATGCACC	TACGTCCCCT
6361	CAACCATCTG	TGATCAAATG	ACTGGCATAC	TAGCGACCGA	CGTCACACCG	GAGGACGCAC
6421	AGAAGTTGTT	AGTGGGATTG	AATCAGAGGA	TAGTTGTGAA	CGGAAGAACA	CAGCGAAACA
6481	CTAACACGAT	GAAGAACTAT	CTGCTTCCGA	TTGTGGCCGT	CGCATTTAGC	AAGTGGGCGA
6541	GGGAATACAA	GGCAGACCTT	GATGATGAAA	AACCTCTGGG	TGTCCGAGAG	AGGTCACTTA
6601	CTTGCTGCTG	CTTGTGGGCA	TTTAAAACGA	GGAAGATGCA	CACCATGTAC	AAGAAACCAG
6661	ACACCCAGAC	AATAGTGAAG	GTGCCTTCAG	AGTTTAACTC	GTTCGTCATC	CCGAGCCTAT
						GCCAAGAAGA
	CCAAGCGAGA					
	AGAAGGAGAG					
	CGCCGGCGGA					
	CAGGGGTCGT					
	TACTAGGAAA					
	CCGTGCACCC					
	ACCAGGTCGA					
	CTGAGTTTCA					
	ACAGGAAACT					
	ACGAGAAAGT					
	GCTGCGTCAA					
	CGTTCCATGA					
	CAGTAGTAGG					
	TGACCAAACA					
	ACGTGAAGAA					
	ACGGGTGTCG					
	GTACTCTGCT					
	ACCCCAAGCA					
	TCTGCACTGA					
	TCGTGTCTAC					
	TAATCATAGA					
	TCCGAGGCTG					
	CAGCATCTCA					
	ATCCCTTGTA					
	GGCTGGTGTG					
	AGGGTAACTT					
	TGATTGAAGG					
8401	CGAAAAGCCT	GGTGCCTGTC	CTGGACACTG	CCGGAATCAG	ATTGACAGCA	GAGGAGTGGA
8461	GCACCATAAT	TACAGCATTT	AAGGAGGACA	GACCTTACTC	TCCNGTGGTC	CCCTTC \ NTC
8521	AAATTTGCAC	CAAGTACTAT	GGAGTTGACC	TGGACACTGG	CCTCTTTTCT	GCCTTGAATG
8581	TGTCCCTGTA	TTACGAGAAC	AACCACTGGG	ATAACAGACC	TEGTEGARES	ATCTATICAT
	TCAATGCCGC					
	ATACGGGCAA					
	ATGTAATTCC					
	AAGGCAGTAG					
8881	GTGAGTACAA	CCLTCVCTOC	CIGGICAAIA	AAGTAAGAGG	GTACCACGTC	CTGCTGGTGA
	CAGGCGCCGA					
9061	ACCACGCCAT	CANCOROCAL	ATCOTTOGGAT	CAGAATCCA	CCACTACCAG	CAGTGTGTCG
9121	ACCACGCCAT	CACACCTOCAG	CCMTN CCCCC	DAGATGUGUT	ACGACTGCTA	AAACCCGGCG
9101	GCATCTTGAT	CTTCTCTCTCT	CCARCACCCC	ATAAAATCAG	CGAAGCCGTT	GITTCCTCCT
7101	TAAGCAGAAA	GIICICGICI	A A COMMON OF	TGCGCCCGGA	TIGIGICACC	AGCAATACAG
7541	AAGTGTTCTT	GCIGIICICC	AACTTTGACA	ACGGAAAGAG	ACCUTUTACG	CTACACCAGA
9361 9361	TGAATACCAA	GCIGAGIGCC	GCACACACACA	GAGAAGCCAT	GCACACGGCC	GGGTGTGCAC
730I	CMICCIACAG	AULIAAUAUA	GCAGACATAG	CCACGTGCAC	AGAAGCGGCT	GTGGTTAACG-

FIGURE 29D

	•					
			GTAGGGGATG			
			GCAACACCAG			
			GTAGCGCCTA			
			TACCGGGCAG			
			CTGTCCACAG			
			TTCACAGCAA			
			GAGAAGAAAA			
			GTGGAGCTGA			
			GGCTACAGTA			
			GCTGCTATTG			
			CAGATATGCC			
			AACGATTCCG			
			ACAGCAGAAC			
			TCTTTTCCCC			
			CTCCTGTTCG			
			ACGGACCACT			
10381	ACTGGACCAC	CGACTCGTCT	TCCACTGCCA	GCGATACCAT	GTCGCTACCC	AGTTTGCAGT
			TACGAGCCAA			
10501	ACCCTGAACC	CGCAGGCATC	GCGGACCTGG	CGGCAGATGT	GCACCCTGAA	CCCGCAGACC
10561	ATGTGGACCT	GGAGAACCCG	ATTCCTCCAC	CGCGCCCGAA	GAGAGCTGCA	TACCTTGCCT
10621	CCCGCGCGGC	GGAGCGACCG	GTGCCGGCGC	CGAGAAAGCC	GACGCCTGCC	CCAAGGACTG
10681	CGTTTAGGAA	CAAGCTGCCT	TTGACGTTCG	GCGACTTTGA	CGAGCACGAG	GTCGATGCGT
10741	TGGCCTCCGG	GATTACTTTC	GGAGACTTCG	ACGACGTCCT	GCGACTAGGC	CGCGCGGGTG
10801	CATATATTTT	CTCCTCGGAC	ACTGGCAGCG	GACATTTACA	ACAAAAATCC	GTTAGGCAGC
10861	ACAATCTCCA	GTGCGCACAA	CTGGATGCGG	TCCAGGAGGA	GAAAATGTAC	CCGCCAAAAT
10921	TGGATACTGA	GAGGGAGAAG	CTGTTGCTGC	TGAAAATGCA	GATGCACCCA	TCGGAGGCTA
10981	ATAAGAGTCG	ATACCAGTCT	CGCAAAGTGG	AGAACATGAA	AGCCACGGTG	GTGGACAGGC
11041	TCACATCGGG	GGCCAGATTG	TACACGGGAG	CGGACGTAGG	CCGCATACCA	ACATACGCGG
			TACTCCCCTA			
11161	TAGCAATCGC	AGCGTGCAAC	GAATACCTAT	CCAGAAATTA	CCCAACAGTG	GCGTCGTACC
11221	AGATAACAGA	TGAATACGAC	GCATACTTGG	ACATGGTTGA	CGGGTCGGAT	AGTTGCTTGG
			GCGAAGCTCC			
			GTCCCGTCAC			
11401	CGGCTGCCAC	CAAGAGAAAC	TGCAACGTCA	CGCAAATGCG	AGAACTACCC	ACCATGGACT
11461	CGGCAGTGTT	CAACGTGGAG	TGCTTCAAGC	GCTATGCCTG	CTCCGGAGAA	TATTGGGAAG
11521	AATATGCTAA	ACAACCTATC	CGGATAACCA	CTGAGAACAT	CACTACCTAT	GTGACCAAAT
11581	TGAAAGGCCC	GAAAGCTGCT	GCCTTGTTCG	CTAAGACCCA	CAACTTGGTT	CCGCTGCAGG
11641	AGGTTCCCAT	GGACAGATTC	ACGGTCGACA	TGAAACGAGA	TGTCAAAGTC	ACTCCAGGGA
11701	CGAAACACAC	AGAGGAAAGA	CCCAAAGTCC	AGGTAATTCA	AGCAGCGGAG	CCATTGGCGA
			CACAGGGAAT			
			GATATGTCGG			
11881	ACTTCCACCC	AGGAGACCCG	GTTCTAGAGA	CGGACATTGC	ATCATTCGAC	AAAAGCCAGG
11941	ACGACTCCTT	GGCTCTTACA	GGTTTAATGA	TCCTCGAAGA	TCTAGGGGTG	GATCAGTACC
12001	TGCTGGACTT	GATCGAGGCA	GCCTTTGGGG	AAATATCCAG	CTGTCACCTA	CCAACTGGCA
12061	CGCGCTTCAA	GTTCGGAGCT	ATGATGAAAT	CGGGCATGTT	TCTGACTTTG	TTTATTAACA
			GCAAGCAGGG			
			GACAACATCG			
12241	CGGAGAGGTG	CGCGTCGTGG	GTCAACATGG	AGGTGAAGAT	CATTGACGCT	GTCATGGGCG
12301	AAAAACCCCC	ATATTTTTGT	GGGGGATTCA	TAGTTTTTGA	CAGCGTCACA	CAGACCGCCT
12361	GCCGTGTTTC	AGACCCACTT	AAGCGCCTGT	TCAAGTTGGG	TAAGCCGCTA	ACAGCTGAAG
12421	ACAAGCAGGA	CGAAGACAGG	CGACGAGCAC	TGAGTGACGA	GGTT	
				-	•	

FIGURE 29E

Figure 30A: pDEST10 Polyhedron Promoter with N-His6,
Baculovirus Transfer Plasmid

ment from polyhedrin ponder


154 aaa taa gta ttt tac tgt ttt cgt aac agt ttt gta ata aaa aaa cct ata ttt att cat aaa atg aca aaa gca ttg tca aaa cat tat ttt ttt gga tat

205 aat att ccg gat tat tca tac cgt ccc acc atc ggg cgc gga tct cgg tcc tta taa ggc cta ata agt atg gca ggg tgg tag ccc gcg cct aga gcc agg

Met Ser Tyr Tyr His His His His His His His Ase Tyr Ase The Roctt tag tag tag tag tag gta gtg gta gtg gta gtg cta atg cta tag ggt

TEV professe

307 The Glu Ash Leu Tur Phe Glint Glu Tie The Ser Leu Tur Lie Lies tog acc gas asc ctg tat ttt cag ggc atc aca agt the tac ada asa gct tog tgg ctt ttg gac ata asa gtc ccg tag tgt tca asc atg ttt ttt ogs att Int



pDEST10 6708 bp

Location (Base Nos.)	Gene Encoded
23152	Ppolh
461337	attR1
7111370	CmR
14901574	inactivated ccdA
17122017	ccdB
20582182	attR2
33944369	ampR
45105164	ori
565862	genR

				J -		
1	CCCCGGATGA	AGTGGTTCGC	ATCCTCGGTT	TTCTGGAAGG	CGAGCATCGT	TTGTTCGCCC
61	AGGACTCTAG	CTATAGTTCT	AGTGGTTGGC	TACGTATACT	CCGGAATATT	AATAGATCAT
121	GGAGATAATT	AAAATGATAA	CCATCTCGCA	AATAAATAAG	TATTTTACTG	TTTTCGTAAC
181	AGTTTTGTAA	TAAAAAAACC	TATAAATATT	CCGGATTATT	CATACCGTCC	CACCATCGGG
241	CGCGGATCTC	GGTCCGAAAC	CATGTCGTAC	TACCATCACC	ATCACCATCA	CGATTACGAT
				GGCATCACAA		
361	CGAGAAACGT	AAAATGATAT	AAATATCAAT	ATATTAAATT	AGATTTTGCA	TAAAAAACAG
				CAGTCACTAT		
481	CATCACCCGA	CGCACTTTGC	GCCGAATAAA	TACCTGTGAC	GGAAGATCAC	TTCGCAGAAT
541	AAATAAATCC	TGGTGTCCCT	GTTGATACCG	GGAAGCCCTG	GGCCAACTTT	TGGCGAAAAT
601	GAGACGTTGA	TCGGCACGTA	AGAGGTTCCA	ACTTTCACCA	TAATGAAATA	AGATCACTAC
661	CGGGCGTATT	TTTTGAGTTA	TCGAGATTTT	CAGGAGCTAA	GGAAGCTAAA	ATGGAGAAAA
721	AAATCACTGG	ATATACCACC	GTTGATATAT	CCCAATGGCA	TCGTAAAGAA	CATTTTGAGG
781	CATTTCAGTC	AGTTGCTCAA	TGTACCTATA	ACCAGACCGT	TCAGCTGGAT	ATTACGGCCT
841	TTTTAAAGAC	CGTAAAGAAA	AATAAGCACA	AGTTTTATCC	GGCCTTTATT	CACATTCTTG
				GTATGGCAAT		
961	TATGGGATAG	TGTTCACCCT	TGTTACACCG	TTTTCCATGA	GCAAACTGAA	ACGTTTTCAT
1021	CGCTCTGGAG	TGAATACCAC	GACGATTTCC	GGCAGTTTCT	ACACATATAT	TCGCAAGATG
1081	TGGCGTGTTA	CGGTGAAAAC	CTGGCCTATT	TCCCTAAAGG	GTTTATTGAG	AATATGTTTT
				CCAGTTTTGA		
				GCAAATATTA		
				CCGTCTGTGA		
				AGTGGCAGGG		
				CGTATTTGCG		
				TGTCAAAAAG		
				TCAGTTGCTC		
				AATGAAGCCC		
				GAGGTCGCCC		
				AATGCAGTTT		
				ACAGAGTGAT		
				TCTGCTGTCA		
				CTGGCGCATG		
				GGCTGATCTC		
1981	CAAAAACGCC	ATTAACCTGA	TGTTCTGGGG	AATATAAATG	TCAGGCTCCC	TTATACACAG
2041	CCAGTCTGCA	GGTCGACCAT	AGTGACTGGA	TATGTTGTGT	TTTACAGTAT	TATGTAGTCT
2101	GTTTTTTATG	CAAAATCTAA	TTTAATATAT	TGATATTTAT	ATCATTTTAC	GTTTCTCGTT
2161	CAGCTTTCTT	GTACAAAGTG	GTGATGCCAT	GGATCCGGAA	TTCAAAGGCC	TACGTCGACG
2221	AGCTCAACTA	GTGCGGCCGC	TTTCGAATCT	AGAGCCTGCA	GTCTCGAGGC	ATGCGGTACC
2281	AAGCTTGTCG	AGAAGTACTA	GAGGATCATA	ATCAGCCATA	CCACATTTGT	AGAGGTTTTA
2341	CTTGCTTTAA	AAAACCTCCC	ACACCTCCCC	CTGAACCTGA	AACATAAAAT	GAATGCAATT
2401	GTTGTTGTTA	ACTTGTTTAT	TGCAGCTTAT	AATGGTTACA	AATAAAGCAA	TAGCATCACA
2461	AATTTCACAA	ATAAAGCATT	TTTTTCACTG	CATTCTAGTT	GTGGTTTGTC	CAAACTCATC
2521	AATGTATCTT	ATCATGTCTG	GATCTGATCA	CTGCTTGAGC	CTAGGAGATC	CGAACCAGAT
2581	AAGTGAAATC	TAGTTCCAAA	CTATTTTGTC	TTAATTTTAA	TTCGTATTAG	CTTACGACGC-

2641 TACACCCAGT TCCCATCTAT TTTGTCACTC TTCCCTAAAT AATCCTTAAA AACTCCATTT 2701 CCACCCCTCC CAGTTCCCAA CTATTTTGTC CGCCCACAGC GGGGCATTTT TCTTCCTGTT 2761 ATGTTTTTAA TCAAACATCC TGCCAACTCC ATGTGACAAA CCGTCATCTT CGGCTACTTT 2821 TTCTCTGTCA CAGAATGAAA ATTTTTCTGT CATCTCTTCG TTATTAATGT TTGTAATTGA 2881 CTGAATATCA ACGCTTATTT GCAGCCTGAA TGGCGAATGG GACGCGCCCT GTAGCGGCGC 2941 ATTAAGCGCG GCGGGTGTGG TGGTTACGCG CAGCGTGACC GCTACACTTG CCAGCGCCCT 3001 AGCGCCCGCT CCTTTCGCTT TCTTCCCTTC CTTTCTCGCC ACGTTCGCCG GCTTTCCCCG 3061 TCAAGCTCTA AATCGGGGGC TCCCTTTAGG GTTCCGATTT AGTGCTTTAC GGCACCTCGA 3121 CCCCAAAAAA CTTGATTAGG GTGATGGTTC ACGTAGTGGG CCATCGCCCT GATAGACGGT 3181 TTTTCGCCCT TTGACGTTGG AGTCCACGTT CTTTAATAGT GGACTCTTGT TCCAAACTGG 3241 AACAACACTC AACCCTATCT CGGTCTATTC TTTTGATTTA TAAGGGATTT TGCCGATTTC 3301 GGCCTATTGG TTAAAAAATG AGCTGATTTA ACAAAAATTT AACGCGAATT TTAACAAAAT 3361 ATTAACGTTT ACAATTTCAG GTGGCACTTT TCGGGGAAAT GTGCGCGGAA CCCCTATTTG 3421 TTTATTTTC TAAATACATT CAAATATGTA TCCGCTCATG AGACAATAAC CCTGATAAAT 3481 GCTTCAATAA TATTGAAAAA GGAAGAGTAT GAGTATTCAA CATTTCCGTG TCGCCCTTAT 3541 TCCCTTTTTT GCGGCATTTT GCCTTCCTGT TTTTGCTCAC CCAGAAACGC TGGTGAAAGT 3601 AAAAGATGCT GAAGATCAGT TGGGTGCACG AGTGGGTTAC ATCGAACTGG ATCTCAACAG 3661 CGGTAAGATC CTTGAGAGTT TTCGCCCCGA AGAACGTTTT CCAATGATGA GCACTTTTAA 3721 AGTTCTGCTA TGTGGCGCGG TATTATCCCG TATTGACGCC GGGCAAGAGC AACTCGGTCG 3781 CCGCATACAC TATTCTCAGA ATGACTTGGT TGAGTACTCA CCAGTCACAG AAAAGCATCT 3841 TACGGATGGC ATGACAGTAA GAGAATTATG CAGTGCTGCC ATAACCATGA GTGATAACAC 3901 TGCGGCCAAC TTACTTCTGA CAACGATCGG AGGACCGAAG GAGCTAACCG CTTTTTTGCA 3961 CAACATGGGG GATCATGTAA CTCGCCTTGA TCGTTGGGAA CCGGAGCTGA ATGAAGCCAT 4021 ACCAAACGAC GAGCGTGACA CCACGATGCC TGTAGCAATG GCAACAACGT TGCGCAAACT 4081 ATTAACTGGC GAACTACTTA CTCTAGCTTC CCGGCAACAA TTAATAGACT GGATGGAGGC 4141 GGATAAAGTT GCAGGACCAC TTCTGCGCTC GGCCCTTCCG GCTGGCTGGT TTATTGCTGA 4201 TAAATCTGGA GCCGGTGAGC GTGGGTCTCG CGGTATCATT GCAGCACTGG GGCCAGATGG 4261 TAAGCCCTCC.CGTATCGTAG TTATCTACAC GACGGGGAGT CAGGCAACTA TGGATGAACG 4321 AAATAGACAG ATCGCTGAGA TAGGTGCCTC ACTGATTAAG CATTGGTAAC TGTCAGACCA 4381 AGTTTACTCA TATATACTTT AGATTGATTT AAAACTTCAT TTTTAATTTA AAAGGATCTA 4441 GGTGAAGATC CTTTTTGATA ATCTCATGAC CAAAATCCCT TAACGTGAGT TTTCGTTCCA 4501 CTGAGCGTCA GACCCCGTAG AAAAGATCAA AGGATCTTCT TGAGATCCTT TTTTTCTGCG 4561 CGTAATCTGC TGCTTGCAAA CAAAAAAACC ACCGCTACCA GCGGTGGTTT GTTTGCCGGA 4621 TCAAGAGCTA CCAACTCTTT TTCCGAAGGT AACTGGCTTC AGCAGAGCGC AGATACCAAA 4681 TACTGTCCTT CTAGTGTAGC CGTAGTTAGG CCACCACTTC AAGAACTCTG TAGCACCGCC 4741 TACATACCTC GCTCTGCTAA TCCTGTTACC AGTGGCTGCT GCCAGTGGCG ATAAGTCGTG 4801 TCTTACCGGG TTGGACTCAA GACGATAGTT ACCGGATAAG GCGCAGCGGT CGGGCTGAAC 4861 GGGGGGTTCG TGCACACAGC CCAGCTTGGA GCGAACGACC TACACCGAAC TGAGATACCT 4921 ACAGCGTGAG CATTGAGAAA GCGCCACGCT TCCCGAAGGG AGAAAGGCGG ACAGGTATCC 4981 GGTAAGCGGC AGGGTCGGAA CAGGAGAGCG CACGAGGGAG CTTCCAGGGG GAAACGCCTG 5041 GTATCTTTAT AGTCCTGTCG GGTTTCGCCA CCTCTGACTT GAGCGTCGAT TTTTGTGATG 5101 CTCGTCAGGG GGGCGGAGCC TATGGAAAAA CGCCAGCAAC GCGGCCTTTT TACGGTTCCT 5161 GGCCTTTTGC TGGCCTTTTG CTCACATGTT CTTTCCTGCG TTATCCCCTG ATTCTGTGGA 5221 TAACCGTATT ACCGCCTTTG AGTGAGCTGA TACCGCTCGC CGCAGCCGAA CGACCGAGCG 5281 CAGCGAGTCA GTGAGCGAGG AAGCGGAAGA GCGCCTGATG CGGTATTTTC TCCTTACGCA 5341 TCTGTGCGGT ATTTCACACC GCAGACCAGC CGCGTAACCT GGCAAAATCG GTTACGGTTG 5401 AGTAATAAAT GGATGCCCTG CGTAAGCGGG TGTGGGCGGA CAATAAAGTC TTAAACTGAA 5461 CAAAATAGAT CTAAACTATG ACAATAAAGT CTTAAACTAG ACAGAATAGT TGTAAACTGA 5521 AATCAGTCCA GTTATGCTGT GAAAAAGCAT ACTGGACTTT TGTTATGGCT AAAGCAAACT 5581 CTTCATTTC TGAAGTGCAA ATTGCCCGTC GTATTAAAGA GGGGCGTGGC CAAGGGCATG 5641 GTAAAGACTA TATTCGCGGC GTTGTGACAA TTTACCGAAC AACTCCGCGG CCGGGAAGCC 5701 GATCTCGGCT TGAACGAATT GTTAGGTGGC GGTACTTGGG TCGATATCAA AGTGCATCAC 5761 TTCTTCCCGT ATGCCCAACT TTGTATAGAG AGCCACTGCG GGATCGTCAC CGTAATCTGC 5821 TTGCACGTAG ATCACATAAG CACCAAGCGC GTTGGCCTCA TGCTTGAGGA GATTGATGAG 5881 CGCGGTGGCA ATGCCCTGCC TCCGGTGCTC GCCGGAGACT GCGAGATCAT AGATATAGAT 5941 CTCACTACGC GGCTGCTCAA ACCTGGGCAG AACGTAAGCC GCGAGAGCGC CAACAACCGC 6001 TTCTTGGTCG AAGGCAGCAA GCGCGATGAA TGTCTTACTA CGGAGCAAGT TCCCGAGGTA 6061 ATCGGAGTCC GGCTGATGTT GGGAGTAGGT GGCTACGTCT CCGAACTCAC GACCGAAAAG-

FIGURE 30C


6121	ATCAAGAGCA	GCCCGCATGG	ATTTGACTTG	GTCAGGGCCG	AGCCTACATG	TGCGAATGAT
6181	GCCCATACTT	GAGCCACCTA	ACTITGTTTT	AGGGCGACTG	CCCTGCTGCG	TAACATCGTT
6241	GCTGCTGCGT	AACATCGTTG	CTGCTCCATA	ACATCAAACA	TCGACCCACG	GCGTAACGCG
6301	CTTGCTGCTT	GGATGCCCGA	GGCATAGACT	GTACAAAAA	ACAGTCATAA	CAAGCCATGA
6361	AAACCGCCAC	TGCGCCGTTA	CCACCGCTGC	GTTCGGTCAA	GGTTCTGGAC	CAGTTGCGTG
6421	AGCGCATACG	CTACTTGCAT	TACAGTTTAC	GAACCGAACA	GGCTTATGTC	AACTGGGTTC
6481	GTGCCTTCAT	CCGTTTCCAC	GGTGTGCGTC	ACCCGGCAAC	CTTGGGCAGC	AGCGAAGTCG
6541	AGGCATTTCT	GTCCTGGCTG	GCGAACGAGC	GCAAGGTTTC	GGTCTCCACG	CATCGTCAGG
6601	CATTGGCGGC	CTTGCTGTTC	TTCTACGGCA	AGGTGCTGTG	CACGGATCTG	CCCTGGCTTC
6661	AGGAGATCGG	AAGACCTCGG	CCGTCGCGGC	CCTTCCCCCT	GGTGCTGA	

Figure 30D

Figure 31A:

PDESTI

Tet-regulated eukaryotic expression



Location (Base Nos.)

pDEST11 7026 bp

Gene Encoded

	Log	cation (Base	Nos.)		Encoded	
		4479		Tetp	((Tet operat	cor)7 and min
•	•			hCN	(V promoter)	
		638514	1	attR1		
		888154	17	CmR		
		166717		·	ivated ccdA	
		18892		ccdB	rucca ccar	
		223523		attR2		
		240241				
			_	polyA		•
		434748		fl ori	L	
		49405	797	ampR		
1	CGAGTTTACC	ACTCCCTATC	AGTGATAGAG	AAAAGTGAAA	GTCGAGTTTA	CCACTCCCTA
	TCAGTGATAG					
	GAAAGTCGAG					
	TCCCTATCAG					
	AAAAGTGAAA					
	CGGTACCCGG	•				
	TGAACCGTCA					
	GGGACCGATC					
	TCGAGGTCGA				-	
	GAAACGTAAA					
	ACATAATACT					
661	CACCCGACGC	ACTTTGCGCC	GAATAAATAC	CTGTGACGGA	AGATCACTTC	GCAGAATAAA
721	TAAATCCTGG	TGTCCCTGTT	GATACCGGGA	AGCCCTGGGC	CAACTTTTGG	CGAAAATGAG
781	ACGTTGATCG	GCACGTAAGA	GGTTCCAACT	TTCACCATAA	TGAAATAAGA	TCACTACCGG
841	GCGTATTTTT	TGAGTTATCG	AGATTTTCAG	GAGCTAAGGA	AGCTAAAATG	GAGAAAAAA
901	TCACTGGATA	TACCACCGTT	GATATATCCC	AATGGCATCG	TAAAGAACAT	TTTGAGGCAT
961	TTCAGTCAGT	TGCTCAATGT	ACCTATAACC	AGACCGTTCA	GCTGGATATT	ACGGCCTTTT
1021	TAAAGACCGT	AAAGAAAAAT	AAGCACAAGT	TTTATCCGGC	CTTTATTCAC	ATTCTTGCCC
	GCCTGATGAA					
	GGGATAGTGT					
	TCTGGAGTGA					
	CGTGTTACGG					
	TCTCAGCCAA					
	ACTTCTTCGC					
	TGCCGCTGGC					
	TTAATGAATT					
	GCTTACTAAA					
	TATATACTGA					
	TACAGTGACA					
	TCCGGTCTGG					
	AAAGCGGAAA					
	TTTGCTGACG					
1921	GAGCCGTTAT	CGTCTGTTTG	TGGATGTACA	GAGTGATATT	ATTGACACGC	CCGGGCGACG
1981	GATGGTGATC	CCCCTGGCCA	GTGCACGTCT	GCTGTCAGAT	AAAGTCTCCC	GTGAACTTTA ·
	CCCGGTGGTG					
	GCCGGTCTCC					
	AAACGCCATT					
	GTCTGCAGGT					
	TTTTATGCAA					
	CTTTCTTGTA					
	GAGCACTGCG					
	TAAACGCCTG					
2521	CGGATCTTTG	TGAAGGAACC	TTACTTCTGT	GGTGTGACAT	AATTGGACAA	ACTACCTACA-


WO 00/52027

		GCTCTAAGGT				
		TTTGTGTATT				
•	•	TTAATGAGGA				
		CTGACTCTCA				
	•	TTCCTTCAGA				
		GCTTTGCTAT				
		AATATTCTGT				
3001	· ·	TTACTCCACA		· -		
3061		TTAGCTTTTT				
3121	GCCTTGACTA	GAGATCATAA	TCAGCCATAC	CACATTTGTA	GAGGTTTTAC	TTGCTTTAAA
3181	AAACCTCCCA	CACCTCCCCC	TGAACCTGAA	ACATAAAATG	AATGCAATTG	TTGTTGTTAA
3241	CTTGTTTATT	GCAGCTTATA	ATGGTTACAA	ATAAAGCAAT	AGCATCACAA	ATTTCACAAA
3301	TAAAGCATTT	TTTTCACTGC	ATTCTAGTTG	TGGTTTGTCC	AAACTCATCA	ATGTATCTTA
3361	TCATGTCTGG	ATCCCCAGGA	AGCTCCTCTG	TGTCCTCATA	AACCCTAACC	TCCTCTACTT
3421	GAGAGGACAT	TCCAATCATA	GGCTGCCCAT	CCACCCTCTG	TGTCCTCCTG	TTAATTAGGT
3481	CACTTAACAA	AAAGGAAATT	GGGTAGGGGT	TTTTCACAGA	CCGCTTTCTA	AGGGTAATTT
3541	TAAAATATCT	GGGAAGTCCC	TTCCACTGCT	GTGTTCCAGA	AGTGTTGGTA	AACAGCCCAC
3601		AGCAGAAACA				
3661	CATCAAGAAG	CACTGTGGTT	GCTGTGTTAG	TAATGTGCAA	AACAGGAGGC	ACATTTTCCC
3721	CACCTGTGTA	GGTTCCAAAA	TATCTAGTGT	TTTCATTTTT	ACTTGGATCA	GGAACCCAGC
		ATAAGCATTA				
3841	GACTGTCAAC	TGTAGCATTT	TTTGGGGTTA	CAGTTTGAGC	AGGATATTTG	GTCCTGTAGT
		ACCCTGCAGC				
		GGGTTTTCCA				
		AGTTACCCCA				
		GGTTAAGTCC				
		GAGCTCCAAT				
		ACGTCGTGAC				
		TTTCGCCAGC				
		CAGCCTGAAT				
		GGTTACGCGC				
		CTTCCCTTCC				
		CCCTTTAGGG		•		
		TGATGGTTCA				
		GTCCACGTTC				
		GGTCTATTCT				
		GCTGATTTAA				
		GGCACTTTTC.				
		AATATGTATC				
		AAGAGTATGA				
		CTTCCTGTTT				
		GGTGCACGAG				
		CGCCCCGAAG				
		TTATCCCGTA				
		GACTTGGTTG				
		GAATTATGCA				
		ACGATCGGAG				
		CGCCTTGATC				
		ACGATGCCTG				
		CTAGCTTCCC				
		CTGCGCTCGG				
		GGGTCTCGCG				
		ATCTACACGA				
		GGTGCCTCAC				
		ATTGATTTAA				
		CTCATGACCA				
		AAGATCAAAG				
6001	CTTGCAAACA	AAAAAACCAC	CGCTACCAGC	GGTGGTTTGT	TTGCCGGATC	AAGAGCTACC-

6061	AACTCTTTTT					
6121	AGTGTAGCCG	TAGTTAGGCC	ACCACTTCAA	GAACTCTGTA	GCACCGCCTA	CATACCTCGC
6181	TCTGCTAATC	CTGTTACCAG	TGGCTGCTGC	CAGTGGCGAT	AAGTCGTGTC	TTACCGGGTT
6241	GGACTCAAGA	CGATAGTTAC	CGGATAAGGC	GCAGCGGTCG	GGCTGAACGG	GGGGTTCGTG
6301	CACACAGCCC	AGCTTGGAGC	GAACGACCTA	CACCGAACTG	AGATACCTAC	AGCGTGAGCT
6361	ATGAGAAAGC	GCCACGCTTC	CCGAAGGGAG	AAAGGCGGAC	AGGTATCCGG	TAAGCGGCAG
6421	GGTCGGAACA	GGAGAGCGCA	CGAGGGAGCT	TCCAGGGGGA	AACGCCTGGT	ATCTTTATAG
6481	TCCTGTCGGG	TTTCGCCACC	TCTGACTTGA	GCGTCGATTT	TTGTGATGCT	CGTCAGGGGG
6541	GCGGAGCCTA	TGGAAAAACG	CCAGCAACGC	GGCCTTTTTA	CGGTTCCTGG	CCTTTTGCTG
6601	GCCTTTTGCT	CACATGTTCT	TTCCTGCGTT	ATCCCCTGAT	TCTGTGGATA	ACCGTATTAC
6661	CGCCTTTGAG	TGAGCTGATA	CCGCTCGCCG	CAGCCGAACG	ACCGAGCGCA	GCGAGTCAGT
6721	GAGCGAGGAA	GCGGAAGAGC	GCCCAATACG	CAAACCGCCT	CTCCCCGCGC	GTTGGCCGAT
6781	TCATTAATGC	AGCTGGCACG	ACAGGTTTCC	CGACTGGAAA	GCGGGCAGTG	AGCGCAACGC
6841	AATTAATGTG	AGTTAGCTCA	CTCATTAGGC	ACCCCAGGCT	TTACACTTTA	TGCTTCCGGC
6901	TCGTATGTTG	TGTGGAATTG	TGAGCGGATA	ACAATTTCAC	ACAGGAAACA	GCTATGACCA
6961	TGATTACGCC	AAGCGCGCAA	TTAACCCTCA	CTAAAGGGAA	CAAAAGCTGG	GTACCGGGCC
7021	CCCCCT					

FIGURE 311

Figure 32-A: pDEST12.2 CMV Promoter for Eukaryotic Expression, SV40 Promoter/ori for G418 Resistance





pDEST12.2 7278 bp (rotated to position 3900)

Location (Base Nos.)	Gene	Encoded
86	136	ori	
220.	. 742	CMV p	romoter
1059	935	attRi	
1168	1827	CmR	
1947	2031	inact	ivated ccdA
2169	2474	ccdB	
2515	2639	attR2	:
2824	3186	small	t & polyA
3310	3378	lac	
4363	5157	neo	
5680	6540	ampR	
GGA GCCTATGO	GAA AAACGCC	AGC AACGCGGCCT	TTTTACGGTT
CTT TTGCTCA	CAT GTTCTTI	CCT GCGTTATCC	CTGATTCTGT
CCT TTGAGTG	AGC TGATACO	GCT CGCCGCAGC	GAACGACCGA
GCG AGGAAGC	GGA AGAGCTO	GCG AATGCATGT	GTTACATAAC

		566063	940	ampk		
1	GGGGGGGGG	GCCTATGGAA	AAACGCCAGC	AACGCGGCCT	TTTTACGGTT	СССССТТТ
61					CTGATTCTGT	
					GAACGACCGA	
					GTTACATAAC	
					ACGTCAATAA	
301	TCCCATAGTA	ACGCCAATAG	GGACTTTCCA	TTGACGTCAA	TGGGTGGAGT	ATTTACGGTA
361	AACTGCCCAC	TTGGCAGTAC	ATCAAGTGTA	TCATATGCCA	AGTACGCCCC	CTATTGACGT
421	CAATGACGGT	AAATGGCCCG	CCTGGCATTA	TGCCCAGTAC	ATGACCTTAT	GGGACTTTCC
481	TACTTGGCAG	TACATCTACG	TATTAGTCAT	CGCTATTACC	ATGGTGATGC	GGTTTTGGCA
541	GTACATCAAT	GGGCGTGGAT	AGCGGTTTGA	CTCACGGGGA	TTTCCAAGTC	TCCACCCCAT
601	TGACGTCAAT	GGGAGTTTGT	TTTGGCACCA	AAATCAACGG	GACTTTCCAA	AATGTCGTAA
661	CAACTCCGCC	CCATTGACGC	AAATGGGCGG	TAGGCGTGTA	CGGTGGGAGG	TCTATATAAG
721	CAGAGCTCGT	TTAGTGAACC	GTCAGATCGC	CTGGAGACGC	CATCCACGCT	GTTTTGACCT
781	CCATAGAAGA	CACCGGGACC	GATCCAGCCT	CCGGACTCTA	GCCTAGGCCG	CGGGACGGAT
841	AACAATTTCA	CACAGGAAAC	AGCTATGACC	ATTAGGCCTT	TGCAAAAAGC	TATTTAGGTG
901	ACACTATAGA	AGGTACGCCT	GCAGGTACCG	GATCACAAGT	TTGTACAAAA	AAGCTGAACG
961	AGAAACGTAA	AATGATATAA	ATATCAATAT	ATTAAATTAG	ATTTTGCATA	AAAAACAGAC
1021	TACATAATAC	TGTAAAACAC	AACATATCCA	GTCACTATGG	CGGCCGCATT	AGGCACCCCA
1081	GGCTTTACAC	TTTATGCTTC	CGGCTCGTAT	AATGTGTGGA	TTTTGAGTTA	GGATCCGTCG
1141	AGATTTTCAG	GAGCTAAGGA	AGCTAAAATG	GAGAAAAAA	TCACTGGATA	TACCACCGTT
1201	GATATATCCC	AATGGCATCG	TAAAGAACAT	TTTGAGGCAT	TTCAGTCAGT	TGCTCAATGT
1261	ACCTATAACC	AGACCGTTCA	GCTGGATATT	ACGGCCTTTT	TAAAGACCGT	AAAGAAAAAT
1321	AAGCACAAGT	TTTATCCGGC	CTTTATTCAC	ATTCTTGCCC	GCCTGATGAA	TGCTCATCCG
1381	GAATTCCGTA	TGGCAATGAA	AGACGGTGAG	CTGGTGATAT	GGGATAGTGT	TCACCCTTGT
1441	TACACCGTTT	TCCATGAGCA	AACTGAAACG	TTTTCATCGC	TCTGGAGTGA	ATACCACGAC
1501	GATTTCCGGC	AGTTTCTACA	CATATATTCG	CAAGATGTGG	CGTGTTACGG	TGAAAACCTG
					TCTCAGCCAA	
	-				ACTTCTTCGC	
					TGCCGCTGGC	
					TTAATGAATT	
					GCTTACTAAA	•
					TATATACTGA	
					TACAGTGACA	
					TCCGGTCTGG	
					AAAGCGGAAA	
					TTTGCTGACG	
					GAGCCGTTAT	
					GATGGTGATC	
					CCCGGTGGTG	
					GCCGGTCTCC	
2401	AAGAAGTGGC	TGATCTCAGC	CACCGCGAAA	ATGACATCAA	AAACGCCATT	AACCTGATGT-

FIGURE 32B

2461 TCTGGGGAAT ATAAATGTCA GGCTCCCTTA TACACAGCCA GTCTGCAGGT CGACCATAGT 2521 GACTGGATAT GTTGTGTTTT ACAGTATTAT GTAGTCTGTT TTTTATGCAA AATCTAATTT 2581 AATATATTGA TATTTATATC ATTTTACGTT TCTCGTTCAG CTTTCTTGTA CAAAGTGGTG 2641 ATCGCGTGCA TGCGACGTCA TAGCTCTCTC CCTATAGTGA GTCGTATTAT AAGCTAGGCA 2701 CTGGCCGTCG TTTTACAACG TCGTGACTGG GAAAACTGCT AGCTTGGGAT CTTTGTGAAG 2761 GAACCTTACT TCTGTGGTGT GACATAATTG GACAAACTAC CTACAGAGAT TTAAAGCTCT 2821 AAGGTAAATA TAAAATTTTT AAGTGTATAA TGTGTTAAAC TAGCTGCATA TGCTTGCTGC 2881 TTGAGAGTTT TGCTTACTGA GTATGATTTA TGAAAATATT ATACACAGGA GCTAGTGATT 2941 CTAATTGTTT GTGTATTTTA GATTCACAGT CCCAAGGCTC ATTTCAGGCC CCTCAGTCCT 3001 CACAGTCTGT TCATGATCAT AATCAGCCAT ACCACATTTG TAGAGGTTTT ACTTGCTTTA 3061 AAAAACCTCC CACACCTCCC CCTGAACCTG AAACATAAAA TGAATGCAAT TGTTGTTGTT 3121 AACTTGTTTA TTGCAGCTTA TAATGGTTAC AAATAAAGCA ATAGCATCAC AAATTTCACA 3181 AATAAAGCAT TTTTTCACT GCATTCTAGT TGTGGTTTGT CCAAACTCAT CAATGTATCT 3241 TATCATGTCT GGATCGATCC TGCATTAATG AATCGGCCAA CGCGCGGGGA GAGGCGGTTT 3301 GCGTATTGGC TGGCGTAATA GCGAAGAGGC CCGCACCGAT CGCCCTTCCC AACAGTTGCG 3361 CAGCCTGAAT GGCGAATGGG ACGCGCCCTG TAGCGGCGCA TTAAGCGCGG CGGGTGTGGT 3421 GGTTACGCGC AGCGTGACCG CTACACTTGC CAGCGCCCTA GCGCCCGCTC CTTTCGCTTT 3481 CTTCCCTTCC TTTCTCGCCA CGTTCGCCGG CTTTCCCCGT CAAGCTCTAA ATCGGGGGCT 3541 CCCTTTAGGG TTCCGATTTA GTGCTTTACG GCACCTCGAC CCCAAAAAAC TTGATTAGGG 3601 TGATGGTTCA CGTAGTGGGC CATCGCCCTG ATAGACGGTT TTTCGCCCTT TGACGTTGGA 3661 GTCCACGTTC TTTAATAGTG GACTCTTGTT CCAAACTGGA ACAACACTCA ACCCTATCTC 3721 GGTCTATTCT TTTGATTTAT AAGGGATTTT GCCGATTTCG GCCTATTGGT TAAAAAATGA 3781 GCTGATTTAA CAAATATTTA ACGCGAATTT TAACAAAATA TTAACGTTTA CAATTTCGCC 3841 TGATGCGGTA TTTTCTCCTT ACGCATCTGT GCGGTATTTC ACACCGCATA CGCGGATCTG 3901 CGCAGCACCA TGGCCTGAAA TAACCTCTGA AAGAGGAACT TGGTTAGGTA CCTTCTGAGG 3961 CGGAAAGAAC CAGCTGTGGA ATGTGTGTCA GTTAGGGTGT GGAAAGTCCC CAGGCTCCCC 4021 AGCAGGCAGA AGTATGCAAA GCATGCATCT CAATTAGTCA GCAACCAGGT GTGGAAAGTC 4081 CCCAGGCTCC CCAGCAGGCA GAAGTATGCA AAGCATGCAT CTCAATTAGT CAGCAACCAT 4141 AGTCCCGCCC CTAACTCCGC CCATCCCGCC CCTAACTCCG CCCAGTTCCC 4201 GCCCCATGGC TGACTAATTT TTTTTATTTA TGCAGAGGCC GAGGCCGCCT CGGCCTCTGA 4261 GCTATTCCAG AAGTAGTGAG GAGGCTTTTT TGGAGGCCTA GGCTTTTGCA AAAAGCTTGA 4321 TTCTTCTGAC ACAACAGTCT CGAACTTAAG GCTAGAGCCA CCATGATTGA ACAAGATGGA 4381 TTGCACGCAG GTTCTCCGGC CGCTTGGGTG GAGAGGCTAT TCGGCTATGA CTGGGCACAA 4441 CAGACAATCG GCTGCTCTGA TGCCGCCGTG TTCCGGCTGT CAGCGCAGGG GCGCCCGGTT 4501 CTTTTTGTCA AGACCGACCT GTCCGGTGCC CTGAATGAAC TGCAGGACGA GGCAGCGCGG 4561 CTATCGTGGC TGGCCACGAC GGGCGTTCCT TGCGCAGCTG TGCTCGACGT TGTCACTGAA 4621 GCGGGAAGGG ACTGGCTGCT ATTGGGCGAA GTGCCGGGGC AGGATCTCCT GTCATCTCAC 4681 CTTGCTCCTG CCGAGAAAGT ATCCATCATG GCTGATGCAA TGCGGCGGCT GCATACGCTT 4741 GATCCGGCTA CCTGCCCATT CGACCACCAA GCGAAACATC GCATCGAGCG AGCACGTACT 4801 CGGATGGAAG CCGGTCTTGT CGATCAGGAT GATCTGGACG AAGAGCATCA GGGGCTCGCG 4861 CCAGCCGAAC TGTTCGCCAG GCTCAAGGCG CGCATGCCCG ACGGCGAGGA TCTCGTCGTG 4921 ACCCATGGCG ATGCCTGCTT GCCGAATATC ATGGTGGAAA ATGGCCGCTT TTCTGGATTC 4981 ATCGACTGTG GCCGGCTGGG TGTGGCGGAC CGCTATCAGG ACATAGCGTT GGCTACCCGT 5041 GATATTGCTG AAGAGCTTGG CGGCGAATGG GCTGACCGCT TCCTCGTGCT TTACGGTATC 5101 GCCGCTCCCG ATTCGCAGCG CATCGCCTTC TATCGCCTTC TTGACGAGTT CTTCTGAGCG 5161 GGACTCTGGG GTTCGAAATG ACCGACCAAG CGACGCCCAA CCTGCCATCA CGATGGCCGC 5221 AATAAAATAT CTTTATTTTC ATTACATCTG TGTGTTGGTT TTTTGTGTGA ATCGATAGCG 5281 ATAAGGATCC GCGTATGGTG CACTCTCAGT ACAATCTGCT CTGATGCCGC ATAGTTAAGC 5341 CAGCCCCGAC ACCCGCCAAC ACCCGCTGAC GCGCCCTGAC GGGCTTGTCT GCTCCCGGCA 5401 TCCGCTTACA GACAAGCTGT GACCGTCTCC GGGAGCTGCA TGTGTCAGAG GTTTTCACCG 5461 TCATCACCGA AACGCGCGAG ACGAAAGGGC CTCGTGATAC GCCTATTTTT ATAGGTTAAT 5521 GTCATGATAA TAATGGTTTC TTAGACGTCA GGTGGCACTT TTCGGGGAAA TGTGCGCGGA 5581 ACCCCTATTT GTTTATTTTT CTAAATACAT TCAAATATGT ATCCGCTCAT GAGACAATAA 5641 CCCTGATAAA TGCTTCAATA ATATTGAAAA AGGAAGAGTA TGAGTATTCA ACATTTCCGT 5701 GTCGCCCTTA TTCCCTTTTT TGCGGCATTT TGCCTTCCTG TTTTTGCTCA CCCAGAAACG 5761 CTGGTGAAAG TAAAAGATGC TGAAGATCAG TTGGGTGCAC GAGTGGGTTA CATCGAACTG 5821 GATCTCAACA GCGGTAAGAT CCTTGAGAGT TTTCGCCCCG AAGAACGTTT TCCAATGATG 5881 AGCACTTTTA AAGTTCTGCT ATGTGGCGCG GTATTATCCC GTATTGACGC CGGGCAAGAG-





5941	CAACTCGGTC	GCCGCATAÇA	CTATTCTCAG	AATGACTTGG	TTGAGTACTC	ACCAGTCACA
6001	GAAAAGCATC	TTACGGATGG	CATGACAGTA	AGAGAATTAT	GCAGTGCTGC	CATAACCATG
6061	AGTGATAACA	CTGCGGCCAA	CTTACTTCTG	ACAACGATCG	GAGGACCGAA	GGAGCTAACC
6121	GCTTTTTTGC	ACAACATGGG	GGATCATGTA	ACTCGCCTTG	ATCGTTGGGA	ACCGGAGCTG
6181	AATGAAGCCA	TACCAAACGA	CGAGCGTGAC	ACCACGATGC	CTGTAGCAAT	GGCAACAACG
6241	TTGCGCAAAC	TATTAACTGG	CGAACTACTT	ACTCTAGCTT	CCCGGCAACA	ATTAATAGAC
6301	TGGATGGAGG	CGGATAAAGT	TGCAGGACCA	CTTCTGCGCT	CGGCCCTTCC	GGCTGGCTGG
6361	TTTATTGCTG	ATAAATCTGG	AGCCGGTGAG	CGTGGGTCTC	GCGGTATCAT	TGCAGCACTG
6421	GGGCCAGATG	GTAAGCCCTC	CCGTATCGTA	GTTATCTACA	CGACGGGGAG	TCAGGCAACT
6481	ATGGATGAAC	GAAATAGACA	GATCGCTGAG	ATAGGTGCCT	CACTGATTAA	GCATTGGTAA
6541	CTGTCAGACC	AAGTTTACTC	ATATATACTT	TAGATTGATT	TAAAACTTCA	TTTTAATTT
6601	AAAAGGATCT	AGGTGAAGAT	CCTTTTTGAT	AATCTCATGA	CCAAAATCCC	TTAACGTGAG
6661	TTTTCGTTCC	ACTGAGCGTC	AGACCCCGTA	GAAAAGATCA	AAGGATCTTC	TTGAGATCCT
6721	TTTTTTCTGC	GCGTAATCTG	CTGCTTGCAA	ACAAAAAAAC	CACCGCTACC	AGCGGTGGTT
6781	TGTTTGCCGG	ATCAAGAGCT	ACCAACTCTT	TTTCCGAAGG	TAACTGGCTT	CAGCAGAGCG
6841	CAGATACCAA	ATACTGTCCT	TCTAGTGTAG	CCGTAGTTAG	GCCACCACTT	CAAGAACTCT
6901	GTAGCACCGC	CTACATACCT	CGCTCTGCTA	ATCCTGTTAC	CAGTGGCTGC	TGCCAGTGGC
6961	GATAAGTCGT	GTCTTACCGG	GTTGGACTCA	AGACGATAGT	TACCGGATAA	GGCGCAGCGG
7021	TCGGGCTGAA	CGGGGGGTTC	GTGCACACAG	CCCAGCTTGG	AGCGAACGAC	CTACACCGAA
7081	CTGAGATACC	TACAGCGTGA	GCATTGAGAA	AGCGCCACGC	TTCCCGAAGG	GAGAAAGGCG
7141	GACAGGTATC	CGGTAAGCGG	CAGGGTCGGA	ACAGGAGAGC	GCACGAGGGA	GCTTCCAGGG
7201	GGAAACGCCT	GGTATCTTTA	TAGTCCTGTC	GGGTTTCGCC	ACCTCTGACT	TGAGCGTCGA
7261	TTTTTGTGAT	GCTCGTCA			•	


FIGURE 32D

Figure 33A:

p)dTI3

Native protein in E. coli: λPL promoter

			BALI	•		
3721	tgggcaaacc	aagacagcta	aagatctctc	acctaccaaa	caatgccccc	ctgcaaaaaa
	accegtttgg	ttctgtcgat	ttctagagag	tggatggttt	gttacggggg	gacgttttt
3781	taaattcata	taaaaaacat	acagataacc	atctgcggtg	ataaattatc	tctggcggtg
	atttaagtat			tagacgccac	tatttaatag RNA	agaccgccac
		APL Promoter		(a)	,—v,	
3841	ttgacataaa	taccactggc	ggtgatactg	agcacátcag	caggacgcac	tgaccaccat
	aactgtattt	atggtgaccg	ccactatgac	tcgtgtagtc	gtcctgcgtg	actggtggta
	•			CONI		
3901	gaaggtgacg	ctcttaaaaa	ttaagecctg	aagaagggca	gcattcaaag	cagaaggctt
	cttccactgc	gagaattttt	aattcgggac	gtettecegt	cgtaagtttc	gtcttccgaa
				· · <u> </u>	1701	act RI
3961	tggggtgtgt	gatacgaaac	gaagcattgg	gatcatcaca	agtttgtaca	aaaaagctga
	accccacaca	ctatgctttg	cttcgtaacc	ctagtagtgt	tcaaacatgt	Ettttcgact,
				· · · · · · · · · · · · · · · · · · ·		/



pDEST13 5848 bp

Location (Base Nos.)	Gene Encoded
5991458	ampR
41233998	attRl
43725031	CmR
51515235	inactivated ccdA
53735678	ccdB
5719 5843	attR2

	י נ	TTCACTGGCC	GTCGTTTTAC	AACGTCGTGA	CTGGGAAAAC	CCTGGCGTTA	CCCAACTTAA
4	61 '	тесесттеса	GCACATCCCC	CTTTCGCCAG	CTGGCGTAAT	AGCGAAGAGG	CCCGCACCGA
. 4 *	21 '	TOROCO	CAACAGTTGC	GCAGCCTGAA	TGGCGAATGG	CGCCTGATGC	GGTATTTTCT
	01	ССЭТУСССВТ	CTGTGCGGTA	TTTCACACCG	CATATGGTGC	ACTCTCAGTA	CAATCIGCIC
2	41 1	TCATCCCCCA	TAGTTAAGCC	AGCCCCGACA	CCCGCCAACA	CCCGCTGACG	CGCCTGACG
3	Λ1.	CCCTTCTCTC	CTCCCGGCAT	CCGCTTACAG	ACAAGCTGTG	ACCGTCTCCG	GGAGCTGCAT
2	61	CTCTCAGAGG	TTTTCACCGT	CATCACCGAA	ACGCGCGAGA	CGAAAGGGCC	TCGTGATACG
	21	Valadadada Valada	TAGGTTAATG	TCATGATAAT	AATGGTTTCT	TAGACGTCAG	GTGGCACTTT
4	Ω1	TCCCCCAAAT	GTGCGCGGAA	CCCCTATTIG	TTTATTTTTC	TAAATACATT	CAAATATGTA
_	4.1	ጥሮሮሮሞሮል ሞር	AGACAATAAC	CCTGATAAAT	GCTTCAATAA	TATTGAAAAA	GGAAGAGTAT
-	01	САСТАТТСАА	CATTTCCGTG	TCGCCCTTAT	TCCCTTTTTT	GCGGCATTTT	GCCTTCCTGT
c	63	ጥጥጥ ርርጥር <mark>እ</mark> ር	CCAGAAACGC	TGGTGAAAGT	AAAAGATGCT	GAAGATCAGT	TGGGTGCACG
7	21	ACTCCCTTAC	ATCGAACTGG	ATCTCAACAG	CGGTAAGATC	CTTGAGAGTT	TTCGCCCCGA
7	0.1	ACA ACCULTUTE	CCAATGATGA	GCACTTTTAA	AGTTCTGCTA	TGTGGCGCGG	TATTATCCCG
0	4.1	ጥአጥጥር አርርርር	GGGCAAGAGC	AACTCGGTCG	CCGCATACAC	TATTCTCAGA	ATGACTIGGI
		TONOTHOTO	CCAGTCACAG	AAAAGCATCT	TACGGATGGC	ATGACAGTAA	GAGAATTATG
0	61	CAGTGCTGCC	ATAACCATGA	GTGATAACAC	TGCGGCCAAC	TTACTICIGA	CAACGATCGG
3.0	121	ACCACCCAAC	GAGCTAACCG	CTTTTTTGCA	CAACATGGGG	GATCATGTAA	CICGCCIIGA
1.0	101	ΤΡΟΤΤΟΙΟΔΑ	CCGGAGCTGA	ATGAAGCCAT	ACCAAACGAC	GAGCGTGACA	CCACGATGCC
	4 7	TOTACOANTO	CCAACAACGT	TGCGCAAACT	ATTAACTGGC	GAACTACTTA	CTCTAGCTTC
3.0	רחי	CCCCCAACAA	TTAATAGACT	GGATGGAGGC	GGATAAAGTT	GCAGGACCAC	TTCTGCGCTC
1 7	261	CCCCCTTCCC	GCTGGCTGGT	TTATTGCTGA	TAAATCTGGA	GCCGGTGAGC	GIGGGICICG
7.5	221	CCCTATCATT	GCAGCACTGG	GGCCAGATGG	TAAGCCCTCC	CGTATCGTAG	TTATCTACAC
4.5	201	CACCCCGAGT	CAGGCAACTA	TGGATGAACG	AAATAGACAG	ATCGCTGAGA	TAGGTGCCTC
3./	447	አርጥር አጥጥ አልር	CATTGGTAAC	TGTCAGACCA	. AGTTTACTCA	TATATACTT	AGATTGALLI
3.6	501	AAACTTCAT	TTTTAATTTA	AAAGGATCTA	GGTGAAGATC	CTTTTTGATA	ATCTCATGAC
٦.	561	CNNNNTCCCC	TAACGTGAGI	TTTCGTTCCA	CTGAGCGTCA	GACCCCGTAG	AAAAGATCAA
1 4	C 2 1	ACCATCTTCT	TGAGATCCTT	' TTTTTCTGCG	CGTAATCTGC	TGCTTGCAAA	CAAAAAAACU
1.4	CD 1	አሮሮፎሮፕ <mark>አ</mark> ሮሮጀ	A GCGGTGGTTT	GTTTGCCGGA	. TCAAGAGCTA	. CCAACTCTTT	TTCCGAAGGT
3 1	7/1	አ አ ሮሞርርርሮቸዋር	~ AGCAGAGCGC	AGATACCAAA	TACTGTTCTT	CTAGTGTAGC	CGTAGTTAGG
1	9 A 1	רר ארר אר דדו	- AAGAACTCTC	TAGCACCGCC	TACATACCTC	GCTCTGCTAA	TCCTGTTACC
1	Q 6 1	∆GTGGCTGC	r GCCAGTGGC	ATAAGTCGTC	TCTTACCGGG	TTGGACTCAA	GACGATAGTI
-	021	አሮሮሮሮአሞክክ	E GCGCAGCGG1	CGGGCTGAAC	GGGGGGTTCG	TGCACACAGC	CCAGCTIGGA
7	981	GCGAACGAC	C TACACCGAA	TGAGATACCI	C ACAGCGTGAG	CATTGAGAAA	GCGCCACGC1
ં ઝં	041	TCCCGAAGG	G AGAAAGGCG	ACAGGTATC(GGTAAGCGGC	: AGGGTCGGAA	CAGGAGAGCG
2	101	CACGAGGGA	G CTTCCAGGG	GAAACGCCTC	GTATCTTTAT	AGTCCTGTCG	GGTTTCGCCA
2	161	CCTCTGACT	T GAGCGTCGA	r TTTTGTGAT(CTCGTCAGGG	GGGCGGAGCC	TATGGAAAA
2	221	CGCCAGCAA	C GCGGCCTTT	TACGGTTCC	r GGCCTTTTGC	TGGCCTTTTC	CTCACATGTT
2	281	CTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT	G TTATCCCCT	ATTCTGTGG	A TAACCGTATI	r ACCGCCTTTC	AGTGAGCTGA
2	241	TACCGCTCG	C CGCAGCCGA	A CGACCGAGC	G CAGCGAGTCA	A GTGAGCGAG	S AAGCGGAAGA
2	401	CCCCCAAT	A CGCAAACCG	C CTCTCCCCG	C GCGTTGGCC(ATTCATTAA:	r GCAGCTGGCA
2	461	CGACAGGTT	T CCCGACTGG	A AAGCGGGCA	G TGAGCGCAA(C GCAATTAAT(G TGAGTTAGCT
2	521	ር እርጥር ልጥጥ A	G GCACCCCAG	G CTTTACACT	r TATGCTTCC(G GCTCGTATG	r TGTGTGGAAI
7	501	ፕሮፕሮ ልሮሮርር	A TAACAATTT	C ACACAGGAA	A CAGCTATGA	CATGATTAC	G CCAAGCTTGG
2	641	CTCCACCTG	A TGATTATCA	G CCAGCAGAG	A TTAAGGAAA	A CAGACAGGT	r TATTGAGCGC
2	701	TTATCTTTC	C CTTTATTTT	T GCTGCGGTA	A GTCGCATAA	A AACCATTCT	r cataattcaa
_		-					


FIGURE 33B


					i.	
2761	TCCATTTACT	ATGTTATGTT	CTGAGGGGAG	TGAAAATTCC	CCTAATTCGA	TGAAGATTCT
2821	TGCTCAATTG	TTATCAGCTA	TGCGCCGACC	AGAACACCTT	GCCGATCAGC	CAAACGTCTC
2881	TTCAGGCCAC	TGACTAGCGA	TAACTTTCCC	CACAACGGAA	CAACTCTCAT	TGCATGGGAT
2941	CATTGGGTAC	TGTGGGTTTA	GTGGTTGTAA	AAACACCTGA	CCGCTATCCC	TGATCAGTTT
3001	CTTGAAGGTA	AACTCATCAC	CCCCAAGTCT	GGCTATGCAG	AAATCACCTG	GCTCAACAGC
3061	CTGCTCAGGG	TCAACGAGAA	TTAACATTCC	GTCAGGAAAG	CTTGGCTTGG	AGCCTGTTGG
3121	TGCGGTCATG	GAATTACCTT	CAACCTCAAG	CCAGAATGCA	GAATCACTGG	CTTTTTTGGT
3181	TGTGCTTACC	CATCTCTCCG	CATCACCTTT	GGTAAAGGTT	CTAAGCTTAG	GTGAGAACAT
3241	CCCTGCCTGA	ACATGAGAAA	AAACAGGGTA	CTCATACTCA	CTTCTAAGTG	ACGGCTGCAT
3301	ACTAACCGCT	TCATACATCT	CGTAGATTTC	TCTGGCGATT	GAAGGGCTAA	ATTCTTCAAC
3361	GCTAACTTTG	AGAATTTTTG	CAAGCAATGC	GGCGTTATAA	GCATTTAATG	CATTGATGCC
3421	ATTAAATAAA	GCACCAACGC	CTGACTGCCC	CATCCCCATC	TTGTCTGCGA	CAGATTCCTG
3481	GGATAAGCCA	AGTTCATTTT	TCTTTTTTTC	ATAAATTGCT	TTAAGGCGAC	GTGCGTCCTC
3541	AAGCTGCTCT	TGTGTTAATG	GTTTCTTTTT	TGTGCTCATA	CGTTAAATCT	ATCACCGCAA
3601	CCCATAAATA	TCTAACACCG	TGCGTGTTGA	CTATTTTACC	TCTGGCGGTG	ATAATGGTTG
3661	CATGTACTAA	GGAGGTTGTA	TGGAACAACG	CATAACCCTG	AAAGATTATG	CAATGCGCTT
3721	TCCCCAAACC	AAGACAGCTA	AAGATCTCTC	ACCTACCAAA	CAATGCCCCC	CTGCAAAAAA
2701	TAAATTCATA	TAAAAAACAT	ACAGATAACC	ATCTGCGGTG	ATAAATTATC	TCTGGCGGTG
2041	TAAATICATA	TACCACTGGC	GGTGATACTG	AGCACATCAG	CAGGACGCAC	TGACCACCAT
		CTCTTAAAAA				
		GATACGAAAC				
		TAAAATGATA				
4021	CACTACATAA	TACTGTAAAA	CACAACATAT	ССАСТСАСТА	TGGCGGCCGC	TAAGTTGGCA
4001	CONTONCOCO	ACGCACTTTG	CCCCCATA	ATACCTGTGA	CGGAAGATCA	CTTCGCAGAA
4141	GCAICACCCG	CTGGTGTCCC	TCTTCATACC	CCCAACCCCT	GGGCCAACTT	TTGGCGAAAA
4201	TAAATAAATC	ATCGGCACGT	AACACCTTCC	AACTITICACC	ATAATGAAAT	AAGATCACTA
4261	CCCCCCCTAT	TTTTTGAGTT	ARGAGGIICC	TCACGAGCTA	AGGAAGCTAA	AATGGAGAAA
4321	A A A A TO COTO	GATATACCAC	CCTTCATATA	TCCCAATGGC	ATCGTAAAGA	ACATTTTGAG
4381	AAAAICACIG	CAGTTGCTCA	AUCUNCUNT	AACCAGACCG	TTTTAGCTGGA	TATTACGGCC
4441	GCATITCAGI	CAGTIGCICA	AIGIACCIAI	ለአርርኩርክርትር ለአርጥጥጥልጥር	CGGCCTTTAT	TCACATTCTT
		TGAATGCTCA				
		GTGTTCACCC				
		GIGITCACCC GTGAATACCA				
		ACGGTGAAAA				
4741	GIGGCGIGII	CCAATCCCTG	CCTGGCCTAT	ACCACITATAG	ATTTAAACGT	GGCCAATATG
4801	TTCGTCTCAG	TCGCCCCCGT	TTTCACCATC	CCCAAATATT	ATTICATEGE	CGACAAGGTG
4861	GACAACTTCT	TCGCCCCCG1	CCTTCACCAIG	CCCCTCTCTC	ATACGCAAGG	TGTCGGCAGA
		AATTACAACA				
		TAAAAGCCAG				
		TAAAAGCCAG CTGATATGTA				
		GACAGTTGAC				
		CTGGTAAGCA				
		GAAAATCAGG				
		GACGAGAACA				
		TTATCGTCTG				
		GATCCCCCTG				
						GATATGGCCA
						GAAAATGACA
						GTTATACACA
		AGGTCGACCA				
				TIGATATITA	TATCATTTA	CGTTTCTCGT
5821	TCAGCTTTCT	r TGTACAAAGT	GGTGATAA			

FIGURE 33C

Figure 34: pDEST14 Native Protein Expression in E. coli, T7

Promoter







pDEST14 6422 bp (rotated to position 4000)

Location (Base Nos.)	Gene Encoded
18561	attR1
4351094	CmR
12141298	inactivated ccdA
14361741	ccdB
17821906	attR2
26323489	ampR

				2		
1	CGATCCCGCG	AAATTAATAC	GACTCACTAT	AGGGAGACCA	CAACGGTTTC	CCTCTAGATC
	ACAAGTTTGT					
	AATTAGATTT					
181	CTATGGCGGC	CGCTAAGTTG	GCAGCATCAC	CCGACGCACT	TTGCGCCGAA	TAAATACCTG
241	TGACGGAAGA	TCACTTCGCA	GAATAAATAA	ATCCTGGTGT	CCCTGTTGAT	ACCGGGAAGC
301	CCTGGGCCAA					
	ACCATAATGA					
421	CTAAGGAAGC	TAAAATGGAG	AAAAAAATCA	CTGGATATAC	CACCGTTGAT	ATATCCCAAT
481	GGCATCGTAA	AGAACATTTT	GAGGCATTTC	AGTCAGTTGC	TCAATGTACC	TATAACCAGA
541	CCGTTCAGCT	GGATATTACG	GCCTTTTTAA	AGACCGTAAA	GAAAAATAAG	CACAAGTTTT
	ATCCGGCCTT					
	CAATGAAAGA					
	ATGAGCAAAC					
	TTCTACACAT					
841	AAGGGTTTAT	TGAGAATATG	TTTTTCGTCT	CAGCCAATCC	CTGGGTGAGT	TTCACCAGTT
	TTGATTTAAA					
	ATTATACGCA					
	GTGATGGCTT					
	AGGGCGGGC					
	TGCGCGCTGA					
	AAAGAGGTGT					
	GCTCAAGGCA					
	GCCCGTCGTC					
	GCCCGGTTTA					
	GTTTAAGGTT					
	TGATATTATT					
	GTCAGATAAA					
	CATGATGACC					
	TCTCAGCCAC					
	AATGTCAGGC GTGTTTTACA					
	TTATATCATT					
1921	TAACAAAGCC	CGAAAGGAAG	CTCACTTCCC	TCCTCCCACC	AGIGGIGATG	ATCCGGCTGC
1981	ACCCCTTGGG	GCCTCTAAAC	GGGTCTTGAG	CCCTTTTTTTC	CTC A A A CC A C	AACTAGCATA
2041	CGGATATCCA	CAGGACGGGT	GTGGTCGCCA	TCATCCCCTA	CTCCATACTC	GAACTATATC
2101	GCGAAGCGAG	CAGGACTGGG	CGGCGGCCAA	AGCGGTCGGA	CAGTGCTCCC	ACA ACCCCTC
2161	CGCATAGAAA	TTGCATCAAC	GCATATAGCG	CTAGCAGCAC	CAGIGCICCG	CTCCCCATCC
2221	TGTCGGAATG	GACGATATCC	CGCAAGAGGC	CCGGCAGTAC	CGGCATAACC	AAGCCTATGC
2281	CTACAGCATC	CAGGGTGACG	GTGCCGAGGA	TGACGATGAG	CGCATTGTTA	CATTTCATAC
2341	ACGGTGCCTG	ACTGCGTTAG	CAATTTAACT	GTGATAAACT	ACCGCATTAA	ACCTTATCCA
2401	TGATAAGCTG	TCAAACATGA	GAATTCTTGA	AGACGAAAGG	GCCTCGTGAT	ACCCUATOR
2461	TTATAGGTTA	ATGTCATGAT	AATAATGGTT	TCTTAGACGT	CAGGTGGCAC	TTTTCGGGGA
2521	AATGTGCGCG	GAACCCCTAT	TTGTTTATTT	TTCTAAATAC	ATTCAAATAT	GTATCCGCTC
2581	ATGAGACAAT	AACCCTGATA	AATGCTTCAA	TAATATTGAA	AAAGGAAGAG	TATGAGTATT
2641	CAACATTTCC	GTGTCGCCCT	TATTCCCTTT	TTTGCGGCAT	TTTGCCTTCC	TGTTTTTGCT
2701	CACCCAGAAA	CGCTGGTGAA	AGTAAAAGAT	GCTGAAGATC	AGTTGGGTGC	ACGAGTGGGT-

Figure 34B

2761	TACATCGAAC	TGGATCTCAA	CAGCGGTAAG	ATCCTTGAGA	GTTTTCGCCC	CGAAGAACGT
2821	TTTCCAATGA	TGAGCACTTT	TAAAGTTCTG	CTATGTGGCG	CGGTATTATC	CCGTGTTGAC
2881	GCCGGGCAAG	AGCAACTCGG	TCGCCGCATA	CACTATTCTC	AGAATGACTT	GGTTGAGTAC
2941	TCACCAGTCA	CAGAAAAGCA	TCTTACGGAT	GGCATGACAG	TAAGAGAATT	ATGCAGTGCT
3001	GCCATAACCA	TGAGTGATAA	CACTGCGGCC	AACTTACTTC	TGACAACGAT	CGGAGGACCG
3061	AAGGAGCTAA	CCGCTTTTTT	GCACAACATG	GGGGATCATG	TAACTCGCCT	TGATCGTTGG
3121	GAACCGGAGC	TGAATGAAGC	CATACCAAAC	GACGAGCGTG	ACACCACGAT	GCCTGCAGCA
3181	ATGGCAACAA	CGTTGCGCAA	ACTATTAACT	GGCGAACTAC	TTACTCTAGC	TTCCCGGCAA
3241	CAATTAATAG	ACTGGATGGA	GGCGGATAAA	GTTGCAGGAC	CACTTCTGCG	CTCGGCCCTT
3301	CCGGCTGGCT	GGTTTATTGC	TGATAAATCT	GGAGCCGGTG	AGCGTGGGTC	TCGCGGTATC
3361	ATTGCAGCAC	TGGGGCCAGA	TGGTAAGCCC	TCCCGTATCG	TAGTTATCTA	CACGACGGGG
3421	AGTCAGGCAA	CTATGGATGA	ACGAAATAGA	CAGATCGCTG	AGATAGGTGC	CTCACTGATT
3481	AAGCATTGGT	AACTGTCAGA	CCAAGTTTAC	TCATATATAC	TTTAGATTGA	TTTAAAACTT
3541	CATTTTTAAT	TTAAAAGGAT	CTAGGTGAAG	ATCCTTTTTG	ATAATCTCAT	GACCAAAATC
3601	CCTTAACGTG	AGTTTTCGTT	CCACTGAGCG	TCAGACCCCG	TAGAAAAGAT	CAAAGGATCT
3661	TCTTGAGATC	CTTTTTTTCT	GCGCGTAATC	TGCTGCTTGC	AAACAAAAA	ACCACCGCTA
3721	CCAGCGGTGG	TTTGTTTGCC	GGATCAAGAG	CTACCAACTC	TTTTTCCGAA	GGTAACTGGC
				CTTCTAGTGT		
				CTCGCTCTGC		•
				GGGTTGGACT		
				TCGTGCACAC		
				GAGCTATGAG		
				GGCAGGGTCG		
				TATAGTCCTG		
				GGGGGGCGGA		
				TGCTGGCCTT		
				ATTACCGCCT		
				TCAGTGAGCG		•
				GGTATTTCAC		
				TAAGCCAGTA		
				GCCAACACCC		
				AGCTGTGACC		
				CGCGAGGCAG		
				CTGTTCATCC		
				AAAGCGGGCC		
				GGGATTTCTG		
				GGTTACTGAT		
				ATGGATGCGG		
				AGATGTAGGT		
				GGTGCAGGGC		
5161	ACTTTACGAA	ACACGGAAAC	CGAAGACCAT	TCATGTTGTT	GCTCAGGTCG	CAGACGTTTT
				TATCGGTGAT		
				CGACAGGAGC		
				CGTGCGGCTG		
				ATTCACAGTT	-	
				GAGGTGCCGC		
				GCGGGGAGGC		
				CTCGCCGAGG		
				GTAAGAGCCG		
				AGCATGGCCT		
				AAGGCCATCC		
				ATGCCGGCGA		
				GCTTGAGCGA		
				CTCCAGCGAA		
				AGTTGCATGA		
				CGGAAGGAGC		
				ATGCGACTCC		
						AGGAGATGGC-
	,			3 		

FIGURE 34C

PCT/US00/05432

86/240

6241 GCCCAACAGT CCCCCGGCCA CGGGGCCTGC CACCATACCC ACGCCGAAAC AAGCGCTCAT 6301 GAGCCCGAAG TGGCGAGCCC GATCTTCCCC ATCGGTGATG TCGGCGATAT AGGCGCCAGC 6361 AACCGCACCT GTGGCGCCGG TGATGCCGGC CACGATGCGT CCGGCGTAGA GGATCGAGAT 6421 CT

FIGURE 34D

Figure 35A: pDEST15 Glutathione-S-transferase Fusion in E. coli, T7 Promoter

1 nat cga gat ctc gat ccc gcg aaa tta ata cga ctc act ata ggg aga cca nta gct cta gag cta ggg cgc ttt at tat gct gag tga tat ccc tct ggt

52 caa cgg ttt ccc tct aga aat aat ttt gtt taa ctt taa gaa gga gat ata gtt gcc aaa ggg aga tcj tta tta aaa caa att gaa att ctt cct cta tat


103 cot atg tc cct ata cta ggt tat tgg aaa att aag ggc ctt gtg caa ccc gta tac aga gga gat tat ttg gaa aat acc ttt taa ttc ccg gaa cac gtt ggg

154 act cga ctt ctt ttg gaa tat ctt gaa gaa aaa tat gaa gag cat ttg tat tga gct gaa gcc gtt at ggg ggc ggc cat ctt ctc gta aac ata

715 cag ggc tgg caa gcc acg ttt ggt ggt ggc gac cat cct cca aaa tcg gat gtc ccg acc gtt cgg tgc aaa cca cca cca ccg ctg gta gga ggt ttt agc cta

766 ctg gtt ccg cgt cca tgg tcg aat caa caa att gta gat ttg tac aaa aaa gct gaa gac caa gcc caa ggc gca ggt acc agc tta gtt tgt tca aac atg ttt ttc cga ctt

817 cga gaa acg taa aat gat ata aat atc aat tta aat tta atc taa acc gta



pDEST15 7013 bp

Location (Base Nos.)	<u>Gene Encoded</u>
108776	GST
916792	attR1
10251537	CmR
18041888	inactivated ccdA
20262331	ccdB
23722496	attR2
32334093	ampR

		32334	093	ampk		•
1	ATCGAGATCT	CGATCCCGCG	ስ አስተተለ ለተለ <i>ር</i>	ርእርሞርአርሞአጥ	AGGGAGACCA	Ca a cocomono
61					ACATATGTCC	
	GTTATTGGAA	AATTAAGGGC	CTTCTCCAAC	CCACTCCACT	TCTTTTGGAA	TATCTTCARG
					TAAATGGCGA	
					TGATGGTGAT	
					CAACATGTTG	
					TTTGGATATT	
					AGTTGATTTT	
					TAAAACATAT	
					TGATGTTGTT	
601	ACCCAATGTG	CCTCCATCCC	TTCAIGIIGI	TACTORCOCTO	TAAAAAACGT	TTATACATGG
661	TCCCACAAAT	TGATAACTAC	TICCCAAAAA	CCAACTATAT	AGCATGGCCT	ATTGAAGCTA
	GGCAAGCCAC	CTTTCCTCCT	CCCCACCATC	CTCCAAGIAIAI	GGATCTGGTT	TTGCAGGGCT
781	GGTCGAATCA	AACAAGTTTC	TACAAAAAAAC	CTCLAAAAIC	AACGTAAAAT	CCGCGTCCAT
					ATAATACTGT	
901	ATATCCACTC	ACTATECECE	CCCCATAAAA	CACCCCACCC	TTTACACTTT	AAAACACAAC
					TTTTCAGGAG	
					ATATCCCAAT	
					TATAACCAGA	
					CACAAGTTTT	
					TTCCGTATGG	
					ACCGTTTTCC	
					TTCCGGCAGT	
					TATTTCCCTA	
1441	TGAGAATATG	TTTTTCGTCT	CAGCCAATCC	CTCCCTCACT	TTCACCAGTT	TTCATTTAAA
1501	CGTGGCCAAT	ATGGACAACT	TCTTCGCCCC	CCTTTTCACC	ATGGGCAAAT	ATTATACCCA
1561	AGGCGACAAG	GTGCTGATGC	CGCTGGCGAT	TCAGGTTCAT	CATGCCGTCT	CTCATCCCTT
1621	CCATGTCGGC	AGAATGCTTA	ATGAATTACA	ACAGTACTGC	GATGAGTGGC	AGGGCGGGG
1681	GTAATCTAGA	GGATCCGGCT	TACTAAAAGC	CAGATAACAG	TATGCGTATT	TECECECTER
1741	TTTTTGCGGT	ATAAGAATAT	ATACTGATAT	GTATACCCGA	AGTATGTCAA	AAAGAGGTGT
1801	GCTATGAAGC	AGCGTATTAC	AGTGACAGTT	GACAGCGACA	GCTATCAGTT	GCTCAACGCA
1861	TATATGATGT	CAATATCTCC	GGTCTGGTAA	GCACAACCAT	GCAGAATGAA	GCCCGTCGTC
1921	TGCGTGCCGA	ACGCTGGAAA	GCGGAAAATC	AGGAAGGGAT	GGCTGAGGTC	GCCCGCTTTA
1981	TTGAAATGAA	CGGCTCTTTT	GCTGACGAGA	ACAGGGACTG	GTGAAATGCA	GTTTAAGGTT
2041	TACACCTATA	AAAGAGAGAG	CCGTTATCGT	CTGTTTGTGG	ATGTACAGAG	TCATATTATT
2101	GACACGCCCG	GGCGACGGAT	GGTGATCCCC	CTGGCCAGTG	CACGTCTGCT	GTCAGATAAA
2161	GTCTCCCGTG	AACTTTACCC	GGTGGTGCAT	ATCGGGGATG	AAAGCTGGCG	CATGATGACC
2221	ACCGATATGG	CCAGTGTGCC	GGTCTCCGTT	ATCGGGGAAG	AAGTGGCTGA	TCTCAGCCAC
2281	CGCGAAAATG	ACATCAAAAA	CGCCATTAAC	CTGATGTTCT	GGGGAATATA	AATGTCAGGC
2341	TCCCTTATAC	ACAGCCAGTC	TGCAGGTCGA	CCATAGTGAC	TGGATATGTT	GTGTTTTACA
2401	GTATTATGTA	GTCTGTTTTT	TATGCAAAAT	CTAATTTAAT	ATATTGATAT	TTATATCATT
2461	TTACGTTTCT	CGTTCAGCTT	TCTTGTACAA	AGTGGTTTGA	TTCGACCCGG	GATCCGGCTG
2521	CTAACAAAGC	CCGAAAGGAA	GCTGAGTTGG	CTGCTGCCAC	CGCTGAGCAA	TAACTAGCAT
2581	AACCCCTTGG	GGCCTCTAAA	CGGGTCTTGA	GGGGTTTTTT	GCTGAAAGGA	GGAACTATAT
2641	CCGGATATCC	ACAGGACGGG	TGTGGTCGCC	ATGATCGCGT	AGTCGATAGT	GGCTCCAAGT-
						·

Favre 35B


2701 AGCGAAGCGA GCAGGACTGG GCGGCGGCCA AAGCGGTCGG ACAGTGCTCC GAGAACGGGT 2761 GCGCATAGAA ATTGCATCAA CGCATATAGC GCTAGCAGCA CGCCATAGTG ACTGGCGATG 2821 CTGTCGGAAT GGACGATATC CCGCAAGAGG CCCGGCAGTA CCGGCATAAC CAAGCCTATG 2881 CCTACAGCAT CCAGGGTGAC GGTGCCGAGG ATGACGATGA GCGCATTGTT AGATTTCATA 2941 CACGGTGCCT GACTGCGTTA GCAATTTAAC TGTGATAAAC TACCGCATTA AAGCTTATCG 3001 ATGATAAGCT GTCAAACATG AGAATTCTTG AAGACGAAAG GGCCTCGTGA TACGCCTATT 3061 TTTATAGGTT AATGTCATGA TAATAATGGT TTCTTAGACG TCAGGTGGCA CTTTTCGGGG 3121 AAATGTGCGC GGAACCCCTA TTTGTTTATT TTTCTAAATA CATTCAAATA TGTATCCGCT 3181 CATGAGACAA TAACCCTGAT AAATGCTTCA ATAATATTGA AAAAGGAAGA GTATGAGTAT 3241 TCAACATTTC CGTGTCGCCC TTATTCCCTT TTTTGCGGCA TTTTGCCTTC CTGTTTTTGC 3301 TCACCCAGAA ACGCTGGTGA AAGTAAAAGA TGCTGAAGAT CAGTTGGGTG CACGAGTGGG 3361 TTACATCGAA CTGGATCTCA ACAGCGGTAA GATCCTTGAG AGTTTTCGCC CCGAAGAACG 3421 TTTTCCAATG ATGAGCACTT TTAAAGTTCT GCTATGTGGC GCGGTATTAT CCCGTGTTGA 3481 CGCCGGGCAA GAGCAACTCG GTCGCCGCAT ACACTATTCT CAGAATGACT TGGTTGAGTA 3541 CTCACCAGTC ACAGAAAAGC ATCTTACGGA TGGCATGACA GTAAGAGAAT TATGCAGTGC 3601 TGCCATAACC ATGAGTGATA ACACTGCGGC CAACTTACTT CTGACAACGA TCGGAGGACC 3661 GAAGGAGCTA ACCGCTTTTT TGCACAACAT GGGGGATCAT GTAACTCGCC TTGATCGTTG 3721 GGAACCGGAG CTGAATGAAG CCATACCAAA CGACGAGCGT GACACCACGA TGCCTGCAGC 3781 AATGGCAACA ACGTTGCGCA AACTATTAAC TGGCGAACTA CTTACTCTAG CTTCCCGGCA 3841 ACAATTAATA GACTGGATGG AGGCGGATAA AGTTGCAGGA CCACTTCTGC GCTCGGCCCT 3901 TCCGGCTGGC TGGTTTATTG CTGATAAATC TGGAGCCGGT GAGCGTGGGT CTCGCGGTAT 3961 CATTGCAGCA CTGGGGCCAG ATGGTAAGCC CTCCCGTATC GTAGTTATCT ACACGACGGG 4021 GAGTCAGGCA ACTATGGATG AACGAAATAG ACAGATCGCT GAGATAGGTG CCTCACTGAT 4081 TAAGCATTGG TAACTGTCAG ACCAAGTTTA CTCATATATA CTTTAGATTG ATTTAAAACT 4141 TCATTTTAA TTTAAAAGGA TCTAGGTGAA GATCCTTTTT GATAATCTCA TGACCAAAAT 4201 CCCTTAACGT GAGTTTTCGT TCCACTGAGC GTCAGACCCC GTAGAAAAGA TCAAAGGATC 4261 TTCTTGAGAT CCTTTTTTC TGCGCGTAAT CTGCTGCTTG CAAACAAAA AACCACCGCT 4321 ACCAGCGGTG GTTTGTTTGC CGGATCAAGA GCTACCAACT CTTTTTCCGA AGGTAACTGG 4381 CTTCAGCAGA GCGCAGATAC CAAATACTGT CCTTCTAGTG TAGCCGTAGT TAGGCCACCA 4441 CTTCAAGAAC TCTGTAGCAC CGCCTACATA CCTCGCTCTG CTAATCCTGT TACCAGTGGC 4501 TGCTGCCAGT GGCGATAAGT CGTGTCTTAC CGGGTTGGAC TCAAGACGAT AGTTACCGGA 4561 TAAGGCGCAG CGGTCGGGCT GAACGGGGGG TTCGTGCACA CAGCCCAGCT TGGAGCGAAC 4621 GACCTACACC GAACTGAGAT ACCTACAGCG TGAGCTATGA GAAAGCGCCA CGCTTCCCGA 4681 AGGGAGAAAG GCGGACAGGT ATCCGGTAAG CGGCAGGGTC GGAACAGGAG AGCGCACGAG 4741 GGAGCTTCCA GGGGGAAACG CCTGGTATCT TTATAGTCCT GTCGGGTTTC GCCACCTCTG 4801 ACTTGAGCGT CGATTTTTGT GATGCTCGTC AGGGGGGCGG AGCCTATGGA AAAACGCCAG 4861 CAACGCGGCC TTTTTACGGT TCCTGGCCTT TTGCTGGCCT TTTGCTCACA TGTTCTTTCC 4921 TGCGTTATCC CCTGATTCTG TGGATAACCG TATTACCGCC TTTGAGTGAG CTGATACCGC 4981 TCGCCGCAGC CGAACGACCG AGCGCAGCGA GTCAGTGAGC GAGGAAGCGG AAGAGCGCCT 5041 GATGCGGTAT TTTCTCCTTA CGCATCTGTG CGGTATTTCA CACCGCATAT ATGGTGCACT 5101 CTCAGTACAA TCTGCTCTGA TGCCGCATAG TTAAGCCAGT ATACACTCCG CTATCGCTAC 5161 GTGACTGGGT CATGGCTGCG CCCCGACACC CGCCAACACC CGCTGACGCG CCCTGACGGG 5221 CTTGTCTGCT CCCGGCATCC GCTTACAGAC AAGCTGTGAC CGTCTCCGGG AGCTGCATGT 5281 GTCAGAGGTT TTCACCGTCA TCACCGAAAC GCGCGAGGCA GCTGCGGTAA AGCTCATCAG 5341 CGTGGTCGTG AAGCGATTCA CAGATGTCTG CCTGTTCATC CGCGTCCAGC TCGTTGAGTT 5401 TCTCCAGAAG CGTTAATGTC TGGCTTCTGA TAAAGCGGGC CATGTTAAGG GCGGTTTTTT 5461 CCTGTTTGGT CACTGATGCC TCCGTGTAAG GGGGATTTCT GTTCATGGGG GTAATGATAC 5521 CGATGAAACG AGAGAGGATG CTCACGATAC GGGTTACTGA TGATGAACAT GCCCGGTTAC 5581 TGGAACGTTG TGAGGGTAAA CAACTGGCGG TATGGATGCG GCGGGACCAG AGAAAAATCA 5641 CTCAGGGTCA ATGCCAGCGC TTCGTTAATA CAGATGTAGG TGTTCCACAG GGTAGCCAGC 5701 AGCATCCTGC GATGCAGATC CGGAACATAA TGGTGCAGGG CGCTGACTTC CGCGTTTCCA 5761 GACTTTACGA AACACGGAAA CCGAAGACCA TTCATGTTGT TGCTCAGGTC GCAGACGTTT 5821 TGCAGCAGCA GTCGCTTCAC GTTCGCTCGC GTATCGGTGA TTCATTCTGC TAACCAGTAA 5881 GGCAACCCG CCAGCCTAGC CGGGTCCTCA ACGACAGGAG CACGATCATG CGCACCCGTG 5941 GCCAGGACCC AACGCTGCCC GAGATGCGCC GCGTGCGGCT GCTGGAGATG GCGGACGCGA 6001 TGGATATGTT CTGCCAAGGG TTGGTTTGCG CATTCACAGT TCTCCGCAAG AATTGATTGG 6061 CTCCAATTCT TGGAGTGGTG AATCCGTTAG CGAGGTGCCG CCGGCTTCCA TTCAGGTCGA 6121 GGTGGCCCGG CTCCATGCAC CGCGACGCAA CGCGGGGAGG CAGACAAGGT ATAGGGCGGC-




6181	GCCTACAATC	CATGCCAACC	CGTTCCATGT	GCTCGCCGAG	GCGGCATAAA	TCGCCGTGAC
6241	GATCAGCGGT	CCAGTGATCG	AAGTTAGGCT	GGTAAGAGCC	GCGAGCGATC	CTTGAAGCTG
6301	TCCCTGATGG	TCGTCATCTA	CCTGCCTGGA	CAGCATGGCC	TGCAACGCGG	GCATCCCGAT
6361	GCCGCCGGAA	GCGAGAAGAA	TCATAATGGG	GAAGGCCATC	CAGCCTCGCG	TCGCGAACGC
6421	CAGCAAGACG	TAGCCCAGCG	CGTCGGCCGC	CATGCCGGCG	ATAATGGCCT	GCTTCTCGCC
6481	GAAACGTTTG	GTGGCGGGAC	CAGTGACGAA	GGCTTGAGCG	AGGGCGTGCA	AGATTCCGAA
	TACCGCAAGC					
	GACCCAGAGC					
	TGCGGCGACG					
	CAAGGGCATC					
	GTAGTAGGTT					
6841	CGCCCAACAG	TCCCCCGGCC	ACGGGGCCTG	CCACCATACC	CACGCCGAAA	CAAGCGCTCA
	TGAGCCCGAA					
6961	CAACCGCACC	TGTGGCGCCG	GTGATGCCGG	CCACGATGCG	TCCGGCGTAG	AGG

Figure 36A: PDESTIG

Thioredoxin N-Fusion Protein in E. coli with T7 Promoter





pDEST16 6675 bp


<u>Location (Base Nos.)</u>	Gene Encoded
104457	trxA
585461	attR1
6941353	CmR '
14731557	inactivated ccdA
16952000	ccdB
20412165	attR2


=	AGATCTCGA	r cccgcgaaat	TAATACGACT	CACTATAGG	G AGACCACAAC	GGTTTCCCTC
6.	l TAGAAATAA	r titgittaa(TTTAAGAAG(G AGATATACA	T ATGAGCGATA	א אייי אייי אייי א מע
121	L CCTGACTGA	C GACAGTTTTC	ACACGGATG	r ACTCAAAGC	GACGGGGGG	TUTTCTCCA
181	L TTTCTGGGC	A GAGTGGTGCG	GTCCGTGCA	AATGATCGC	CCGATTCTGG	ATGAAATCGC
241	TGACGAATA:	r cagggcaaac	TGACCGTTGC	CAAAACTGAAG	ATCGATCAAA	ACCCTCCCAC
301	L TGCGCCGAA	A TATGGCATCO	GTGGTATCCC	CGACTCTGCTC	CTGTTCAAA	ል
361	GGCGGCAAC	C AAAGTGGGTG	CACTGTCTAL	AGGTCAGTTC	AAAGAGTTCC	י דרנים רנידים א
421	. CCTGGCCGG	TCTGGTTCTG	GTGATGACGA	TGACAAGATO	ACAAGTTTGT	' אראאאאאמר
481	. TGAACGAGAA	A ACGTAAAATG	PATAAATATA	CAATATATT	AATTAGATTT	' דמרמיים אא א
541	. ACAGACTACA	A TAATACTGTA	. AAACACAACA	TATCCAGTC	CTATGGCGGC	CCCATTACCC
601	ACCCCAGGC1	TTACACTTTA	TGCTTCCGGC	TCGTATAATC	TGTGGATTTT	GAGTTAGGAT
991	CCGGCGAGAT	TTTCAGGAGC	TAAGGAAGCT	' AAAATGGAGA	AAAAAATCAC	ТССАТАТАСС
/21	ACCGTTGATA	A TATCCCAATG	GCATCGTAAA	GAACATTTTC	AGGCATTTCA	GTCAGTTGCT
/81	CAATGTACCT	: ATAACCAGAC	CGTTCAGCTG	GATATTACGG	מממיידדידים	GACCGTAAAC
841	AAAAATAAGC	: ACAAGTTTTA	TCCGGCCTTT	' ATTCACATTC	TTGCCCGCCT	CATCAATCCT
901	CATCCGGAAT	TCCGTATGGC	AATGAAAGAC	GGTGAGCTGG	TGATATGGGA	ፕ ልርጥርጥጥር አር
961	CCTTGTTACA	CCGTTTTCCA	TGAGCAAACT	GAAACGTTTT	CATCGCTCTG	CACTCAATAC
1021	CACGACGATT	TCCGGCAGTT	TCTACACATA	TATTCGCAAG	ATGTGGCGTG	ፐፐ አርርርፐር አ አ
1081	AACCTGGCCT	ATTTCCCTAA	AGGGTTTATT	GAGAATATGT	TTTTCGTCTC	ACCCAATCCC
1141	TGGGTGAGTT	TCACCAGTTT	TGATTTAAAC	GTGGCCAATA	TGGACAACTT	CTTCCCCCCC
1201	GTTTTCACCA	TGGGCAAATA	TTATACGCAA	GGCGACAAGG	TGCTGATGCC	CCTCCCCATT
1201	CAGGTTCATC	ATGCCGTCTG	TGATGGCTTC	CATGTCGGCA	GAATGCTTAA	ጥር እ አጥጥ አ ር አ አ
1321	CAGTACTGCG	ATGAGTGGCA	GGGCGGGGCG	TAAACGCGTG	GATCCGGCTT	ΔΟΤΑΛΑΛΟΟΟ
1381	AGATAACAGT	ATGCGTATTT	GCGCGCTGAT	TTTTGCGGTA	ТААСААТАТА	ፕልሮፕሮ ልፕአጥር
1441	TATACCCGAA	GTATGTCAAA	AAGAGGTGTG	CTATGAAGCA	GCGTATTACA	CTCACACTTC
1201	ACAGCGACAG	CTATCAGTTG	CTCAAGGCAT	ATATGATGTC	ΑΑΤΑΤΟΤΟΤΟ	CTCTCCTAAC
1201	CACAACCATG	CAGAATGAAG	CCCGTCGTCT	GCGTGCCGAA	CCCTCCAAAC	CCCAAAATCA
1021	GGAAGGGATG	GCTGAGGTCG	CCCGGTTTAT	TGAAATGAAC	CCCTCTTTTTC	CTCACCACAÃ
1001	CAGGGACTGG	TGAAATGCAG	TITAAGGTTT	ACACCTATAA	AAGAGAGAGC	CCTTATCCTC
T 14T	IGITIGIGGA	TGTACAGAGT	GATATTATTG	ACACGCCCGG	GCGACGGATG	GTGATCCCCC
1901	1 GGCCAGTGC	ACGTCTGCTG	TCAGATAAAG	TCTCCCGTGA	Δርጥፐጥ Δርርርር	GTGGTCGATA
TOOT	1 CGGGGATGA	AAGCTGGCGC	ATGATGACCA	CCGATATGGC	CAGTGTGCCG	CTCTCCCCTTA
1721	ICGGGGAAGA	AGTGGCTGAT	CTCAGCCACC	CCCAAAATCA	CAMMAAAAAM	00000000000
1301	IGATGTTCTG	GGGAATATAA	ATGTCAGGCT	CCCTTATACA	CACCCACTCT	CCACCECCA
2041	CHIAGIGACI	GGATATGTTG	TGTTTTACAG	TATTATCTAC	بەنجەنلىنىڭ ئاپاپ	ATCCA A A A TOC
2101	IMMITIMATA	IATTGATATT	TATATCATTT	$\Lambda \Delta C \Delta $	CTTCACCTTT	COMPONENTAL
2101	GIGGIGAIGA	TCCGGCTGCT	AACAAAGCCC	GAAAGGAAGC	THE MEMBER COURT	CCTCCCACCA
2221	CIGAGCAAIA	ACTAGCATAA	CCCCTTGGGG	ССТСТА А А СС	CCTCTTCACA	CCMMMmmaaa
2201	TOWARGGAGG	AACTATATCC	GGATATCCAC	AGGACGGGTG	TOOTOOOXT	CAMOCOCONAC
2727	ICGMINGIGG	CICCAAGTAG	CGAAGCGAGC	AGGACTGGGC	CCCCCCCNNN	CCCCMCCCC
2701	AGIGUICUGA	GAACGGGTGC	GCATAGAAAT	ፐርር እጥር እአርር	CATATACCCC	T7.001.001.00
2401	CCMINGIGAC	IGGCGATGCT	GTCGGAATGG	ACGATATCCC	CCNNCNCCCC	70703 7m3 70
2721	GGCATAACCA	AGCCTATGCC	TACAGCATCC	AGGGTGACGC	TOCOCONO	CICOIDOIGO
2001	CCALIGITAG	ALLICATACA	CGGTGCCTGA	CTCCCTTACC	A A CONCERN A CONCE	ma
2041	CCGCMIIAAA	GCTTATCGAT	GATAAGCTGT	CAAACATCAC	አ አ ጥጥር ጥጥር እ እ	0300333000
2,01	CCICGIGAIA	CGCCIAITI	TATAGGTTAA	TCTC A TC A TA	שמשימים של על	COTTACACO
2/61	AGGTGGCACT	TTTCGGGGAA	ATGTGCGCGG	AACCCCTATT	TGTTTATTTT	TCTAAATACA-
						= : -

2821 TTCAAATATG TATCCGCTCA TGAGACAATA ACCCTGATAA ATGCTTCAAT AATATTGAAA 2881 AAGGAAGAGT ATGAGTATTC AACATTTCCG TGTCGCCCTT ATTCCCTTTT TTGCGGCATT 2941 TTGCCTTCCT GTTTTTGCTC ACCCAGAAAC GCTGGTGAAA GTAAAAGATG CTGAAGATCA 3001 GTTGGGTGCA CGAGTGGGTT ACATCGAACT GGATCTCAAC AGCGGTAAGA TCCTTGAGAG 3061 TTTTCGCCCC GAAGAACGTT TTCCAATGAT GAGCACTTTT AAAGTTCTGC TATGTGGCGC 3121 GGTATTATCC CGTGTTGACG CCGGGCAAGA GCAACTCGGT CGCCGCATAC ACTATTCTCA 3181 GAATGACTTG GTTGAGTACT CACCAGTCAC AGAAAAGCAT CTTACGGATG GCATGACAGT 3241 AAGAGAATTA TGCAGTGCTG CCATAACCAT GAGTGATAAC ACTGCGGCCA ACTTACTTCT 3301 GACAACGATC GGAGGACCGA AGGAGCTAAC CGCTTTTTTG CACAACATGG GGGATCATGT 3361 AACTCGCCTT GATCGTTGGG AACCGGAGCT GAATGAAGCC ATACCAAACG ACGAGCGTGA 3421 CACCACGATG CCTGCAGCAA TGGCAACAAC GTTGCGCAAA CTATTAACTG GCGAACTACT 3481 TACTCTAGCT TCCCGGCAAC AATTAATAGA CTGGATGGAG GCGGATAAAG TTGCAGGACC 3541 ACTTCTGCGC TCGGCCCTTC CGGCTGGCTG GTTTATTGCT GATAAATCTG GAGCCGGTGA 3601 GCGTGGGTCT CGCGGTATCA TTGCAGCACT GGGGCCAGAT GGTAAGCCCT CCCGTATCGT 3661 AGTTATCTAC ACGACGGGGA GTCAGGCAAC TATGGATGAA CGAAATAGAC AGATCGCTGA 3721 GATAGGTGCC TCACTGATTA AGCATTGGTA ACTGTCAGAC CAAGTTTACT CATATATACT 3781 TTAGATTGAT TTAAAACTTC ATTTTTAATT TAAAAGGATC TAGGTGAAGA TCCTTTTTGA 3841 TAATCTCATG ACCAAAATCC CTTAACGTGA GTTTTCGTTC CACTGAGCGT CAGACCCCGT 3901 AGAAAAGATC AAAGGATCTT CTTGAGATCC TTTTTTTCTG CGCGTAATCT GCTGCTTGCA 3961 AACAAAAAA CCACCGCTAC CAGCGGTGGT TTGTTTGCCG GATCAAGAGC TACCAACTCT 4021 TTTTCCGAAG GTAACTGGCT TCAGCAGAGC GCAGATACCA AATACTGTCC TTCTAGTGTA 4081 GCCGTAGTTA GGCCACCACT TCAAGAACTC TGTAGCACCG CCTACATACC TCGCTCTGCT 4141 AATCCTGTTA CCAGTGGCTG CTGCCAGTGG CGATAAGTCG TGTCTTACCG GGTTGGACTC 4201 AAGACGATAG TTACCGGATA AGGCGCAGCG GTCGGGCTGA ACGGGGGGTT CGTGCACACA 4261 GCCCAGCTTG GAGCGAACGA CCTACACCGA ACTGAGATAC CTACAGCGTG AGCTATGAGA 4321 AAGCGCCACG CTTCCCGAAG GGAGAAAGGC GGACAGGTAT CCGGTAAGCG GCAGGGTCGG 4381 AACAGGAGAG CGCACGAGGG AGCTTCCAGG GGGAAACGCC TGGTATCTTT ATAGTCCTGT 4441 CGGGTTTCGC CACCTCTGAC TTGAGCGTCG ATTTTTGTGA TGCTCGTCAG GGGGGCGGAG 4501 CCTATGGAAA AACGCCAGCA ACGCGGCCTT TTTACGGTTC CTGGCCTTTT GCTGGCCTTT 4561 TGCTCACATG TTCTTTCCTG CGTTATCCCC TGATTCTGTG GATAACCGTA TTACCGCCTT 4621 TGAGTGAGCT GATACCGCTC GCCGCAGCCG AACGACCGAG CGCAGCGAGT CAGTGAGCGA 4681 GGAAGCGGAA GAGCGCCTGA TGCGGTATTT TCTCCTTACG CATCTGTGCG GTATTTCACA 4741 CCGCATATAT GGTGCACTCT CAGTACAATC TGCTCTGATG CCGCATAGTT AAGCCAGTAT 4801 ACACTCCGCT ATCGCTACGT GACTGGGTCA TGGCTGCGCC CCGACACCCCG CCAACACCCG 4861 CTGACGCGCC CTGACGGGCT TGTCTGCTCC CGGCATCCGC TTACAGACAA GCTGTGACCG 4921 TCTCCGGGAG CTGCATGTGT CAGAGGTTTT CACCGTCATC ACCGAAACGC GCGAGGCAGC 4981 TGCGGTAAAG CTCATCAGCG TGGTCGTGAA GCGATTCACA GATGTCTGCC TGTTCATCCG 5041 CGTCCAGCTC GTTGAGTTTC TCCAGAAGCG TTAATGTCTG GCTTCTGATA AAGCGGGCCA 5101 TGTTAAGGGC GGTTTTTTCC TGTTTGGTCA CTGATGCCTC CGTGTAAGGG GGATTTCTGT 5161 TCATGGGGGT AATGATACCG ATGAAACGAG AGAGGATGCT CACGATACGG GTTACTGATG 5221 ATGAACATGC CCGGTTACTG GAACGTTGTG AGGGTAAACA ACTGGCGGTA TGGATGCGGC 5281 GGGACCAGAG AAAAATCACT CAGGGTCAAT GCCAGCGCTT CGTTAATACA GATGTAGGTG 5341 TTCCACAGGG TAGCCAGCAG CATCCTGCGA TGCAGATCCG GAACATAATG GTGCAGGGCG 5401 CTGACTTCCG CGTTTCCAGA CTTTACGAAA CACGGAAACC GAAGACCATT CATGTTGTTG 5461 CTCAGGTCGC AGACGTTTTG CAGCAGCAGT CGCTTCACGT TCGCTCGCGT ATCGGTGATT 5521 CATTCTGCTA ACCAGTAAGG CAACCCCGCC AGCCTAGCCG GGTCCTCAAC GACAGGAGCA 5581 CGATCATGCG CACCCGTGGC CAGGACCCAA CGCTGCCCGA GATGCGCCGC GTGCGGCTGC 5641 TGGAGATGGC GGACGCGATG GATATGTTCT GCCAAGGGTT GGTTTGCGCA TTCACAGTTC 5701, TCCGCAAGAA TTGATTGGCT CCAATTCTTG GAGTGGTGAA TCCGTTAGCG AGGTGCCGCC 5761 GGCTTCCATT CAGGTCGAGG TGGCCCGGCT CCATGCACCG CGACGCAACG CGGGGAGGCA 5821 GACAAGGTAT AGGGCGGCGC CTACAATCCA TGCCAACCCG TTCCATGTGC TCGCCGAGGC 5881 GGCATAAATC GCCGTGACGA TCAGCGGTCC AGTGATCGAA GTTAGGCTGG TAAGAGCCGC 5941 GAGCGATCCT TGAAGCTGTC CCTGATGGTC GTCATCTACC TGCCTGGACA GCATGGCCTG 6001 CAACGCGGGC ATCCCGATGC CGCCGGAAGC GAGAAGAATC ATAATGGGGA AGGCCATCCA 6061 GCCTCGCGTC GCGAACGCCA GCAAGACGTA GCCCAGCGCG TCGGCCGCCA TGCCGGCGAT 6121 AATGGCCTGC TTCTCGCCGA AACGTTTGGT GGCGGGACCA GTGACGAAGG CTTGAGCGAG 6181 GGCGTGCAAG ATTCCGAATA CCGCAAGCGA CAGGCCGATC ATCGTCGCGC TCCAGCGAAA 6241 GCGGTCCTCG CCGAAAATGA CCCAGAGCGC TGCCGGCACC TGTCCTACGA GTTGCATGAT-

FIGURE 36C

6301	AAAGAAGACA	GTCATAAGTG	CGGCGACGAT	AGTCATGCCC	CGCGCCCACC	GGAAGGAGCT
		AAGGCTCTCA				
		GCAGCCCAGT				
		GGAGATGGCG				
		AGCGCTCATG				
		GGCGCCAGCA				
			ACCOCMICCIO	100000000	0	
6661	CGGCGTAGAG	UAILU				





pDEST17 6354 bp

	258134		attR1			
		367102	6	CmR		
		114612		inacti		
		136816		ccdB	·	
		171418		attR2		
		256434		ampR		
		20011101				
1	CGATCCCGCG	AAATTAATAC	GACTCACTAT	AGGGAGACCA	CAACGGTTTC	CCTCTAGAAA
				ACATATGTCG		
_				AGCTGAACGA		
	- "			AAAACAGACT		
				GGCACCCCAG		
				GATCCGTCGA		
361	GCTAAAATGG	AGAAAAAAAT	CACTGGATAT	ACCACCGTTG	ATATATCCCA	ATGGCATCGT
				GCTCAATGTA		
				AAGAAAAATA		
_				GCTCATCCGG		
				CACCCTTGTT		
				TACCACGACG		
				GAAAACCTGG		
				CCCTGGGTGA		
				CCCGTTTTCA		
				ATTCAGGTTC		
				CAACAGTACT		•
				GCCAGATAAC		
				ATGTATACCC		
				TTGACAGCGA		
				AAGCACAACC		
				TCAGGAAGGG		
				GAACAGGGAC		
				GTCTGTTTGT		
				CCCTGGCCAG		
				ATATCGGGGA		
				TTATCGGGGA		
				ACCTGAŢGTT		
				GACCATAGTG		
1741	CAGTATTATG	TAGTCTGTTT	TTTATGCAAA	ATCTAATTTA	ATATATTGAT	ATTTATATCA
1801	TTTTACGTTT	CTCGTTCAGC	TTTCTTGTAC	AAAGTGGTTG	ATTCGAGGCT	GCTAACAAAG
				CCGCTGAGCA		
				TGCTGAAAGG		
				TAGTCGATAG		
				GACAGTGCTC		
				ACGCCATAGT		
2161	TGGACGATAT	CCCGCAAGAG	GCCCGGCAGT	ACCGGCATAA	CCAAGCCTAT	GCCTACAGCA
				AGCGCATTGT		
				CTACCGCATT		
				GGGCCTCGTG		
			•	GTCAGGTGGC		
				ACATTCAAAT		
				AAAAAGGAAG		
				ATTTTGCCTT		
						GTTACATCGA-

Figure 373

2701 ACTGGATCTC AACAGCGGTA AGATCCTTGA GAGTTTTCGC CCCGAAGAAC GTTTTCCAAT 2761 GATGAGCACT TTTAAAGTTC TGCTATGTGG CGCGGTATTA TCCCGTGTTG ACGCCGGGCA 2821 AGAGCAACTC GGTCGCCGCA TACACTATTC TCAGAATGAC TTGGTTGAGT ACTCACCAGT 2881 CACAGAAAAG CATCTTACGG ATGGCATGAC AGTAAGAGAA TTATGCAGTG CTGCCATAAC 2941 CATGAGTGAT AACACTGCGG CCAACTTACT TCTGACAACG ATCGGAGGAC CGAAGGAGCT 3001 AACCGCTTTT TTGCACAACA TGGGGGATCA TGTAACTCGC CTTGATCGTT GGGAACCGGA 3061 GCTGAATGAA GCCATACCAA ACGACGAGCG TGACACCACG ATGCCTGCAG CAATGGCAAC 3121 AACGTTGCGC AAACTATTAA CTGGCGAACT ACTTACTCTA GCTTCCCGGC AACAATTAAT 3181 AGACTGGATG GAGGCGGATA AAGTTGCAGG ACCACTTCTG CGCTCGGCCC TTCCGGCTGG 3241 CTGGTTTATT GCTGATAAAT CTGGAGCCGG TGAGCGTGGG TCTCGCGGTA TCATTGCAGC 3301 ACTGGGGCCA GATGGTAAGC CCTCCCGTAT CGTAGTTATC TACACGACGG GGAGTCAGGC 3361 AACTATGGAT GAACGAAATA GACAGATCGC TGAGATAGGT GCCTCACTGA TTAAGCATTG 3421 GTAACTGTCA GACCAAGTTT ACTCATATAT ACTTTAGATT GATTTAAAAC TTCATTTTTA 3481 ATTTAAAAGG ATCTAGGTGA AGATCCTTTT TGATAATCTC ATGACCAAAA TCCCTTAACG 3541 TGAGTTTTCG TTCCACTGAG CGTCAGACCC CGTAGAAAAG ATCAAAGGAT CTTCTTGAGA 3601 TCCTTTTTT CTGCGCGTAA TCTGCTGCTT GCAAACAAA AAACCACCGC TACCAGCGGT 3661 GGTTTGTTTG CCGGATCAAG AGCTACCAAC TCTTTTTCCG AAGGTAACTG GCTTCAGCAG 3721 AGCGCAGATA CCAAATACTG TCCTTCTAGT GTAGCCGTAG TTAGGCCACC ACTTCAAGAA 3781 CTCTGTAGCA CCGCCTACAT ACCTCGCTCT GCTAATCCTG TTACCAGTGG CTGCTGCCAG 3841 TGGCGATAAG TCGTGTCTTA CCGGGTTGGA CTCAAGACGA TAGTTACCGG ATAAGGCGCA 3901 GCGGTCGGGC TGAACGGGGG GTTCGTGCAC ACAGCCCAGC TTGGAGCGAA CGACCTACAC 3961 CGAACTGAGA TACCTACAGC GTGAGCTATG AGAAAGCGCC ACGCTTCCCG AAGGGAGAAA 4021 GGCGGACAGG TATCCGGTAA GCGGCAGGGT CGGAACAGGA GAGCGCACGA GGGAGCTTCC 4081 AGGGGGAAAC GCCTGGTATC TTTATAGTCC TGTCGGGTTT CGCCACCTCT GACTTGAGCG 4141 TCGATTTTG TGATGCTCGT CAGGGGGGCG GAGCCTATGG AAAAACGCCA GCAACGCGGC 4201 CTTTTTACGG TTCCTGGCCT TTTGCTGGCC TTTTGCTCAC ATGTTCTTTC CTGCGTTATC 4261 CCCTGATTCT GTGGATAACC GTATTACCGC CTTTGAGTGA GCTGATACCG CTCGCCGCAG 4321 CCGAACGACC GAGCGCAGCG AGTCAGTGAG CGAGGAAGCG GAAGAGCGCC TGATGCGGTA 4381 TTTTCTCCTT ACGCATCTGT GCGGTATTTC ACACCGCATA TATGGTGCAC TCTCAGTACA 4441 ATCTGCTCTG ATGCCGCATA GTTAAGCCAG TATACACTCC GCTATCGCTA CGTGACTGGG 4501 TCATGGCTGC GCCCCGACAC CCGCCAACAC CCGCTGACGC GCCCTGACGG GCTTGTCTGC 4561 TCCCGGCATC CGCTTACAGA CAAGCTGTGA CCGTCTCCGG GAGCTGCATG TGTCAGAGGT 4621 TTTCACCGTC ATCACCGAAA CGCGCGAGGC AGCTGCGGTA AAGCTCATCA GCGTGGTCGT 4681 GAAGCGATTC ACAGATGTCT GCCTGTTCAT CCGCGTCCAG CTCGTTGAGT TTCTCCAGAA 4741 GCGTTAATGT CTGGCTTCTG ATAAAGCGGG CCATGTTAAG GGCGGTTTTT TCCTGTTTGG 4801 TCACTGATGC CTCCGTGTAA GGGGGATTTC TGTTCATGGG GGTAATGATA CCGATGAAAC 4861 GAGAGAGGAT GCTCACGATA CGGGTTACTG ATGATGAACA TGCCCGGTTA CTGGAACGTT 4921 GTGAGGGTAA ACAACTGGCG GTATGGATGC GGCGGGACCA GAGAAAAATC ACTCAGGGTC 4981 AATGCCAGCG CTTCGTTAAT ACAGATGTAG GTGTTCCACA GGGTAGCCAG CAGCATCCTG 5041 CGATGCAGAT CCGGAACATA ATGGTGCAGG GCGCTGACTT CCGCGTTTCC AGACTTTACG 5101 AAACACGGAA ACCGAAGACC ATTCATGTTG TTGCTCAGGT CGCAGACGTT TTGCAGCAGC 5161 AGTCGCTTCA CGTTCGCTCG CGTATCGGTG ATTCATTCTG CTAACCAGTA AGGCAACCCC 5221 GCCAGCCTAG CCGGGTCCTC AACGACAGGA GCACGATCAT GCGCACCCGT GGCCAGGACC 5281 CAACGCTGCC CGAGATGCGC CGCGTGCGGC TGCTGGAGAT GGCGGACGCG ATGGATATGT 5341 TCTGCCAAGG GTTGGTTTGC GCATTCACAG TTCTCCGCAA GAATTGATTG GCTCCAATTC 5401 TTGGAGTGGT GAATCCGTTA GCGAGGTGCC GCCGGCTTCC ATTCAGGTCG AGGTGGCCCG 5461 GCTCCATGCA CCGCGACGCA ACGCGGGGAG GCAGACAAGG TATAGGGCGG CGCCTACAAT 5521 CCATGCCAAC CCGTTCCATG TGCTCGCCGA GGCGGCATAA ATCGCCGTGA CGATCAGCGG 5581: TCCAGTGATC GAAGTTAGGC TGGTAAGAGC CGCGAGCGAT CCTTGAAGCT GTCCCTGATG 5641 GTCGTCATCT ACCTGCCTGG ACAGCATGGC CTGCAACGCG GGCATCCCGA TGCCGCCGGA 5701 AGCGAGAGA ATCATAATGG GGAAGGCCAT CCAGCCTCGC GTCGCGAACG CCAGCAAGAC 5761 GTAGCCCAGC GCGTCGGCCG CCATGCCGGC GATAATGGCC TGCTTCTCGC CGAAACGTTT 5821 GGTGGCGGGA CCAGTGACGA AGGCTTGAGC GAGGGCGTGC AAGATTCCGA ATACCGCAAG 5881 CGACAGGCCG ATCATCGTCG CGCTCCAGCG AAAGCGGTCC TCGCCGAAAA TGACCCAGAG 5941 CGCTGCCGGC ACCTGTCCTA CGAGTTGCAT GATAAAGAAG ACAGTCATAA GTGCGGCGAC 6001 GATAGTCATG CCCCGCGCCC ACCGGAAGGA GCTGACTGGG TTGAAGGCTC TCAAGGGCAT 6061 CGGTCGATCG ACGCTCTCCC TTATGCGACT CCTGCATTAG GAAGCAGCCC AGTAGTAGGT 6121 TGAGGCCGTT GAGCACCGCC GCCGCAAGGA ATGGTGCATG CAAGGAGATG GCGCCCAACA-

FOURE 37C

6181 GTCCCCCGGC CACGGGGCCT GCCACCATAC CCACGCCGAA ACAAGCGCTC ATGAGCCCGA 6241 AGTGGCGAGC CCGATCTTCC CCATCGGTGA TGTCGGCGAT ATAGGCGCCA GCAACCGCAC 6301 CTGTGGCGCC GGTGATGCCG GCCACGATGC GTCCGGCGTA GAGGATCGAG ATCT

FIGURE 3.72D

Rigure 38A: PDESTIE

FastBac Transfer Vector with p10 Baculovirus Promoter

```
gaagaceteg geegtegegg egettgeegg tggtgetgac eeeggatgaa gtggttegea ettetggage eggeagegee gegaaeggee aceaegaetg gggeetaett eaceaagegt

teeteggttt tetggaagge gageategtt tgttegeea ggaetetage tatagtteta aggageeaaa agaeetteeg etegtageaa acaageggt eetgagateg atateaagat

gtggttgget aegtategag caagaaagta aaaegeeaaa egggytggad tettgtgtged eaceaaecga tgeatagete gttetttat fttgeggttv gegaaecte agaacaecg pio Romolev

tatvttaaca aggatreaga aataegeare aetracaaca agggyggeta tgaaetaegd

pio Romolev

tatvttgagg atgeegggae extractea acceaacae agggyggeta tgaaetaegd

gaatuttgagg atgeegggae extractea acceaacae atatattaa gtraaataagd mfWA

// grasaactee tacggeeetg gaaattaagt tgagtrgtat tatataafat eaatttate.

301 aattatvtav caaareattt gtataetaat faaaataeta tactgtaaat tacatttate


// tacaatgag gateateaca agttgaca aaaaagetga acgagaaaeg taaaatgata

aatgttaete etagtagtgt teaaacatgt tittetgaet tgeetettge atttaetat

// aattatvtav caaareatea agttgaca aaaaagetga acgagaaaeg taaaatgata

aatgttaete etagtagtgt teaaacatgt tittetgaet tgeetettge atttaetat

// aattatutae caaareatea agttgaca aaaaagetga acgagaaaeg taaaatgata
```




pDEST18 .6613 bp

Location (Base Nos.)	Gene Encoded
4741449	ampR
15902244	ori
27383850	genR
42514127	attR1
45015160	CmR
52805364	inactivated ccdA
55025807	ccdB
58485972	attR2
659525	lacZ
CCT GTAGCGGCGC ATTAAGCGCC	GCGGGTGTGG TGGTTACGCG

		659525	j	lacZ		
		GTAGCGGCGC				
		CCAGCGCCCT				
		GCTTTCCCCG				
		GGCACCTCGA				
		GATAGACGGT				
		TCCAAACTGG				
		TGCCGATTTC				
		TTAACAAAAT				
	_	CCCCTATTTG				
		CCTGATAAAT				
	•	TCGCCCTTAT				
		TGGTGAAAGT				
		ATCTCAACAG				
		GCACTTTTAA				
		AACTCGGTCG				
		AAAAGCATCT				
		GTGATAACAC				
		CTTTTTTGCA				
		ATGAAGCCAT				
		TGCGCAAACT				
		GGATGGAGGC				
1261	GCTGGCTGGT.	TTATTGCTGA	TAAATCTGGA	GCCGGTGAGC	GTGGGTCTCG	CGGTATCATT
		GGCCAGATGG				
		TGGATGAACG				
		TGTCAGACCA				
-		AAAGGATCTA				
1561	TAACGTGAGT	TTTCGTTCCA	CTGAGCGTCA	GACCCCGTAG	AAAAGATCAA	AGGATCTTCT
		TTTTTCTGCG				· · · · · · · · · · · · · · · · · · ·
		GTTTGCCGGA				
1741	AGCAGAGCGC	AGATACCAAA	TACTGTCCTT	CTAGTGTAGC	CGTAGTTAGG	CCACCACTTC
		TAGCACCGCC				
		ATAAGTCGTG				
1921	GCGCAGCGGT	CGGGCTGAAC	GGGGGGTTCG	TGCACACAGC	CCAGCTTGGA	GCGAACGACC
1981	TACACCGAAC	TGAGATACCT	ACAGCGTGAG	CATTGAGAAA	GCGCCACGCT	TCCCGAAGGG
2041	AGAAAGGCGG	ACAGGTATCC	GGTAAGCGGC	AGGGTCGGAA	CAGGAGAGCG	CACGAGGGAG
2101	CTTCCAGGGG	GAAACGCCTG	GTATCTTTAT	AGTCCTGTCG	GGTTTCGCCA	CCTCTGACTT
2161	GAGCGTCGAT	TTTTGTGATG	CTCGTCAGGG	GGGCGGAGCC	TATGGAAAAA	CGCCAGCAAC
2221	GCGGCCTTTT	TACGGTTCCT	GGCCTTTTGC	TGGCCTTTTG	CTCACATGTT	CTTTCCTGCG
2281	TTATCCCCTG	ATTCTGTGGA	TAACCGTATT	ACCGCCTTTG	AGTGAGCTGA	TACCGCTCGC
2341	CGCAGCCGAA	CGACCGAGCG	CAGCGAGTCA	GTGAGCGAGG	AAGCGGAAGA	GCGCCTGATG
2401	CGGTATTTTC	TCCTTACGCA	TCTGTGCGGT	ATTTCACACC	GCAGACCAGC	CGCGTAACCT
2461	GGCAAAATCG	GTTACGGTTG	AGTAATAAAT	GGATGCCCTG	CGTAAGCGGG	TGTGGGCGGA-



2521	CAATAAAGTC	TTAAACTGAA	CAAAATAGAT	CTAAACTATG	ACAATAAAGT	CTTAAACTAG
				GTTATGCTGT		
				TGAAGTGCAA		
				TATTCGCGGC		
2761	AACTCCGCGG	CCGGGAAGCC	GATCTCGGCT	TGAACGAATT	GTTAGGTGGC	GGTACTTGGG
2821	TCGATATCAA	AGTGCATCAC	TTCTTCCCGT	ATGCCCAACT	TTGTATAGAG	AGCCACTGCG
2881	GGATCGTCAC	CGTAATCTGC	TTGCACGTAG	ATCACATAAG	CACCAAGCGC	GTTGGCCTCA
				ATGCCCTGCC		
3001	GCGAGATCAT	AGATATAGAT	CTCACTACGC	GGCTGCTCAA	ACCTGGGCAG	AACGTA_AGCC
				AAGGCAGCAA		
				GGCTGATGTT		
				GCCCGCATGG		
				GAGCCACCTA		
				AACATCGTTG		
				GGATGCCCGA		
				TGCGCCGTTA		
				CTACTTGCAT		
				CCGTTTCCAC		
				GTCCTGGCTG		
				CTTGCTGTTC		
				AAGACCTCGG		
				CCTCGGTTTT		
				TGGTTGGCTA		
				ATTTTTACAA		
				ATTTTGAGGA		
				ATTATTTATC		
				TACAATGAGG		
				AAATATCAAT		
				ACAACATATC		
				GCCGAATAAA		
				GTTGATACCG		
				AGAGGTTCCA		
				TCGAGATTTT		
				GTTGATATAT		
4561	CATTTTGAGG	CATTTCAGTC	AGTTGCTCAA	TGTACCTATA	ACCAGACCGT	TCAGCTGGAT
				AATAAGCACA		
				CCGGAATTCC		
				TGTTACACCG		
						ACACATATAT ·
				CTGGCCTATT		
				GTGAGTTTCA		
				TTCACCATGG		
				GTTCATCATG		
						CGGGGCGTAA
						CGCTGATTTT
						AGGTGTGCTA
						AAGGCATATA
						GTCGTCTGCG
						GGTTTATTGA
						AAGGTTTACA
						ATTATTGACA
						GATAAAGTCT
						ATGACCACCG
						AGCCACCGCG
						TCAGGCTCCC
						TTTACAGTAT
						ATCATTTTAC
5941	GTTTCTCGTT	CAGCTTTCTT	GTACAAAGTO	GTGATAGCTT	GTCGAGAAGT	ACTAGAGGAT-




6001 CATAATCAGC	САТАССАСАТ	TTGTAGAGGT	TTTACTTGCT	TTAAAAAACC	TCCCACACCT
6061 CCCCCTGAAC					
6121 TTATAATGGT					
6181 ACTGCATTCT					
6241 ATCACTGCTT	GAGCCTAGGA	GATCCGAACC	AGATAAGTGA	AATCTAGTTC	CAAACTATTT
6301 TGTCATTTTT	AATTTTCGTA	TTAGCTTACG	ACGCTACACC	CAGTTCCCAT	CTATTTTGTC
6361 ACTCTTCCCT	AAATAATCCT	TAAAAACTCC	ATTTCCACCC	CTCCCAGTTC	CCAACTATTT
6421 TGTCCGCCCA	CAGCGGGGCA	TTTTTCTTCC	TGTTATGTTT	TTAATCAAAC	ATCCTGCCAA
6481 CTCCATGTGA	•				
6541 CTGTCATCTC	TTCGTTATTA	ATGTTTGTAA	TTGACTGAAT	ATCAACGCTT	ATTTGCAGCC
6601 TGAATGGCGA	ATG				

ggtgacgccg tcatctttcc attgtaacgt aaatggcaac ttgtagatga acgcgctgtc ccactgcggc agtagaaagg taacattgca tttaccgttg aacatctact tgcgcgacag

aaaaaaccgg ccagtttctt ccacaaactc gcgcacggct gtctcgtaaa cttttgcgtc ttttttggcc ggtcaaagaa ggtgtttgag cgcgtgccga cagagcatt gaaaacgcag 39 K Prowoter

gcaacaatcg cgatgacctc gtggtatgga aattttttct aaaaaaagtgt cgttcatgtc gcttgttagc gctactggag caccatacct ttaaaaaaaga ttttttcaca gcaagtacag ccgccgccgc aagcgcgagg catgcgcgc tgcccgtgtg tcgtcctgtc ggaacaggcc caccatacct tcacaaaaaga tcgtcctgtc ggaacaggcc ccgccgccgc aagcgcgagg ccatgcgcgc tgcccgtgtg tcgtcctgtc ggaacaggcc

ctcgattatc ataaacaatc ctgcaggcat gcaagctgga tcatcacaag tttgtacaaa gagctaatag tatttgttag gacgtccgta cgttcgacct agtagtgttc aaacatgttt



pDEST19 6668 bp (rotated to position 1000)

Location (Base Nos.)	Gene Encoded
515391	attR1
7651424	CmR
15441628	inactivated ccdA
17662071	ccdB
21122236	attR2
28522895	lacZ
33444319	ampR
44605114	ori
560852	genR


1	AGTGGTTCGC	ATCCTCGGTT	TTCTGGAAGG	CGAGCATCGT	TTGTTCGCCC	AGGACTCTAG
61	CTATAGTTCT	AGTGGTTGGC	TACGTATATC	AAATACTTGT	AGGTGACGCC	GTCATCTTTC
121	CATTGTAACG	TAAATGGCAA	CTTGTAGATG	AACGCGCTGT	CAAAAAACCG	GCCAGTTTCT
181	TCCACAAACT	CGCGCACGGC	TGTCTCGTAA	ACTTTTGCGT	CGCAACAATC	GCGATGACCT
241	CGTGGTATGG	AAATTTTTTC	TAAAAAAGTG	TCGTTCATGT	CGGCGGCGGG	CGCGTTCGCG
301	CTCCGGTACG	CGCGACGGGC	ACACAGCAGG	ACAGCCTTGT	CCGGCTCGAT	TATCATAAAC
361	AATCCTGCAG	GCATGCAAGC	TCGGATCATC	ACAAGTTTGT	ACAAAAAAGC	TGAACGAGAA
421	ACGTAAAATG	TATAAATAT	CAATATATTA	AATTAGATTT	TGCATAAAAA	ACAGACTACA
481	TAATACTGTA	AAACACAACA	TATCCAGTCA	CTATGGCGGC	CGCTAAGTTG	GCAGCATCAC
541	CCGACGCACT	TTGCGCCGAA	TAAATACCTG	TGACGGAAGA	TCACTTCGCA	GAATAAATAA
601	ATCCTGGTGT	CCCTGTTGAT	ACCGGGAAGC	CCTGGGCCAA	CTTTTGGCGA	AAATGAGACG
661	TTGATCGGCA	CGTAAGAGGT	TCCAACTTTC	ACCATAATGA	AATAAGATCA	CTACCGGGCG
721	TATTTTTTGA	GTTATCGAGA	TTTTCAGGAG	CTAAGGAAGC	TAAAATGGAG	AAAAAAATCA
781	CTGGATATAC	CACCGTTGAT	ATATCCCAAT	GGCATCGTAA	AGAACATTTT	GAGGCATTTC
841	AGTCAGTTGC	TCAATGTACC	TATAACCAGA	CCGTŢCAGCT	GGATATTACG	GCCTTTTTAA
901	AGACCGTAAA	GAAAAATAAG	CACAAGTTTT	ATCCGGCCTT	TATTCACATT	CTTGCCCGCC
961	TGATGAATGC	TCATCCGGAA	TTCCGTATGG	CAATGAAAGA	CGGTGAGCTG	GTGATATGGG
1021	ATAGTGTTCA	CCCTTGTTAC	ACCGTTTTCC	ATGAGCAAAC	TGAAACGTTT	TCATCGCTCT
1081	GGAGTGAATA	CCACGACGAT	TTCCGGCAGT	TTCTACACAT	ATATTCGCAA	GATGTGGCGT
1141	GTTACGGTGA	AAACCTGGCC	TATTTCCCTA	AAGGGTTTAT	TGAGAATATG	TTTTTCGTCT
1201	CAGCCAATCC	CTGGGTGAGT	TTCACCAGTT	TTGATTTAAA	CGTGGCCAAT	ATGGACAACT
1261	TCTTCGCCCC	CGTTTTCACC	ATGGGCAAAT	ATTATACGCA	AGGCGACAAG	GTGCTGATGC
1321	CGCTGGCGAT	TCAGGTTCAT	CATGCCGTCT	GTGATGGCTT	CCATGTCGGC	AGAATGCTTA
1381	ATGAATTACA	ACAGTACTGC	GATGAGTGGC	AGGGCGGGC	GTAAACGCGT	GGATCCGGCT
1441	TACTAAAAGC	CAGATAACAG	TATGCGTATT	TGCGCGCTGA	TTTTTGCGGT	ATAAGAATAT
1501	ATACTGATAT	GTATACCCGA	AGTATGTCAA	AAAGAGGTGT	GCTATGAAGC	AGCGTATTAC
1561	AGTGACAGTT	GACAGCGACA	GCTATCAGTT	GCTCAAGGCA	TATATGATGT	CAATATCTCC
1621	GGTCTGGTAA	GCACAACCAT	GCAGAATGAA	GCCCGTCGTC	TGCGTGCCGA	ACGCTGGAAA
1681	GCGGAAAATC	AGGAAGGGAT	GGCTGAGGTC	GCCCGGTTTA	TTGAAATGAA	CGGCTCTTTT
1741	GCTGACGAGA	ACAGGGACTG	GTGAAATGCA	GTTTAAGGTT	TACACCTATA	AAAGAGAGAG
1801	CCGTTATCGT	CTGTTTGTGG	ATGTACAGAG	TGATATTATT	GACACGCCCG	GGCGACGGAT
,1861	GGTGATCCCC	CTGGCCAGTG	CACGTCTGCT	GTCAGATAAA	GTCTCCCGTG	AACTITACCC
1921	GGTGGTGCAT	ATCGGGGATG	AAAGCTGGCG	CATGATGACC	ACCGATATGG	CCAGTGTGCC
						ACATCAAAAA
						ACAGCCAGTC
						GTCTGTTTTT
						CGTTCAGCTT
						ACCACATTTG
						AAACATAAAA
						AAATAAAGCA
						TGTGGTTTGT
						CCTAGGAGAT
						TTTCGTATTA
2581	GCTTACGACG	CTACACCCAG	TTCCCATCTA	TTTTGTCACT	CITCCCTAAA	TAATCCTTAA

FIGURE 39B

2641	AAACTCCATT	TCCACCCCTC	CCAGTTCCCA	ACTATTTTGT	CCGCCCACAG	CGGGGCATTT
2701	TTCTTCCTGT	TATGTTTTTA	ATCAAACATC	CTGCCAACTC	CATGTGACAA	ACCGTCATCT
2761	TCGGCTACTT	TTTCTCTGTC	ACAGAATGAA	AATTTTTCTG	TCATCTCTTC	GTTATTAATG
2821	TTTGTAATTG	ACTGAATATC	AACGETTATT	TGCAGCCTGA	ATGGCGAATG	GACGCGCCCT
2881	GTAGCGGCGC	ATTAAGCGCG	GCGGGTGTGG	TGGTTACGCG	CAGCGTGACC	GCTACACTTG
		AGCGCCCGCT				
		TCAAGCTCTA				
		CCCCAAAAAA				
		TTTTCGCCCT				
		AACAACACTC				
		GGCCTATTGG				
3301	TTAACAAAAT	ATTAACGTTT	ACAATTTCAG	GTGGCACTTT	TCGGGGAAAT	GTGCGCGGAA
		TTTATTTTTC				
3421	CCTGATAAAT	GCTTCAATAA	TATTGAAAAA	GGAAGAGTAT	GAGTATTCAA	CATTTCCGTG
3481	TCGCCCTTAT	TCCCTTTTTT	GCGGCATTTT	GCCTTCCTGT	TTTTGCTCAC	CCAGAAACGC
		AAAAGATGCT				
		CGGTAAGATC				
		AGTTCTGCTA				
		CCGCATACAC				
		TACGGATGGC				
		TGCGGCCAAC				
		CAACATGGGG				
		ACCAAACGAC				
		ATTAACTGGC				
		GGATAAAGTT				
		TAAATCTGGA				
		TAAGCCCTCC				
		AAATAGACAG				
		AGTITACTCA				
		GGTGAAGATC				
		CTGAGCGTCA				
		CGTAATCTGC				
		TCAAGAGCTA				
		TACTGTCCTT				
		TACATACCTC				
		TCTTACCGGG				
		GGGGGGTTCG				
		ACAGCGTGAG				
		GGTAAGCGGC				
		GTATCTTTAT				
		CTCGTCAGGG				
		GGCCTTTTGC				
		TAACCGTATT				
		CAGCGAGTCA				
		TCTGTGCGGT				
		AGTAATAAAT				
-		CAAAATAGAT				
		AATCAGTCCA				
		CTTCATTTTC				
						AACTCCGCGG
_						TCGATATCAA
						GGATCGTCAC
						TGCTTGAGGA
	_					GCGAGATCAT
						GCGAGAGCGC
						CGGAGCAAGT
						CCGAACTCAC
6061	GACCGAAAAG	ATCAAGAGCA	GCCCGCATGG	ATTTGACTTG	GTCAGGGCCG	AGCCTACATG-

6121	TGCGAATGAT	GCCCATACTT	GAGCCACCTA	ACTTTGTTTT	AGGGCGACTG	CCCTGCTGCG
6101	TAACATCGTT	CCTCCTCCGT	AACATCGTTG	CTGCTCCATA	ACATCAAACA	TCGACCCACG
9191	GCGTAACGCG	GCIGCIGCGI	CCATCCCCCA	CCCATAGACT	GTACAAAAA	ACAGTCATAA
6241	GCGTAACGCG	CTTGCTGCTT	GGAIGCCCGA	CONCICCECC	CTTCGGTCAA	GGTTCTGGAC
6301	CAAGCCATGA	AAACCGCCAC	TGCGCCGTTA	CCACCGCIGC	GIICGGICAA	CCCTTANTOTC
6361	CAGTTGCGTG	AGCGCATACG	CTACTTGCAT	TACAGTTTAC	GAACCGAACA	GGCTTATGTC
6421	AACTGGGTTC	GTGCCTTCAT	CCGTTTCCAC	GGTGTGCGTC	ACCCGGCAAC	CTTGGGCAGC
6481	AGCGAAGTCG	AGGCATTTCT	GTCCTGGCTG	GCGAACGAGC	GCAAGGTTTC	GGTCTCCACG
6541	CATCGTCAGG	CATTGGCGGC	CTTGCTGTTC	TTCTACGGCA	AGGTGCTGTG	CACGGATCTG
0241	CCCTGGCTTC	ACCACATCCC	AAGACCTCGG	CCGTCGCGGC	GCTTGCCGGT	GGTGCTGACC
		AGGAGATCGG	MAGACCICGG	CCGTCGCGGC	0022022	
6661	CCGGATGA					

Polyhedron Promoter for Baculovirus Expression




pDEST20 7066 bp (rotated to position 5800)

Location (Base Nos.)	Gene Encoded
5921263	GST
13971273	attR1
15062165	CmR
22852369	inactivated ccdA
25072812	ccdB
28532977	attR2
42145064	ampR
52635843	ori

1	CCACTGCGCC	GTTACCACCG	CTGCGTTCGG	TCAAGGTTCT	GGACCAGTTG	CGTGAGCGCA
61	TACGCTACTT	GCATTACAGT	TTACGAACCG	AACAGGCTTA	TGTCAACTGG	GTTCGTGCCT
121				CAACCTTGGG		
181				TTTCGGTCTC		
241				TGTGCACGGA		
301				CGGTGGTGCT		
				GTTTGTTCGC		
				TTAATAGATC		
				TGTTTTCGTA		
				CCCACCATCG		
				GTGCAACCCA		
				GAGCGCGATG		
				AATCTTCCTT		
781	AAATTAACAC	AGTCTATGGC	CATCATACGT	TATATAGCTG	ACAAGCACAA	CATGTTGGGT
				ATGCTTGAAG		
				GACTTTGAAA		
				GAAGATCGTT		
				ATGTTGTATG		
				CCAAAATTAG		
				AAATCCAGCA		
				GACCATCCTC		
1261	CGTCATAATC	AAACAAGTTT	GTACAAAAA	GCTGAACGAG	AAACGTAAAA	TGATATAAAT
				AAACAGACTA		
1381	CATATCCAGT	CACTATGGCG	GCCGCATTAG	GCACCCCAGG	CTTTACACTT	TATGCTTCCG
				ATCCGGCGAG		
				CCACCGTTGA		
				CTCAATGTAC		
				AGAAAAATAA		
				CTCATCCGGA		
				ACCCTTGTTA		
1801				ACCACGACGA		
1861	TATATTCGCA	AGATGTGGCG	TGTTACGGTG	AAAACCTGGC	CTATTTCCCT	AAAGGGTTTA
,1921	TTGAGAATAT	GTTTTTCGTC	TCAGCCAATC	CCTGGGTGAG	TTTCACCAGT	TTTGATTTAA
1981	ACGTGGCCAA	TATGGACAAC	TTCTTCGCCC	CCGTTTTCAC	CATGGGCAAA	TATTATACGC
2041	AAGGCGACAA	GGTGCTGATG	CCGCTGGCGA	TTCAGGTTCA	TCATGCCGTC	TGTGATGGCT
2101	TCCATGTCGG	CAGAATGCTT	AATGAATTAC	AACAGTACTG	CGATGAGTGG	CAGGGCGGGG
2161	CGTAATCTAG	AGGATCCGGC	TTACTAAAAG	CCAGATAACA	GTATGCGTAT	TTGCGCGCTG
2221	ATTTTTGCGG	TATAAGAATA	TATACTGATA	TGTATACCCG	AAGTATGTCA	AAAAGAGGTG
2281	TGCTATGAAG	CAGCGTATTA	CAGTGACAGT	TGACAGCGAC	AGCTATCAGT	TGCTCAAGGC
2341	ATATATGATG	TCAATATCTC	CGGTCTGGTA	AGCACAACCA	TGCAGAATGA	AGCCCGTCGT
2401	CTGCGTGCCG	AACGCTGGAA	AGCGGAAAAT	CAGGAAGGGA	TGGCTGAGGT	CGCCCGGTTT
2461	ATTGAAATGA	ACGGCTCTTT	TGCTGACGAG	AACAGGGACT	GGTGAAATGC	AGTTTAAGGT
2521	TTACACCTAT	AAAAGAGAGA	GCCGTTATCG	TCTGTTTGTG	GATGTACAGA	GTGATATTAT
2581	TGACACGCCC	GGGCGACGGA	TGGTGATCCC	CCTGGCCAGT	GCACGTCTGC	TGTCAGATAA
2641	AGTCTCCCGT	GAACTTTACC	CGGTGGTGCA	TATCGGGGAT	GAAAGCTGGC	GCATGATGAC-

FAURE 40B

2701	<i>ርአርርር</i> አጥአጥር	CCCACTGTGC	СССТСТСССТ	TATCGGGGAA	GAAGTGGCTG	ATCTCAGCCA
2701	CACCGAIAIG	CACATCAAAA	ACCCCATTAA	CCTGATGTTC	TGGGGAATAT	AAATGTCAGG
2/61	CCGCGAAAAI	CACACCCCACT	CTGCAGGTCG	ACCATAGTGA	CTGGATATGT	TGTGTTTTAC
2821	CICCCITATA	ACTICTICTTT	TTATCCAAAA	TCTAATTTAA	TATATTGATA	TTTATATCAT
2881	AGTATTATGT	TCCTTCACCT	TTATGCAAAA	AAGTGGTTTG	ATAGCTTGTC	GAGAAGTACT
2941	TTTACGTTTC	TCGTTCAGCT	ACCACATTTC	TAGAGGTTTT	ACTTGCTTTA	AAAAACCTCC
3001	AGAGGATCAT	AATCAGCCAT	ACCACATILG	TGAATGCAAT	ТСТТСТТСТТ	AACTTGTTTA
3061	CACACCTCCC	CCTGAACCIG	MAACAIAAAA	ATAGCATCAC	אממייירמרמ	AATAAAGCAT
3121	TTGCAGCTTA	TAATGGTTAC	MCMCCCCCCCCC	CCANACTCAC	CAATCTATCT	TATCATGTCT
3181	TTTTTTCACT	GCATTCTAGT	TGTGGTTTGT	CCAAACTCAT	TARTUIRICI	CTACTTCCAA
3241	GGATCTGATC	ACTGCTTGAG	CCTAGGAGAI	CCGAACCAGA	CENCACCCAG	TTCCCATCTA
3301	ACTATTTTGT	CATTITAAT	TITCGTATTA	GCTTACGACG	TOCACCCCTC	CCACTTCCA
3361	TTTTGTCACT	CTTCCCTAAA	TAATCCTTAA	AAACTCCATT	TCCACCCCTC	ATTCA A A CATTC
3421	ACTATTTTGT	CCGCCCACAG	CGGGGCATTT	TTCTTCCTGT	TATGITITA	ALCAMACAIC
3481	CTGCCAACTC	CATGTGACAA	ACCGTCATCT	TCGGCTACTT	TITCICIGIC	ACAGAATGAA
3541	AATTTTTCTG	TCATCTCTTC	GTTATTAATG	TTTGTAATTG	ACTGAATATC	AACGCTTATT
3601	TGCAGCCTGA	ATGGCGAATG	GACGCGCCCT	GTAGCGGCGC	ATTAAGCGCG	GCGGGTGTGG
3661	TGGTTACGCG	CAGCGTGACC	GCTACACTTG	CCAGCGCCCT	AGCGCCCGCT	CCTTTCGCTT
3721	TCTTCCCTTC	CTTTCTCGCC	ACGTTCGCCG	GCTTTCCCCG	TCAAGCTCTA	AATCGGGGGC
3781	TCCCTTTAGG	GTTCCGATTT	AGTGCTTTAC	GGCACCTCGA	CCCCAAAAAA	CTTGATTAGG
3841	GTGATGGTTC	ACGTAGTGGG	CCATCGCCCT	GATAGACGGT	TTTTCGCCCT	TTGACGTTGG
3901	AGTCCACGTT	CTTTAATAGT	GGACTCTTGT	TCCAAACTGG	AACAACACTC	AACCCTATCT
3961	CGGTCTATTC	TTTTGATTTA	TAAGGGATTT	TGCCGATTTC	GGCCTATTGG	TTAAAAAATG
4021	AGCTGATTTA	ACAAAAATTT	AACGCGAATT	TTAACAAAAT	ATTAACGTTT	ACAATTTCAG
4081	GTGGCACTTT	TCGGGGAAAT	GTGCGCGGAA	CCCCTATTTG	TTTATTTTTC	TAAATACATT
4141	CAAATATGTA	TCCGCTCATG	AGACAATAAC	CCTGATAAAT	GCTTCAATAA	TATTGAAAAA
4201	GGAAGAGTAT	GAGTATTCAA	CATTTCCGTG	TCGCCCTTAT	TCCCTTTTTT	GCGGCATTTT
4261	GCCTTCCTGT	TTTTGCTCAC	CCAGAAACGC	TGGTGAAAGT	AAAAGATGCT	GAAGATCAGT
4321	TGGGTGCACG	AGTGGGTTAC	ATCGAACTGG	ATCTCAACAG	CGGTAAGATC	CTTGAGAGTT
4381	TTCGCCCCGA	AGAACGTTTT	CCAATGATGA	GCACTTTTAA	AGTTCTGCTA	TGTGGCGCGG
4441	TATTATCCCG	TATTGACGCC	GGGCAAGAGC	AACTCGGTCG	CCGCATACAC	TATTCTCAGA
4501	ATGACTTGGT	TGAGTACTCA	CCAGTCACAG	AAAAGCATCT	TACGGATGGC	ATGACAGTAA
4561	CAGAATTATG	CAGTGCTGCC	ATAACCATGA	GTGATAACAC	TGCGGCCAAC	TTACTTCTGA
4501	CAACGATCGG	AGGACCGAAG	GAGCTAACCG	CTTTTTTGCA	CAACATGGGG	GATCATGTAA
4021	CTCCCCTTGA	TCGTTGGGAA	CCGGAGCTGA	ATGAAGCCAT	ACCAAACGAC	GAGCGTGACA
4741	CTCGCCTTGA	TGTAGCAATG	GCAACAACGT	TGCGCAAACT	ATTAACTGGC	GAACTACTTA
4/41	CTCTACCTTC	CCCCCAACAA	TTAATAGACT	GGATGGAGGC	GGATAAAGTT	GCAGGACCAC
4001	CICIAGCIIC		CCTCCCTCCT	TTATTGCTGA	TAAATCTGGA	GCCGGTGAGC
4001		CCCTATCATT	CCACCACTGG	GGCCAGATGG	TAAGCCCTCC	CGTATCGTAG
4921	. GIGGGICICO	COGIAICALI	CACCCAACTA	TGGATGAACG	AAATAGACAG	ATCGCTGAGA
4981	. TTATCTACAC	. GACGGGGAGI	CAGGCAACIA	TGTCAGACCA	ΔΩΤΤΤΔΟΤΟΑ	TATATACTTT
5041	TAGGTGCCTC	ACIGATIAAG	CHIIGGIAAC	AAAGGATCTA	CCTCAACATC	СТТТТСАТА
				TTTCGTTCCA		
5161	. ATCTCATGAC	CAAAATCCCI	TAACGIGAGI	TITEGITECA TOTOLOGIE	CIGAGCGICA	TGCTTGCAAA
5221	AAAAGATCAA	AGGATCTTCT	TGAGATCCTT	COTTOCCC	TCAACACCTA	TGCTTGCAAA
5281	CAAAAAAACC	ACCGCTACCA	CCGGTGGTTT	GTTTGCCGGA	TOMAGAGETA	CTACTCTACC
5341	L TTCCGAAGGT	AACTGGCTTC	AGCAGAGCGC	AGATACCAAA	TACIGICCII	CIAGIGIAGC
5401	CGTAGTTAGG	CCACCACTIC	AAGAACTCTG	TAGCACCGCC	TACATACCTC	GCTCTGCTAA
						TTGGACTCAA
						TGCACACAGC
						CATTGAGAAA
5641	GCGCCACGCT	TCCCGAAGGC	AGAAAGGCGC	ACAGGTATCC	GGTAAGCGGC	AGGGTCGGAA
						AGTCCTGTCG
						GGGCGGAGCC
						TGGCCTTTTG
						ACCGCCTTTG
						GTGAGCGAGG
600	1 AAGCGGAAGA	A GCGCCTGATO	CGGTATTTT	C TCCTTACGCA	TCTGTGCGGT	ATTTCACACC
						GGATGCCCTG
						CTAAACTATG-




6181	ACAATAAAGT	CTTAAACTAG	ACAGAATAGT	TGTAAACTGA	AATCAGTCCA	GTTATGCTGT
6241	GAAAAAGCAT	ACTGGACTTT	TGTTATGGCT	AAAGCAAACT	CTTCATTTTC	TGAAGTGCAA
6301	ATTGCCCGTC	GTATTAAAGA	GGGGCGTGGC	CAAGGGCATG	GTAAAGACTA	TATTCGCGGC
6361	GTTGTGACAA	TTTACCGAAC	AACTCCGCGG	CCGGGAAGCC	GATCTCGGCT	TGAACGAATT
6421	GTTAGGTGGC	GGTACTTGGG	TCGATATCAA	AGTGCATCAC	TTCTTCCCGT	ATGCCCAACT
6481	TTGTATAGAG	AGCCACTGCG	GGATCGTCAC	CGTAATCTGC	TTGCACGTAG	ATCACATAAG
6541	CACCAAGCGC	GTTGGCCTCA	TGCTTGAGGA	GATTGATGAG	CGCGGTGGCA	ATGCCCTGCC
6601	TCCGGTGCTC	GCCGGAGACT	GCGAGATCAT	AGATATAGAT	CTCACTACGC	GGCTGCTCAA
6661	ACCTGGGCAG	AACGTAAGCC	GCGAGAGCGC	CAACAACCGC	TTCTTGGTCG	AAGGCAGCAA
6721	GCGCGATGAA	TGTCTTACTA	CGGAGCAAGT	TCCCGAGGTA	ATCGGAGTCC	GGCTGATGTT
6781	GGGAGTAGGT	GGCTACGTCT	CCGAACTCAC	GACCGAAAAG	ATCAAGAGCA	GCCCGCATGG
6841	ATTTGACTTG	GTCAGGGCCG	AGCCTACATG	TGCGAATGAT	GCCCATACTT	GAGCCACCTA
6901	ACTITGTTTT	AGGGCGACTG	CCCTGCTGCG	TAACATCGTT	GCTGCTGCGT	AACATCGTTG
6961	CTGCTCCATA	ACATCAAACA	TCGACCCACG	GCGTAACGCG	CTTGCTGCTT	GGATGCCCGA
7021	GGCATAGACT	GTACAAAAAA	ACAGTCATAA	CAAGCCATGA	AAACCG	


FIGURE 40D

Figure 41A:

P DEST21

2-Hybrid Vector with DNA-Binding Domain





pDEST21 11713 bp (rotated to position 11000)

```
Location (Base Nos.)
                                           Gene Encoded
                   857..1322
                                           GAL4DB
                   1456..1332
                                           attR1
                   1706..2365
                                           CmR
                   2485..2569
                                          inactivated ccdA
                   2707..3012
                                          ccdB
                   3053..3177
                                          attR2
                   3716..3735
                                          pT7 (T7 promoter:
                                         fl (fl intergenic region)
                   3899..4354
                   4414..6642
                                          Leu2
                   7541..8515
                                          kanR
                   9668..10958
                                          CYH2
                   11118..848
                                          pADH (ADH promoter)
   1 TTTATTATGT TACAATATGG AAGGGAACTT TACACTTCTC CTATGCACAT ATATTAATTA
  61 AAGTCCAATG CTAGTAGAGA AGGGGGGTAA CACCCCTCCG CGCTCTTTTC CGATTTTTTT
 121 CTAAACCGTG GAATATTTCG GATATCCTTT TGTTGTTTCC GGGTGTACAA TATGGACTTC
 181 CTCTTTTCTG GCAACCAAAC CCATACATCG GGATTCCTAT AATACCTTCG TTGGTCTCCC
 241 TAACATGTAG GTGGCGGAGG GGAGATATAC AATAGAACAG ATACCAGACA AGACATAATG
 301 GGCTAAACAA GACTACACCA ATTACACTGC CTCATTGATG GTGGTACATA ACGAACTAAT
 361 ACTGTAGCCC TAGACTTGAT AGCCATCATC ATATCGAAGT TTCACTACCC TTTTTCCATT
 421 TGCCATCTAT TGAAGTAATA ATAGGCGCAT GCAACTTCTT TTCTTTTTTT TTCTTTTCTC
 481 TCTCCCCCGT TGTTGTCTCA CCATATCCGC AATGACAAAA AAAATGATGG AAGACACTAA
 541 AGGAAAAAT TAACGACAAA GACAGCACCA ACAGATGTCG TTGTTCCAGA GCTGATGAGG
 601 GGTATCTTCG AACACACGAA ACTITTTCCT TCCTTCATTC ACGCACACTA CTCTCTAATG
 661 AGCAACGGTA TACGGCCTTC CTTCCAGTTA CTTGAATTTG AAATAAAAA AGTTTGCCGC
 721 TITGCTATCA AGTATAAATA GACCTGCAAT TATTAATCTT TTGTTTCCTC GTCATTGTTC
 781 TCGTTCCCTT TCTTCCTTGT TTCTTTTCT GCACAATATT TCAAGCTATA CCAAGCATAC
 841 AATCAACTCC AAGCTTGAAG CAAGCCTCCT GAAAGATGAA GCTACTGTCT TCTATCGAAC
 901 AAGCATGCGA TATTTGCCGA CTTAAAAAGC TCAAGTGCTC CAAAGAAAAA CCGAAGTGCG
 961 CCAAGTGTCT GAAGAACAAC TGGGAGTGTC GCTACTCTCC CAAAACCAAA AGGTCTCCGC
1021 TGACTAGGGC ACATCTGACA GAAGTGGAAT CAAGGCTAGA AAGACTGGAA CAGCTATTTC
1081 TACTGATTT TCCTCGAGAA GACCTTGACA TGATTTTGAA AATGGATTCT TTACAGGATA
1141 TAAAAGCATT GTTAACAGGA TTATTTGTAC AAGATAATGT GAATAAAGAT GCCGTCACAG
```

1201 ATAGATTGGC TTCAGTGGAG ACTGATATGC CTCTAACATT GAGACAGCAT AGAATAAGTG
1261 CGACATCATC ATCGGAAGAG AGTAGTACA AAGGTCAAAG ACAGTTGACT GTATCGTCGA
1321 GGTCGAATCA AACAAGTTG TACAAAAAAG CTGAACGAGA AACGTAAAAT GATATAAATA
1381 TCAATATATT AAATTAGATT TTGCATAAAA AACAGACTAC ATAATACTGT AAAACACAAC
1441 ATATCCAGTC ACTATGGCGG CCGCTAAGTT GGCAGCATCA CCCGACGCAC TTTGCGCCGA
1501 ATAAATACCT GTGACGGAAG ACCTTCGC AGAATAAATA AATCCTGGTG TCCCTGTTGA
1561 TACCGGGAAG CCCTGGGCCA ACTTTTGGCG AAAATGAGAC GTTGATCGGC ACGTAAGAGG
1621 TTCCAACTTT CACCATAATG AAATAAGATC ACTACCGGGC GTATTTTTTG AGTTATCGAG
1681 ATTTCAGGA GCTAAGGAAG CTAAAATGGA GAAAAAAATC ACTGGATATA CCACCGTTGA
1741 TATATCCCAA TGGCATCGTA AAGAACATTT TGAGGCATTT CAGTCAGTTG CTCAATGTAC
1801 CTATAACCAG ACCGTTCAGC TGGATATTAC GGCCTTTTTA AAGACCGTAA AGAAAAATAA
1861 GCACAAGTTT TATCCGGCCT TTATTCACAT TCTTGCCGC CTGATGAATG CTCATCCGGA
1921 ATTCCGTATG GCAATGAAAG ACGGTGAGCT GGTGATATG GATAGTGTC ACCCCTTGTA
1981 CACCGTTTTC CATGACAAA CTGAAACGTT TTCATCGCTC TGGAGTGAAT ACCACGACGA
2041 TTTCCGGCAG TTTCTACACA TATATTCGCA AGATGTGGCG TGTTACCGGTG AAAACCTGGC

2161 TTTCACCAGT TTTGATTTAA ACGTGGCCAA TATGGACAAC TTCTTCGCCC CCGTTTTCAC
2221 CATGGGCAAA TATTATACGC AAGGCGACAA GGTGCTGATG CCGCTGGCGA TTCAGGTTCA
2281 TCATGCCGTC TGTGATGGCT TCCATGTCGG CAGAATGCTT AATGAATTAC AACAGTACTG
2341 CGATGAGTGG CAGGCCGGG GGTAATGTAG ACCATGAGGC TTAGAATAC GGACATAAAC

2341 CGATGAGTGG CAGGGCGGGG CGTAATCTAG AGGATCCGGC TTACTAAAAG CCAGATAACA 2401 GTATGCGTAT TTGCGCGCTG ATTTTTGCGG TATAAGAATA TATACTGATA TGTATACCCG-

2101 CTATTTCCCT AAAGGGTTTA TTGAGAATAT GTTTTTCGTC TCAGCCAATC CCTGGGTGAG

FIGURE 413

	AAGTATGTCA					
	AGCTATCAGT					
	TGCAGAATGA					
	TGGCTGAGGT					
	GGTGAAATGC					
	GATGTACAGA					
2821	GCACGTCTGC	TGTCAGATAA	AGTCTCCCGT	GAACTTTACC	CGGTGGTGCA	TATCGGGGAT
2881	GAAAGCTGGC	GCATGATGAC	CACCGATATG	GCCAGTGTGC	CGGTCTCCGT	TATCGGGGAA
2941	GAAGTGGCTG	ATCTCAGCCA	CCGCGAAAAT	GACATCAAAA	ACGCCATTAA	CCTGATGTTC
3001	TGGGGAATAT	AAATGTCAGG	CTCCCTTATA	CACAGCCAGT	CTGCAGGTCG	ACCATAGTGA
	CTGGATATGT					
	TATATTGATA					
	ATGGCCGCTA					
	AGCTTTGGAC					
	TACCTTGCCA					
	TGACACTTCT					
	AAAAAAAA					
	ATTCTTGAGT					
	TCTTATTGAC					
	CACCCAATTG					,
	TGTCCTCAGA					
	TAGTGAGTCG		•			
_						
	TGGCGTTACC					
-	CGAAGAGGCC					
	GCGCCCTGTA					
	ACACTTGCCA					
	TTCGCCGGCT					
	GCTTTACGGC					
	TCGCCCTGAT					
	CTCTTGTTCC					
	GGGATTTTGC					
	GCGAATTTTA					
4381	ATCTGTGCGG	TATTTCACAC	CGCATATCGA	CCGGTCGAGG	AGAACTTCTA	GTATATCCAC
4441	ATACCTAATA	TTATTGCCTT	ATTAAAAATG	GAATCGGAAC	AATTACATCA	AAATCCACAT
4501	TCTCTTCAAA	ATCAATTGTC	CTGTACTTCC	TTGTTCATGT	GTGTTCAAAA	ACGTTATATT
4561	TATAGGATAA	TTATACTCTA	TTTCTCAACA	AGTAATTGGT	TGTTTGGCCG	AGCGGTCTAA
4621	GGCGCCTGAT	TCAAGAAATA	TCTTGACCGC	AGTTAACTGT	GGGAATACTC	AGGTATCGTA
4681	AGATGCAAGA	GTTCGAATCT	CTTAGCAACC	ATTATTTTTT	TCCTCAACAT	AACGAGAACA
4741	CACAGGGGCG	CTATCGCACA	GAATCAAATT	CGATGACTGG	AAATTTTTTG	TTAATTTCAG
4801	AGGTCGCCTG	· ACGCATATAC	CTTTTTCAAC	TGAAAAATTG	GGAGAAAAAG	GAAAGGTGAG
4861	AGGCCGGAAC	CGGCTTTTCA	TATAGAATAG	AGAAGCGTTC	ATGACTAAAT	GCTTGCATCA
4921	CAATACTTGA	AGTTGACAAT	ATTATTTAAG	GACCTATTGT	TTTTTCCAAT	AGGTGGTTAG
4981	CAATCGTCTT	ACTTTCTAAC	TTTTCTTACC	TTTTACATTT	CAGCAATATA	TATATATATT
	TCAAGGATAT	_			· -	
	GCCAGGTGAC					
	TTCTGATGTT					
	TATCGATGCT					
	TGCCGTTTTG					
	ACAAGGTTTA					
	. ACAAGGIIIA . CTTTGCATCC					
					· ·	
	. TGACTTCGTT					
	. CGATGGTGAT					
	CACAAGAATG					
	GGATAAAGCT					
	CAAGAACGAA					
	CCTAGTTAAG					
	TATCATCTCC					
5881	CTTGGCCTCT	TTGCCAGACA	AGAACACCGC	ATTTGGTTTG	TACGAACCAT	GCCACGGTTC-

FIGURE 41C

5941	TGCTCCACAT	ייייייייייייייייייייייייייייייייייייי	ስጥአ አ <i>ጣጣጣ</i> ጣ አ	0000000000		
6001	TGCTCCAGAT	TIGCCAAAGA	ACCOMOCOMO	CCCTATCGCC	ACTATOTICT	CIGCIGCAAT
6061	GATGTTGAAA	CARCCACCE	ACTIGCCTGA	AGAAGGTAAG	GCCATTGAAG	ATGCAGTTAA
6001	AAAGGTTTTG	GATGCAGGTA	TCAGAACTGG	TGATTTAGGT	GGTTCCAACA	GTACCACCGA
6121	AGTCGGTGAT	GCTGTCGCCG	AAGAAGTTAA	GAAAATCCTT	GCTTAAAAAG	ATTCTCTTTT
9181	TTTATGATAT	TTGTACATAA	ACTITATAAA	TGAAATTCAT	AATAGAAACG	ACACGAAATT
6241	ACAAAATGGA	ATATGTTCAT	AGGGTAGACG	AAACTATATA	CGCAATCTAC	ATACATTTAT
6301	CAAGAAGGAG	AAAAAGGAGG	ATAGTAAAGG	AATACAGGTA	AGCAAATTGA	TACTAATGGC
6361	TCAACGTGAT	AAGGAAAAAG	AATTGCACTT	' TAACATTAAT	ATTGACAAGG	AGGAGGGCAC
6421	CACACAAAAA	GTTAGGTGTA	ACAGAAAATC	ATGAAACTAC	GATTCCTAAT	TTGATATTGG
6481	AGGATTTTCT	СТААААААА	AAAAATACAA	CAAATAAAAA	ACACTCAATG	ACCTGACCAT
6541	TTGATGGAGT	TTAAGTCAAT	ACCTTCTTGA	ACCATTTCCC	ATAATGGTGA	AAGTTCCCTC
6601	AAGAATTTTA	CTCTGTCAGA	AACGGCCTTA	CGACGTAGTC	GATATGGTGC	ACTCTCAGTA
6661	CAATCTGCTC	TGATGCCGCA	TAGTTAAGCC	AGCCCCGACA	CCCGCCAACA	CCCGCTGACG
6721	CGCCCTGACG	GGCTTGTCTG	CTCCCGGCAT	CCGCTTACAG	ACAAGCTGTG	ACCGTCTCCG
6781	GGAGCTGCAT	GTGTCAGAGG	TTTTCACCGT	CATCACCGAA	ACGCGCGAGA	CGAAAGGGCC
6841	TCGTGATACG	CCTATTTTTA	TAGGTTAATG	TCATGATAAT	AATGGTTTCT	TAGGACGGAT
6901	CGCTTGCCTG	TAACTTACAC	GCGCCTCGTA	TCTTTTAATG	ATGGAATAAT	TTGGGAATTT
6961	ACTCTGTGTT	TATTTATTTT	TATGTTTTGT	ATTTGGATTT	TAGAAAGTAA	ATAAAGAAGG
7021	TAGAAGAGTT	ACGGAATGAA	GAAAAAAAA	TAAACAAAGG	TTAAAAAAT	TTCAACAAAA
7081	AGCGTACTTT	ACATATATAT	TTATTAGACA	AGAAAAGCAG	ATTAAATAGA	TATACATTCG
7141	ATTAACGATA	AGTAAAATGT	AAAATCACAG	GATTTTCGTG	TGTGGTCTTC	TACACAGACA
7201	AGATGAAACA	ATTCGGCATT	AATACCTGAG	AGCAGGAAGA	GCAAGATAAA	AGGTAGTATT
7261	TGTTGGCGAT	CCCCCTAGAG	TCTTTTACAT	CTTCGGAAAA	CAAAAACTAT	TTTTTCTTTA
7321	ATTTCTTTTT	TTACTTTCTA	TTTTAATTT	TATTTTAT	ATTAAAAAAT	TTAAATTATA
7381	ATTATTTTA	TAGCACGTGA	TGAAAAGGAC	CCAGGTGGCA	CTTTTCGGGG	AAATGTGCGC
7441	GGAACCCCTA	TTTGTTTATT	TTTCTAAATA	CATTCAAATA	TGTATCCGCT	CATGAGACAA
7501	TAACCCTGAT	AAATGCTTCA	ATAATCTGCA	GCTCTGGCCC	GTGTCTCAAA	ATCTCTGATG
7561	TTACATTGCA	CAAGATAAAA	ATATATCATC	ATGAACAATA	AAACTGTCTG	CTTACATAAA
7621	CAGTAATACA	AGGGGTGTTA	TGAGCCATAT	TCAACGGGAA	ACGTCTTGCT	GGAGGCCGCG
7681	ATTAAATTCC	AACATGGATG	CTGATTTATA	TGGGTATAAA	TGGGCTCGCG	ATAATGTCGG
7741	GCAATCAGGT	GCGACAATCT	TTCGATTGTA	TGGGAAGCCC	GATGCGCCAG	AGTTGTTTCT
7801	GAAACATGGC	AAAGGTAGCG	TTGCCAATGA	TGTTACAGAT	GAGATGGTCA	GACTAAACTG
7861	GCTGACGGAA	TTTATGCCTC	TTCCGACCAT	CAAGCATTTT	ATCCGTACTC	CTGATGATGC
7921	ATGGTTACTC	ACCACTGCGA	TCCGCGGGAA	AACAGCATTC	CAGGTATTAG	AAGAATATCC
7981	TGATTCAGGT	${\tt GAAAATATTG}$	TTGATGCGCT	GGCAGTGTTC	CTGCGCCGGT	TGCATTCGAT
8041	TCCTGTTTGT	AATTGTCCTT	TTAACAGCGA	TCGCGTATTT	CGTCTCGCTC	AGGCGCAATC
8101	ACGAATGAAT	AACGGTTTGG	TTGATGCGAG	TGATTTTGAT	GACGAGCGTA	ATGGCTGGCC
8161	TGTTGAACAA	GTCTGGAAAG	AAATGCATAC	GCTTTTGCCA	TTCTCACCGG	ATTCAGTCGT
8221	CACTCATGGT	GATTTCTCAC	TTGATAACCT	TATTTTTGAC	GAGGGGAAAT	TAATAGGTTG
8281	TATTGATGTT	GGACGAGTCG	GAATCGCAGA	CCGATACCAG	GATCTTGCCA	TCCTATGGAA
8341	CTGCCTCGGT	GAGTTTTCTC	CTTCATTACA	GAAACGGCTT	TTTCAAAAAT	ATGGTATTGA
8401	TAATCCTGAT	ATGAATAAAT	TGCAGTTTCA	TTTGATGCTC	GATGAGTTTT	TCTAATCAGA
8461	ATTGGTTAAT	TGGTTGTAAC	ACTGGCAGAG	CATTACGCTG	ACTTGACGGG	ACGGCGCATG
8521	ACCAAAATCC	CTTAACGTGA	GTTTTCGTTC	CACTGAGCGT	CAGACCCCGT	AGAAAAGATC
8581	AAAGGATCTT	CTTGAGATCC.	TTTTTTTCTG	CGCGTAATCT	GCTGCTTGCA	AACAAAAAA
8641	CCACCGCTAC	CAGCGGTGGT	TTGTTTGCCG	GATCAAGAGC	TACCAACTCT	TTTTCCGAAG
8701	GTAACTGGCT	TCAGCAGAGC	GCAGATACCA	AATACTGTCC	TTCTAGTGTA	GCCGTAGTTA
8761	GGCCACCACT	TCAAGAACTC	TGTAGCACCG	CCTACATACC	TCGCTCTGCT	AATCCTGTTA
88213	CCAGTGGCTG	CTGCCAGTGG	CGATAAGTCG	TGTCTTACCG	GGTTGGACTC	AAGACGATAG
8881	TTACCGGATA	AGGCGCAGCG	GTCGGGCTGA	ACGGGGGGTT	CGTGCACACA	GCCCAGCTTG
8941	GAGCGAACGA	CCTACACCGA	ACTGAGATAC	CTACAGCGTG	AGCATTGAGA	AAGCGCCACG
9001	CTTCCCGAAG	GGAGAAAGGC	GGACAGGTAT	CCGGTAAGCG	GCAGGGTCGG	AACAGGAGAG
9061	CGCACGAGGG	AGCTTCCAGG	GGGGAACGCC	TGGTATCTTT	ATAGTCCTGT	CGGGTTTCGC
9121	CACCTCTGAC	TTGAGCGTCG	ATTTTTGTGA	TGCTCGTCAG	GGGGGCCGAG	CCTATGGAAA
9181	AACGCCAGCA	ACGCGGCCTT	TTTACGGTTC	CTGGCCTTTT	GCTGGCCTTT	TGCTCACATG
9241	TICTTTCCTG	CGTTATCCCC	TGATTCTGTG	GATAACCGTA	TTACCGCCTT	TGAGTGAGCT
9301	GATACCGCTC	GCCGCAGCCG	AACGACCGAG	CGCAGCGAGT	CAGTGAGCGA	GGAAGCGGAA
9361	GAGCGCCCAA	TACGCAAACC	GCCTCTCCCC	GCGCGTTGGC	CGATTCATTA	ATGCAGCTGG-

FIGURE 4LD


	CACGACAGGT					
	CTCACTCATT					
	ATTGTGAGCG					
	GGAATTAACC					
	AGCCTTCGAG				_	
	CACGCGTCTG					
	CATAACTATA					
	GGTTAGAGCG					
9901	ATCGACAAAG	GAAAAGGGGC	CTGTTTACTC	ACAGGCTTTT	TTCAAGTAGG	TAATTAAGTC
9961	GTTTCTGTCT	TTTTCCTTCT	TCAACCCACC	AAAGGCCATC	TTGGTACTTT	TTTTTTTTT
	TTTTTTTTT					
10081	TTTTTTTTT	TTTTTTTTT	TCATAGAAAT	AATACAGAAG	TAGATGTTGA	ATTAGATTAA
10141	ACTGAAGATA	TATAATTTAT	TGGAAAATAC	ATAGAGCTTT	TTGTTGATGC	GCTTAAGCGA
10201	TCAATTCAAC	AACACCACCA	GCAGCTCTGA	TTTTTTCTTC	AGCCAACTTG	GAGACGAATC
	TAGCTTTGAC	-				
10321	CGGCTGCCAA	AGTGTCAATA	ACTGGAGCAG	TTTCCTTAGA	AGCAGATTTC	AAGTATTGGT
10381	CTCTCTTGTC	TTCTGGGATC	AATGTCCACA	ATTTGTCCAA	GTTCAAGACT	GGCTTCCAGA
10441	AATGAGCTTG	TTGCTTGTGG	AAGTATCTCA	TACCAACCTT	ACCGAAATAA	CCTGGATGGT
	ATTTATCCAT					
10561	GCTTTCTGTG	CTTACCGATA	CGACCTTTAC	CGGCTGAGAC	GTGACCTCTG	TGCTTTCTAG
10621	TCTTAGTGAA	TCTGGAAGGC	ATTCTTGATT	AGTTGGATGA	TTGTTCTGGG	ATTTAATGCA
10681	AAAATCACTT	AAGAAGGAAA	ATCAACGGAG	AAAGCAAACG	CCATCTTAAA	TATACGGGAT
	ACAGATGAAA				-	
10801	GAAAATTGTT	TGCGTCTCTG	CGGGCTATTC	ACGCGCCAGA	GGAAAATAGG	AAAAATAACA
10861	GGGCATTAGA	TTTAATAAAA	TGATTTTGGT	AATGTGTGGG	TCCTGGTGTA	CAGATGTTAC
10921	ATTGGTTACA	GTACTCTTGT	TTTTGCTGTG	TTTTTCGATG	AATCTCCAAA	ATGGTTGTTA
10981	GCACATGGAA	GAGTCACCGA	TGCTAAGTTA	TCTCTATGTA	AGCTACGTGG	CGTGACTTTT
11041	GATGAAGCCG	CACAAGAGAT	ACAGGATTGG	CAACTGCAAA	TAGAATCTGG	GGATCCCCCC
11101	TCGAGATCCG	GGATCGAAGA	AATGATGGTA	AATGAAATAG	GAAATCAAGG	AGCATGAAGG
	CAAAAGACAA					
11221	TGGCTTTGCG	GCGCCGAAAA	AACGAGTTTA	CGCAATTGCA	CAATCATGCT	GACTCTGTGG
11281	CGGACCCGCG	CTCTTGCCGG	CCCGGCGATA	ACGCTGGGCG	TGAGGCTGTG	CCCGGCGGAG
	TTTTTTGCGC					
11401	ATAAGAATGC	CGGTTGGGGT	TGCGATGATG	ACGACCACGA	CAACTGGTGT	CATTATTTAA
11461	GTTGCCGAAA	GAACCTGAGT	GCATTTGCAA	CATGAGTATA	CTAGAAGAAT	GAGCCAAGAC
	TTGCGAGACG					
11581	GACGCGCATA	ACCGCTAGAG	TACTTTGAAG	AGGAAACAGC	AATAGGGTTG	CTACCAGTAT
11641	AAATAGACAG	GTACATACAA	CACTGGAAAT	GGTTGTCTGT	TTGAGTACGC	TTTCAATTCA
11701	TTTGGGTGTG	CAC			-	

FIGURE 415

Figure 42A:

PDGTZZ

2-Hybrid Vector with Activation Domain



pDEST22 8923 bp

904..1248

Gene Encoded

GAL4 AD

		138812	264	attR1		
		163822	297	CmR		,
		241725	501	inacti	vated ccdA	
		263929	44	ccdB		
		298531	L09	attR2		
		383143	318	f1 (f)	intergenio	region)
		433451	176	TRP1	- 1.	
		611071	. 94	ampR		
		834486	6	pADH	(yeast ADH p	promoter)
1	ተ ሞር እምሞተርርር	TCTCCACTT	እጥ ሞእጥረጥጥአር	א א דא דע כע א א כ	GGAACTTTAC	እ ~ ምምርጥርርጥአ
					GGGGTAACAC	
					ATCCTTTTGT	
	•				TACATCGGGA	
					GATATACAAT	
					ACACTGCCTC	
					CATCATCATA	
_					GGCGCATGCA	
					TATCCGCAAT	
					AGCACCAACA	
					TTTTCCTTCC	•
					CCAGTTACTT	· - · · - - · · -
					CTGCAATTAT	
					TTTTTCTGCA	
				,	AGAAGAAGCG	
					GCTCATTGTC	
					CAAATTCTCA	
					ATAATGAAAT	
	*				GTTGGACGGA	
					CTACAATGGA	
					AAAAAGAGGG	
1261	CAAACAAGTT	TGTACAAAAA	AGCTGAACGA	GAAACGTAAA	ATGATATAAA	TATCAATATA
1321	TTAAATTAGA	TTTTGCATAA	AAAACAGACT	ACATAATACT	GTAAAACACA	ACATATCCAG
1381	TCACTATGGC	GGCCGCTAAG	TTGGCAGCAT	CACCCGACGC	ACTTTGCGCC	GAATAAATAC
1441	CTGTGACGGA	AGATCACTTC	GCAGAATAAA	TAAATCCTGG	TGTCCCTGTT	GATACCGGGA
1501	AGCCCTGGGC	CAACTTTTGG	CGAAAATGAG	ACGTTGATCG	GCACGTAAGA	GGTTCCAACT
1561	TTCACCATAA	TGAAATAAGA	TCACTACCGG	GCGTATTTTT	TGAGTTATCG	AGATTTTCAG
1621	GAGCTAAGGA	AGCTAAAATG	GAGAAAAAA	TCACTGGATA	TACCACCGTT	GATATATCCC
1681	AATGGCATCG	TAAAGAACAT	TTTGAGGCAT	TTCAGTCAGT	TGCTCAATGT	ACCTATAACC
1741	AGACCGTTCA	GCTGGATATT	ACGGCCTTTT	TAAAGACCGT	AAAGAAAAAT	AAGCACAAGT
1801	TTTATCCGGC	CTTTATTCAC	ATTCTTGCCC	GCCTGATGAA	TGCTCATCCG	GAATTCCGTA
					TCACCCTTGT	
					ATACCACGAC	
					TGAAAACCTG	
					TCCCTGGGTG	
					CCCCGTTTTC	
					GATTCAGGTT	
					ACAACAGTAC	
					AGCCAGATAA	
					TATGTATACC	
					GTTGACAGCG	
					TAAGCACAAC	
2521	GAAGCCCGTC	GTCTGCGTGC	CGAACGCTGG	AAAGCGGAAA	ATCAGGAAGG	GATGGCTGAG-

Faure 428

2581	GTCGCCCGGT	TTATTGAAAT	GAACGGCTCT	TTTGCTGACG	AGAACAGGGA	CTGGTGAAAT	
	GCAGTTTAAG						
2701	GAGTGATATT	ATTGACACGC	CCGGGCGACG	GATGGTGATC	CCCCTGGCCA	GTGCACGTCT	
2761	GCTGTCAGAT	AAAGTCTCCC	GTGAACTTTA	CCCGGTGGTG	CATATCGGGG	ATGAAAGCTG	
2821	GCGCATGATG	ACCACCGATA	TGGCCAGTGT	GCCGGTCTCC	GTTATCGGGG	AAGAAGTGGC	
2881	TGATCTCAGC	CACCGCGAAA	ATGACATCAA	AAACGCCATT	AACCTGATGT	TCTGGGGAAT	
2941	ATAAATGTCA	GGCTCCCTTA	TACACAGCCA	GTCTGCAGGT	CGACCATAGT	GACTGGATAT	
3001	GTTGTGTTTT	ACAGTATTAT	GTAGTCTGTT	TTTTATGCAA	AATCTAATTT	AATATATTGA	
3061	TATTTATATC	ATTTTACGTT	TCTCGTTCAG	CTTTCTTGTA	CAAAGTGGTT	TGATGGCCGC	
3121	TAAGTAAGTA	AGACGTCGAG	CTCTAAGTAA	GTAACGGCCG	CCACCGCGGT	GGAGCTTTGG	
3181	ACTTCTTCGC	CAGAGGTTTG	GTCAAGTCTC	CAATCAAGGT	TGTCGGCTTG	TCTACCTTGC	
3241	CAGAAATTTA	CGAAAAGATG	GAAAAGGGTC	AAATCGTTGG	TAGATACGTT	GTTGACACTT	
3301	CTAAATAAGC	GAATTTCTTA	TGATTTATGA	TTTTTTATTAT	TAAATAAGTT	AAAAAATA	,
3361	TAAGTGTATA	CAAATTTTAA	AGTGACTCTT	AGGTTTTAAA	ACGAAAATTC	TTATTCTTGA	
3421	GTAACTCTTT	CCTGTAGGTC	AGGTTGCTTT	CTCAGGTATA	GCATGAGGTC	GCTCTTATTG	
	ACCACACCTC						
	TGTAGATATG						
. –	GAGGACAATA						
	CGTATTACAA						
	CCCAACTTAA						
	CCCGCACCGA						
	TAGCGGCGCA						
	CAGCGCCCTA						
	CTTTCCCCGT			•		•	
	GCACCTCGAC						
	ATAGACGGTT						
	CCAAACTGGA						
	GCCGATTTCG				•		
	TAACAAAATA			,		,	
	GGTATTTCAC						
_	ACCTATTTCT						
	GTCTCCACAC						
	ACATTTTCTG						
	CTTCCAACCC						
	GAATCAAACA						
	CAGTCTTTTG						
	TGCCACGACT						
	AAAACATCCT						
	CTATTTTTAT				•		
	CTCTTTCTAT						
	TCTGCGGCCT						
	AAATTAATAA						
	CTCAATAGTC						
	ATTCTTAATC						
	ATTTTTCAAT			*			
,	ATATATTACG						
	TGGTGCACTC					•	
	CCAACACCCG						
	GCTGTGACCG						•
	GCGAGACGAA						
-	GTTTCTTAGG						
	AATAATTTGG	·					
	AAGTAAATAA						
	AAAAATTTCA						
	AATAGATATA						
						GGAAGAGCAA	
						GGAAAACAAA	
						ATTTATATTA-	
2001	~~~~		A	IIICIMIIII			

6061	ממייייימממממ	ATTATAATTA	TTTTTATAGC	ACGTGATGAA	AAGGACCCAG	GTGGCACTTT
	maaaaaaaaa	CTCCCCCAA	ሶሶሶሶፐ አጥፐፕ ር	TTTATTTC	TAAATACATI	CAMMINIGIA
	madaamaxma	እሮአሮአአሞአልሮ	ርርጥር እጥል እልፐ	GCTTCAATAA	TALLGMMAMA	GGWAGAGINI
C243	CACTATTCAA	$C\lambda TTTCCGTG$	TCGCCCTTAT	TCCCTTTTTT	GCGGCATIII	GCCTTCCTGT
C201		CCAGAAACGC	TGGTGAAAGT	AAAAGATGCT	GAAGAICAGI	100010CACO
C2 C3	A COUCA COURT A C	አምሮር እ <u>እ</u> ሮፕርር	ATCTCAACAG	CGGTAAGATC	CTTGAGAGII	TICGCCCCGA
	NO NO COMPTO	CCAATGATGA	GCACTTTTAA	AGTTCTGCTA	TGTGGCGCGG	IMITAICCCG
C 4 D 3	TATECACCCC	CCCCAAGAGC	AACTCGGTCG	CCGCATACAC	TATTCTCAGA	AIGACIIGGI
CE 43	ጥር እርጥ እርጥር እ	CCAGTCACAG	AAAAGCATCT	TACGGATGGC	ATGACAGTAA	GAGAALIAIG
CC03	CACTCCTCCC	ΔΤΔΔCCATGA	GTGATAACAC	TGCGGCCAAC	TTACTTCTGA	CAACGAICGG
CCC1	ACCACCGAAG	CACCTAACCG	CTTTTTTTCA	CAACATGGGG	GATCATGTAA	CICGCCIIGA
(77)	TOTTOGGAA	CCGGAGCTGA	ATGAAGCCAT	ACCAAACGAC	GAGCGTGACA	CCACGAIGCC
C701	TOTAGENATE	CCAACAACGT	TGCGCAAACT	ATTAACTGGC	GAACTACTIA	CICIAGCIIC
C 0 4 1	CCCCCAACAA	TTAATAGACT	GGATGGAGGC	GGATAAAGTT	GCAGGACLAL	TICIGCGCIC
C001	CCCCCTTCCC	CCTCCCTCCT	TTATTGCTGA	TAAATCTGGA	GCCGGTGAGC	GIGGGICICG
(061	CCCTATCATT	GCAGCACTGG	GGCCAGATGG	TAAGCCCTCC	CGTATCGTAG	TIAICIACAC
7021	CACCCCCAGT	CAGGCAACTA	TGGATGAACG	AAATAGACAG	ATCGCTGAGA	IAGGIGCCIC
7001	አርጥር አ ጥጥ አር	CATTGGTAAC	TGTCAGACCA	AGTTTACTCA	TATATACTT	AGALIGALLI
7111	ስ አል አርተተተር ል ፕ	TTTTAATTTA	AAAGGATCTA	GGTGAAGATC	CTTTTTGATA	ATCTCATGAC
7201	CANAMTCCCT	TAACGTGAGT	TTTCGTTCCA	CTGAGCGTCA	GACCCCGTAG	AAAAGATCAA
7261	አርርልጥርጥጥርባ	TGAGATCCTT	TTTTTCTGCG	CGTAATCTGC	TGCTTGCAAA	CAAAAAAACC
7221	አሮሮፎሮፒልሮሮጀ	GCGGTGGTTT	GTTTGCCGGA	TCAAGAGCTA	CCAACTCTTT	TTCCGAAGGI
7201	እ <u>እርጥርርር</u> ሮሞፐር	AGCAGAGCGC	AGATACCAAA	TACTGTCCTT	CTAGTGTAGC	CGTAGTTAGG
7441	CCACCACTT	AAGAACTCTG	TAGCACCGCC	TACATACCTC	GCTCTGCTAA	TCCTGTTACC
7501	хстссстсс т	r GCCAGTGGCG	ATAAGTCGTG	TCTTACCGGG	TTGGACTCAA	GACGATAGII
7561	አሮሮርርስጥስስር	CCGCAGCGGT	CGGGCTGAAC	GGGGGGTTCG	TGCACACAGC	CCAGCTTGGA
7621	CCCAACGAC	TACACCGAAC	TGAGATACCT	' ACAGCGTGAG	CATTGAGAAA	GUGUCAUGUI
7691	ጥሮሮሮሮል አርርር	AGAAAGGCGG	ACAGGTATCC	GGTAAGCGGC	AGGGTCGGAA	CAGGAGAGCG
7741	CACGAGGGA	CTTCCAGGGG	GGAACGCCTG	GTATCTTTAT	AGTCCTGTCG	GGIIICGCCA
7901	CCTCTCACACT	r GAGCGTCGAT	TTTTGTGATG	CTCGTCAGGG	GGGCCGAGCC	TAIGGAAAAA
7061	CCCCACCAA	CCGGCCTTTT	TACGGTTCCT	GGCCTTTTGC	TGGCCTTTTG	CTCACATGII
702		TTATCCCCTC	ATTCTGTGGA	TAACCGTATI	' ACCGCCTTTG	AGTGAGCIGA
	magggggggg	C CCCACCCAA	CGACCGAGCG	CAGCGAGTCA	GTGAGCGAGG	AAGCGGAAGA
004	CCCCCNAT	A CGCAAACCGC	CTCTCCCCCGC	C GCGTTGGCCG	ATTCATTAAT	GCAGCIGGCA
010	CCACACCTT	T CCCGACTGG	AAGCGGGCAG	TGAGCGCAAC	GCAATTAATG	IGAGITACCI
016	ר ארידר אידד או	G GCACCCCAGO	CTTTACACT	TATGCTTCCC	GCTCCTATG1	1G1G1GGAA1
822	1 TGTGAGCGG	A TAACAATTT(ACACAGGAA	A CAGCTATGA	CATGATIACG	CCAAGCTCGG
828	1 AATTAACCC	T CACTAAAGG	AACAAAAGC	r GGGTACCGG	CCCCCCTCG	AGATCCGGGA
834	1 TCGAAGAAA	T GATGGTAAA	r gaaatagga	A ATCAAGGAG	ATGAAGGCAA	AAGACAAATA
840	1 TAAGGGTCG	A ACGAAAAATI	A AAGTGAAAA(G TGTTGATAT(ATGTATTIGG	CTTTGCGGCG
846	1 CCGAAAAAA	C GAGTTTACG	C AATTGCACA	A TCATGCTGA	TCTGTGGCGC	ACCCGCGCTC
852	1 TTGCCGGCC	C GGCGATAAC	G CTGGGCGTG	A GGCTGTGCC	CGCGGAGTTT	TTTGCGCCTG
858	1 CATTTTCCA	A GGTTTACCC	r GCGCTAAGG	G GCGAGATTG	J AGAAGCAATA	A AGAATGCCGG
864	1 TTGGGGTTG	C GATGATGAC	G ACCACGACA	A CTGGTGTCA	TATTTAAGT	CCCGAAAGAA
870	1 CCTGAGTGC	'A TTTGCAACA'	r GAGTATACT	A GAAGAATGA	G CCAAGACTTC	CGAGACGCGA
876	1 GTTTGCCGG	T GGTGCGAAC.	A ATAGAGCGA	C CATGACCTT	G AAGGTGAGA	GCGCATAACC
882	1 GCTAGAGTA	C TTTGAAGAG	G AAACAGCAA	T AGGGTTGCT.	A CCAGTATAA	A TAGACAGGTA
888	1 CATACAACA	C TGGAAATGG	T TGTCTGTTT	G AGTACGCTT	T CAA	

Mark 42D

His6 carboxy-fusion vector, T7 promoter,

ate ceg ega aat taa tae gae tea eta tag gga gae ead aac ggt tte cet tag gge get tta att atg etg agt gat ate egt etg gtg ttg eea aag gga 205 cta gat dac aag ttt gta caa aaa agc tga acg aga aac gta aaa tga tat 256 gat cta gra ttc aaa cat git tit tog act tgc tct ttg cat ttt - CmR ---- ccd B-1888 ttt tta tgc amm atc tam ttt amt ata ttg ata ttt ata tca ttt tac gtt I K S tet egt tea get the teg tac aaa geg geg att atg teg tac tae cat cae aga gea age ega aag aac atg tet cae cae taa tae age atg atg gea geg HHHHLD EVQ term
cat cac cat cac cac gat gag caa taa cac cat gag goc tot
yeta gag gat gag caa cac gat att gat cat agg gaa coc cag aga 1990




FIGURE 43A

pDEST23 6264 bp

Location (Base Nos.)	Gene Encoded
285161	attR1
3941053	CmR
11731257	inactivated ccdA
13951700	ccdB
17411865	attR2
18831911	his6
25743434	ampR
35834222	ori

1	TCTTCCCCAT	CGGTGATGTC	GGCGATATAG	GCGCCAGCAA	CCGCACCTGT	GGCGCCGGTG
61	ATGCCGGCCA	CGATGCGTCC	GGCGTAGAGG	ATCGAGATCT	CGATCCCGCG	AAATTAATAC
121	GACTCACTAT	AGGGAGACCA	CAACGGTTTC	CCTCTAGATC	ACAAGTTTGT	ACAAAAAAGC
181	TGAACGAGAA	ACGTAAAATG	ATATAAATAT	CAATATATTA	AATTAGATTT	TGCATAAAA
241	ACAGACTACA	TAATACTGTA	AAACACAACA	TATCCAGTCA	CTATGGCGGC	CGCATTAGGC
301	ACCCCAGGCT	TTACACTTTA	TGCTTCCGGC	TCGTATAATG	TGTGGATTTT	GAGTTAGGAT
361	CCGGCGAGAT	TTTCAGGAGC	TAAGGAAGCT	AAAATGGAGA	AAAAAATCAC	TGGATATACC
421	ACCGTTGATA	TATCCCAATG	GCATCGTAAA	GAACATTTTG	AGGCATTTCA	GTCAGTTGCT
481	CAATGTACCT	ATAACCAGAC	CGTTCAGCTG	GATATTACGG	CCTTTTTAAA	GACCGTAAAG
541	AAAAATAAGC	ACAAGTTTTA	TCCGGCCTTT	ATTCACATTC	TTGCCCGCCT	GATGAATGCT
601	CATCCGGAAT	TCCGTATGGC	AATGAAAGAC	GGTGAGCTGG	TGATATGGGA	TAGTGTTCAC
661	CCTTGTTACA	CCGTTTTCCA	TGAGCAAACT	GAAACGTTTT	CATCGCTCTG	GAGTGAATAC
721	CACGACGATT	TCCGGCAGTT	TCTACACATA	TATTCGCAAG	ATGTGGCGTG	TTACGGTGAA
781	AACCTGGCCT	ATTTCCCTAA	AGGGTTTATT	GAGAATATGT	TTTTCGTCTC	AGCCAATCCC
841	TGGGTGAGTT	TCACCAGTTT	TGATTTAAAC	GTGGCCAATA	TGGACAACTT	CTTCGCCCCC
901	GTTTTCACCA	TGGGCAAATA	TTATACGCAA	GGCGACAAGG	TGCTGATGCC	GCTGGCGATT
961	CAGGTTCATC	ATGCCGTCTG	TGATGGCTTC	CATGTCGGCA	GAATGCTTAA	TGAATTACAA
1021	CAGTACTGCG	ATGAGTGGCA	GGGCGGGCG	TAAACGCGTG	GATCCGGCTT	ACTAAAAGCC
1081	AGATAACAGT	ATGCGTATTT	GCGCGCTGAT	TTTTGCGGTA	TAAGAATATA	TACTGATATG
1141	TATACCCGAA	GTATGTCAAA	AAGAGGTGTG	CTATGAAGCA	GCGTATTACA	GTGACAGTTG
1201	ACAGCGACAG	CTATCAGTTG	CTCAAGGCAT	ATATGATGTC	AATATCTCCG	GTCTGGTAAG
1261	CACAACCATG	CAGAATGAAG	CCCGTCGTCT	GCGTGCCGAA	CGCTGGAAAG	CGGAAAATCA
1321	GGAAGGGATG	GCTGAGGTCG	CCCGGTTTAT	TGAAATGAAC	GGCTCTTTTG	CTGACGAGAA
1381	CAGGGACTGG	TGAAATGCAG	TTTAAGGTTT	ACACCTATAA	AAGAGAGAGC	CGTTATCGTC
1441	TGTTTGTGGA	TGTACAGAGT	GATATTATTG	ACACGCCCGG	GCGACGGATG	GTGATCCCCC
1501	TGGCCAGTGC	ACGTCTGCTG	TCAGATAAAG	TCTCCCGTGA	ACTTTACCCG	GTGGTGCATA
1561	TCGGGGATGA	AAGCTGGCGC	ÀTGATGACCA	CCGATATGGC	CAGTGTGCCG	GTCTCCGTTA
1621	TCGGGGAAGA	AGTGGCTGAT	CTCAGCCACC	GCGAAAATGA	CATCAAAAAC	GCCATTAACC
1681	TGATGTTCTG	GGGAATATAA	ATGTCAGGCT	CCCTTATACA	CAGCCAGTCT	GCAGGTCGAC
1741	CATAGTGACT	GGATATGTTG	TGTTTTACAG	TATTATGTAG	TCTGTTTTTT	ATGCAAAATC
1801	TAATTTAATA	TATTGATATT	TATATCATTT	TACGTTTCTC	GTTCAGCTTT	CTTGTACAAA
1861	GTGGTGATTA	TGTCGTACTA	CCATCACCAT	CACCATCACC	TCGATGAGCA	ATAACTAGCA
1921	TAACCCCTTG	GGGCCTCTAA	ACGGGTCTTG	AGGGGTTTTT	TGCTGAAAGG	AGGAACTATA
1981	TCCGGATATC	CACAGGACGG	GTGTGGTCGC	CATGATCGCG	TAGTCGATAG	TGGCTCCAAG
2041	TAGCGAAGCG	AGCAGGACTG	GGCGGCGGCC	AAAGCGGTCG	GACAGTGCTC	CGAGAACGGG
				CGCTAGCAGC		
2161	GCTGTCGGAA	TGGACGATAT	CCCGCAAGAG	GCCCGGCAGT	ACCGGCATAA	CCAAGCCTAT
2221	GCCTACAGCA	TCCAGGGTGA	CGGTGCCGAG	GATGACGATG	AGCGCATTGT	TAGATTTCAT
2281	ACACGGTGCC	TGACTGCGTT	AGCAATTTAA	CTGTGATAAA	CTACCGCATT	AAAGCTTATC
2341	GATGATAAGC	TGTCAAACAT	GAGAATTCTT	GAAGAÇGAAA	GGGCCTCGTG	ATACGCCTAT
2401	TTTTATAGGT	TAATGTCATG	AȚAATAATGG	TTTCTTAGAC	GTCAGGTGGC	ACTTTTCGGG
2461	GAAATGTGCG	CGGAACCCCT	ATTTGTTTAT	TTTTCTAAAT	ACATTCAAAT	ATGTATCCGC
2521	TCATGAGACA	ATAACCCTGA	TAAATGCTTC	AATAATATTG	AAAAAGGAAG	AGTATGAGTA
2581	TTCAACATTT	CCGTGTCGCC	CTTATTCCCT	TTTTTGCGGC	ATTTTGCCTT	CCTGTTTTTG
2641	CTCACCCAGA	AACGCTGGTG	AAAGTAAAAG	ATGCTGAAGA	TCAGTTGGGT	GCACGAGTGG-




				AGATCCTTGA		
				TGCTATGTGG		
2821	ACGCCGGGCA	AGAGCAACTC	GGTCGCCGCA	TACACTATTC	TCAGAATGAC	TTGGTTGAGT
				ATGGCATGAC		
2941	CTGCCATAAC	CATGAGTGAT	AACACTGCGG	CCAACTTACT	TCTGACAACG	ATCGGAGGAC
3001	CGAAGGAGCT	AACCGCTTTT	TTGCACAACA	TGGGGGATCA	TGTAACTCGC	CTTGATCGTT
3061	GGGAACCGGA	GCTGAATGAA	GCCATACCAA	ACGACGAGCG	TGACACCACG	ATGCCTGCAG
3121	CAATGGCAAC	AACGTTGCGC	AAACTATTAA	CTGGCGAACT	ACTTACTCTA	GCTTCCCGGC
				AAGTTGCAGG		
				CTGGAGCCGG		
3301	TCATTGCAGC	ACTGGGGCCA	GATGGTAAGC	CCTCCCGTAT	CGTAGTTATC	TACACGACGG
				GACAGATCGC		
3421	TTAAGCATTG	GTAACTGTCA	GACCAAGTTT	ACTCATATAT	ACTITAGATT	GATTTAAAAC
3481	TTCATTTTTA	ATTTAAAAGG	ATCTAGGTGA	AGATCCTTTT	TGATAATCTC	ATGACCAAAA
3541	TCCCTTAACG	TGAGTTTTCG	TTCCACTGAG	CGTCAGACCC	CGTAGAAAAG	ATCAAAGGAT
3601	CTTCTTGAGA	TCCTTTTTTT	CTGCGCGTAA	TCTGCTGCTT	GCAAACAAAA	AAACCACCGC
				AGCTACCAAC		
				TCCTTCTAGT		
3781	ACTTCAAGAA	CTCTGTAGCA	CCGCCTACAT	ACCTCGCTCT	GCTAATCCTG	TTACCAGTGG
3841	CTGCTGCCAG	TGGCGATAAG	TCGTGTCTTA	CCGGGTTGGA	CTCAAGACGA	TAGTTACCGG
3901	ATAAGGCGCA	GCGGTCGGGC	TGAACGGGGG	GTTCGTGCAC	ACAGCCCAGC	TTGGAGCGAA
3961	CGACCTACAC	CGAACTGAGA	TACCTACAGC	GTGAGCTATG	AGAAAGCGCC	ACGCTTCCCG
4021	AAGGGAGAAA	GGCGGACAGG	TATCCGGTAA	GCGGCAGGGT	CGGAACAGGA	GAGCGCACGA
4081	GGGAGCTTCC	AGGGGGAAAC	GCCTGGTATC	TTTATAGTCC	TGTCGGGTTT	CGCCACCTCT
4141	GACTTGAGCG	TCGATTTTTG	TGATGCTCGT	CAGGGGGGCG	GAGCCTATGG	AAAAACGCCA
4201	GCAACGCGGC	CTTTTTACGG	TTCCTGGCCT	TTTGCTGGCC	TTTTGCTCAC	ATGTTCTTTC
4261	CTGCGTTATC	CCCTGATTCT	GTGGATAACC	GTATTACCGC	CTTTGAGTGA	GCTGATACCG
4321	CTCGCCGCAG	CCGAACGACC	GAGCGCAGCG	AGTCAGTGAG	CGAGGAAGCG	GAAGAGCGCC
4381	TGATGCGGTA	TTTTCTCCTT	ACGCATCTGT	GCGGTATTTC	ACACCGCATA	TATEGTECAC
4441	TCTCAGTACA	ATCTGCTCTG	ATGCCGCATA	GTTAAGCCAG	TATACACTCC	GCTATCGCTA
4501	CGTGACTGGG	TCATGGCTGC	GCCCCGACAC	CCGCCAACAC	CCGCTGACGC	GCCCTGACGG
4561	GCTTGTCTGC	TCCCGGCATC	CGCTTACAGA	CAAGCTGTGA	CCGTCTCCGG	GAGCTGCATG
4621	TGTCAGAGGT	TTTCACCGTC	ATCACCGAAA	CGCGCGAGGC	AGCTGCGGTA	AAGCTCATCA
4681	GCGTGGTCGT	GAAGCGATTC	ACAGATGTCT	GCCTGTTCAT	CCGCGTCCAG	СТССТТСАСТ
4741	TTCTCCAGAA	GCGTTAATGT	CTGGCTTCTG	ATAAAGCGGG	CCATGTTAAG	GGCGGTTTTT
4801	TCCTGTTTGG	TCACTGATGC	CTCCGTGTAA	GGGGGATTTC	TGTTCATGGG	GGTAATGATA
4861	CCGATGAAAC	GAGAGAGGAT	GCTCACGATA	CGGGTTACTG	ATGATGAACA	TCCCCCCTTA
4921	CTGGAACGTT	GTGAGGGTAA	ACAACTGGCG	GTATGGATGC	GGCGGGACCA	CACAAAAATC
4981	ACTCAGGGTC	AATGCCAGCG	CTTCGTTAAT	ACAGATGTAG	GTGTTCCACA	GGGTAGCCAG
5041	CAGCATCCTG	CGATGCAGAT	CCGGAACATA	ATGGTGCAGG	GCGCTGACTT	CCCCCTTTTCC
5101	AGACTTTACG	AAAČAČGGAA	ACCGAAGACC	ATTCATGTTG	TTGCTCAGGT	CCCCCTTTCC
5161	TTGCAGCAGC	AGTCGCTTCA	CGTTCGCTCG	CGTATCGGTG	ATTCATTCTC	CTAACCACTA
5221	AGGCAACCCC	GCCAGCCTAG	CCGGGTCCTC	AACGACAGGA	CCACCATCAT	CCCCACCCCT
5281	GGCCAGGACC	CAACGCTGCC	CGAGATGCGC	CGCGTGCGGC	TGCTGGAGAT	GCCCCACCCGI
5341	ATGGATATGT	TCTGCCAAGG	GTTGGTTTGC	GCATTCACAG	TTCTCCCCNN	CAATTCATTC
'5401	GCTCCAATTC	TTGGAGTGGT	GAATCCGTTA	GCGAGGTGCC	CCCCCCCCAA	ATTCACCTOC
5461	AGGTGGCCCG	GCTCCATGCA	CCGCGACGCA	ACGCGGGGAG	GCAGACTACG	TATACCCCCC
5521	CGCCTACAAT	CCATGCCAAC	CCGTTCCATG	TGCTCGCCGA	CCCCCCATAA	ATCCCCCTCA
5581	CGATCAGCGG	TCCAGTGATC	GAAGTTAGGC	TGGTAAGAGC	CCCCACCCAT	CCTTCAACCT
5641	GTCCCTGATG	GTCGTCATCT	ACCTGCCTGG	ACAGCATGGC	CTCCAACGCG	CCTTGAAGCT
5701	TGCCGCCGGA	AGCGAGAAGA	ATCATAATGG	GGAAGGCCAT	CLACCARCACA	CTCCCCANCC
5761	CCAGCAAGAC	GTAGCCCAGC	GCGTCGGCCG	CCATGCCGGC	CONGCUICGC	TCCTTCCAACG
5821	CGAAACGTTT	GGTGGCGGGA	CCAGTGACGA	AGGCTTGAGC	CYTHWIGGCC .	ANGARMOOGA
5881	ATACCGCAAG	CGACAGGCCG	ATCATCGTCG	CGCTCCAGCG	DADGCCG1GC	TOCOCO A A A
5941	TGACCCAGAG	CGCTGCCGGC	ACCTGTCCTA	CGAGTTGCAT	CATANACTOCICC	A CA CTCATA
6001	GTGCGGCGAC	GATAGTCATG	CCCCGCGCCC	ACCGGAAGGA	CCTCNCTCCC	TTCN NCCCTC
6061	TCAAGGGCAT	CGGTCGATCG	ACGCTCTCCC	TTATGCGACT	CCIGACIGOG	TIGHMGGCTC
6121	AGTAGTAGGT	TGAGGCCGTT	GAGCACCGCC	GCCGCAAGGA	DACCACTIVAC	CAAGGAGATG -
						CANGGAGAIG -

FOURE 43C

6181 GCGCCCAACA GTCCCCCGGC CACGGGGCCT GCCACCATAC CCACGCCGAA ACAAGCGCTC 6241 ATGAGCCCGA AGTGGCGAGC CCGA

FIGURE 43D

PDEST24 GST carboxy-fusion vector, T7 promoter



pDEST24 6961 bp

Location (Base Nos.)	Gene Encoded
19571	attRl
304963	CmR
10831167	inactivated ccdA
13051610	ccdB
16511775	attR2
17832451	GST
31814041	ampR
41904829	ori

1	ATCGAGATCT	CGATCCCGCG	AAATTAATAC	GACTCACTAT	AGGGAGACCA	CAACGGTTTC
61					ACGTAAAATG	
121					TAATACTGTA	
181	TATCCAGTCA	CTATGGCGGC	CGCATTAGGC	ACCCCAGGCT	TTACACTTTA	TGCTTCCGGC
241				CCGGCGAGAT		TAAGGAAGCT
301	AAAATGGAGA	AAAAATCAC	TGGATATACC	ACCGTTGATA	TATCCCAATG	GCATCGTAAA
361	GAACATTTTG	AGGCATTTCA	GTCAGTTGCT	CAATGTACCT	ATAACCAGAC	CGTTCAGCTG
421	GATATTACGG	CCTTTTTAAA	GACCGTAAAG	AAAAATAAGC	ACAAGTTTTA	TCCGGCCTTT
481					TCCGTATGGC	
541	GGTGAGCTGG	TGATATGGGA	TAGTGTTCAC	CCTTGTTACA	CCGTTTTCCA	TGAGCAAACT
601				CACGACGATT		TCTACACATA
661	TATTCGCAAG	ATGTGGCGTG	TTACGGTGAA	AACCTGGCCT	ATTTCCCTAA	AGGGTTTATT
721		_		TGGGTGAGTT		TGATTTAAAC
781					TGGGCAAATA	
841					ATGCCGTCTG	
901					ATGAGTGGCA	
961					ATGCGTATTT	
1021					GTATGTCAAA	
					CTATCAGTTG	
					CAGAATGAAG	
					GCTGAGGTCG	
					TGAAATGCAG	
					TGTACAGAGT	
1381					ACGTCTGCTG	
1441					AAGCTGGCGC	
					AGTGGCTGAT	
					GGGAATATAA	
						TGTTTTACAG
1681					TATTGATATT	TATATCATTT
1741					TGTCCCCTAT	
1801					TGGAATATCT	
1861					GGCGAAACAA	
					GTGATGTTAA	
					TGTTGGGTGG	
					ATATTAGATA	
					ATTTTCTTAG	
					CATATTTAAA	
					TTGTTTTATA	
					AACGTATTGA	
					GGCCTTTGCA	
					TGGTTCCGCG	
					GCTGCCACCG	
						TGAAAGGAGG
						TCGATAGTGG
2641	CTCCAAGTAG	CGAAGCGAGC	AGGACTGGG	GGCGGCCAAA	GCGGTCGGAC	AGTGCTCCGA-

2701	GAACGGGTGC	GCATAGAAAT	TGCATCAACG	CATATAGCGC	TAGCAGCACG	CCATAGTGAC
2761	TGGCGATGCT	GTCGGAATGG	ACGATATCCC	GCAAGAGGCC	CGGCAGTACC	GGCATAACCA
2821	AGCCTATGCC	TACAGCATCC	AGGGTGACGG	TGCCGAGGAT	GACGATGAGC	GCATTGTTAG
2881	ATTTCATACA	CGGTGCCTGA	CTGCGTTAGC	AATTTAACTG	TGATAAACTA	CCGCATTAAA
2941	GCTTATCGAT	GATAAGCTGT	CAAACATGAG	AATTCTTGAA	GACGAAAGGG	CCTCGTGATA
3001	CGCCTATTTT	TATAGGTTAA	TGTCATGATA	ATAATGGTTT	CTTAGACGTC	AGGTGGCACT
3061	TTTCGGGGAA	ATGTGCGCGG	AACCCCTATT	TGTTTATTTT	TCTAAATACA	TTCAAATATG
3121	TATCCGCTCA	TGAGACAATA	ACCCTGATAA	ATGCTTCAAT	AATATTGAAA	AAGGAAGAGT
3181	ATGAGTATTC	AACATTTCCG	TGTCGCCCTT	ATTCCCTTTT	TTGCGGCATT	TTGCCTTCCT
3241	GTTTTTGCTC	ACCCAGAAAC	GCTGGTGAAA	GTAAAAGATG	CTGAAGATCA	GTTGGGTGCA
3301	CGAGTGGGTT	ACATCGAACT	GGATCTCAAC	AGCGGTAAGA	TCCTTGAGAG	TTTTCGCCCC
3361	GAAGAACGTT	TTCCAATGAT	GAGCACTTTT	AAAGTTCTGC	TATGTGGCGC	GGTATTATCC
3421	CGTGTTGACG	CCGGGCAAGA	GCAACTCGGT	CGCCGCATAC	ACTATTCTCA	GAATGACTTG
3481	GTTGAGTACT	CACCAGTCAC	AGAAAAGCAT	CTTACGGATG	GCATGACAGT	AAGAGAATTA
3541	TGCAGTGCTG	CCATAACCAT	GAGTGATAAC	ACTGCGGCCA	ACTTACTTCT	GACAACGATC
3601	GGAGGACCGA	AGGAGCTAAC	CGCTTTTTTG	CACAACATGG	GGGATCATGT	AACTCGCCTT
	GATCGTTGGG					
3721	CCTGCAGCAA	TGGCAACAAC	GTTGCGCAAA	CTATTAACTG	GCGAACTACT	TACTCTAGCT
	TCCCGGCAAC					
	TCGGCCCTTC					
	CGCGGTATCA					
	ACGACGGGGA					
	TCACTGATTA					
	TTAAAACTTC					
	ACCAAAATCC					
	AAAGGATCTT					
	CCACCGCTAC					
	GTAACTGGCT					
	GGCCACCACT					
	CCAGTGGCTG					
	TTACCGGATA					
	GAGCGAACGA					
	CTTCCCGAAG				-	
	CGCACGAGGG					
	CACCTCTGAC					
	AACGCCAGCA					
	TTCTTTCCTG					
	GATACCGCTC					
	GAGCGCCTGA					
	GGTGCACTCT					
	ATCGCTACGT					
	CTGACGGGCT					
	CTGCATGTGT					
	CTCATCAGCG					
	GTTGAGTTTC					
	GGTTTTTTCC					
	AATGATACCG					
	CCGGTTACTG					
	AAAAATCACT					
	TAGCCAGCAG					
	CGTTTCCAGA					
	AGACGTTTTG					
	ACCAGTAAGG					
	CACCCGTGGC					
	GGACGCGATG					
	TTGATTGGCT					
	CAGGTCGAGG					
						GGCATAAATC —
4121	100000000	CINCARICUM	-GCCHMCCCG	TICCAIGIGC	TCGCCGAGGC	GGCATAAATC

6181	GCCGTGACGA	TCAGCGGTCC	AGTGATCGAA	GTTAGGCTGG	TAAGAGCCGC	GAGCGATCCT
6241	TGAAGCTGTC	CCTGATGGTC	GTCATCTACC	${\tt TGCCTGGACA}$	GCATGGCCTG	CAACGCGGGC
6301	ATCCCGATGC	CGCCGGAAGC	GAGAAGAATC	ATAATGGGGA	AGGCCATCCA	GCCTCGCGTC
6301	ALCCANACCCCN	CCAAGACGTA	GCCCAGCGCG	TCGGCCGCCA	TGCCGGCGAT	AATGGCCTGC
9361	GCGAACGCCA	GCAAGACGIA		000000000000000000000000000000000000000	OMMON CCCN C	CCCCTCCAAC
6421	TTCTCGCCGA	AACGTTTGGT	GGCGGGACCA*	GTGACGAAGG	CTTGAGCGAG	GGCGIGCAAG
6481	ATTCCGAATA	CCGCAAGCGA	CAGGCCGATC	ATCGTCGCGC	TCCAGCGAAA	GCGGTCCTCG
6541	CCGAAAATGA	CCCAGAGCGC	TGCCGGCACC	TGTCCTACGA	GTTGCATGAT	AAAGAAGACA
6603	COCADAACEC	CCCCCACCAT	ACTCATCCCC	CGCGCCCACC	GGAAGGAGCT	GACTGGGTTG
PPOT	GICATAAGIG	COOCOACOAI	MOTORIOCCO			COMMON COMM
6661	AAGGCTCTCA	AGGGCATCGG	TCGATCGACG	CTCTCCCTTA	TGCGACTCCT	GCATTAGGAA
6721	GCAGCCCAGT	AGTAGGTTGA	GGCCGTTGAG	CACCGCCGCC	GCAAGGAATG	GTGCATGCAA
6707	CONCAMOCOC	CCCAACAGTC	CCCCGGCCAC	GGGGCCTGCC	ACCATACCCA	CGCCGAAACA
6.18T	GGAGATGGCG	CCCMACAGIC	CCCCOGCCAC			000001111111111
6841	AGCGCTCATG	AGCCCGAAGT	GGCGAGCCCG	ATCTTCCCCA	TCGGTGATGT	CGGCGATATA
6901	GGCGCCAGCA	ACCGCACCTG	TGGCGCCGGT	GATGCCGGCC	ACGATGCGTC	CGGCGTAGAG
C 0 C 1	6.2					

FIGURE 44D


PDEST 25
Thioredoxin carboxy-fusion vector, T7 promoter

1 mag atc tog atc cog cga aat taa tac gac toa cta tay you gac cac aac ntc tag age tag ggc gct tta att atg ctg agt qat atc cot ctg gtg ttg

52 ggt tte cet cta gat cac aag ttt gta caa aaa age tga acg aga aac gta cca aag gga gat cta gtg ttc aaa cat gtt gtt teg act top tet ttg cat

1- CmR - ccdB-11

1735 Ltt tac git tet egt tea get tie tig tae aaa gtg gig att atg age gat aaa atg caa aga gea agt ega aag aac atg tit cae ege taa tae teg eta aaa at att cae etg act gae gae agt tit gae aeg gat gta ete aaa geg tit taa taa gig gae tig etg tea aaa etg tig eta eat gag tit ege



pDEST25 6652 bp

Location (Base Nos.)	Gene Encoded
844720	attR1
9531612	CmR
17321816	inactivated ccdA
19542259	ccdB
23002424	attR2
24322794	trx

	•					
1	CCGGAAGCGA	GAAGAATCAT	AATGGGGAAG	GCCATCCAGC	CTCGCGTCGC	GAACGCCAGC
61	AAGACGTAGC	CCAGCGCGTC	GGCCGCCATG	CCGGCGATAA	TGGCCTGCTT	CTCGCCGAAA
121	CGTTTGGTGG	CGGGACCAGT	GACGAAGGCT	TGAGCGAGGG	CGTGCAAGAT	TCCGAATACC
181	GCAAGCGACA	GGCCGATCAT	CGTCGCGCTC	CAGCGAAAGC	GGTCCTCGCC	GAAAATGACC
241	CAGAGCGCTG	CCGGCACCTG	TCCTACGAGT	TGCATGATAA	AGAAGACAGT	CATAAGTGCG
301	GCGACGATAG	TCATGCCCCG	CGCCCACCGG	AAGGAGCTGA	CTGGGTTGAA	GGCTCTCAAG
361	GGCATCGGTC	GATCGACGCT	CTCCCTTATG	CGACTCCTGC	ATTAGGAAGC	AGCCCAGTAG
421	TAGGTTGAGG	CCGTTGAGCA	CCGCCGCCGC	AAGGAATGGT	GCATGCAAGG	AGATGGCGCC
481	CAACAGTCCC	CCGGCCACGG	GGCCTGCCAC	CATACCCACG	CCGAAACAAG	CGCTCATGAG
541	CCCGAAGTGG	CGAGCCCGAT	CTTCCCCATC	GGTGATGTCG	GCGATATAGG	CGCCAGCAAC
601	CGCACCTGTG	GCGCCGGTGA	TGCCGGCCAC	GATGCGTCCG	GCGTAGAGGA	TCGAGATCTC
661	GATCCCGCGA	AATTAATACG	ACTCACTATA	GGGAGACCAC	AACGGTTTCC	CTCTAGATCA
721	CAAGTTTGTA	CAAAAAAGCT	GAACGAGAAA	CGTAAAATGA	TATAAATATC	AATATATAA
781	ATTAGATTTT	GCATAAAAA	CAGACTACAT	AATACTGTAA	AACACAACAT	ATCCAGTCAC
841	TATGGCGGCC	GCATTAGGCA	CCCCAGGCTT	TACACTTTAT	GCTTCCGGCT	CGTATAATGT
901	GTGGATTTTG	AGTTAGGATC	CGGCGAGATT	TTCAGGAGCT	AAGGAAGCTA	AAATGGAGAA
961	AAAAATCACT	GGATATACCA	CCGTTGATAT	ATCCCAATGG	CATCGTAAAG	AACATTTTGA
1021	GGCATTTCAG	TCAGTTGCTC	AATGTACCTA	TAACCAGACC	GTTCAGCTGG	ATATTACGGC
1081	CTTTTTAAAG	ACCGTAAAGA	AAAATAAGCA	CAAGTTTTAT	CCGGCCTTTA	TTCACATTCT
1141	TGCCCGCCTG	ATGAATGCTC	ATCCGGAATT	CCGTATGGCA	ATGAAAGACG	GTGAGCTGGT
1201	GATATGGGAT	AGTGTTCACC	CTTGTTACAC	CGTTTTCCAT	GAGCAAACTG	AAACGTTTTC
1261	ATCGCTCTGG	AGTGAATACC	ACGACGATTT	CCGGCAGTTT	CTACACATAT	ATTCGCAAGA
1321	TGTGGCGTGT	TACGGTGAAA	ACCTGGCCTA	TTTCCCTAAA	GGGTTTATTG	AGAATATGTT
1381	TTTCGTCTCA	GCCAATCCCT	GGGTGAGTTT	CACCAGTTTT	GATTTAAACG	TGGCCAATAT
1441	GGACAACTTC	TTCGCCCCCG	TTTTCACCAT	GGGCAAATAT	TATACGCAAG	GCGACAAGGT
1501	GCTGATGCCG	CTGGCGATTC	AGGTTCATCA	TGCCGTCTGT	GATGGCTTCC	ATGTCGGCAG
1561	AATGCTTAAT	GAATTACAAC	AGTACTGCGA	TGAGTGGCAG	GGCGGGGCGT	AAACGCGTGG
1621	ATCCGGCTTA	CTAAAAGCCA	GATAACAGTA	TGCGTATTTG	CGCGCTGATT	TTTGCGGTAT
1681	AAGAATATAT	ACTGATATGT	ATACCCGAAG	TATGTCAAAA	AGAGGTGTGC	TATGAAGCAG
1741	CGTATTACAG	TGACAGTTGA	CAGCGACAGC	: TATCAGTTGC	TCAAGGCATA	TATGATGTCA
1801	ATATCTCCGG	TCTGGTAAGC	ACAACCATGO	: AGAATGAAGC	CCGTCGTCTG	CGTGCCGAAC
	GCTGGAAAGC					
1921	GCTCTTTTGC	TGACGAGAAC	AGGGACTGGI	GAAATGCAGT	TTAAGGTTTA	CACCTATAAA
1983	AGAGAGAGCC	GTTATCGTCT	GTTTGTGGAI	GTACAGAGTG	ATATTATTGA	CACGCCCGGG
2043	CGACGGATGG	TGATCCCCCI	GGCCAGTGCA	A CGTCTGCTGT	CAGATAAAGT	CTCCCGTGAA
2101	CTTTACCCGG	TGGTGCATAT	CGGGGATGA	AGCTGGCGCA	TGATGACCAC	CGATATGGCC
2163	L AGTGTGCCGG	TCTCCGTTAT	CGGGGAAGAA	A GTGGCTGATC	TCAGCCACCG	CGAAAATGAC
	L ATCAAAAACG					
	AGCCAGTCTG					
	L CTGTTTTTA					
						TGACTGACGA
246	1 CAGTTTTGAC	ACGGATGTAC	TCAAAGCGG	A CGGGGCGATO	CTCGTCGATT	TCTGGGCAGA
252	1 GTGGTGCGG7	CCGTGCAAAA	A TGATCGCCC	C GATTCTGGAT	GAAATCGCTG	ACGAATATCA
258	1 GGGCAAACT	ACCGTTGCA	AACTGAACA	r CGATCAAAAC	CCTGGCACTG	CGCCGAAATA
264	1 TGGCATCCG7	GGTATCCCG	A CTCTGCTGC	r GTTCAAAAAC	GGTGAAGTGG	CGGCAACCAA
270	1 AGTGGGTGC	A CTGTCTAAA	GTCAGTTGA	A AGAGTTCCTC	GACGCTAACC	TGGCCGGTTC
276	1 TGGTTCTGGT	r GATGACGAT(ACAAGGTAC	C CGGGGATCG	1 TUCGGUTGUT	AACAAAGCCC


Faure 45B


						CCCCTTCCCC
2821	GAAAGGAAGC	TGAGTTGGCT	GCTGCCACCG	CTGAGCAATA	ACTAGCATAA	CCCCIIGGGG
2881,	CCTCTAAACG	GGTCTTGAGG	GGTTTTTTGC	TGAAAGGAGG	AMCIAIAICC .	CCARCCAC
2941	AGGACGGGTG	TGGTCGCCAT	GATCGCGTAG	TCGATAGTGG	CTCCAAGTAG	CGAAGCGAGC
3001	AGGACTGGGC	GGCGGCCAAA	GCGGTCGGAC	AGTGCTCCGA	GAACGGGTGC	GCATAGAAAT
3061	TGCATCAACG	CATATAGCGC	TAGCAGCACG	CCATAGTGAC	TGGCGATGCT	GTCGGAATGG
3121	ACGATATCCC	GCAAGAGGCC	CGGCAGTACC	GGCATAACCA	AGCCTATGCC	TACAGCATCC
3181	AGGGTGACGG	TGCCGAGGAT	GACGATGAGC	GCATTGTTAG	ATTTCATACA	CGGTGCCTGA
3241	CTGCGTTAGC	AATTTAACTG	TGATAAACTA	CCGCATTAAA	GCTTATCGAT	GATAAGCTGT
3301	CAAACATGAG	AATTCTTGAA	GACGAAAGGG	CCTCGTGATA	CGCCTATTTT	TATAGGTTAA
3361	TGTCATGATA	ATAATGGTTT	CTTAGACGTC	AGGTGGCACT	TTTCGGGGAA	ATGTGCGCGG
3421	AACCCCTATT	TGTTTATTTT	TCTAAATACA	TTCAAATATG	TATCCGCTCA	TGAGACAATA
3481	ACCCTGATAA	ATGCTTCAAT	AATATTGAAA	AAGGAAGAGT	ATGAGTATTC	AACATTTCCG
3541	TGTCGCCCTT	ATTCCCTTTT	TTGCGGCATT	TTGCCTTCCT	GTTTTTGCTC	ACCCAGAAAC
3601	GCTGGTGAAA	GTAAAAGATG	CTGAAGATCA	GTTGGGTGCA	CGAGTGGGTT	ACATCGAACT
3661	GGATCTCAAC	AGCGGTAAGA	TCCTTGAGAG	TTTTCGCCCC	GAAGAACGTT	TTCCAATGAT
3721	GAGCACTTTT	AAAGTTCTGC	TATGTGGCGC	GGTATTATCC	CGTGTTGACG	CCGGGCAAGA
3781	GCAACTCGGT	CGCCGCATAC	ACTATTCTCA	GAATGACTTG	GTTGAGTACT	CACCAGTCAC
3841	AGAAAAGCAT	CTTACGGATG	GCATGACAGT	AAGAGAATTA	TGCAGTGCTG	CCATAACCAT
3901	GAGTGATAAC	ACTGCGGCCA	ACTTACTTCT	GACAACGATC	GGAGGACCGA	AGGAGCTAAC
3961	CGCTTTTTTG	CACAACATGG	GGGATCATGT	AACTCGCCTT	GATCGTTGGG	AACCGGAGCT
4021	GAATGAAGCC	ATACCAAACG	ACGAGCGTGA	CACCACGATG	CCTGCAGCAA	TGGCAACAAC
4081	GTTGCGCAAA	CTATTAACTG	GCGAACTACT	TACTCTAGCT	TCCCGGCAAC	AATTAATAGA
4141	CTGGATGGAG	GCGGATAAAG	TTGCAGGACC	ACTTCTGCGC	TCGGCCCTTC	CGGCTGGCTG
4201	GTTTATTGCT	GATAAATCTG	GAGCCGGTGA	GCGTGGGTCT	CGCGGTATCA	TTGCAGCACT
4261	GGGGCCAGAT	GGTAAGCCCT	CCCGTATCGT	AGTTATCTAC	ACGACGGGGA	GTCAGGCAAC
4321	TATGGATGAA	CGAAATAGAC	AGATCGCTGA	GATAGGTGCC	TCACTGATTA	AGCATTGGTA
4381	ACTGTCAGAC	CAAGTTTACT	CATATATACT	TTAGATTGAT	TTAAAACTTC	ATTTTTAATT
4441	TANANGGATC	TAGGTGAAGA	TCCTTTTTGA	TAATCTCATG	ACCAAAATCC	CTTAACGTGA
4501	CTTTTCCTTC	CACTGAGCGT	CAGACCCCGT	AGAAAAGATC	AAAGGATCTT	CTTGAGATCC
4561	ттттттстс	CGCGTAATCT	GCTGCTTGCA	AACAAAAAA	CCACCGCTAC	CAGCGGTGGT
4621	ттстттссс	GATCAAGAGC	TACCAACTCT	TTTTCCGAAG	GTAACTGGCT	TCAGCAGAGC
4681	GCAGATACCA	AATACTGTCC	TTCTAGTGTA	GCCGTAGTTA	GGCCACCACT	TCAAGAACTC
4741	TGTAGCACCG	CCTACATACC	TCGCTCTGCT	AATCCTGTTA	CCAGTGGCTG	CTGCCAGTGG
4803	CGATAAGTCG	TGTCTTACCG	GGTTGGACTC	AAGACGATAG	TTACCGGATA	AGGCGCAGCG
4861	GTCGGGCTGA	ACGGGGGGTT	CGTGCACACA	GCCCAGCTTG	GAGCGAACGA	CCTACACCGA
4001	ACTCAGATAC	CTACAGCGTG	AGCTATGAGA	AAGCGCCACG	CTTCCCGAAG	GGAGAAAGGC
4001	CCACAGGTAT	CCCCTAACCC	GCAGGGTCGG	AACAGGAGAG	CGCACGAGGG	AGCTTCCAGG
4201	CCCNANCCC	י יוכפיזאירידיו	ATAGTCCTGI	CGGGTTTCGC	CACCTCTGAC	TTGAGCGTCG
5041	ATTITUTE TO A TO	TGCTCGTCAG	GGGGGCGGAG	CCTATGGAAA	AACGCCAGCA	ACGCGGCCTT
5101	TTTT CCCTTC	. CTGGCCTTTT	CCTGGCCTTT	TGCTCACATG	TTCTTTCCTG	CGTTATCCCC
2727	TIIACGGIIC TONTOTOTO	CIGGCCITI	TTACCGCCTT	TGAGTGAGCT	GATACCGCTC	GCCGCAGCCG
2221	. IGAIICIGIO AACCACCCAC	CGCAGCGAG	CAGTGAGCGA	GGAAGCGGAA	GAGCGCCTGA	TGCGGTATTT
2201	AACGACCGAC TOTOTOTO	CATCTGTGC	CTATTTCAC	CCGCATATAT	GGTGCACTCT	CAGTACAATC
2341	TCTCCTTACC	CCCCATAGT	A DGCCAGTAT	ACACTCCGCT	ATCGCTACGT	GACTGGGTCA
5401	TGCTCTGAIC	CCCACACCC	CCAACACCC	CTGACGCGCC	CTGACGGGCT	TGTCTGCTCC
2401	CCCCATCCC	TTDCDGDCDC	CCTCTGACC	TCTCCGGGAG	CTGCATGTGT	CAGAGGTTTT
2027	CACCATCCG	TIACAGACAP TACCGAAACG	CCCAGGCAG	TGCGGTAAAG	CTCATCAGCG	TGGTCGTGAA
2281	CACCGICATO	ACCGAAACGC	TOTTO ATOC	CGTCCAGCTC	GTTGAGTTTC	TCCAGAAGCG
5641	C GCGATTCAC	R GAIGICIGC	A A CCGGGCC	TGTTAAGGGC	GGTTTTTTCC	TGTTTGGTCA
5701	C. TTAATGTCT	G COTOTALO	ARGCGGGCC	TCATGGGGGT	AATGATACCO	ATGAAACGAG
						GAACGTTGTG
						CAGGGTCAAT
						CATCCTGCGA
						CTTTACGAAA
600	1 TGCAGATCC	G GAACATAAT	T GIGCWGGGG	3 CIGWCIICC	, PGPtGtandact	CAGCAGCAGT
6063	L CACGGAAAC	C GAAGACCAT	T CHIGITGIA	h Clewagicae	ACCACTANCO	CAACCCCGCC
612	L CGCTTCACG	T TUGUTUGUG	T WICCGIGWI	Y CHITCIGCIA	CACCAGIAAGG	CAGGACCCAA
618	L AGCCTAGCC	B GRECCICAA	C CACAGGAGC	CONTENTSCO	CACCCGIGGC	CACCACCCAA
624:	1 CGCTGCCCG	A GATGUGUUG	C GIGCEGCIG	CIGGAGAIGG	. GGACGCGAIC	GATATGTTCT-

	CCCT T CCCTT	CCTTTCCCCA	TTCACAGTTC	TCCGCAAGAA	TTGATTGGCT	CCAATTCTTG	
630T	GCCAAGGGII	GGTTTGCGCA	A COMOCOCOCO	CCCTTCCATT	CAGGTCGAGG	TGGCCCGGCT	
6361	GAGTGGTGAA	TCCGTTAGCG	AGGIGCCGCC	GOCTICCATI	ACCCCCCCCCC	СТАСААТССА	
6421	CCATGCACCG	CGACGCAACG	CGGGGAGGCA	GACAAGGIAI	AGGGCGGCGC	CTACAATCCA	
6481	TGCCAACCCG	TTCCATGTGC	TCGCCGAGGC	GGCATAAATC	GCCGTGACGA	TCAGCGGTCC	
	A COUCH TOCCA A	CTTACCCTCC	TAAGAGCCGC	GAGCGATCCT	TGAAGCTGTC	CCTGATGGTC	
0247	WOLOWICOTT:	macamaca ca	CCATGCCCTG	CAACGCGGGC	ATCCCGATGC	CG ·	
6601	GTCATCTACC	IGCCIGGACA	GCH100CC1C	4.2.0			

FIGURE 45D

pDEST26 His6 Amino Fusion in pCMV Sport-neo_ Vector





pDEST26 7481 bp


Location (Base Nos.)	Gene Encoded
492509	his6
619519	attRl
7521411	. CmR
15311615	inactivated ccdA
17532058	ccdB
20992223	attR2
24092771	SV40 polyA
29663421	fl intergenic region
34853903	SV40 promoter
39484742	neo
48064854	polyA
52656125	Apr
62746913	ori
7344385	CMV promoter


						,
1	GTAAACTGCC	CACTTGGCAG	TACATCAAGT	GTATCATATG	CCAAGTACGC	CCCCTATTGA
61	CGTCAATGAC	GGTAAATGGC	${\tt CCGCCTGGCA}$	TTATGCCCAG	TACATGACCT	TATGGGACTT
121	TCCTACTTGG	CAGTACATCT	ACGTATTAGT	CATCGCTATT	ACCATGGTGA	TGCGGTTTTG
181	GCAGTACATC	AATGGGCGTG	GATAGCGGTT	TGACTCACGG	GGATTTCCAA	GTCTCCACCC
241	CATTGACGTC	AATGGGAGTT	${\tt TGTTTTGGCA}$	CCAAAATCAA	CGGGACTTTC	CAAAATGTCG
301	TAACAACTCC	GCCCCATTGA	CGCAAATGGG	CGGTAGGCGT	GTACGGTGGG	AGGTCTATAT
361	AAGCAGAGCT	CGTTTAGTGA	ACCGTCAGAT	CGCCTGGAGA	CGCCATCCAC	GCTGTTTTGA
421	CCTCCATAGA	AGACACCGGG	ACCGATCCAG	CCTCCGGACT	CTAGCCTAGG	CCGCGGACCA
481	TGGCGTACTA	CCATCACCAT	CACCATCACT	CTAGATCAAC	AAGTTTGTAC	AAAAAAGCTG
					TTAGATTTTG	
					ATGGCGGCCG	
					TGGATTTTGA	
721	GGCGAGATTT	TCAGGAGCTA	AGGAAGCTAA	AATGGAGAAA	AAAATCACTG	GATATACCAC
781	CGTTGATATA	TCCCAATGGC	ATCGTAAAGA	ACATTTTGAG	GCATTTCAGT	CAGTTGCTCA
841	ATGTACCTAT	AACCAGACCG	TTCAGCTGGA	TATTACGGCC	TTTTTAAAGA	CCGTAAAGAA
901	AAATAAGCAC	AAGTTTTATC	CGGCCTTTAT	TCACATTCTT	GCCCGCCTGA	TGAATGCTCA
961	TCCGGAATTC	CGTATGGCAA	TGAAAGACGG	TGAGCTGGTG	ATATGGGATA	GTGTTCACCC
1021	TTGTTACACC	GTTTTCCATG	AGCAAACTGA	AACGTTTTCA	TCGCTCTGGA	GTGAATACCA
1081	CGACGATTTC	CGGCAGTTTC	TACACATATA	TTCGCAAGAT	GTGGCGTGTT	ACGGTGAAAA
1141	CCTGGCCTAT	TTCCCTAAAG	GGTTTATTGA	GAATATGTTT	TTCGTCTCAG	CCAATCCCTG
1201	GGTGAGTTTC	ACCAGTTTTG	ATTTAAACGT	GGCCAATATG	GACAACTTCT	TCGCCCCCGT
1261	TTTCACCATG	GGCAAATATT	ATACGCAAGG	CGACAAGGTG	CTGATGCCGC	TGGCGATTCA
1321	GGTTCATCAT	GCCGTCTGTG	ATGGCTTCCA	TGTCGGCAGA	ATGCTTAATG	AATTACAACA
1381	GTACTGCGAT	GAGTGGCAGG	GCGGGGCGTA	AAGATCTGGA	TCCGGCTTAC	TAAAAGCCAG
1441	ATAACAGTAT	GCGTATTTGC	GCGCTGATTT	TTGCGGTATA	AGAATATATA	CTGATATGTA
					GTATTACAGT	
1561	AGCGACAGCT	ATCAGTTGCT	CAAGGCATAT	ATGATGTCAA	TATCTCCGGT	CTGGTAAGCA
1621	CAACCATGCA	GAATGAAGCC	CGTCGTCTGC	GTGCCGAACG	CTGGAAAGCG	GAAAATCAGG
1681	AAGGGATGGC	TGAGGTCGCC	CGGTTTATTG	AAATGAACGG	CTCTTTTGCT	GACGAGAACA
1741	GGGACTGGTG	AAATGCAGTT	TAAGGTTTAC	ACCTATAAAA	GAGAGAGCCG	TTATCGTCTG
1801	TTTGTGGATG	TACAGAGTGA	TATTATTGAC	ACGCCCGGGC	GACGGATGGT	GATCCCCCTG
1861	GCCAGTGCAC	GTCTGCTGTC	AGATAAAGTC	TCCCGTGAAC	TTTACCCGGT	GGTGCATATC
1921	GGGGATGAAA	GCTGGCGCAT	GATGACCACC	GATATGGCCA	GTGTGCCGGT	CTCCGTTATC
1981	GGGGAAGAAG	TGGCTGATCT	CAGCCACCGC	GAAAATĞACA	TCAAAAACGC	CATTAACCTG
2041	ATGTTCTGGG	GAATATAAAT	GTCAGGCTCC	CTTATACACA	GCCAGTCTGC	AGGTCGACCA
2101	TAGTGACTGG	ATATGTTGTG	TTTTACAGTA	TTATGTAGTC	TGTTTTTAT	GCAAAATCTA
2161	ATTTAATATA	TTGATATTTA	TATCATTTTA	CGTTTCTCGT	TCAGCTTTCT	TGTACAAAGT
					AGTGAGTCGT	
2281	AGGCACTGGC	CGTCGTTTTA	CAACGTCGTG	ACTGGGAAAA	CTGCTAGCTT	GGGATCTTTG

	man n.can n.ca	ጥጥ እ ሮጥጥሮጥሮጥ	ССТСТСАСАТ	AATTGGACAA	ACTACCTACA	GAGATTTAAA
2341	TGAAGGAACC	INCITCIGI	#####################################	TATAATGTGT	TAAACTAGCT	GCATATGCTT
2401	GCTCTAAGGT	AWWINIWWW	ACTCACTATG	ATTTATGAAA	ATATTATACA	CAGGAGCTAG
2461	GCTGCTTGAG	TOTT TIGOTI	TTTTACATAC	ACAGTCCCAA	GGCTCATTTC	AGGCCCCTCA
2521	TGATTCTAAT	TGTTTGTGTA	ATCATAATCA	GCCATACCAC	ATTTGTAGAG	GTTTTACTTG
2581	GTCCTCACAG	CCTCCCACAC	CTCCCCCTGA	ACCTGAAACA	TAAAATGAAT	GCAATTGTTG
2641	CTTTAAAAAA	CCTCCCACAC	CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	GTTACAAATA	AAGCAATAGC	ATCACAAATT
2701	TIGTTAACTT	COMMONTO	TONOTOCONTO	CTAGTTGTGG	TTTGTCCAAA	CTCATCAATG
2761	TCACAAATAA	AGCATITITI	CATCCTCCATT	TAATGAATCG	GCCAACGCGC	GGGGAGAGGC
2821	TATCTTATCA	TGTCTGGATC	TANTACCGAA	GAGGCCCGCA	CCGATCGCCC	TTCCCAACAG
2881	GGTTTGCGTA	TIGGCIGGCG	ATCCCACCCC	CCCTGTAGCG	GCGCATTAAG	CGCGGCGGGT
2941	TTGCGCAGCC	CCCCCACCCA	CACCCCTACA	CTTGCCAGCG	CCCTAGCGCC	CGCTCCTTTC
3001	GTGGTGGTTA	CGCGCAGCGI	CCCCACCTTC	GCCGGCTTTC	CCCGTCAAGC	TCTAAATCGG
3061	GCTTTCTTCC	ma cocompose	ATTENDED	TTACGGCACC	TCGACCCCAA	AAAACTTGAT
3121	GGGCTCCCTT	CETTCACCTAC	TOCOCCATCO	CCCTGATAGA	CGGTTTTTCG	CCCTTTGACG
3181	TAGGGTGATG	GIICACGIAG	TACTCCACTC	TTGTTCCAAA	CTGGAACAAC	ACTCAACCCT
3241	TTGGAGTCCA	CGIICIIIMA	TAGIGGACIC	ATTTTGCCGA	TTTCGGCCTA	TTGGTTAAAA
3301	ATCTCGGTCT	ATTCTTTIGA	ATTTT ACCCC	AATTTTAACA	AAATATTAAC	GTTTACAATT
3361	AATGAGCTGA	CCCMARMOTO	TCCTTACCCC	TCTGTGCGGT	ATTTCACACC	GCATACGCGG
3421	TCGCCTGATG	CGGIAITIIC	TCANATAACC	TCTGAAAGAG	GAACTTGGTT	AGGTACCTTC
3481	ATCTGCGCAG	CACCATGGCC	CTCCNATCCC	TGTCAGTTAG	GGTGTGGAAA	GTCCCCAGGC
3541	TGAGGCGGAA	AGAACCAGCI	CCNANCCATG	CATCTCAATT	AGTCAGCAAC	CAGGTGTGGA
3601	TCCCCAGCAG	GCAGAAGIAI	ACCONGNACT	ATGCAAAGCA	TGCATCTCAA	TTAGTCAGCA
3661	AAGTCCCCAG	GCTCCCCAGC	TCCCCCCATC	CCGCCCCTAA	CTCCGCCCAG	TTCCGCCCAT
3721	ACCATAGTCC	PROGRESSOR	A A WWW TO CONTE	ATTTATGCAG	AGGCCGAGGC	CGCCTCGGCC
3781	Tercegeeee	MCCACAACT	CTCACCACCC	TTTTTTGGAG	GCCTAGGCTT	TTGCAAAAAG
3841	TCTGAGCTAT	TCCAGAAGIA	A CTCTCCA A C	TTAAGGCTAG	AGCCACCATG	ATTGAACAAG
3901	CTTGATTCTT	CTGACACAAC	CCCCCCCCTT	GGGTGGAGAG	GCTATTCGGC	TATGACTGGG
3961	ATGGATTGCA	DECAGGIICI	TCTCATCCCC	CCGTGTTCCG	GCTGTCAGCG	CAGGGGCGCC
4021	CACAACAGAC	MAICGGCIGC	CACCTGTCCG	GTGCCCTGAA	TGAACTGCAG	GACGAGGCAG
4081	CGGTTCTTTT	CTCCCTCCCC	ACCIGICGCG	TTCCTTGCGC	AGCTGTGCTC	GACGTTGTCA
4141	CGCGGCTATC	. GIGGCIGGCC	СТССТАТТС	GCGAAGTGCC	GGGGCAGGAT	CTCCTGTCAT
4201	CTGAAGCGGG	AAGGGACIGG	DARGTATCC	TCATGGCTGA	TGCAATGCGG	CGGCTGCATA
4261	CTCACCTIGC	CCCTACCGAG	CCATTCGACC	ACCAAGCGAA	ACATCGCATC	GAGCGAGCAC
4321	CGCTTGATCC	CCARCCIGC	CTTCTCGATC	AGGATGATCT	GGACGAAGAG	CATCAGGGGC
4381	GTACTCGGAI	GGAAGCCGG1	CITGICGAIC	AGGCGCGCAT	GCCCGACGGC	GAGGATCTCG
4441	TCGCGCCAGC	TOURNESS TOUR	TGCTTGCCG	ATATCATGGT	GGAAAATGGC	CGCTTTTCTG
4501	TCGTGACCCA	CECCAIGC	. IGCIIGCCGA : CTGGGTGTGTGG	CGGACCGCTA	TCAGGACATA	GCGTTGGCTA
4561	GATTCATCG	TCCTCDACAG	CIGGGIGIG	AATGGGCTGA	CCGCTTCCTC	GTGCTTTACG
4621	CCCGIGAIAI	TOCTOARGAC	CAGCGCATC	CCTTCTATCG	CCTTCTTGAC	GAGTTCTTCT
4683	GIAICGCCGC	CTCCCGATICC	DANTGACCG	CCAAGCGACG	CCCAACCTGC	CATCACGATG
4/4	CCCCCAATA	ברבטטטווט מדדדירמייממ	TTTTCATTAC	ATCTGTGTGT	TGGTTTTTTG	TGTGAATCGA
480	CCCCCAAIAA	CATCICITE CATCULARY	TGGTGCACT	TCAGTACAAT	CTGCTCTGAT	GCCGCATAGT
400	L TAGCGATAA	CCGACACCCC	CCAACACCC	CTGACGCGCC	CTGACGGGCT	TGTCTGCTCC
492.	L CCCCNTCCC	TTACAGACA	GCTGTGACC	TCTCCGGGAG	CTGCATGTGT	CAGAGGTTTT
430. 'E'04'	L CACCGTCAT	T ACCGARACGO	GCGAGACGA	A AGGGCCTCGT	GATACGCCTA	TTTTTATAGG
504.	L CACCGICAI L TTNATCTCA	TAATAATAAT	GTTTCTTAG	A CGTCAGGTGG	CACTTTTCGG	GGAAATGTGC
510.	CCCCAACCC	~ ጥልጥጥጥርጥጥጥ	TTTTTCTAA	A TACATTCAA	TATGTATCCG	CTCATGAGAC
510.	I BOUGHACCE	2 ATABATGCT	"דאדאאדאד"	r gaaaaaggaa	GAGTATGAGT	ATTCAACATT
524.		C CCTTATTCC	TTTTTTGCG	G CATTTTGCCT	TCCTGTTTT	GCTCACCCAG
520.	I ICCGIGICG	T GAAAGTAAA	A GATGCTGAA	G ATCAGTTGGG	TGCACGAGTO	GGTTACATCG
534.	T WANCACIAN	ר האפונה ביי ד האשר שפרפפי	T AAGATCCTT	G AGAGTTTTCC	CCCCGAAGA	A CGTTTTCCAA
540	I MACIGUAIC	ר העהראטנטט: ר העהראטנטט:	г СТССТАТСТ	G GCGCGGTAT	ATCCCGTAT	GACGCCGGGC
240	1 DACAGCADC	T CGGTCGCCG	C ATACACTAT	T CTCAGAATGA	A CTTGGTTGAG	TACTCACCAG
552	1 TCACAGAAC	A GCATCTTAC	G GATGGCATG	A CAGTAAGAGA	A ATTATGCAG	C GCTGCCATAA
228 E <i>E A</i>	1 CCMAGNAGA T TOWCAGAMA	ה שבתובוותני מימימימימעת מ	G GCCAACTTA	C TTCTGACAA	GATCGGAGG	A CCGAAGGAGC
ラ ウ 4 にマハ	1 TAPCCCCUL	т тттссасьа	C ATGGGGGAT	C ATGTAACTC	CCTTGATCG	T TGGGAACCGG
570 57£	1 AGCTGAATG	A AGCCATACC	A AACGACGAG	C GTGACACCA	GATGCCTGT	A GCAATGGCAA
510	- MOCTOWAY					

5821	CAACGTTGCG	CAAACTATTA	ACTGGCGAAC	TACTTACTCT	AGCTTCCCGG	CAACAATTAA
5881	TAGACTGGAT	GGAGGCGGAT	AAAGTTGCAG	GACCACTTCT	GCGCTCGGCC	CTTCCGGCTG
5941	GCTGGTTTAT	TGCTGATAAA	TCTGGAGCCG	GTGAGCGTGG	GTCTCGCGGT	ATCATTGCAG
6001	CACTGGGGCC	AGATGGTAAG	CCCTCCCGTA	TCGTAGTTAT	CTACACGACG	GGGAGTCAGG
6061	CAACTATGGA	TGAACGAAAT	AGACAGATCG	CTGAGATAGG	TGCCTCACTG	ATTAAGCATT
6121	GGTAACTGTC	AGACCAAGTT	TACTCATATA	TACTTTAGAT	TGATTTAAAA	CTTCATTTTT
6181	AATTTAAAAG	GATCTAGGTG	AAGATCCTTT	TTGATAATCT	CATGACCAAA	ATCCCTTAAC
6241	GTGAGTTTTC	GTTCCACTGA	GCGTCAGACC	CCGTAGAAAA	GATCAAAGGA	TCTTCTTGAG
6301	ATCCTTTTTT	TCTGCGCGTA	ATCTGCTGCT	TGCAAACAAA	AAAACCACCG	CTACCAGCGG
6361	TGGTTTGTTT	GCCGGATCAA	GAGCTACCAA	CTCTTTTTCC	GAAGGTAACT	GGCTTCAGCA
6421	GAGCGCAGAT	ACCAAATACT	GTCCTTCTAG	TGTAGCCGTA	GTTAGGCCAC	CACTTCAAGA
6481	ACTCTGTAGC	ACCGCCTACA	TACCTCGCTC	TGCTAATCCT	GTTACCAGTG	GCTGCTGCCA
6541	GTGGCGATAA	GTCGTGTCTT	ACCGGGTTGG	ACTCAAGACG	ATAGTTACCG	GATAAGGCGC
6601	AGCGGTCGGG	CTGAACGGGG	GGTTCGTGCA	CACAGCCCAG	CTTGGAGCGA	ACGACCTACA
6661	CCGAACTGAG	ATACCTACAG	CGTGAGCATT	GAGAAAGCGC	CACGCTTCCC	GAAGGGAGAA
6721	AGGCGGACAG	GTATCCGGTA	AGCGGCAGGG	TCGGAACAGG	AGAGCGCACG	AGGGAGCTTC
6781	CAGGGGGAAA	CGCCTGGTAT	CTTTATAGTC	CTGTCGGGTT	TCGCCACCTC	TGACTTGAGC
6841	GTCGATTTTT	GTGATGCTCG	TCAGGGGGGC	GGAGCCTATG	GAAAAACGCC	AGCAACGCGG
6901	CCTTTTTACG	GTTCCTGGCC	TTTTGCTGGC	CTTTTGCTCA	CATGTTCTTT	CCTGCGTTAT
6961	CCCCTGATTC	TGTGGATAAC	CGTATTACCG	CCTTTGAGTG	AGCTGATACC	GCTCGCCGCA
7021	GCCGAACGAC	CGAGCGCAGC	GAGTCAGTGA	GCGAGGAAGC	GGAAGAGCGC	CCAATACGCA
7081	AACCGCCTCT	CCCCGCGCGT	TGGCCGATTC	ATTAATGCAG	AGCTTGCAAT	TCGCGCGTTT
7141	TTCAATATTA	TTGAAGCATT	TATCAGGGTT	ATTGTCTCAT	GAGCGGATAC	ATATTTGAAT
7201	GTATTTAGAA	AAATAAACAA	ATAGGGGTTC	CGCGCACATT	TCCCCGAAAA	GTGCCACCTG
7261	ACGTCTAAGA	AACCATTATT	ATCATGACAT	TAACCTATAA	AAATAGGCGT	AGTACGAGGC
7321	CCTTTCACTC	ATTAGATGCA	TGTCGTTACA	TAACTTACGG	TAAATGGCCC	GCCTGGCTGA
7381	CCGCCCAACG	ACCCCCGCCC	ATTGACGTCA	ATAATGACGT	ATGTTCCCAT	AGTAACGCCA
				GAGTATTTAC		

pDEST 27 GST Amino Fusion in pCMV Sport-neo Vector





pDEST27 8123 bp (rotated to position 7800)

	Gene Encoded
Location (Base Nos.)	
130793	GST
803927	attR1
10361695	CmR
18151899	inactivated ccdA
20372342	ccdB
23832507	attR2
26933055	SV40 polyA
32503705	fl intergenic region
37694187	SV40 promoter
42325026	neo
50905138	polyA
55496409	Apr
65587197	ori
762827	CMV promoter

1.	ATAAGCAGAG	CTCGTTTAGT	GAACCGTCAG	ATCGCCTGGA	GACGCCATCC	ACGCTGTTTT
61	CACCTCCATA	GAAGACACCG (GGACCGATCC	AGCCTCCGGA	CTCTAGCCTA	GGCCGCGGAC
121	CATGGCCCCT	ATACTAGGTT	ATTGGAAAAT	TAAGGGCCTT	GTGCAACCCA	CTCGACTTCT
181	TTTGGAATAT	CTTGAAGAAA	AATATGAAGA	GCATTTGTAT	GAGCGCGATG	AAGGTGATAA
241	ATGCCGAAAC	AAAAAGTTTG	AATTGGGTTT	GGAGTTTCCC	AATCTTCCTT	ATTATATTGA
201	TCCTCATGTT	AAATTAACAC	AGTCTATGGC	CATCATACGT	TATATAGCTG	ACAAGCACAA
361	СУТСТТСССТ	GGTTGTCCAA	AAGAGCGTGC	AGAGATTTCA	ATGCTTGAAG	GAGCGGTTTT
421	ССАТАТТАСА	TACGGTGTTT	CGAGAATTGC	ATATAGTAAA	GACTTTGAAA	CTCTCAAAGT
401	անք չարարարարար	AGCAAGCTAC	CTGAAATGCT	GAAAATGTTC	GAAGATCGTT	TATGTCATAA
C / 1	ለ ምምም ልም ል ግል ለ	AATGGTGATC .	ATGTAACCCA	TCCTGACTTC	ATGTTGTATG	ACGCTCTTGA
601	ու⊏դություրը. Σ	TACATGGACC	CAATGTGCCT	GGATGCGTTC	CCAAAATTAG	TT-TGT-TTAA
661	א א א א רכידא דד	GAAGCTATCC	CACAAATTGA	TAAGTACTTG	AAATCCAGCA	AGTATATAGC
721	አጥርርርርር የተጠናቸው	CAGGGCTGGC	AAGCCACGTT	TGGTGGTGGC	GACCATCCTC	CAAAATCGGA
781	TCTGGTTCCG	CGTTCTAGAT	CAACAAGTTT	GTACAAAAAA	GCTGAACGAG	AAACGTAAAA
0/1	ΤαδτάταδαΤ	ATCAATATAT	TAAATTAGAT	TTTGCATAAA	AAACAGACTA	CATAATACTG
901	TABABCACAA	CATATCCAGT	CACTATGGCG	GCCGCATTAG	GCACCCCAGG	CTTTACACTT
961	TATGCTTCCG	GCTCGTATAA	TGTGTGGATT	TTGAGTTAGG	ATCCGGCGAG	ATTITICAGGA
1021	GCTAAGGAAG	CTAAAATGGA	GAAAAAAATC	ACTGGATATA	CCACCGTTGA	TATATCCCAA
1081	TGGCATCGTA	AAGAACATTT	TGAGGCATTT	CAGTCAGTTG	CTCAATGTAC	CTATAACCAG
1141	ACCGTTCAGC	TGGATATTAC	GGCCTTTTTA	AAGACCGTAA	AGAAAAATAA	GCACAAGTTT
1201	TATCCGGCCT	TTATTCACAT	TCTTGCCCGC	CTGATGAATG	CTCATCCGGA	ATTCCGTATG
1261	GCAATGAAAG	ACGGTGAGCT	GGTGATATGG	GATAGTGTTC	ACCCTTGTTA	CACCGTTTC
1221	CATGAGCAAA	CTGAAACGTT	TTCATCGCTC	TGGAGTGAAT	ACCACGACGA	TTTCCGGCAG
1381	TTTCTACACA	TATATTCGCA	AGATGTGGCG	TGTTACGGTG	AAAACCTGGC	CTATTTCCCT
1 4 4 1	AAAGGGTTTA	TTGAGAATAT	GTTTTTCGTC	TCAGCCAATC	CCTGGGTGAG	TTTCACCAGT
1501	ጥጥ ሮልጥጥውል	ACGTGGCCAA	TATGGACAAC	TTCTTCGCCC	CCGTTTTCAC	CATGGGCAAA
1561	TATTATACGO	AAGGCGACAA	GGTGCTGATG	CCGCTGGCGA	TTCAGGTTCA	TCATGCCGTC
1621	TGTGATGGCT	TCCATGTCGG	CAGAATGCTT	' AATGAATTAC	AACAGTACTG	CGATGAGTGG
1683	L CAGGGCGGG	G CGTAAAGATC	TGGATCCGGC	TTACTAAAAG	CCAGATAACA	GTATGCGTAT
1743	L TTGCGCGCTG	ATTTTTGCGG	TATAAGAATA	TATACTGATA	TGTATACCCG	AAGTATGTCA
180	L AAAAGAGGTO	TGCTATGAAG	CAGCGTATTA	CAGTGACAGI	TGACAGCGAC	AGCTATCAGT
106	TCCTCAACG	TATATATGATG	TCAATATCTC	CGGTCTGGT	AGCACAACCA	TGCAGAATGA
192	AGCCCGTCG	r ctgcgtgccg	AACGCTGGA	AGCGGAAAA?	CAGGAAGGGA	TGGCTGAGGT
198	CGCCCGGTT	r ATTGAAATGA	ACGGCTCTT	TGCTGACGA	AACAGGGACT	GGTGAAAIGC
204	AGTTTAAGG	TTACACCTAT	' AAAAGAGAGA	A GCCGTTATC	TCTGTTTGTG	GATGTACAGA
210	GTGATATTA	r TGACACGCCC	: GGGCGACGG	A TGGTGATCC	C CCTGGCCAG1	GCACGTCTGC
216	1 TGTCAGATA	A AGTCTCCCGI	GAACTTTAC	C CGGTGGTGC	A TATCGGGGA1	GAAAGCIGGC
222	1 GCATGATGA	CACCGATATO	GCCAGTGTG	C CGGTCTCCG	r Tatcggggaa	GAAGTGGCTG
228	1 ATCTCAGCC	A CCGCGAAAAT	GACATCAAA	A ACGCCATTA	A CCTGATGTTC	TGGGGAATAT-

2341 AAATGTCAGG CTCCCTTATA CACAGCCAGT CTGCAGGTCG ACCATAGTGA CTGGATATGT 2401 TGTGTTTTAC AGTATTATGT AGTCTGTTTT TTATGCAAAA TCTAATTTAA TATATTGATA 2461 TTTATATCAT TTTACGTTTC TCGTTCAGCT TTCTTGTACA AAGTGGTTGA TCGCGTGCAT 2521 GCGACGTCAT AGCTCTCTCC CTATAGTGAG TCGTATTATA AGCTAGGCAC TGGCCGTCGT 2581 TTTACAACGT CGTGACTGGG AAAACTGCTA GCTTGGGATC TTTGTGAAGG AACCTTACTT 2641 CTGTGGTGTG ACATAATTGG ACAAACTACC TACAGAGATT TAAAGCTCTA AGGTAAATAT 2701 AAAATTTTTA AGTGTATAAT GTGTTAAACT AGCTGCATAT GCTTGCTGCT TGAGAGTTTT 2761 GCTTACTGAG TATGATTTAT GAAAATATTA TACACAGGAG CTAGTGATTC TAATTGTTTG 2821 TGTATTTTAG ATTCACAGTC CCAAGGCTCA TTTCAGGCCC CTCAGTCCTC ACAGTCTGTT 2881 CATGATCATA ATCAGCCATA CCACATTTGT AGAGGTTTTA CTTGCTTTAA AAAACCTCCC 2941 ACACCTCCCC CTGAACCTGA AACATAAAAT GAATGCAATT GTTGTTGTTA ACTTGTTTAT 3001 TGCAGCTTAT AATGGTTACA AATAAAGCAA TAGCATCACA AATTTCACAA ATAAAGCATT 3061 TTTTTCACTG CATTCTAGTT GTGGTTTGTC CAAACTCATC AATGTATCTT ATCATGTCTG 3121 GATCGATCCT GCATTAATGA ATCGGCCAAC GCGCGGGGAG AGGCGGTTTG CGTATTGGCT 3181 GGCGTAATAG CGAAGAGGCC CGCACCGATC GCCCTTCCCA ACAGTTGCGC AGCCTGAATG 3241 GCGAATGGGA CGCGCCCTGT AGCGGCGCAT TAAGCGCGGC GGGTGTGGTG GTTACGCGCA 3301 GCGTGACCGC TACACTTGCC AGCGCCCTAG CGCCCGCTCC TTTCGCTTTC TTCCCTTCCT 3361 TTCTCGCCAC GTTCGCCGGC TTTCCCCGTC AAGCTCTAAA TCGGGGGGCTC CCTTTAGGGT 3421 TCCGATTTAG TGCTTTACGG CACCTCGACC CCAAAAAACT TGATTAGGGT GATGGTTCAC 3481 GTAGTGGGCC ATCGCCCTGA TAGACGGTTT TTCGCCCTTT GACGTTGGAG TCCACGTTCT 3541 TTAATAGTGG ACTCTTGTTC CAAACTGGAA CAACACTCAA CCCTATCTCG GTCTATTCTT 3601 TTGATTTATA AGGGATTTTG CCGATTTCGG CCTATTGGTT AAAAAATGAG CTGATTTAAC 3661 AAATATTTAA CGCGAATTTT AACAAAATAT TAACGTTTAC AATTTCGCCT GATGCGGTAT 3721 TTTCTCCTTA CGCATCTGTG CGGTATTTCA CACCGCATAC GCGGATCTGC GCAGCACCAT 3781 GGCCTGAAAT AACCTCTGAA AGAGGAACTT GGTTAGGTAC CTTCTGAGGC GGAAAGAACC 3841 AGCTGTGGAA TGTGTGTCAG TTAGGGTGTG GAAAGTCCCC AGGCTCCCCA GCAGGCAGAA 3901 GTATGCAAAG CATGCATCTC AATTAGTCAG CAACCAGGTG TGGAAAGTCC CCAGGCTCCC 3961 CAGCAGGCAG AAGTATGCAA AGCATGCATC TCAATTAGTC AGCAACCATA GTCCCGCCCC 4021 TAACTCCGCC CATCCCGCCC CTAACTCCGC CCATTCCCG CCCCATGGCT 4081 GACTAATTTT TTTTATTTAT GCAGAGGCCG AGGCCGCCTC GGCCTCTGAG CTATTCCAGA 4141 AGTAGTGAGG AGGCTTTTTT GGAGGCCTAG GCTTTTGCAA AAAGCTTGAT TCTTCTGACA 4201 CAACAGTCTC GAACTTAAGG CTAGAGCCAC CATGATTGAA CAAGATGGAT TGCACGCAGG 4261 TTCTCCGGCC GCTTGGGTGG AGAGGCTATT CGGCTATGAC TGGGCACAAC AGACAATCGG 4321 CTGCTCTGAT GCCGCCGTGT TCCGGCTGTC AGCGCAGGGG CGCCCGGTTC TTTTTGTCAA 4381 GACCGACCTG TCCGGTGCCC TGAATGAACT GCAGGACGAG GCAGCGCGGC TATCGTGGCT 4441 GGCCACGACG GGCGTTCCTT GCGCAGCTGT GCTCGACGTT GTCACTGAAG CGGGAAGGGA 4501 CTGGCTGCTA TTGGGCGAAG TGCCGGGGCA GGATCTCCTG TCATCTCACC TTGCTCCTGC 4561 CGAGAAAGTA TCCATCATGG CTGATGCAAT GCGGCGGCTG CATACGCTTG ATCCGGCTAC 4621 CTGCCCATTC GACCACCAAG CGAAACATCG CATCGAGCGA GCACGTACTC GGATGGAAGC 4681 CGGTCTTGTC GATCAGGATG ATCTGGACGA AGAGCATCAG GGGCTCGCGC CAGCCGAACT 4741 GTTCGCCAGG CTCAAGGCGC GCATGCCCGA CGGCGAGGAT CTCGTCGTGA CCCATGGCGA 4801 TGCCTGCTTG CCGAATATCA TGGTGGAAAA TGGCCGCTTT TCTGGATTCA TCGACTGTGG 4861 CCGGCTGGGT GTGGCGGACC GCTATCAGGA CATAGCGTTG GCTACCCGTG ATATTGCTGA 4921 AGAGCTTGGC GGCGAATGGG CTGACCGCTT CCTCGTGCTT TACGGTATCG CCGCTCCCGA 4981 TTCGCAGCGC ATCGCCTTCT ATCGCCTTCT TGACGAGTTC TTCTGAGCGG GACTCTGGGG 5041 TTCGAAATGA CCGACCAAGC GACGCCCAAC CTGCCATCAC GATGGCCGCA ATAAAATATC 5101 TTTATTTCA TTACATCTGT GTGTTGGTTT TTTGTGTGAA TCGATAGCGA TAAGGATCCG 5161 CGTATGGTGC ACTCTCAGTA CAATCTGCTC TGATGCCGCA TAGTTAAGCC AGCCCCGACA 5221. CCCGCCAACA CCCGCTGACG CGCCCTGACG GGCTTGTCTG CTCCCGGCAT CCGCTTACAG 5281 ACAAGCTGTG ACCGTCTCCG GGAGCTGCAT GTGTCAGAGG TTTTCACCGT CATCACCGAA 5341 ACGCGCGAGA CGAAAGGGCC TCGTGATACG CCTATTTTTA TAGGTTAATG TCATGATAAT 5401 AATGGTTTCT TAGACGTCAG GTGGCACTTT TCGGGGAAAT GTGCGCGGAA CCCCTATTTG 5461 TTTATTTTC TAAATACATT CAAATATGTA TCCGCTCATG AGACAATAAC CCTGATAAAT 5521 GCTTCAATAA TATTGAAAAA GGAAGAGTAT GAGTATTCAA CATTTCCGTG TCGCCCTTAT 5581 TCCCTTTTTT GCGGCATTTT GCCTTCCTGT TTTTGCTCAC CCAGAAACGC TGGTGAAAGT 5641 AAAAGATGCT GAAGATCAGT TGGGTGCACG AGTGGGTTAC ATCGAACTGG ATCTCAACAG 5701 CGGTAAGATC CTTGAGAGTT TTCGCCCCGA AGAACGTTTT CCAATGATGA GCACTTTTAA 5761 AGTTCTGCTA TGTGGCGCGG TATTATCCCG TATTGACGCC GGGCAAGAGC AACTCGGTCG -

5821	CCGCATACAC	TATTCTCAGA	ATGACTTGGT	TGAGTACTCA	CCAGTCACAG	AAAAGCATCT
5881	TACGGATGGC	ATGACAGTAA	GAGAATTATG	CAGTGCTGCC	ATAACCATGA	GTGATAACAC
5941	TGCGGCCAAC	TTACTTCTGA	CAACGATCGG	AGGACCGAAG	GAGCTAACCG	CTTTTTTGCA
6001	CAACATGGGG	GATCATGTAA	CTCGCCTTGA	TCGTTGGGAA	CCGGAGCTGA	ATGAAGCCAT
6061	ACCAAACGAC	GAGCGTGACA	CCACGATGCC	TGTAGCAATG	GCAACAACGT	TGCGCAAACT
6121	ATTAACTGGC	GAACTACTTA	CTCTAGCTTC	CCGGCAACAA	TTAATAGACT	GGATGGAGGC
6181	GGATAAAGTT	GCAGGACCAC	TTCTGCGCTC	GGCCCTTCCG	GCTGGCTGGT	TTATTGCTGA
6241	TAAATCTGGA	GCCGGTGAGC	GTGGGTCTCG	CGGTATCATT	GCAGCACTGG	GGCCAGATGG
6301	TAAGCCCTCC	CGTATCGTAG	TTATCTACAC	GACGGGGAGT	CAGGCAACTA	TGGATGAACG
6361	AAATAGACAG	ATCGCTGAGA	TAGGTGCCTC	ACTGATTAAG	CATTGGTAAC	TGTCAGACCA
6421	AGTTTACTCA	TATATACTTT	AGATTGATTT	AAAACTTCAT	${\tt TTTTAATTTA}$	AAAGGATCTA
6481	GGTGAAGATC	CTTTTTGATA	ATCTCATGAC	CAAAATCCCT	TAACGTGAGT	TTTCGTTCCA
6541	CTGAGCGTCA	GACCCCGTAG	AAAAGATCAA	AGGATCTTCT	TGAGATCCTT	TTTTTCTGCG
6601	CGTAATCTGC	TGCTTGCAAA	CAAAAAAACC	ACCGCTACCA	GCGGTGGTTT	GTTTGCCGGA
6661	TCAAGAGCTA	CCAACTCTTT	TTCCGAAGGT	AACTGGCTTC	AGCAGAGCGC	AGATACCAAA
6721	TACTGTCCTT	CTAGTGTAGC	CGTAGTTAGG	CCACCACTTC	AAGAACTCTG	TAGCACCGCC
6781	TACATACCTC	GCTCTGCTAA	TCCTGTTACC	AGTGGCTGCT	GCCAGTGGCG	ATAAGTCGTG
6841	TCTTACCGGG	TTGGACTCAA	GACGATAGTT	ACCGGATAAG	GCGCAGCGGT	CGGGCTGAAC
6901	GGGGGGTTCG	TGCACACAGC	CCAGCTTGGA	GCGAACGACC	TACACEGAAC	TGAGATACCT
6961	ACAGCGTGAG	CATTGAGAAA	GCGCCACGCT	TCCCGAAGGG	AGAAAGGCGG	ACAGGTATCC
				CACGAGGGAG		
7081	GTATCTTTAT	AGTCCTGTCG	GGTTTCGCCA	CCTCTGACTT	GAGCGTCGAT	TTTTGTGATG
7141	CTCGTCAGGG	GGGCGGAGCC	TATGGAAAAA	CGCCAGCAAC	GCGGCCTTTT	TACGGTTCCT
7201	GGCCTTTTGC	TGGCCTTTTG	CTCACATGTT	CTTTCCTGCG	TTATCCCCTG	ATTCTGTGGA
7261	TAACCGTATT	ACCGCCTTTG	AGTGAGCTGA	TACCGCTCGC	CGCAGCCGAA	CGACCGAGCG
7321	CAGCGAGTCA	GTGAGCGAGG	AAGCGGAAGA	GCGCCCAATA	CGCAAACCGC	CTCTCCCCGC
7381	GCGTTGGCCG	ATTCATTAAT	GCAGAGCTTG	CAATTCGCGC	GTTTTTCAAT	ATTATTGAAG
			•	ATACATATTT		
				AAAAGTGCCA		
7561	TATTATCATG	ACATTAACCT	ATAAAAATAG	GCGTAGTACG	AGGCCCTTTC	ACTCATTAGA
7621	TGCATGTCGT	TACATAACTT	ACGGTAAATG	GCCCGCCTGG	CTGACCGCCC	AACGACCCCC
7681	GCCCATTGAC	GTCAATAATG	ACGTATGTTC	CCATAGTAAC	GCCAATAGGG	ACTTTCCATT
7741	GACGTCAATG	GGTGGAGTAT	TTACGGTAAA	CTGCCCACTT	GGCAGTACAT	CAAGTGTATC
				ATGACGGTAA		
7861	CCCAGTACAT	GACCTTATGG	GACTTTCCTA	CTTGGCAGTA	CATCTACGTA	TTAGTCATCG
7921	CTATTACCAT	GGTGATGCGG	TTTTGGCAGT	ACATCAATGG	GCGTGGATAG	CGGTTTGACT
7981	CACGGGGATT	TCCAAGTCTC	CACCCCATTG	ACGTCAATGG	GAGTTTGTTT	TGGCACCAAA
8041	ATCAACGGGA	CTTTCCAAAA	TGTCGTAACA	ACTCCGCCCC	ATTGACGCAA	ATGGGCGGTA
8101	GGCGTGTACG	GTGGGAGGTC	TAT			

Figure 48 A: pEXP501: pCMV-SPORT 6 host for attB Libraries




Figure 488: PEXP 50 (cont'd). Features of the att B cloning vector, PEXP 50 |. Bases within hatched area are replaced by cDNA in some LTI cDNA libraries.

CMV mLMA

---aga get egt tta gtg aac egt cag ate gee tgg aga ege cat cea

---tet ega gea aat eac ttg gea gte tag egg ace tet geg gta ggt

cgc tgt ttt gac ctc cat aga aga cac cgg gac cga tcc agc ctc gcg aca aaa ctg gag gta tct tct gtg gcc ctg gct agg tcg gag

cgg act cta gcc tag gcc gcg gag cgg ata aca att tca cac agg gcc tga gat cgg atc cgg cgc ctc gcc tat tgt taa agt gtg tcc

ABI rev primer

Stu SPG primer

aaa cag cta tga cca tta ggt cta ttt agg tga cac tat aga aca

ttt gtc gat act ggt aat ccg gat aaa tcc act gtg ata tct tgt

agt tig tac aaa aaa gca ggc tig tac con tcc gga att ccc ggg
tca aac atg ttt ttt cgt ccg aft atg gcc agg cct taa ggg ccc

ata/tcg tcg/add agc/tra/ota/gtc ggc ggc cgc tct aga gta tcc
tat/agc/agc/tgc tcg agt gat dag ccg ccg gcg aga tdt cat agg

The April Hold Min att82 Int che gag ggg coe and ett ace can ett tet tet ace and gag coe dec ggg tte gan tee gda tee gte gan aga aca tee tte

acc agg gat atc act cag cat aat att cga tcc gtg acc ggc agc

ttt tac aac gtc gtg act ggg aaa act gct agc ttg gga tct ttg--aaa atg ttg cag cac tga ccc ttt tga cga tcg aac cct aga aac---


LTI fut

pEXP501 4396 bp

					•	*
1	CCATTCGCCA	TTCAGGCTGC	GCAACTGTTG	GGAAGGGCGA '	TCGGTGCGGG	CCTCTTCGCT
61	ATTACGCCAG	CCAATACGCA	AACCGCCTCT	CCCCGCGCGT '	TGGCCGATTC	ATTAATGCAG
121	GATCGATCCA	GACATGATAA	GATACATTGA	TGAGTTTGGA	CAAACCACAA	CTAGAATGCA
181	GTGAAAAAA	TGCTTTATTT	GTGAAATTTG	TGATGCTATT	GCTTTATTTG	TAACCATTAT
241	AAGCTGCAAT	AAACAAGTTA	ACAACAACAA	TTGCATTCAT	TTTATGTTTC	AGGTTCAGGG
301	GGAGGTGTGG	GAGGTTTTTT	AAAGCAAGTA	AAACCTCTAC	AAATGTGGTA	TGGCTGATTA
361	TGATCATGAA	CAGACTGTGA	GGACTGAGGG	GCCTGAAATG	AGCCTTGGGA	CTGTGAATCT
421	AAAATACACA	AACAATTAGA	ATCACTAGCT	CCTGTGTATA	ATATTTTCAT	AAATCATACT
491	CAGTAAGCAA	AACTCTCAAG	CAGCAAGCAT	ATGCAGCTAG	TTTAACACAT	TATACACTTA
541	TATTTTAAAA	ATTTACCTTA	GAGCTTTAAA	TCTCTGTAGG	TAGTTTGTCC	AATTATGTCA
501	CACCACAGAA	GTAAGGTTCC	TTCACAAAGA	TCCCAAGCTA	GCAGTTTTCC	CAGTCACGAC
661	GTTGTAAAAC	GACGGCCAGT	GCCTAGCTTA	TAATACGACT	CACTATAGGG	ACCACTTTGT
	ACAAGAAAGC					
	GACTAGTGAG					
0/1	GTACAAACTT	GTTCTATAGT	GTCACCTAAA	TAGGCCTAAT	GGTCATAGCT	GTTTCCTGTG
	TGAAATTGTT					
	TCTTCTATGG					
	ACGAGCTCTG					
	GGCGGAGTTG					
	ATTGACGTCA					
	ATTGATGTAC					
	CTGCCAAGTA					
	ACCGTCATTG					
	GTGGGCAGTT					
	TACTATGGGA					
	AGGCGGGCCA					
	TACTACGCCT					
	GCACTTTTCG					
	ATATGTATCC					
	GCGAATTGCA					
1741	TTGGGCGCTC	MGCICIGCAI	TAATGAATCG	ACTCGCTGCG	CTCGGTCGTT	CGGCTGCGGC
	GAGCGGTATC					
	CAGGAAAGAA					
1921	TGCTGGCGTT	CAIGIGAGCA	CTCCCCCCCC	CTCACCACCA	TCACAAAAAT	CGACGCTCAA
1981	TGCTGGCGTT GTCAGAGGTG	TTTCCATAGG	N C N C C N C T N T	NANCATACCA	GGCGTTTCCCC	CCTGGAAGCT
2041	GTCAGAGGTG CCCTCGTGCG	GUGAAACCCG	ACAGGACIAI	CCCTTACCCC	ATACCTGTCC	CCCTTTCCC
2101	CCCTCGTGCG.	CTCTCCTGTT	CCGACCCIGC	COCTIACCOG	CTATCTCACT	TCGGTGTAGG
	. CTTCGGGAAG . TCGTTCGCTC					
	TCGTTCGCTC TATCCGGTAA					
2281	. TATCCGGTAA . CAGCCACTGG	CTATEGICII	JOAN JOAN I	CGGIAAGACA	CCCTCCTACA	CACTTCTTGA
	. CAGCCACTGG . AGTGGTGGCC					
2401	AGTGGTGGCC AGCCAGTTAC	TAACTACGGC	. IACACIAGAA	COMCAGIAII	CCCCADACAA	ACCACCGCTG
	GTAGCGGTGG					
	AAGATCCTTT					
	GGATTTTGGT					
	TATCAAAAAG					
						GAGGCACCTA
						GTGTAGATAA
	LCTACGATACG					
						GAGCGCAGAA
						GAAGCTAGAG
						GGCATCGTGG
312	1 TGTCACGCTC	GTCGTTTGG	ATGGCTTCA	r TCAGCTCCGG	TICCCHACGE	TCAAGGCGAG-

3181	TTACATGATC	CCCCATGTTG	TGCAAAAAAG	CGGTTAGCTC	CTTCGGTCCT	CCGATCGTTG
3241	TCAGAAGTAA	GTTGGCCGCA	GTGTTATCAC	TCATGGTTAT	GGCAGCACTG	CATAATTCTC
3301	TTACTGTCAT	GCCATCCGTA	AGATGCTTTT	CTGTGACTGG	TGAGTACTCA	ACCAAGTCAT
3361	TCTGAGAATA	GTGTATGCGG	CGACCGAGTT	GCTCTTGCCC	GGCGTCAATA	CGGGATAATA
3421	CCGCGCCACA	TAGCAGAACT	TTAAAAGTGC	TCATCATTGG	AAAACGTTCT	TCGGGGCGAA
3481	AACTCTCAAG	GATCTTACCG	CTGTTGAGAT	CCAGTTCGAT	GTAACCCACT	CGTGCACCCA
3541	ACTGATCTTC	AGCATCTTTT	ACTTTCACCA	GCGTTTCTGG	GTGAGCAAAA	ACAGGAAGGC
3601	AAAATGCCGC	AAAAAAGGGA	ATAAGGGCGA	CACGGAAATG	TTGAATACTC	ATACTCTTCC
3661	TTTTTCAATA	TTATTGAAGC	ATTTATCAGG	GTTATTGTCT	CATGCCAGGG	GTGGGCACAC
3721	ATATTTGATA	CCAGCGATCC	CTACACAGCA	CATAATTCAA	TGCGACTTCC	CTCTATCGCA
3781	CATCTTAGAC	CTTTATTCTC	CCTCCAGCAC	ACATCGAAGC	TGCCGAGCAA	GCCGTTCTCA
3841	CCAGTCCAAG	ACCTGGCATG	AGCGGATACA	TATTTGAATG	TATTTAGAAA	AATAAACAAA
3901	TAGGGGTTCC	GCGCACATTT	CCCCGAAAAG	TGCCACCTGA	AATTGTAAAC	GTTAATATTT
3961	TGTTAAAATT	CGCGTTAAAT	TTTTGTTAAA	TCAGCTCATT	TTTTAACCAA	TAGGCCGAAA
4021	TCGGCAAAAT	CCCTTATAAA	TCAAAAGAAT	AGACCGAGAT	AGGGTTGAGT	GTTGTTCCAG
4081	TTTGGAACAA	GAGTCCACTA	TTAAAGAACG	TGGACTCCAA	CGTCAAAGGG	CGAAAAACCG
4141	TCTATCAGGG	CGATGGCCCA	CTACGTGAAC	CATCACCCTA	ATCAAGTTTT	TTGGGGTCGA
4201	GGTGCCGTAA	AGCACTAAAT	CGGAACCCTA	AAGGGAGCCC	CCGATTTAGA	GCTTGACGGG
4261	GAAAGCCGGC	GAACGTGGCG	AGAAAGGAAG	GGAAGAAAGC	GAAAGGAGCG	GGCGCTAGGG
4321	CGCTGGCAAG	TGTAGCGGTC	ACGCTGCGCG	TAACCACCAC	ACCCGCCGCG	CTTAATGCGC
4381	CGCTACAGGG	CGCGTC				

FIGURE 48D



pDONR201 4470 bp (rotated to position 3516)


Location (Base Nos.)	<u>Gene Encoded</u>
26029	attP1
656961	ccdB
10991184	ccdA
13031962	CmR
22102442	attP2
25653374	Kmr
34954134	ori

1	GTTAACGCTA	GCATGGATCT	CGGGCCCCAA	ATAATGATTT	TATTTTGACT	GATAGTGACC
61	TGTTCGTTGC	AACAAATTGA	TGAGCAATGC	TTTTTTATAA	TGCCAACTTT	GTACAAAAA
121	GCTGAACGAG	AAACGTAAAA	TGATATAAAT	ATCAATATAT	TAAATTAGAT	TTTGCATAAA
181	AAACAGACTA	CATAATACTG	TAAAACACAA	CATATCCAGT	CACTATGAAT	CAACTACTTA
241	GATGGTATTA	GTGACCTGTA	GTCGACCGAC	AGCCTTCCAA	ATGTTCTTCG	GGTGATGCTG
301	CCAACTTAGT	CGACCGACAG	CCTTCCAAAT	GTTCTTCTCA	AACGGAATCG	TCGTATCCAG
361	CCTACTCGCT	ATTGTCCTCA	ATGCCGTATT	AAATCATAAA	AAGAAATAAG	AAAAAGAGGT
421	GCGAGCCTCT	TTTTTGTGTG	ACAAAATAAA	AACATCTACC	TATTCATATA	CGCTAGTGTC
481	ATAGTCCTGA	AAATCATCTG	CATCAAGAAC	AATTTCACAA	CTCTTATACT	TTTCTCTTAC
541	AAGTCGTTCG	GCTTCATCTG	GATTTTCAGC	CTCTATACTT	ACTAAACGTG	ATAAAGTTTC
601				GGCTGTGTAT		
661				TGATGTCATT		
721				CACTGGCCAT		
				AAAGTTCACG		
				GTCGCCCGGG		
				CTCTTTTATA		
				GAGCCGTTCA		
				CAGCGTTCGG		
				ATATTGACAT		•
				TACGCTGCTT		
				TCTTATACCG		
				GGATCCACGC		
	-			CATTCTGCCG		
				CAGCACCTTG		
-				GTCCATATTG		
				GAAAAACATA		
				CACATCTTGC		
				CGATGAAAAC		
				TATCACCAGC		`
				GGCAAGAATG		
				AAAGGCCGTA		
				TGCCTCAAAA		
				TTTTTTCTCC CGGTAGTGAT		
				CGGTAGTGAT		
				TTATTCTGCG		
				TGCTGCCAAC		
		•		CTGGATATGT		
				TATATTGATA		
				TATATIGATA TATAAGAAAG		
				AATCATTATT	•	
						TCATCATGAA
				ATACAAGGGG		
				ACATGGATGC		
						GGGAAGCCCG
						GTTACAGATG
2/01	. AIGCGCCACA	. GIIGIIICIG	. PRINCE I GOCK	. WAGGINGCGI	LOCUMILONI	

•						
2761	AGATGGTCAG	ACTAAACTGG	CTGACGGAAT	TTATGCCTCT	TCCGACCATC	AAGCATTTTA
		TGATGATGCA				
2881	AGGTATTAGA	AGAATATCCT	GATTCAGGTG	AAAATATTGT	TGATGCGCTG	GCAGTGTTCC
2941	TGCGCCGGTT	GCATTCGATT	CCTGTTTGTA	ATTGTCCTTT	TAACAGCGAT	CGCGTATTTC
3001	GTCTCGCTCA	GGCGCAATCA	CGAATGAATA	ACGGTTTGGT	TGATGCGAGT	GATTTTGATG
3061	ACGAGCGTAA	TGGCTGGCCT	GTTGAACAAG	TCTGGAAAGA	AATGCATAAA	CTTTTGCCAT
3121	TCTCACCGGA	TTCAGTCGTC	ACTCATGGTG	ATTTCTCACT	TGATAACCTT	ATTTTTGACG
		AATAGGTTGT				
3241	ATCTTGCCAT	CCTATGGAAC	TGCCTCGGTG	AGTTTTCTCC	TTCATTACAG	AAACGGCTTT
		TGGTATTGAT				
		CTAATCAGAA				
		CGGCGCAAGC				
		CCCGTAGAAA				
3541	AATCTGCTGC	TTGCAAACAA	AAAAACCACC	GCTACCAGCG	GTGGTTTGTT	TGCCGGATCA
		ACTCTTTTTC				
		GTGTAGCCGT				
		CTGCTAATCC				
		GACTCAAGAC				
		ACACAGCCCA				
		TGAGAAAGCG				
3961		GTCGGAACAG				
4021		CCTGTCGGGT				
		CGGAGCCTAT				
		CCTTTTGCTC				
		GCTAGCCAGG				
		TAGTTTGATG				
		TCACAACGTT				
4381	TTCACCGACA	AACAACAGAT	AAAACGAAAG	GCCCAGTCTT	CCGACTGAGC	CTTTCGTTTT
4441	ATTTGATGCC	TGGCAGTTCC	CTACTCTCGC	•		• .

FIGURE 49C

119/240 FIGURE 50A: PDONRZOZ (Kan P)



Gene Encoded

pDONR202 4204 bp

Location (Base Nos.)

	Loc	eation (Base	Nos.)	<u>Gene E</u>	ncoded	
	_	369127		attP1		
	*	486105	9	ori		
		122821	.07	KmR		
	23812140		.40	attP2		
		262932	88	CmR		
		340834	,	inacti	vated ccdA	
		363039	35	ccdB		
		30301133		CCCD		
1	ССССУТТСУС	GACAATAGCG	A GTTA CCCTCC	ATACGACGAT	ጥሮርርጥጥጥር አር	A A C A A C A TOTAL
				ATCACCCGAA		
				TAGTTGATTC		+
				TGCAAAATCT		
				TTGTACAAAG		
				ACTATCAGTC		
				TTATCCACAG		
				GCCAGGAACC		
				GAGCATCACA		
541	AGGTGGCGAA	ACCCGACAGG	ACTATAAAGA	TACCAGGCGT	TTCCCCCTGG	AAGCTCCCTC
601	GTGCGCTCTC	CTGTTCCGAC	CCTGCCGCTT	ACCGGATACC	TGTCCGCCTT	TCTCCCTTCG
661	GGAAGCGTGG	CGCTTTCTCA	TAGCTCACGC	TGTAGGTATC	TCAGTTCGGT	GTAGGTCGTT
721	CGCTCCAAGC	TGGGCTGTGT	GCACGAACCC	CCCGTTCAGC	CCGACCGCTG	CGCCTTATCC
781	GGTAACTATC	GTCTTGAGTC	CAACCCGGTA	AGACACGACT	TATCGCCACT	GGCAGCAGCC
				GTAGGCGGTG		
				GTATTTGGTA		
			•	TGATCCGGCA	•	
				ACGCGCAGAA		
				CAGTGGAACG		
				TCAGCGTAAT		
				CGAGCATCAA		
				AAAGCCGTTT		
				CCTGGTATCG		
				CGTCAAAAAT		
				ATGGCAAAAG		
				CATCAAAATC		
			•	GAAATACGCG		
				GGAACACTGC		
				GGAATGCTGT		
				TAAAATGCTT		
				CATCTGTAAC		
				CGGGCTTCCC		
				ATTTATACCC		
1981	TGGAATTTAA	TCGCGGCCTC	GACGTTTCCC	GTTGAATATG	GCTCATAACA	CCCCTTGTAT
2041	TACTGTTTAT	GTAAGCAGAC	AGTTTTATTG	TTCATGATGA	TATATTTTTA	TCTTGTGCAA
2101	TGTAACATCA	GAGATTTTGA	GACACGGGCC	AGAGCTGCAG	CTGGATGGCA	AATAATGATT.
2161	TTATTTTGAC	TGATAGTGAC	CTGTTCGTTG	CAACAAATTG	ATAAGCAATG	CTTTCTTATA
				GAAACGTAAA		
				ACATAATACT		
				AGTGACCTGT		
				CCTGTGACGG		
				AAGCCCTGGG		
	,			TTTCACCATA		
				GGAGCTAAGG		
				CAATGGCATC		
2/01	LITCAGTCAG	LIGCICAATG	TACCTATAAC	CAGACCGTTC	AGCTGGATAT	TACGGCCTTT -

2761	TTAAAGACCG	TAAAGAAAAA	TAAGCACAAG	TTTTATCCGG	CCTTTATTCA	CATTCTTGCC
2821	CGCCTGATGA	ATGCTCATCC				
2881	TGGGATAGTG			TTCCATGAGC		
2941	CTCTGGAGTG	AATACCACGA	CGATTTCCGG	CAGTTTCTAC	ACATATATTC	GCAAGATGTG
3001	GCGTGTTACG	GTGAAAACCT	GGCCTATTTC	CCTAAAGGGT	TTATTGAGAA	TATGTTTTTC
3061	GTCTCAGCCA	ATCCCTGGGT	GAGTTTCACC	AGTTTTGATT	TAAACGTGGC	CAATATGGAC
3121	AACTTCTTCG	CCCCCGTTTT	CACCATGGGC	AAATATTATA	CGCAAGGCGA	CAAGGTGCTG
3181	ATGCCGCTGG	CGATTCAGGT	TCATCATGCC	GTCTGTGATG	GCTTCCATGT	CGGCAGAATG
3241	CTTAATGAAT	TACAACAGTA	CTGCGATGAG	TGGCAGGGCG	GGGCGTAATC	GCGTGGATCC
3301	GGCTTACTAA	AAGCCAGATA	ACAGTATGCG	TATTTGCGCG	CTGATTTTTG	CGGTATAAGA
3361		ATATGTATAC				
3421	TTACAGTGAC	AGTTGACAGC	GACAGCTATC	AGTTGCTCAA	GGCATATATG	ATGTCAATAT
3481		GTAAGCACAA				
3541	GAAAGCGGAA	AATCAGGAAG	GGATGGCTGA	GGTCGCCCGG	TTTATTGAAA	TGAACGGCTC
3601		GAGAACAGGG				
3661		TCGTCTGTTT				
3721		CCCCCTGGCC				
3781		GCATATCGGG				
3841		CGTTATCGGG		4.6		
3901	AAAACGCCAT	TAACCTGATG				
3961	AGTCTGCAGG			GAAACTTTAT		
4021	GCTGAAAATC	CAGATGAAGC		GTAAGAGAAA		
4081		++		GACACTAGCG		
4141	TTTATTTTGT	CACACAAAAA	AGAGGCTCGC	ACCTCTTTTT	CTTATTTCTT	TTTATGATTT
4201	AATA					

BbvC1 Xmal Smal Srfl BsaBl Btrl Bst1107I BssHII BamHI Mlul Scal BstXI Bsal Ncol Styl BstDSI BspM1 Xmnl. Bpm I Psp1406I EcoRI Accili ccdB(death) 4000 · CmR Pvull Apal EcoO109l PspOMI attP1 pDONR203 ...BsaAI 1000 4208 bps 3000 attP2 Nrul KmR 2000 Earl Pcil Nspl Drdl **EcoNI** ori Pvul. Sgfl . BssSI Haell Vspl Eco571


pDONR203 4208 bp

Location (Base Nos.)	Gene Encoded
47131	inactivated ccdA
251910	CmR
11581398	attP2
15092082	ori
22513130	KmR
34643174	attPl
38124117	ccdB

		301241	. ,			
1	GCGTTCGGCA	CGCAGACGAC	GGGCTTCATT	CTGCATGGTT	GTGCTTACCA	GACCGGAGAT
61	ATTGACATCA	TATATGCCTT	GAGCAACTGA	TAGCTGTCGC	TGTCAACTGT	CACTGTAATA
121	CGCTGCTTCA	TAGCACACCT	CTTTTTGACA	TACTTCGGGT	ATACATATCA	GTATATATTC
181	TTATACCGCA	AAAATCAGCG	CGCAAATACG	CATACTGTTA	TCTGGCTTTT	AGTAAGCCGG
241	ATCCACGCGT	TTACGCCCCG	CCCTGCCACT	CATCGCAGTA	CTGTTGTAAT	TCATTAAGCA
301	TTCTGCCGAC	ATGGAAGCCA	TCACAGACGG	CATGATGAAC	CTGAATCGCC	AGCGGCATCA
361	GCACCTTGTC	GCCTTGCGTA	TAATATTTGC	CCATGGTGAA	AACGGGGGCG	AAGAAGTTGT
421	CCATATTGGC	CACGTTTAAA	TCAAAACTGG	TGAAACTCAC	CCAGGGATTG	GCTGAGACGA
481	ΤΤΑΤΑΌΑΑΑΑ	CTCAATAAAC	CCTTTAGGGA	AATAGGCCAG	GTTTTCACCG	TAACACGCCA
				GGAAATCGTC		
601	ATGAAAACGT	TTCAGTTTGC	TCATGGAAAA	CGGTGTAACA	AGGGTGAACA	CTATCCCATA
661	TCACCAGCTC	ACCGTCTTTC	ATTGCCATAC	GGAATTCCGG	ATGAGCATTC	ATCAGGCGGG
721	CAAGAATGTG	AATAAAGGCC	GGATAAAACT	TGTGCTTATT	TTTCTTTACG	GTCTTTAAAA
781	AGGCCGTAAT	ATCCAGCTGA	ACGGTCTGGT	TATAGGTACA	TTGAGCAACT	GACTGAAATG
841	CCTCAAAATG	TTCTTTACGA	TGCCATTGGG	ATATATCAAC	GGTGGTATAT	CCAGTGATTT
901	TTTTCTCCAT	TTTAGCTTCC	TTAGCTCCTG	AAAATCTCGA	TAACTCAAAA	AATACGCCCG
961	GTAGTGATCT	TATTTCATTA	TGGTGAAAGT	TGGAACCTCT	TACGTGCCGA	TCAACGTCTC
1021	ATTTTCGCCA	AAAGTTGGCC	CAGGGCTTCC	CGGTATCAAC	AGGGACACCA	GGATTTATTT
1081	ATTCTGCGAA	GTGATCTTCC	GTCACAGGTA	TTTATTCGGC	GCAAAGTGCG	TCGGGTGATG
1141	CTGCCAACTT	AGTCGACTAC	AGGTCACTAA	TACCATCTAA	GTAGTTGATT	CATAGTGACT
1201	GGATATGTTG	TGTTTTACAG	TATTATGTAG	TCTGTTTTTT	ATGCAAAATC	TAATTTAATA
1261	TATTGATATT	TATATCATTT	TACGTTTCTC	GTTCAGCTTT	CTTGTACAAA	GTTGGCATTA
1321	TAAGAAAGCA	TTGCTTATCA	ATTTGTTGCA	ACGAACAGGT	CACTATCAGT	CAAAATAAAA
1381	TCATTATTTG	CCATCCAGCT	AGCGGTAATA	CGGTTATCCA	CAGAATCAGG	GGATAACGCA
1441	GGAAAGAACA	TGTGAGCAAA	AGGCCAGCAA	AAGGCCAGGA	ACCGTAÁAAA	GGCCGCGTTG
1501	CTGGCGTTTT	TCCATAGGCT	CCGCCCCCT	GACGAGCATC	ACAAAAATCG	ACGCTCAAGT
1561	CAGAGGTGGC	GAAACCCGAC	AGGACTATAA	AGATACCAGG	CGTTTCCCCC	TGGAAGCTCC
1621	CTCGTGCGCT	CTCCTGTTCC	GACCCTGCCG	CTTACCGGAT	ACCTGTCCGC	CTTTCTCCCT
1681	TCGGGAAGCG	TGGCGCTTTC	TCATAGCTCA	CGCTGTAGGT	ATCTCAGTTC	GGTGTAGGTC
				CCCCCGTTC		
1801	TCCGGTAACT	ATCGTCTTGA	GTCCAACCCG	GTAAGACACG	ACTTATCGCC	ACTGGCÄGCA
1861	GCCACTGGTA	ACAGGATTAG	CAGAGCGAGG	TATGTAGGCG	GTGCTACAGA	GTTCTTGAAG
1921	TGGTGGCCTA	ACTACGGCTA	CACTAGAAGA	ACAGTATTTG	GTATCTGCGC	TCTGCTGAAG
1981	CCAGTTACCT	TCGGAAAAAG	AGTTGGTAGC	TCTTGATCCG	GCAAACAAAC	CACCGCTGGT
2043	AGCGGTGGTT	TTTTTGTTTG	CAAGCAGCAG	ATTACGCGCA	. GAAAAAAAGG	ATCTCAAGAA
2101	L GATCCTTTGA	TCTTTTCTAC	GGGGTCTGAC	C GCTCAGTGGA	ACGAAAACTC	ACGTTAAGGG
2163	L ATTTTGGTCA	TGAGCTTGCG	CCGTCCCGTC	AAGTCAGCGT	AATGCTCTGC	CAGTGTTACA
222	L ACCAATTAAC	CAATTCTGAT	TAGAAAAACT	CATCGAGCAI	CAAATGAAAC	TGCAATTTAT
228:	1 TCATATCAGG	ATTATCAATA	CCATATTTT	C GAAAAAGCCG	TTTCTGTAAT	GAAGGAGAAA
234:	1 ACTCACCGAC	GCAGTTCCAT	AGGATGGCA	A GATCCTGGTA	TCGGTCTGCG	ATTCCGACTC
240	L GTCCAACATO	AATACAACCT	OTTAATTA 1	CCTCGTCAAA	AATAAGGTTA	TCAAGTGAGA
246	1 AATCACCATO	AGTGACGACT	GAATCCGGT	AGAATGGCAA	AAGTTTATGC	ATTTCTTTCC
252	1 AGACTTGTT	C AACAGGCCA	CCATTACGC	r cgtcatcaa	ATCACTCGCA	TCAACCAAAC
258	1 CGTTATTCAT	r TCGTGATTG	C GCCTGAGCG	A GACGAAATAC	GCGATCGCTG	TTAAAAGGAC
264	1 AATTACAAA	C AGGAATCGA	A TGCAACCGG	C GCAGGAACAC	TGCCAGCGCA	TCAACAATAT
270	1 TTTCACCTG	A ATCAGGATA	r TCTTCTAAT	A CCTGGAATG	TGTTTTTCCG	GGGATCGCAG
_						

2761	TGGTGAGTAA	CCATGCATCA	TCAGGAGTAC	${\tt GGATAAAATG}$	CTTGATGGTC	GGAAGAGGCA
2821	TAAATTCCGT	CAGCCAGTTT	AGTCTGACCA	TCTCATCTGT	AACATCATTG	GCAACGCTAC
2881	CTTTGCCATG	TTTCAGAAAC	AACTCTGGCG	CATCGGGCTT	CCCATACAAG	CGATAGATTG
2941	TCGCACCTGA	TTGCCCGACA	TTATCGCGAG	CCCATTTATA	CCCATATAAA	TCAGCATCCA
3001	TGTTGGAATT	TAATCGCGGC	CTCGACGTTT	CCCGTTGAAT	ATGGCTCATA	ACACCCCTTG
3061	TATTACTGTT	TATGTAAGCA	GACAGTTTTA	TTGTTCATGA	TGATATATTT	TTATCTTGTG
3121	CAATGTAACA	TCAGAGATTT	TGAGACACGG	GCCAGAGCTG	CAGCTAGCAT	GGATCTCGGG
3181	CCCCAAATAA	TGATTTTATT	TTGACTGATA	GTGACCTGTT	CGTTGCAACA	AATTGATGAG
3241	CAATGCTTTT	TTATAATGCC	AACTTTGTAC	AAAAAAGCTG	AACGAGAAAC	GTAAAATGAT
3301	ATAAATATCA	ATATATTAAA	TTAGATTTTG	CATAAAAAAC	AGACTACATA	ATACTGTAAA
3361	ACACAACATA	TCCAGTCACT	ATGAATCAAC	TACTTAGATG	GTATTAGTGA	CCTGTAGTCG
3421	ACCGACAGCC	TTCCAAATGT	TCTTCGGGTG	ATGCTGCCAA	CTTAGTCGAC	CGACAGCCTT
3481	CCAAATGTTC	TTCTCAAACG	GAATCGTCGT	ATCCAGCCTA	CTCGCTATTG	TCCTCAATGC
3541	CGTATTAAAT	CATAAAAAGA	AATAAGAAAA	AGAGGTGCGA	GCCTCTTTTT	TGTGTGACAA
3601	AATAAAAACA	TCTACCTATT	CATATACGCT	AGTGTCATAG	TCCTGAAAAT	CATCTGCATC
3661	AAGAACAATT	TCACAACTCT	TATACTTTTC	TCTTACAAGT	CGTTCGGCTT	CATCTGGATT
3721	TTCAGCCTCT	ATACTTACTA	AACGTGATAA	AGTTTCTGTA	ATTTCTACTG	TATCGACCTG
3781	CAGACTGGCT	GTGTATAAGG	GAGCCTGACA	TTTATATTCC	CCAGAACATC	AGGTTAATGG
3841	CGTTTTTGAT	GTCATTTTCG	CGGTGGCTGA	GATCAGCCAC	TTCTTCCCCG	ATAACGGAGA
3901	CCGGCACACT	GGCCATATCG	GTGGTCATCA	TGCGCCAGCT	TTCATCCCCG	ATATGCACCA
3961	CCGGGTAAAG	TTCACGGGAG	ACTTTATCTG	ACAGCAGACG	TGCACTGGCC	AGGGGGATCA
4021	CCATCCGTCG	CCCGGGCGTG	TCAATAATAT	CACTCTGTAC	ATCCACAAAC	AGACGATAAC
4081	GGCTCTCTCT	TTTATAGGTG	TAAACCTTAA	ACTGCATTTC	ACCAGTCCCT	GTTCTCGTCA
4141	GCAAAAGAGC	CGTTCATTTC	AATAAACCGG	GCGACCTCAG	CCATCCCTTC	CTGATTTTCC
4201	GCTTTCCA		•			

FIGURE 52A PDOURZOY (Kan R)




pDONR204 4165 bp

	•					•
1	CGGCATTGAG	GACAATAGCG	AGTAGGCTGG	ATACGACGAT	TCCGTTTGAG	AAGAACATTT
61		CGGTCGACTA		•		
121	TGGATATGTT	GTGTTTTACA	GTATTATGTA	GTCTGTTTTT	TATGCAAAAT	CTAATTTAAT
		TTATATCATT				
241		ATTGCTTATC		et v		
301	ATCATTATTT	GGGGCCCGAG	ATCCATGCTA	GCTGCAGTGC	GCAGGGCCCG	TGTCTCAAAA
361		TACATTGCAC				
421		AGTAATACAA				
481		TTAAATTCCA				
		CAATCAGGTG				
						AGATGGTCAG _
		CTGACGGAAT	·			
		TGGTTACTCA				
	•	GATTCAGGTG				
841	GCATTCGATT	CCTGTTTGTA	ATTGTCCTTT	TAACAGCGAT	CGCGTATTTC	GTCTCGCTCA
901	GGCGCAATCA	CGAATGAATA	ACGGTTTGGT	TGATGCGAGT	GATTTTGATG	ACGAGCGTAA
		GTTGAACAAG				
1021	TTCAGTCGTC	ACTCATGGTG	ATTTCTCACT	TGATAACCTT	ATTTTTGACG	AGGGGAAATT
		ATTGATGTTG	•			
1141	CCTATGGAAC	TGCCTCGGTG	AGTTTTCTCC	TTCATTACAG	AAACGGCTTT	TTCAAAAATA
1201	TGGTATTGAT	AATCCTGATA	TGAATAAATT	GCAGTTTCAT	TTGATGCTCG	ATGAGTTTTT
1261	CTAATCAGAA	TTGGTTAATT	GGTTGTAACA	CTGGCAGAGC	ATTACGCTGA	CTTGACGGGA
1321	CGGCGNCATG	ACCAAAATCC	CTTAACGTGA	GTTTTCGTTC	CACTGAGCGT	CAGACCCCGT
1381	AGAAAAGATC	AAAGGATCTT	CTTGAGATCC	TTTTTTTCTG	CGCGTAATCT	GCTGCTTGCA
1441	AACAAAAAA	CCACCGCTAC	CAGCGGTGGT	TTGTTTGCCG	GATCAAGAGC	TACCAACTCT
1501	TTTTCCGAAG	GTAACTGGCT	TCAGCAGAGC	GCAGATACCA	AATACTGTCC	TTCTAGTGTA
1561	GCCGTAGTTA	GGCCACCACT	TCAAGAACTC	TGTAGCACCG	CCTACATACC	TCGCTCTGCT
1621	AATCCTGTTA	CCAGTGGCTG	CTGCCAGTGG	CGATAAGTCG	TGTCTTACCG	GGTTGGACTC
1681	AAGACGATAG	TTACCGGATA	AGGCGCAGCG	GTCGGGCTGA	ACGGGGGGTT	CGTGCACACA
1741	GCCCAGCTTG	GAGCGAACGA	CCTACACCGA	ACTGAGATAC	CTACAGCGTG	AGCTATGAGA
1801	AAGCGCCACG	CTTCCCGAAG	GGAGAAAGGC	GGACAGGTAT	CCGGTAAGCG	GCAGGGTCGG
1861	AACAGGAGAG	CGCACGAGGG	AGCTTCCAGG	GGGAAACGCC	TGGTATCTTT	ATAGTCCTGT
		CACCTCTGAC				
1981	CCTATGGAAA	AACGCCAGCA	ACGCGGCCTT	TTTACGGTTC	CTGGCCTTTT	GCTGGCCTTT
2041	TGCTCACATG	TTCTTTCCTG	CGTTATCCCC	TGATTCTGTG	GATAACCGTA	TTACCGCTAG
2101	CTGGATCGGC	AAATAATGAT	TTTATTTTGA	CTGATAGTGA	CCTGTTCGTT	GCAACAAATT
2161	GATAAGCAAT	GCTTTTTTAT	AATGCCAACT	TTGTACAAGA	AAGCTGAACG	AGAAACGTAA
2221	AATGATATAA	ATATCAATAT	ATTAAATTAG	ATTTTGCATA	AAAAACAGAC	TACATAATAC
2281	TGTAAAACAC	AACATATCCA	GTCACTATGA	TTCAACTACT	TAGATGGTAT	TAGTGACCTG
2341	TAGTCGACTA	AGTTGGCAGC	ATCACCCGAC	GCACTTTGCG	CCGAATAAAT	ACCTGTGACG
2401	GAAGATCACT	TCGCAGAATA	AATAAATCCT	GGTGTCCCTG	TTGATACCGG	GAAGCCCTGG
2461	GCCAACTTTT	GGCGAAAATG	AGACGTTGAT	CGGCACATTT	CACAACTCTT	ATACTTTTCT
2521	CTTACAAGTC	GTTCGGCTTC	ATCTGGATTT	TCAGCCTCTA	TACTTACTAA	ACGTGATAAA
2581	GTTTCTGTAA	TTTCTACTGT	ATCGACCTGC	AGACTGGCTG	TGTATAACGG	AGCCTGACAT
2641	TTATATTCCC	CAGAACATCA	GGTTAATGGC	GTTTTTGATG	TCATTTTCGC	GGTGGCTGAG
2701	ATCAGCCACT	TCTTCCCCGA	TAACGGAGAC	CGGCACACTG	GCCATATCGG	TGGTCATCAT
2761	GCGCCAGCTT	TCATCCCCGA	TATGCACCAC	CGGGTAAAGT	TCACGGGAGA	CTTTATCTGA
2821	CAGCAGACGT	GCACTGGCCA	GGGGGATCAC	CATCCGTCGC	CCGGGCGTGT	CAATAATATC
2881	ACTCTGTACA	TCCACAAACA	GACGATAACG	GCTCTCTCTT	TTATAGGTGT	AAACCTTAAA
2941	CTGCATTTCA	CCAGTCCCTG	TTCTCGTCAG	CAAAAGAGCC	GTTCATTTCA	ATAAACCGGG
3001	CGACCTCAGC	CATCCCTTCC	TGATTTTCCG	CTTTCCAGCG	TTCGGCACGC	AGACGACGGG
3061	CTTCATTCTG	CATGGTTGTG	CTTACCAGAC	CGGAGATATT	GACATCATAT	ATGCCTTGAG
3121	CAACTGATAG	CTGTCGCTGT	CAACTGTCAC	TGTAATACGC	TGCTTCATAG	CACACCTCTT-

FIGURE 52B

3181	TTTGACATAC	TTCGGGTATA	CATATCAGTA	TATATTCTTA	TACCGCAAAA	ATCAGCGCGC
3241	AAATACGCAT	ACTGTTATCT	GGCTTTTAGT	AAGCCGGATC	CACGCGTTTA	CGCCCCGCCC
3301	TGCCACTCAT	CGCAGTACTG	TTGTAATTCA	TTAAGCATTC	TGCCGACATG	GAAGCCATCA
3361	CAGACGGCAT	GATGAACCTG	AATCGCCAGC	GGCATCAGCA	CCTTGTCGCC	TTGCGTATAA
3421	TATTTGCCCA	TGGTGAAAAC	GGGGGCGAAG	AAGTTGTCCA	TATTGGCCAC	GTTTAAATCA
3481	AAACTGGTGA	AACTCACCCA	GGGATTGGCT	GAGACGAAAA	ACATATTCTC	AATAAACCCT
3541	TTAGGGAAAT	AGGCCAGGTT	TTCACCGTAA	CACGCCACAT	CTTGCGAATA	TATGTGTAGA
3601	AACTGCCGGA	AATCGTCGTG	GTATTCACTC	CAGAGCGATG	AAAACGTTTC	AGTTTGCTCA
3661	TGGAAAACGG	TGTAACAAGG	GTGAACACTA	TCCCATATCA	CCAGCTCACC	GTCTTTCATT
3721	GCCATACGGA	ATTCCGGATG	AGCATTCATC	AGGCGGGCAA	GAATGTGAAT	AAAGGCCGGA
3781	TAAAACTTGT	GCTTATTTTT	CTTTACGGTC	TTTAAAAAGG	CCGTAATATC	CAGCTGAACG
3841	GTCTGGTTAT	AGGTACATTG	AGCAACTGAC	TGAAATGCCT	CAAAATGTTC	TTTACGATGC
3901	CATTGGGATA	TATCAACGGT	GGTATATCCA	GTGATTTTTT	TCTCCATTTT	AGCTTCCTTA
3961	GCTCCTGAAA	ATCTCGATAA	CTCAAAAAAT	ACGCCCGGTA	GTGATCTTAT	TTCATTATGG
4021	TGAAAGTTGG	AACCTCTTAC	TGTTCTTGAT	GCAGATGATT	TTCAGGACTA	TGACACTAGC
4081	ATATATGAAT	AGGTAGATGT	TTTTATTTTG	TCACACAAAA	AAGAGGCTCG	CACCTCTTTT
4141	TCTTATTTCT	TTTTATGATT	TAATA		•	

Figure 53A; pDONR205 (tetR)




pDONR205 4939 bp

GGCATCAGCACCTTGTCGCCTTGCGTATAATATTTGCCCATGGTGAAAACGGGGGCGAAG AAGTTGTCCATATTGGCCACGTTTAAATCAAAACTGGTGAAACTCACCCAGGGATTGGCT GAGACGAAAAACATATTCTCAATAAACCCTTTAGGGAAATAGGCCAGGTTTTCACCGTAA CACGCCACATCTTGCGAATATATGTGTAGAAACTGCCGGAAATCGTCGTGGTATTCACTC CAGAGCGATGAAAACGTTTCAGTTTGCTCATGGAAAACGGTGTAACAAGGGTGAACACTA TCCCATATCACCAGCTCACCGTCTTTCATTGCCATACGGAATTCCGGATGAGCATTCATC AGGCGGGCAAGAATGTGAATAAAGGCCGGATAAAACTTGTGCTTATTTTTCTTTACGGTC TTTAAAAAGGCCGTAATATCCAGCTGAACGGTCTGGTTATAGGTACATTGAGCAACTGAC TGAAATGCCTCAAAATGTTCTTTACGATGCCATTGGGATATATCAACGGTGGTATATCCA GTGATTTTTTCTCCATTTTAGCTTCCTTAGCTCCTGAAAATCTCGATAACTCAAAAAAT ACGCCCGGTAGTGATCTTATTTCATTATGGTGAAAGTTGGAACCTCTTACGTGCCGATCA ACGTCTCATTTTCGCCAAAAGTTGGCCCAGGGCTTCCCGGTATCAACAGGGACACCAGGA GGTGATGCTGCCAACTTAGTCGACTACAGGTCACTAATACCATCTAAGTAGTTGATTCAT AGTGACTGGATATGTTGTGTTTTACAGTATTATGTAGTCTGTTTTTTATGCAAAATCTAA TTTAATATTGATATTTATATCATTTTACGTTTCTCGTTCAGCTTTCTTGTACAAAGTT GGCATTATAAGAAAGCATTGCTTATCAATTTGTTGCAACGAACAGGTCACTATCAGTCAA AATAAAATCATTATTTGCCATCCAGCTGCAGCTCTGGCCCGTGTCTCAAAATCTCTGATG TTACATTGCACAAGATAAAAATATATCATCATGAATTCTCATGTTTGACAGCTTATCATC GATAAGCTTTAATGCGGTAGTTTATCACAGTTAAATTGCTAACGCAGTCAGGCACCGTGT ATGAAATCTAACAATGCGCTCATCGTCATCCTCGGCACCGTCACCCTGGATGCTGTAGGC ATAGGCTTGGTTATGCCGGTACTGCCGGGCCTCTTGCGGGGATATCGTCCATTCCGACAGC ATCGCCAGTCACTATGGCGTGCTGCTAGCGCTATATGCGTTGATGCAATTTCTATGCGCA CCCGTTCTCGGAGCACTGTCCGACCGCTTTGGCCGCCCCAGTCCTGCTCGCTA CTTGGAGCCACTATCGACTACGCGATCATGGCGACCACCCGTCCTGTGGATCCTCTAC GCCGGACGCATCGTGGCCGCCATCACCGGCGCCACAGGTGCGGTTGCTGGCGCCTATATC GCCGACATCACCGATGGGGAAGATCGGGCTCGCCACTTCGGGCTCATGAGCGCTTGTTTC GGCGTGGGTATGGTGGCAGGCCCGTGGCCGGGGGACTGTTGGGCGCCATCTCCTTGCAT GCACCATTCCTTGCGGCGGCGGTGCTCAACGGCCTCAACCTACTACTGGGCTGCTTCCTA ATGCAGGAGTCGCATAAGGGAGAGCGTCGACCGATGCCCTTGAGAGCCTTCAACCCAGTC AGCTCCTTCCGGTGGGCGCGGGCATGACTATCGTCGCCGCACTTATGACTGTCTTCTTT ATCATGCAACTCGTAGGACAGGTGCCGGCAGCGCTCTGGGTCATTTTCGGCGAGGACCGC TTTCGCTGGAGCGCGACGATGATCGGCCTGTCGCTTGCGGGTATTCGGAATCTTGCACGCC CTCGCTCAAGCCTTCGTCACTGGTCCCGCCACCAAACGTTTCGGCGAGAAGCAGGCCATT ATCGCCGGCATGGCCGACGCGCTGGGCTACGTCTTGCTGGCGTTCGCGACGCGAGGC TGGATGGCCTTCCCCATTATGATTCTTCTCGCTTCCGGCGCATCGGGATGCCCGCGTTG CAGGCCATGCTGTCCAGGCAGGTAGATGACGACCATCAGGGACAGCTTCAAGGATCGCTC GCGGCTCTTACCAGCCTAACTTCGATCATTGGACCGCTGATCGTCACGGCGATTTATGCC GCCTCGGCGAGCACATGGAACGGGTTGGCATGGATTGTAGGCGCCGCCCTATACCTTGTC TGCCTCCCCGCGTTGCGTCGCGGTGCATGGAGCCGGGCCACCTCGACCTGAATGGAAGCC GAACTGTGAATGCGCAAACCCATGGCAGAACATATCCATCGCATGACCAAAATCCC TTAACGTGAGTTTTCGTTCCACTGAGCGTCAGACCCCGTAGAAAAGATCAAAGGATCTTC AGCGGTGGTTTGTTTGCCGGATCAAGAGCTACCAACTCTTTTTCCGAAGGTAACTGGCTT CAGCAGAGCGCAGATACCAAATACTGTCCTTCTAGTGTAGCCGTAGTTAGGCCACCACTT CAAGAACTCTGTAGCACCGCCTACATACCTCGCTCTGCTAATCCTGTTACCAGTGGCTGC TGCCAGTGGCGATAAGTCGTGTCTTACCGGGTTGGACTCAAGACGATAGTTACCGGATAA GGCGCAGCGGCCGGACCGGGGGGGTTCGTGCACACAGCCCAGCTTGGAGCGAACGAC CTACACCGAACTGAGATACCTACAGCGTGAGCTATGAGAAAGCGCCACGCTTCCCGAAGG GAGAAAGGCGGACAGGTATCCGGTAAGCGGCAGGGTCGGAACAGGAGAGCGCACGAGGGA GCTTCCAGGGGGAAACGCCTGGTATCTTTATAGTCCTGTCGGGTTTCGCCACCTCTGACT

FIGURE 53B

CGCGGCCTTTTTACGGTTCCTGGCCTTTTGCTGGCCTTTTGCTCACATGTTCTTTCCTGC GTTATCCCCTGATTCTGTGGATAACCGTATTACCGCTAGCCAGGAAGAGTTTGTAGAAAC GCAAAAAGGCCATCCGTCAGGATGGCCTTCTGCTTAGTTTGATGCCTGGCAGTTTATGGC GGGCGTCCTGCCCGCCACCCTCCGGGCCGTTGCTTCACAACGTTCAAATCCGCTCCCGGC GGATTTGTCCTACTCAGGAGAGCGTTCACCGACAAACAACAGATAAAACGAAAGGCCCAG TCTTCCGACTGAGCCTTTCGTTTTATTTGATGCCTGGCAGTTCCCTACTCTCGCGTTAAC GCTAGCATGGATCTCGGGCCCCAAATAATGATTTTATTTTGACTGATAGTGACCTGTTCG TTGCAACAAATTGATGAGCAATGCTTTTTTATAATGCCAACTTTGTACAAAAAAGCTGAA CGAGAAACGTAAAATGATATAAATATCAATATATTAAATTAGATTTTGCATAAAAAACAG ACTACATAATACTGTAAAACACAACATATCCAGTCACTATGAATCAACTACTTAGATGGT ATTAGTGACCTGTAGTCGACCGACAGCCTTCCAAATGTTCTTCGGGTGATGCTGCCAACT TAGTCGACCGACAGCCTTCCAAATGTTCTTCTCAAACGGAATCGTCGTATCCAGCCTACT CGCTATTGTCCTCAATGCCGTATTAAATCATAAAAAGAAATAAGAAAAAAGAGGTGCGAGC CTCTTTTTTGTGTGACAAAATAAAAACATCTACCTATTCATATACGCTAGTGTCATAGTC CTGAAAATCATCTGCATCAAGAACAATTTCACAACTCTTATACTTTTCTCTTACAAGTCG TTCGGCTTCATCTGGATTTTCAGCCTCTATACTTACTAAACGTGATAAAGTTTCTGTAAT TTCTACTGTATCGACCTGCAGACTGGCTGTGTATAAGGGAGCCTGACATTTATATTCCCC AGAACATCAGGTTAATGGCGTTTTTGATGTCATTTTCGCGGTGGCTGAGATCAGCCACTT CTTCCCCGATAACGGAGACCGGCACACTGGCCATATCGGTGGTCATCATGCGCCAGCTTT CATCCCGATATGCACCACCGGGTAAAGTTCACGGGAGACTTTATCTGACAGCAGACGTG CACTGGCCAGGGGGATCACCATCCGTCGCCCGGGCGTGTCAATAATATCACTCTGTACAT CCACAAACAGACGATAACGGCTCTCTCTTTTATAGGTGTAAACCTTAAACTGCATTTCAC CAGTCCCTGTTCTCGTCAGCAAAAGAGCCGTTCATTTCAATAAACCGGGCGACCTCAGCC ATCCCTTCCTGATTTTCCGCTTTCCAGCGTTCGGCACGCAGACGACGGGCTTCATTCTGC ATGGTTGTGCTTACCAGACCGGAGATATTGACATCATATATGCCTTGAGCAACTGATAGC TGTCGCTGTCAACTGTCACTGTAATACGCTGCTTCATAGCACACCTCTTTTTGACATACT TCGGGTATACATATCAGTATATTCTTATACCGCAAAAATCAGCGCGCAAATACGCATA CTGTTATCTGGCTTTTAGTAAGCCGGATCCACGCGATTACGCCCCGCCCTGCCACTCATC GCAGTACTGTTGTAATTCATTAAGCATTCTGCCGACATGGAAGCCATCACAGACGGCATG **ATGAACCTGAATCGCCAGC**

FIGURE 53C




pDONR206 4415 bp

CGGCATTGAGGACAATAGCGAGTAGGCTGGATACGACGATTCCGTTTGAGAAGAACATTT GGAAGGCTGTCGGTCGACTACAGGTCACTAATACCATCTAAGTAGTTGAATCATAGTGAC TGGATATGTTGTGTTTTACAGTATTATGTAGTCTGTTTTTTATGCAAAATCTAATTTAAT ATATTGATATTATATCATTTTACGTTTCTCGTTCAGCTTTTTTGTACAAAGTTGGCATT ATAAAAAGCATTGCTTATCAATTTGTTGCAACGAACAGGTCACTATCAGTCAAAATAAA ATCATTATTTGGGGCCCGAGATCCATGCTAGCGGTAATACGGTTATCCACAGAATCAGGG GATAACGCAGGAAGAACATGTGAGCAAAAGGCCAGCAAAAGGCCAGGAACCGTAAAAAG GCCGCGTTGCTGGCGTTTTTCCATAGGCTCCGCCCCCTGACGAGCATCACAAAAATCGA CGCTCAAGTCAGAGGTGGCGAAACCCGACAGGACTATAAAGATACCAGGCGTTTCCCCCT GGAAGCTCCCTCGTGCGCTCTCCTGTTCCGACCCTGCCGCTTACCGGATACCTGTCCGCC TTTCTCCCTTCGGGAAGCGTGGCGCTTTCTCATAGCTCACGCTGTAGGTATCTCAGTTCG GTGTAGGTCGTTCGCAGCTGGGCTGTGTGCACGAACCCCCCGTTCAGCCCGACCGC TGCGCCTTATCCGGTAACTATCGTCTTGAGTCCAACCCGGTAAGACACGACTTATCGCCA CTGGCAGCAGCCACTGGTAACAGGATTAGCAGAGCGAGGTATGTAGGCGGTGCTACAGAG TTCTTGAAGTGGTGGCCTAACTACGGCTACACTAGAAGGACAGTATTTGGTATCTGCGCT ACCGCTGGTAGCGGTGGTTTTTTTGTTTGCAAGCAGCAGATTACGCGCAGAAAAAAAGGA TCTCAAGAAGATCCTTTGATCTTTTCTACGGGGTCTGACGCTCAGTGGAACGAAAACTCA CGTTAAGGGATTTTGGTCATGNCGCCGTCCCGTCAAGTCAGCGTAATGCTCTGCCAGTGT TACAACCAATTAACCAATTCTGATTAGAAAAACTCATCGAGCATCAAATGAAACTGCAAT TTATTCATATCAGGATTATCAATACCATATTTTTGAAAAAGCCGTTTCTGTAATGAAGGA GAAAACTCACCGAGGCAGTTCCATAGGATGCAAGATCCTGGTATCGGTCTGCGATTCCG ACTCGTCCAACATCAATACAACCTATTAGCCGAGGTCTTCCGATCTCCTGAAGCCAGGGC AGATCCGTGCACACCCTTGCCGTAGAAGAACAGCAAGGCCGCCAATGCCTGACGATGC GTGGAGACCGAAACCTTGCGCTCGTTCGCCAGCCAGGACAGAAATGCCTCGACTTCGCTG CTGCCCAAGGTTGCCGGGTGACGCACACCGTGGAAACGGATGAAGGCACGAACCCAGTTG ACATAAGCCTGTTCGGTTCGTAAACTGTAATGCAAGTAGCGTATGCGCTCACGCAACTGG TCCAGAACCTTGACCGAACGCAGCGGTGGTAACGGCGCAGTGGCGGTTTTCATGGCTTGT TATGACTGTTTTTTTGTACAGTCTATGCCTCGGGCATCCAAGCAGCAGCAGCGCGTTACGCC GTGGGTCGATGTTTGATGTTATGGAGCAGCAACGATGTTACGCAGCAGCAACGATGTTAC GCAGCAGGCCAGTCGCCCTAAAACAAAGTTAGGTGGCTCAAGTATGGGCATCATTCGCAC ATGTAGGCTCGGCCCTGACCAAGTCAAATCCATGCGGGCTGCTCTTGATCTTTTCGGTCG TGAGTTCGGAGACGTAGCCACCTACTCCCAACATCAGCCGGACTCCGATTACCTCGGGAA CTTGCTCCGTAGTAAGACATTCATCGCGCTTGCTGCCTTCGACCAAGAAGCGGTTGTTGG CGCTCTCGCGGCTTACGTTCTGCCCAGGTTTGAGCAGCCGCGTAGTGAGATCTATATCTA TGATCTCGCAGTCTCCGGCGAGCACCGGAGGCAGGCATTGCCACCGCGCTCATCAATCT CCTCAAGCATGAGGCCAACGCGCTTGGTGCTTATGTGATCTACGTGCAAGCAGATTACGG TGACGATCCCGCAGTGGCTCTCTATACAAAGTTGGGCATACGGGAAGAAGTGATGCACTT TGATATCGACCCAAGTACCGCCACCTAACAATTCGTTCAAGCCGAGATCGGCTTCCCGGC CTAATTTCCCCTCGTCAAAAATAAGGTTATCAAGTGAGAAATCACCATGAGTGACGACTG ${\tt AATCCGGTGAGAATGGCAAAAGCGTATGCATTTCTTTCCAGACTTGTTCAACAGGCCAGC}$ CCTGAGCGAGACGAAATACGCGATCGCTGTTAAAAGGACAATTACAAACAGGAATCGAAT GCAACCGGCGCAGGAACACTGCCAGCGCATCAACAATATTTTCACCTGAATCAGGATATT CTTCTAATACCTGGAATGCTGTTTTCCCGCGGATCGCAGTGGTGAGTAACCATGCATCAT CAGGAGTACGGATAAAATGCTTGATGGTCGGAAGAGGCATAAATTCCGTCAGCCAGTTTA GTCTGACCATCTCATCTGTAACATCATTGGCAACGCTACCTTTGCCATGTTTCAGAAACA ACTCTGGCGCATCGGGCTTCCCATACAATCGAAAGATTGTCGCACCTGATTGCCCGACAT TATCGCGAGCCCATTTATACCCATATAAATCAGCATCCATGTTGGAATTTAATCGCGGCC TCCAGCAAGACGTTTCCCGTTGAATATGGCTCATAACACCCCTTGTATTACTGTTTATGT AAGCAGACAGTTTTATTGTTCATGATGATATATTTTTATCTTGTGCAATGTAACATCAGA ACTGATAGTGACCTGTTCGTTGCAACAAATTGATAAGCAATGCTTTTTTATAATGCCAAC -


TTTGTACAAGAAAGCTGAACGAGAAACGTAAAATGATATAAATATCAATATATAAATTA GATTTTGCATAAAAACAGACTACATAATACTGTAAAACACAACATATCCAGTCACTATG ATTCAACTACTTAGATGGTATTAGTGACCTGTAGTCGACTAAGTTGGCAGCATCACCCGA TGGTGTCCCTGTTGATACCGGGAAGCCCTGGGCCAACTTTTGGCGAAAATGAGACGTTGA TCGGCACGTAAGAGGTTCCAACTTTCACCATAATGAAATAAGATCACTACCGGGCGTATT TTTTGAGTTATCGAGATTTTCAGGAGCTAAGGAAGCTAAAATGGAGAAAAAATCACTGG ATATACCACCGTTGATATATCCCAATGGCATCGTAAAGAACATTTTGAGGCATTTCAGTC AGTTGCTCAATGTACCTATAACCAGACCGTTCAGCTGGATATTACGGCCTTTTTAAAGAC CGTAAAGAAAATAAGCACAAGTTTTATCCGGCCTTTATTCACATTCTTGCCCGCCTGAT GAATGCTCATCCGGAATTCCGTATGGCAATGAAAGACGGTGAGCTGGTGATATGGGATAG TGTTCACCCTTGTTACACCGTTTTCCATGAGCAAACTGAAACGTTTTCATCGCTCTGGAG TGAATACCACGACGATTTCCGGCAGTTTCTACACATATATTCGCAAGATGTGGCGTGTTA CGGTGAAAACCTGGCCTATTTCCCTAAAGGGTTTATTGAGAATATGTTTTTCGTCTCAGC CAATCCCTGGGTGAGTTTCACCAGTTTTGATTTAAACGTGGCCAATATGGACAACTTCTT CGCCCCGTTTTCACCATGGGCAAATATTATACGCAAGGCGACAAGGTGCTGATGCCGCT GGCGATTCAGGTTCATCATGCCGTCTGTGATGGCTTCCATGTCGGCAGAATGCTTAATGA ATTACAACAGTACTGCGATGAGTGGCAGGGCGGGGCGTAAACGCGTGGATCCGGCTTACT AAAAGCCAGATAACAGTATGCGTATTTGCGCGCTGATTTTTGCGGTATAAGAATATATAC TGATATGTATACCCGAAGTATGTCAAAAAGAGGTGTGCTATGAAGCAGCGTATTACAGTG ACAGTTGACAGCGACAGCTATCAGTTGCTCAAGGCATATATGATGTCAATATCTCCGGTC TGGTAAGCACAACCATGCAGAATGAAGCCCGTCGTCTGCGTGCCGAACGCTGGAAAGCGG AAAATCAGGAAGGGATGGCTGAGGTCGCCCGGTTTATTGAAATGAACGGCTCTTTTGCTG TATCGTCTGTTTGTGGATGTACAGAGTGATATTATTGACACGCCCGGGCGACGGATGGTG ATCCCCCTGGCCAGTGCACGTCTGCTGTCAGATAAAGTCTCCCGTGAACTTTACCCGGTG GTGCATATCGGGGATGAAAGCTGGCGCATGATGACCACCGATATGGCCAGTGTGCCGGTC TCCGTTATCGGGGAAGAAGTGGCTGATCTCAGCCACCGCGAAAATGACATCAAAAACGCC ATTAACCTGATGTTCTGGGGAATATAAATGTCAGGCTCCGTTATACACAGCCAGTCTGCA TCCAGATGAAGCCGAACGACTTGTAAGAGAAAAGTATAAGAGTTGTGAAATTGTTCTTGA TGCAGATGATTTCAGGACTATGACACTAGCATATATGAATAGGTAGATGTTTTTATTTT GTCACACAAAAAAGAGGCTCGCACCTCTTTTTCTTATTTCTTTTTTATGATTTAATA


An Entry (PEMR7) Clone of CAT Subcloned into Figure 55 PDESTZ


1021 cgg ata aca att toa cac agg aaa cag acc atg tog tdc tdc cat cac cat gcc tat tgt taa agt gtg toc ttt gtc tgg tac agc atg atg gta gtg gta




TEV protesse Tyr Phe Gin Gy The Met Gy Lus Lus Tie The Gly Tyr The The Vol Aco tat ttt caa gga acc atg gag ada aaa atc act gga tat acc acc gtt gat ata aaa gtt cct tgg tac ctc ttt ttt tag tga cct ata tgg tgg caa cta







Fourt 56



MGURE 57






FIGURE 58




FGURE 59



Lambda Genome

Fauzt 60



Maure 61




FIGURE 62







FIGURE 63

FIGURE 64A




172/240 FIGURE COLB





Primers for Amplifying teth and ample for Cloning by Recombination








FIGURE 65

Results of Cloning tet and amp PCR Products by Recombination


PCR Product Used in GCS Reactions	No. Colonies Obtained (100 al plated)	Form of DNA Analyzed	Colonies Obtained of Predicted Size
tet	6, 10	SC	0 of 8
attB-tet	9, 6	SC	1 of 8
attB+4G-tet	824, 1064	SC	7 of 7
		AvaI+Bam	7 of 7
amp	7, 13	SC	0 of 8
attB-amp	18, 22	SC	3 of 8
attB+4G-amp	3020, 3540	SC	8 of 8
		PstI	8 of 8
attB Plasmid (Pos. Control)	320, 394		





nourt 67





TAURE 69

















FOURE 71




A




R








H




B








B



6.9 kb PCR DNA Titration in [a BxP Reaction



FOURT 74





FIGURE 75-

10.1 kb PCR DNA Titration in $Bx \ge Reaction$



Cloning of PCR Products of Different Sizes with the GATEWAY™ PCR Cloning System

Size	fmols PCR DNA	ng PCR DNA	Cols/ml Transformation (pUC=108CFU/ml)	Correct Clones/Total Examined**
0.26 kb*	15 37.5	3 7.5	1223 2815	10/10 (a)
1.0 kb	15 37.5	10 25	507 1447	49/50 (b)
1.4 kb	15 37.5	14 35	271 683	48/50 (c)
3.4 kb	15 37.5	34 85	478 976	9/10 (a)
4.6 kb	15 37.5	46 115	190 195	10/10 (a)
6.9 kb	15 37.5	69 173	30 (235)** 54 (463)**	47/50 (b)

^{*}The 0.26 kb PCR product was used unpurified; all the others were purified by precipitation with PEG/MgCl₂ as described in the text of Example 9, to remove primer dimers potentially present. Standard incubations were for 60 min.

- (a) DNA minipreps
- (b) ampR/kanR
- (c) tetR/kanR

Figure 77

^{**}overnight incubation

Reading frame A:	
EcoR V	<i>Eco</i> R ∨
1/2 site	1/2 site
attR1	attR2
ATC ACA AGT TTG TAC AAA AAA	T TTC TTG TAC AAA GTG GTG AT
TAG TGT TCA AAC ATG TTT TTT - (CIT	-ccdB -TTC TTG TAC AAA GTG GTG AT
Reading frame B:	•
	attR2
attR1	aunz
A TCA ACA AGT TTG TAC AAA AAA - [Cmf	-ccdBT_TTC TTG TAC AAA GTG GTT GAT
T AGT TGT TCA AAC ATG TTT TTT	A AAG AAC ATG TTT CAC CAA CTA
Reading frame C: (Alternative)	
attR1	attR2
AT CAA ACA AGT TIS TAC AAA AAA	-ccdBT_TTC TTG TAC AAA GTG GTT CGA T
TA GTT TGT TCA AAC ATG TTT TTT	A AAG AAC ATG TTT CAC CAA GCT A
<u> </u>	

Reading frame C: (Alternative)

Fusion protein

codon

Reading frame A cassette

--- nnn nnn atc <u>a</u>ca agt ttg tac aaa aaa gct ----- nnn nnn tag tgt tca aac atg ttt ttt cga --attR 1

Reading frame B cassette


--- nnn nnn nna tc<u>a a</u>ca agt ttg tac aaa aaa gct ----- nnn nnn nnt agt tgt tca aac atg ttt ttt cga ---


* cannot be TG or TA


Reading frame C cassette


--- nnn nnn nat caa aca agt ttg tac aaa aaa gct ---

--- nnn nnn nta gtt tgt tca aac atg ttt ttt cga ---









rfC cassette (1715 bps)




FIGURE 83 A

prfC Parent III 4554 bp

Location (Base Nos.)	Gene Encoded
410286	attR1
6601319	CmR
14391523	 inactivated ccdA
16611966	ccdB
20072131	attR2
27533613	amp

1	GCGCCCAATA	CGCAAACCGC	CTCTCCCCGC	GCGTTGGCCG	ATTCATTAAT	GCAGCTGGCA
61	CGACAGGTTT	CCCGACTGGA	AAGCGGGCAG	TGAGCGCAAC	GCAATTAATG	TGAGTTAGCT
121	CACTCATTAG	GCACCCCAGG	CTTTACACTT	TATGCTTCCG	GCTCGTATGT	TGTGTGGAAT
181	TGTGAGCGGA	TAACAATTTC	ACACAGGAAA	CAGCTATGAC	CATGATTACG	CCAAGCTTGC
241	ATGCCTGCAG	GTCGACTCTA	GAGGATCCCC	GGGTACCGAT	ATCAAACAAG	TTTGTACAAA
301	AAAGCTGAAC	GAGAAACGTA	AAATGATATA	AATATCAATA	TATTAAATTA	GATTTTGCAT
361	AAAAAACAGA	CTACATAATA	CTGTAAAACA	CAACATATCC	AGTCACTATG	GCGGCCGCTA
421	AGTTGGCAGC	ATCACCCGAC	GCACTTTGCG	CCGAATAAAT	ACCTGTGACG	GAAGATCACT
481	TCGCAGAATA	AATAAATCCT	GGTGTCCCTG	TTGATACCGG	GAAGCCCTGG	GCCAACTTTT
541	GGCGAAAATG	AGACGTTGAT	CGGCACGTAA	GAGGTTCCAA	CTTTCACCAT	AATGAAATAA
601	GATCACTACC	GGGCGTATTT	TTTGAGTTAT	CGAGATTTTC	AGGAGCTAAG	GAAGCTAAAA
661	TGGAGAAAA	AATCACTGGA	TATACCACCG	TTGATATATC	CCAATGGÇAT	CGTAAAGAAC
721	ATTTTGAGGC	ATTTCAGTCA	GTTGCTCAAT	GTACCTATAA	CCAGACCGTT	CAGCTGGATA
781	TTACGGCCTT	TTTAAAGACC	GTAAAGAAAA	ATAAGCACAA	GTTTTATCCG	GCCTTTATTC
941	ስርስጥጥርጥጥርር	CCGCCTGATG	AATGCTCATC	CGGAATTCCG	TATGGCAATG	AAAGACGGTG
901	ACCTCCTGAT	ATGGGATAGT	GTTCACCCTT	GTTACACCGT	TTTCCATGAG	CAAACTGAAA
961	CGTTTTCATC	GCTCTGGAGT	GAATACCACG	ACGATTTCCG	GCAGTTTCTA	CACATATATT
1021	CGCAAGATGT	GGCGTGTTAC	GGTGAAAACC	TGGCCTATTT	CCCTAAAGGG	TTTATTGAGA
1021	Δ Ψ Δ Ψ ζΨΨΨΨ Υ	CGTCTCAGCC	AATCCCTGGG	TGAGTTTCAC	CAGTTTTGAT	TTAAACGTGG
1141	CCAATATGGA	CAACTTCTTC	GCCCCCGTTT	TCACCATGGG	CAAATATTAT	ACGCAAGGCG
1201	ACAAGGTGCT	GATGCCGCTG	GCGATTCAGG	TTCATCATGC	CGTCTGTGAT	GGCTTCCATG
1261	TCGCCAGAAT	GCTTAATGAA	TTACAACAGT	ACTGCGATGA	GTGGCAGGGC	GGGGCGTAAT
1201	CTAGAGGATC	CGGCTTACTA	AAAGCCAGAT	AACAGTATGC	GTATTTGCGC	GCTGATTTTT
1201	CCCCTATAAG	AATATATACT	GATATGTATA	CCCGAAGTAT	GTCAAAAAGA	GGTGTGCTAT
1//1	CANCCACCGT	ATTACAGTGA	CAGTTGACAG	CGACAGCTAT	CAGTTGCTCA	AGGCATATAT
1501	CATCTCAATA	TCTCCGGTCT	GGTAAGCACA	ACCATGCAGA	ATGAAGCCCG	TCGTCTGCGT
1561	GCCGAACGCT	GGAAAGCGGA	AAATCAGGAA	GGGATGGCTG	AGGTCGCCCG	GTTTATTGAA
1601	NTCD ACCCT	CTTTTGCTGA	CGAGAACAGG	GACTGGTGAA	ATGCAGTTTA	AGGTTTACAC
1691	ADSSOURCE .	GAGAGCCGTT	ATCGTCTGTT	TGTGGATGTA	CAGAGTGATA	TTATTGACAC
1741	CIMIAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	CGGATGGTGA	TCCCCCTGGC	CAGTGCACGT	CTGCTGTCAG	ATAAAGTCTC
1801	СССТСААСТТ	TACCCGGTGG	TGCATATCGG	GGATGAAAGC	TGGCGCATGA	TGACCACCGA
1861	TATEGECAGT	GTGCCGGTCT	CCGTTATCGG	GGAAGAAGTO	GCTGATCTCA	GCCACCGCGA
1921	· AAATGACATC	AAAAACGCCA	TTAACCTGAT	GTTCTGGGGA	ATATAAATGT	CAGGCTCCGT
1981	TATACACAGC	CAGTCTGCAG	GTCGACCATA	GTGACTGGAT	ATGTTGTGTT	TTACAGTATT
2041	ATCTACTOT	TTTTTTATGC	AAAATCTAAT	TTAATATAT	GATATTTATA	TCATTTTACG
2101	TTTCTCGTTC	AGCTTTCTTG	TACAAAGTGG	TTCGATATC	GTACCGAGCT	CGAATTCACT
2161	GGCCGTCGTT	TTACAACGTC	GTGACTGGGA	AAACCCTGG	GTTACCCAAC	TTAATCGCCT
222	TGCAGCACAT	CCCCTTTCG	CCAGCTGGCG	TAATAGCGA	A GAGGCCCGCA	CCGATCGCCC
228	TTCCCAACAG	TTGCGCAGCC	TGAATGGCG	ATGGCGCCT	ATGCGGTATI	TTCTCCTTAC
234	CCATCTGTGC	GGTATTTCAC	ACCGCATATO	GTGCACTCT	AGTACAATCT	GCTCTGATGC
240	CGCATAGTT	AGCCAGCCC	GACACCCGC	AACACCCGC	GACGCGCCCI	GACGGGCTTG
246		GCATCCGCTT	ACAGACAAG	TGTGACCGT	TCCGGGAGCT	GCATGTGTCA
250	1 GAGGTTTTC1	CCGTCATCAC	CGAAACGCG	GAGACGAAA	GGCCTCGTGA	TACGCCTATT
252.	TORGOTITES	AATGTCATG	TAATAATGG	TTCTTAGAC	TCAGGTGGC	CTTTTCGGGG
250	ם ממשתנדתרתי	GGAACCCCTA	TTTGTTTAT	TTTCTAAAT	A CATTCAAATA	TGTATCCGCT
270	ו בשתמשהמרמי	TAACCCTGAT	AAATGCTTC	A ATAATATTG	A AAAAGGAAG	GTATGAGTAT
276	1 TCAACATTT	CGTGTCGCC	TTATTCCCT	r TTTTGCGGC	A TTTTGCCTTC	CTGTTTTTGC-

194/240

	2821	TCACCCAGAA	ACGCTGGTGA	AAGTAAAAGA	TGCTGAAGAT	CAGTTGGGTG	CACGAGTGGG
	2881	TTACATCGAA	CTGGATCTCA	ACAGCGGTAA	GATCCTTGAG	AGTTTTCGCC	CCGAAGAACG
	2941	TTTTCCAATG	ATGAGCACTT	TTAAAGTTCT	GCTATGTGGC	GCGGTATTAT	CCCGTATTGA
	3001	CGCCGGGCAA	GAGCAACTCG	GTCGCCGCAT	ACACTATTCT	CAGAATGACT	TGGTTGAGTA
	3061	CTCACCAGTC	ACAGAAAAGC	ATCTTACGGA	TGGCATGACA	GTAAGAGAAT	TATGCAGTGC
٠	3121	TGCCATAACC	ATGAGTGATA	ACACTGCGGC	CAACTTACTT	CTGACAACGA	TCGGAGGACC
	3181	GAAGGAGCTA	ACCGCTTTTT	TGCACAACAT	GGGGGATCAT	GTAACTCGCC	TTGATCGTTG
	3241	GGAACCGGAG	CTGAATGAAG	CCATACCAAA	CGACGAGCGT	GACACCACGA	TGCCTGTAGC
	3301	AATGGCAACA	ACGTTGCGCA	AACTATTAAC	TGGCGAACTA	CTTACTCTAG	CTTCCCGGCA
	3361	ACAATTAATA	GACTGGATGG	AGGCGGATAA	AGTTGCAGGA	CCACTTCTGC	GCTCGGCCCT
	3421	TCCGGCTGGC	TGGTTTATTG	CTGATAAATC	TGGAGCCGGT	GAGCGTGGGT	CTCGCGGTAT
	3481	CATTGCAGCA	CTGGGGCCAG	ATGGTAAGCC	CTCCCGTATC	GTAGTTATCT	ACACGACGGG
	3541	GAGTCAGGCA	ACTATGGATG	AACGAAATAG	ACAGATCGCT	GAGATAGGTG	CCTCACTGAT
	3601	TAAGCATTGG	TAACTGTCAG	ACCAAGTTTA	CTCATATATA	CTTTAGATTG	ATTTAAAACT
	3661	TCATTTTTAA	TTTAAAAGGA	TCTAGGTGAA	GATCCTTTTT	GATAATCTCA	TGACCAAAAT
	3721	CCCTTAACGT	GAGTTTTCGT	TCCACTGAGC	GTCAGACCCC	GTAGAAAAGA	TCAAAGGATC
	3781	TTCTTGAGAT	CCTTTTTTTC	TGCGCGTAAT	CTGCTGCTTG	CAAACAAAAA	AACCACCGCT
	3841	ACCAGCGGTG	GTTTGTTTGC	CGGATCAAGA	GCTACCAACT	CTTTTTCCGA	AGGTAACTGG
	3901	CTTCAGCAGA	GCGCAGATAC	CAAATACTGT	CCTTCTAGTG	TAGCCGTAGT	TAGGCCACCA
	3961	CTTCAAGAAC	TCTGTAGCAC	CGCCTACATA	CCTCGCTCTG	CTAATCCTGT	TACCAGTGGC
	4021	TGCTGCCAGT	GGCGATAAGT	CGTGTCTTAC	CGGGTTGGAC	TCAAGACGAT	AGTTACCGGA
	4081	TAAGGCGCAG	CGGTCGGGCT	GAACGGGGGG	TTCGTGCACA	CAGCCCAGCT	TGGAGCGAAC
	4141	GACCTACACC	GAACTGAGAT	ACCTACAGCG	TGAGCTATGA	GAAAGCGCCA	CGCTTCCCGA
	4201	AGGGAGAAAG	GCGGACAGGT	ATCCGGTAAG	CGGCAGGGTC	GGAACAGGAG	AGCGCACGAG
	4261	GGAGCTTCCA	GGGGGAAACG	CCTGGTATCT	TTATAGTCCT	GTCGGGTTTC	GCCACCTCTG
	4321	ACTTGAGCGT	CGATTTTTGT	GATGCTCGTC	AGGGGGGCGG	AGCCTATGGA	AAAACGCCAG
					TTGCTGGCCT		
					TATTACCGCC		
	4501	TCGCCGCAGC	CGAACGACCG	AGCGCAGCGA	GTCAGTGAGC	GAGGAAGCGG	AAGA







FIGURE 84






198/240 FIGURE 87



199/240 FIGURE-88



200/240

DNA to be emplified (5'-3'): Denature, anneal hybrid primers, textend with polymerase 1 amplification cycles Denature, anneal att B primers, extend with polymersse 1 amplification cycles stt.B1

3999 ABCD

SHB2 primer:

9999 Bbcd

Hybrid primers (port

atts, port gene

specific):

CD w

ad x'

201/240




FIGURE 90A

pDEST28

7141 bp

ATGCATGTCGTTACATAACTTACGGTAAATGGCCCGCCTGGCTGACCGCCCAACGACCCC CGCCCATTGACGTCAATAATGACGTATGTTCCCATAGTAACGCCAATAGGGACTTTCCAT TGACGTCAATGGGTGGAGTATTTACGGTAAACTGCCCACTTGGCAGTACATCAAGTGTAT CATATGCCAAGTACGCCCCTATTGACGTCAATGACGGTAAATGGCCCGCCTGGCATTAT GCCCAGTACATGACCTTATGGGACTTTCCTACTTGGCAGTACATCTACGTATTAGTCATC GCTATTACCATGGTGATGCGGTTTTGGCAGTACATCAATGGGCGTGGATAGCGGTTTGAC AATCAACGGGACTTTCCAAAATGTCGTAACAACTCCGCCCCATTGACGCAAATGGGCGGT AGGCGTGTACGGTGGGAGGTCTATATAAGCAGAGCTCTCCCTATCAGTGATAGAGATCTC CCTATCAGTGATAGAGATCGTCGACGAGCTCGTTTAGTGAACCGTCAGATCGECTGGAGA CGCCATCCACGCTGTTTTGACCTCCATAGAAGACACCGGGACCGATCCAGCCTCCGGACT CTAGAGGATCCCTACCGGTGATATCCTCGAGCCCATCAACAAGTTTGTACAAAAAAGCTG AACGAGAAACGTAAAATGATATAAATATCAATATATTAAATTAGATTTTGCATAAAAAAC AGACTACATAATACTGTAAAACACAACATATCCAGTCACTATGGCGGCCGCATTAGGCAC CCCAGGCTTTACACTTTATGCTTCCGGCTCGTATAATGTGTGGATTTTGAGTTAGGATCC GGCGAGATTTTCAGGAGCTAAGGAAGCTAAAATGGAGAAAAAAATCACTGGATATACCAC ATGTACCTATAACCAGACCGTTCAGCTGGATATTACGGCCTTTTTAAAGACCGTAAAGAA AAATAAGCACAAGTTTTATCCGGCCTTTATTCACATTCTTGCCCGCCTGATGAATGCTCA ${\tt TCCGGAATTCCGTATGGCAATGAAAGACGGTGAGCTGGTGATATGGGATAGTGTTCACCC}$ TTGTTACACCGTTTTCCATGAGCAAACTGAAACGTTTTCATCGCTCTGGAGTGAATACCA CGACGATTTCCGGCAGTTTCTACACATATATTCGCAAGATGTGGCGTGTTACGGTGAAAA CCTGGCCTATTTCCCTAAAGGGTTTATTGAGAATATGTTTTTCGTCTCAGCCAATCCCTG GGTGAGTTTCACCAGTTTTGATTTAAACGTGGCCAATATGGACAACTTCTTCGCCCCCGT TTTCACCATGGGCAAATATTATACGCAAGGCGACAAGGTGCTGATGCCGCTGGCGATTCA GGTTCATCATGCCGTCTGTGATGGCTTCCATGTCGGCAGAATGCTTAATGAATTACAACA GTACTGCGATGAGTGGCAGGGCGGGGCGTAAAGATCTGGATCCGGCTTACTAAAAGCCAG ATAACAGTATGCGTATTTGCGCGCTGATTTTTGCGGTATAAGAATATATACTGATATGTA TACCCGAAGTATGTCAAAAAGAGGTGTGCTATGAAGCAGCGTATTACAGTGACAGTTGAC AGCGACAGCTATCAGTTGCTCAAGGCATATATGATGTCAATATCTCCGGTCTGGTAAGCA CAACCATGCAGAATGAAGCCCGTCGTCTGCGTGCCGAACGCTGGAAAGCGGAAAATCAGG AAGGGATGGCTGAGGTCGCCCGGTTTATTGAAATGAACGGCTCTTTTGCTGACGAGAACA TTTGTGGATGTACAGAGTGATATTATTGACACGCCCGGGCGACGGATGGTGATCCCCCTG GCCAGTGCACGTCTGCTGTCAGATAAAGTCTCCCGTGAACTTTACCCGGTGGTGCATATC GGGGATGAAAGCTGGCGCATGATGACCACCGATATGGCCAGTGTGCCGGTCTCCGTTATC GGGGAAGAAGTGGCTGATCTCAGCCACCGCGAAAATGACATCAAAAAGGCCATTAACCTG ATGTTCTGGGGAATATAAATGTCAGGCTCCCTTATACACAGCCAGTCTGCAGGTCGACCA TAGTGACTGGATATGTTGTGTTTTACAGTATTATGTAGTCTGTTTTTTATGCAAAATCTA ATTTAATATTGATATTTATATCATTTTACGTTTCTCGTTCAGCTTTCTTGTACAAAGT GGTTGATGGGCGGCCGCTCTAGAGGGCCCAAGCTTACGCGTGCATGCGACGTCATAGCTC TCTCCCTATAGTGAGTCGTATTATAAGCTAGGCACTGGCCGTCGTTTTACAACGTCGTGA CTGGGAAAACTGCTAGCTTGGGATCTTTGTGAAGGAACCTTACTTCTGTGGTGTGACATA ATTGGACAAACTACCTACAGAGATTTAAAGCTCTAAGGTAAATATAAAATTTTTAAGTGT ATAATGTGTTAAACTAGCTGCATATGCTTGCTGCTTGAGAGTTTTGCTTACTGAGTATGA TTTATGAAAATATTATACACAGGAGCTAGTGATTCTAATTGTTTTGTGTATTTTAGATTCA CAGTCCCAAGGCTCATTTCAGGCCCCTCAGTCCTCACAGTCTGTTCATGATCATAATCAG CCATACCACATTTGTAGAGGTTTTACTTGCTTTAAAAAACCTCCCACACCTCCCCTGAA CCTGAAACATAAAATGAATGCAATTGTTGTTGTTAACTTGTTTATTGCAGCTTATAATGG TTACAAATAAAGCAATAGCATCACAAATTTCACAAATAAAGCATTTTTTTCACTGCATTC AGGCCCGCACCGATCGCCCTTCCCAACAGTTGCGCAGCCTGAATGGCGAATGGGACGCGC CCTGTAGCGGCGCATTAAGCGCGGGGGGTGTGGTGGTTACGCGCAGCGTGACCGCTACAC TTGCCAGCGCCCTAGCGCCCGCTCCTTTCGCTTTCTTCCCTTTCTCGCCACGTTCG CCGGCTTTCCCCGTCAAGCTCTAAATCGGGGGCTCCCTTTAGGGTTCCGATTTAGTGCTT- TACGGCACCTCGACCCCAAAAAACTTGATTAGGGTGATGGTTCACGTAGTGGGCCATCGC CCTGATAGACGGTTTTTCGCCCTTTGACGTTGGAGTCCACGTTCTTTAATAGTGGACTCT TGTTCCAAACTGGAACAACACTCAACCCTATCTCGGTCTATTCTTTTGATTTATAAGGGA TTTTGCCGATTTCGGCCTATTGGTTAAAAAATGAGCTGATTTAACAAATATTTAACGCGA ATTTTAACAAAATATTAACGTTTACAATTTCGCCTGATGCGGTATTTTCTCCTTACGCAT CTGTGCGGTATTTCACACCGCATACGCGGATCTGCGCAGCACCATGGCCTGAAATAACCT CTGAAAGAGGAACTTGGTTAGGTACCTTCTGAGGCGGAAAGAACCAGCTGTGGAATGTGT TGCAAAGCATGCATCTCAATTAGTCAGCAACCATAGTCCCGCCCCTAACTCCGCCCATCC TTTATGCAGAGGCCGAGGCCGCCTCGGCCTCTGAGCTATTCCAGAAGTAGTGAGGAGGCT TTTTTGGAGGCCTAGGCTTTTGCAAAAAGCTTGATTCTTCTGACACAACAGTCTCGAACT TAAGACCATGGCCAAGCCTTTGTCTCAAGAAGAATCCACCCTCATTGAAAGAGCAACGGC ${\tt CGACGGCCGCATCTTCACTGGTGTCAATGTATATCATTTTACTGGGGGACCTTGTGCAGA}$ ACTCGTGGTGCTGGGCACTGCTGCTGCGGCAGCTGGCAACCTGACTTGTATCGTCGC GATCGGAAATGAGAACAGGGGCATCTTGAGCCCCTGCGGACGGTGCCGACAGGTGCTTCT CGATCTGCATCCTGGGATCAAAGCCATAGTGAAGGACAGTGATGGACAGCCGACGGCAGT TGGGATTCGTGAATTGCTGCCCTCTGGTTATGTGTGGGAGGGCTAAGCACTTCGTGGCCG AGTTCGAAATGACCGACCAAGCGACGCCCAACCTGCCATCACGATGGCCGCAATAAAATA TCTTTATTTTCATTACATCTGTGTGTTGTTTTTTTGTGTGAATCGATAGCGATAAGGATC CACCCGCCAACACCCGCTGACGCGCCCTGACGGGCTTGTCTGCTCCCGGCATCCGCTTAC AGACAAGCTGTGACCGTCTCCGGGAGCTGCATGTGTCAGAGGTTTTCACCGTCATCACCG AAACGCGCGAGACGAAAGGGCCTCGTGATACGCCTATTTTTATAGGTTAATGTCATGATA ATAATGGTTTCTTAGACGTCAGGTGGCACTTTTCGGGGAAATGTGCGCGGAACCCCTATT TGTTTATTTTTCTAAATACATTCAAATATGTATCCGCTCATGAGACAATAACCCTGATAA ATGCTTCAATAATATTGAAAAAGGAAGAGTATGAGTATTCAACATTTCCGTGTCGCCCTT ATTCCCTTTTTTGCGGCATTTTGCCTCCTGTTTTTTGCTCACCCAGAAACGCTGGTGAAA GTAAAAGATGCTGAAGATCAGTTGGGTGCACGAGTGGGTTACATCGAACTGGATCTCAAC AGCGGTAAGATCCTTGAGAGTTTTCGCCCCGAAGAACGTTTTCCAATGATGAGCACTTTT AAAGTTCTGCTATGTGGCGCGGTATTATCCCGTATTGACGCCGGGCAAGAGCAACTCGGT CGCCGCATACACTATTCTCAGAATGACTTGGTTGAGTACTCACCAGTCACAGAAAAGCAT CTTACGGATGGCATGACAGTAAGAGAATTATGCAGTGCTGCCATAACCATGAGTGATAAC ACTGCGGCCAACTTACTTCTGACAACGATCGGAGGACCGAAGGAGCTAACCGCTTTTTTG ATACCAAACGACGAGCGTGACACCACGATGCCTGTAGCAATGGCAACAACGTTGCGCAAA GATAAATCTGGAGCCGGTGAGCGTGGGTCTCGCGGTATCATTGCAGCACTGGGGCCAGAT GGTAAGCCCTCCCGTATCGTAGTTATCTACACGACGGGGAGTCAGGCAACTATGGATGAA CGAAATAGACAGATCGCTGAGATAGGTGCCTCACTGATTAAGCATTGGTAACTGTCAGAC CAAGTTTACTCATATATACTTTAGATTGATTTAAAACTTCATTTTTAATTTAAAAGGATC TAGGTGAAGATCCTTTTTGATAATCTCATGACCAAAATCCCTTAACGTGAGTTTTCGTTC CACTGAGCGTCAGACCCCGTAGAAAAGATCAAAGGATCTTCTTGAGATCCTTTTTTTCTG GATCAAGAGCTACCAACTCTTTTTCCGAAGGTAACTGGCTTCAGCAGAGCGCAGATACCA AATACTGTCCTTCTAGTGTAGCCGTAGTTAGGCCACCACTTCAAGAACTCTGTAGCACCG CCTACATACCTCGCTCTGCTAATCCTGTTACCAGTGGCTGCTGCCAGTGGCGATAAGTCG TGTCTTACCGGGTTGGACTCAAGACGATAGTTACCGGATAAGGCGCAGCGGTCGGGCTGA ACGGGGGGTTCGTGCACACAGCCCAGCTTGGAGCGAACGACCTACACCGAACTGAGATAC CTACAGCGTGAGCATTGAGAAAGCGCCACGCTTCCCGAAGGGAGAAAGGCGGACAGGTAT TGGTATCTTTATAGTCCTGTCGGGTTTCGCCACCTCTGACTTGAGCGTCGATTTTTGTGA TGCTCGTCAGGGGGGGGGGCCTATGGAAAAACGCCAGCAACGCGGCCTTTTTACGGTTC CTGGCCTTTTGCTGGCCTTTTGCTCACATGTTCTTTCCTGCGTTATCCCCTGATTCTGTG GATAACCGTATTACCGCCTTTGAGTGAGCTGATACCGCTCGCCGCAGCCGAACGACCGAG-

FIGURE 90C

\$\$.-

CGCAGCGAGTCAGTGAGCGAGGAAGCGGAAGAGCGCCCAATACGCAAACCGCCTCTCCCCGCCGCTTGGCCGATTCATTAATGCAGAGCTTGCAATTCGCGCGTTTTTCAATATTATTGAAGCATTTATCAGGGGTTATTGTCTCATGAGCGGATACATATTTGAATGTATTTAGAAAAAATAAACAAAATAGGGGTTCCGCGCACATTTCCCCGAAAAGTGCCACCTGACGTCTAAGAAACCATTATTATCATGACATTAACCTATAAAAAATAGGCGTAGTACGAGGCCCTTTCACTCATTAGG

FIGURE 90D




FIGURE 91 A

pDEST29 7156 bp

ATGCATGTCGTTACATAACTTACGGTAAATGGCCCGCCTGGCTGACCGCCCAACGACCCC CGCCCATTGACGTCAATAATGACGTATGTTCCCATAGTAACGCCAATAGGGACTTTCCAT TGACGTCAATGGGTGGAGTATTTACGGTAAACTGCCCACTTGGCAGTACATCAAGTGTAT CATATGCCAAGTACGCCCCCTATTGACGTCAATGACGGTAAATGGCCCGCCTGGCATTAT GCCCAGTACATGACCTTATGGGACTTTCCTACTTGGCAGTACATCTACGTATTAGTCATC GCTATTACCATGGTGATGCGGTTTTGGCAGTACATCAATGGGCGTGGATAGCGGTTTGAC AATCAACGGGACTTTCCAAAATGTCGTAACAACTCCGCCCCATTGACGCAAATGGGCGGT AGGCGTGTACGGTGGGAGGTCTATATAAGCAGAGCTCTCCCTATCAGTGATAGAGATCTC CCTATCAGTGATAGAGATCGTCGACGAGCTCGTTTAGTGAACCGTCAGATCGCCTGGAGA CGCCATCCACGCTGTTTTGACCTCCATAGAAGACACCGGGACCGATCCAGCCTCCGGACC ATGGCGTACTACCATCACCATCACCACCGGTGATATCCTCGAGCCCATCACAAGT TTGTACAAAAAGCTGAACGAGAAACGTAAAATGATATAAATATCAATATAATAAATTAG ATTTTGCATAAAAAACAGACTACATAATACTGTAAAACACAACATATCCAGTCACTATGG CGGCCGCATTAGGCACCCCAGGCTTTACACTTTATGCTTCCGGCTCGTATAATGTGTGGA TTTTGAGTTAGGATCCGGCGAGATTTTCAGGAGCTAAGGAAGCTAAAATGGAGAAAAAAA TCACTGGATATACCACCGTTGATATATCCCAATGGCATCGTAAAGAACATTTTGAGGCAT TTCAGTCAGTTGCTCAATGTACCTATAACCAGACCGTTCAGCTGGATATTACGGCCTTTT TAAAGACCGTAAAGAAAAATAAGCACAAGTTTTATCCGGCCTTTATTCACATTCTTGCCC GCCTGATGAATGCTCATCCGGAATTCCGTATGGCAATGAAAGACGGTGAGCTGGTGATAT GGGATAGTGTTCACCCTTGTTACACCGTTTTCCATGAGCAAACTGAAACGTTTTCATCGC TCTGGAGTGAATACCACGACGATTTCCGGCAGTTTCTACACATATATTCGCAAGATGTGG CGTGTTACGGTGAAAACCTGGCCTATTTCCCTAAAGGGTTTATTGAGAATATGTTTTTCG TCTCAGCCAATCCCTGGGTGAGTTTCACCAGTTTTGATTTAAACGTGGCCAATATGGACA ACTTCTTCGCCCCGTTTTCACCATGGGCAAATATTATACGCAAGGCGACAAGGTGCTGA TGCCGCTGGCGATTCAGGTTCATCATGCCGTCTGTGATGGCTTCCATGTCGGCAGAATGC TTAATGAATTACAACAGTACTGCGATGAGTGCCAGGGCGGGGCGTAAACGCGTGGATCCG GCTTACTAAAAGCCAGATAACAGTATGCGTATTTGCGCGCTGATTTTTGCGGTATAAGAA TATATACTGATATGTATACCCGAAGTATGTCAAAAAGAGGTGTGCTATGAAGCAGCGTAT TACAGTGACAGTTGACAGCGACAGCTATCAGTTGCTCAAGGCATATATGATGTCAATATC TCCGGTCTGGTAAGCACAACCATGCAGAATGAAGCCCGTCGTCTGCGTGCCGAACGCTGG AAAGCGGAAAATCAGGAAGGGATGGCTGAGGTCGCCCGGTTTATTGAAATGAACGGCTCT TTTGCTGACGAGAACAGGGACTGGTGAAATGCAGTTTAAGGTTTACACCTATAAAAGAGA GAGCCGTTATCGTCTGTTTGTGGATGTACAGAGTGATATTATTGACACGCCCGGGCGACG GATGGTGATCCCCCTGGCCAGTGCACGTCTGCTGTCAGATAAAGTCTCCCGTGAACTTTA CCCGGTGGTGCATATCGGGGATGAAAGCTGGCGCATGATGACCACCGATATGGCCAGTGT GCCGGTCTCCGTTATCGGGGAAGAAGTGGCTGATCTCAGCCACCGCGAAAATGACATCAA AAACGCCATTAACCTGATGTTCTGGGGAATATAAATGTCAGGCTCCGTTATACACAGCCA GTCTGCAGGTCGACCATAGTGACTGGATATGTTGTGTTTTTACAGTATTATGTAGTCTGTT TTTTATGCAAAATCTAATTTAATATATTGATATTTATATCATTTTACGTTTCTCGTTCAG CTTTCTTGTACAAAGTGGTGATGGGCGGCCGCTCTAGAGGGCCCAAGCTTACGCGTGCAT GCGACGTCATAGCTCTCTCCCTATAGTGAGTCGTATTATAAGCTAGGCACTGGCCGTCGT TTTACAACGTCGTGACTGGGAAAACTGCTAGCTTGGGATCTTTGTGAAGGAACCTTACTT CTGTGGTGTGACATAATTGGACAAACTACCTACAGAGATTTAAAGCTCTAAGGTAAATAT GCTTACTGAGTATGATTTATGAAAATATTATACACAGGAGCTAGTGATTCTAATTGTTTG TGTATTTTAGATTCACAGTCCCAAGGCTCATTTCAGGCCCCTCAGTCCTCACAGTCTGTT CATGATCATAATCAGCCATACCACATTTGTAGAGGTTTTACTTGCTTTAAAAAAACCTCCC ACACCTCCCCTGAACCTGAAACATAAAATGAATGCAATTGTTGTTGTTAACTTGTTTAT TGCAGCTTATAATGGTTACAAATAAAGCAATAGCATCACAAATTTCACAAATAAAGCATT TTTTTCACTGCATTCTAGTTGTGGTTTGTCCAAACTCATCAATGTATCTTATCATGTCTG GATCGATCCTGCATTAATGAATCGGCCAACGCGCGGGGAGAGGCGGTTTGCGTATTGGCT GGCGTAATAGCGAAGAGGCCCGCACCGATCGCCCTTCCCAACAGTTGCGCAGCCTGAATG GCGAATGGGACGCCCTGTAGCGGCGCATTAAGCGCGGGGGTGTGGTGGTTACGCGCA GCGTGACCGCTACACTTGCCAGCGCCCTAGCGCCCGCTCCTTTCGCTTTCTTCCCTTCCT TTCTCGCCACGTTCGCCGGCTTTCCCCGTCAAGCTCTAAATCGGGGGCTCCCTTTAGGGT- TCCGATTTAGTGCTTTACGGCACCTCGACCCCAAAAAACTTGATTAGGGTGATGGTTCAC GTAGTGGGCCATCGCCCTGATAGACGGTTTTTCGCCCCTTTGACGTTGGAGTCCACGTTCT TTAATAGTGGACTCTTGTTCCAAACTGGAACAACACTCAACCCTATCTCGGTCTATTCTT TTGATTTATAAGGGATTTTGCCGATTTCGGCCTATTGGTTAAAAAATGAGCTGATTTAAC AAATATTTAACGCGAATTTTAACAAAATATTAACGTTTACAATTTCGCCTGATGCGGTAT TTTCTCCTTACGCATCTGTGCGGTATTTCACACCGCATACGCGGATCTGCGCAGCACCAT GGCCTGAAATAACCTCTGAAAGAGGAACTTGGTTAGGTACCTTCTGAGGCGGAAAGAACC AGCTGTGGAÁTGTGTGTCAGTTAGGGTGTGGAAAGTCCCCAGGCTCCCCAGCAGCAGAA GTATGCAAAGCATGCATCTCAATTAGTCAGCAACCAGGTGTGGAAAGTCCCCAGGCTCCC CAGCAGGCAGAAGTATGCAAAGCATGCATCTCAATTAGTCAGCAACCATAGTCCCGCCCC TAACTCCGCCCATCCCGCCCCTAACTCCGCCCAGTTCCGCCCATTCTCCGCCCCATGGCT GACTAATTTTTTTTTTTATGCAGAGGCCGAGGCCGCCTCGGCCTCTGAGCTATTCCAGA AGTAGTGAGGAGGCTTTTTTGGAGGCCTAGGCTTTTGCAAAAAGCTTGATTCTTCTGACA CAACAGTCTCGAACTTAAGACCATGGCCAAGCCTTTGTCTCAAGAAGAATCCACCCTCAT TGAAAGAGCAACGGCTACAATCAACAGCATCCCCATCTCTGAAGACTACAGCGTCGCCAG CGCAGCTCTCTAGCGACGGCCGCATCTTCACTGGTGTCAATGTATATCATTTTACTGG GGGACCTTGTGCAGAACTCGTGGTGCTGGGCACTGCTGCTGCTGCGGCAGCTGGCAACCT GACTTGTATCGTCGCGATCGGAAATGAGAACAGGGGCATCTTGAGCCCCTGCGGACGGTG CCGACAGGTGCTTCTCGATCTGCATCCTGGGATCAAAGCCATAGTGAAGGACAGTGATGG ACAGCCGACGGCAGTTGGGATTCGTGAATTGCTGCCCTCTGGTTATGTGTGGGAGGGCTA AGCACTTCGTGGCCGAGTTCGAAATGACCGACCAAGCGACGCCCAACCTGCCATCACGAT GGCCGCAATAAAATATCTTTATTTTCATTACATCTGTGTGTTGGTTTTTTTGTGTGAATCG ATAGCGATAAGGATCCGCGTATGGTGCACTCTCAGTACAATCTGCTCTGATGCCGCATAG TTAAGCCAGCCCGACACCCGCCAACACCCGCTGACGCCCCTGACGGGCTTGTCTGCTC CCGGCATCCGCTTACAGACAAGCTGTGACCGTCTCCGGGAGCTGCATGTGTCAGAGGTTT TCACCGTCATCACCGAAACGCGCGAGACGAAAGGGCCTCGTGATACGCCTATTTTTATAG GTTAATGTCATGATAATAATGGTTTCTTAGACGTCAGGTGGCACTTTTCGGGGAAATGTG CGCGGAACCCCTATTTGTTTATTTTTCTAAATACATTCAAATATGTATCCGCTCATGAGA CAATAACCCTGATAAATGCTTCAATAATATTGAAAAAGGAAGAGTATGAGTATTCAACAT TTCCGTGTCGCCCTTATTCCCTTTTTTGCGGCATTTTGCCTTCCTGTTTTTGCTCACCCA GAAACGCTGGTGAAAGTAAAAGATGCTGAAGATCAGTTGGGTGCACGAGTGGGTTACATC GAACTGGATCTCAACAGCGGTAAGATCCTTGAGAGTTTTCGCCCCGAAGAACGTTTTCCA ATGATGAGCACTTTTAAAGTTCTGCTATGTGGCGCGGTATTATCCCGTATTGACGCCGGG CAAGAGCAACTCGGTCGCCGCATACACTATTCTCAGAATGACTTGGTTGAGTACTCACCA GTCACAGAAAAGCATCTTACGGATGGCATGACAGTAAGAGAATTATGCAGTGCTGCCATA ACCATGAGTGATAACACTGCGGCCAACTTACTTCTGACAACGATCGGAGGACCGAAGGAG CTAACCGCTTTTTTGCACAACATGGGGGATCATGTAACTCGCCTTGATCGTTGGGAACCG GAGCTGAATGAAGCCATACCAAACGACGAGCGTGACACCACGATGCCTGTAGCAATGGCA ACAACGTTGCGCAAACTATTAACTGGCGAACTACTTACTCTAGCTTCCCGGCAACAATTA ATAGACTGGATGGAGGCGGATAAAGTTGCAGGACCACTTCTGCGCTCGGCCCTTCCGGCT ${\tt GGCTGGTTTATTGCTGATAAATCTGGAGCCGGTGAGCGTGGGTCTCGCGGTATCATTGCA}$ GCACTGGGGCCAGATGGTAAGCCCTCCCGTATCGTAGTTATCTACACGACGGGGAGTCAG GCAACTATGGATGAACGAAATAGACAGATCGCTGAGATAGGTGCCTCACTGATTAAGCAT TAATTTAAAAGGATCTAGGTGAAGATCCTTTTTGATAATCTCATGACCAAAATCCCTTAA CGTGAGTTTTCGTTCCACTGAGCGTCAGACCCCCGTAGAAAAGATCAAAGGATCTTCTTGA GTGGTTTGTTTGCCGGATCAAGAGCTACCAACTCTTTTTCCGAAGGTAACTGGCTTCAGC AGAGCGCAGATACCAAATACTGTCCTTCTAGTGTAGCCGTAGTTAGGCCACCACTTCAAG AACTCTGTAGCACCGCCTACATACCTCGCTCTGCTAATCCTGTTACCAGTGGCTGCCC AGTGGCGATAAGTCGTGTCTTACCGGGTTGGACTCAAGACGATAGTTACCGGATAAGGCG CAGCGGTCGGGCTGAACGGGGGGTTCGTGCACACAGCCCAGCTTGGAGCGAACGACCTAC ACCGAACTGAGATACCTACAGCGTGAGCATTGAGAAAGCGCCACGCTTCCCGAAGGGAGA AAGGCGGACAGGTATCCGGTAAGCGGCAGGGTCGGAACAGGAGAGCGCACGAGGGAGCTT CCAGGGGGAAACGCCTGGTATCTTTATAGTCCTGTCGGGTTTCGCCACCTCTGACTTGAG CGTCGATTTTTGTGATGCTCGTCAGGGGGGGGGGGCCTATGGAAAAACGCCAGCAACGCG GCCTTTTTACGGTTCCTGGCCTTTTGCTGGCCTTTTGCTCACATGTTCTTTCCTGCGTTA FIGURE 91D




FIGURE 92A

pDEST30 7544 bp

ATGCATGTCGTTACATAACTTACGGTAAATGGCCCGCCTGGCTGACCGCCCAACGACCCC CGCCCATTGACGTCAATAATGACGTATGTTCCCATAGTAACGCCAATAGGGACTTTCCAT TGACGTCAATGGGTGGAGTATTTACGGTAAACTGCCCACTTGGCAGTACATCAAGTGTAT CATATGCCAAGTACGCCCCCTATTGACGTCAATGACGGTAAATGGCCCGCCTGGCATTAT GCCCAGTACATGACCTTATGGGACTTTCCTACTTGGCAGTACATCTACGTATTAGTCATC GCTATTACCATGGTGATGCGGTTTTGGCAGTACATCAATGGGCGTGGATAGCGGTTTGAC AATCAACGGGACTTTCCAAAATGTCGTAACAACTCCGCCCCATTGACGCAAATGGGCGGT AGGCGTGTACGGTGGGAGGTCTATATAAGCAGAGCTCTCCCTATCAGTGATAGAGATCTC CCTATCAGTGATAGAGATCGTCGACGAGCTCGTTTAGTGAACCGTCAGATCGCCTGGAGA CGCCATCCACGCTGTTTTGACCTCCATAGAAGACACCGGGACCGATCCAGCCTCCGGACT CTAGAGGATCCCTACCGGTGATATCCTCGAGCCCATCAACAAGTTTGTACAAAAAAGCTG AACGAGAAACGTAAAATGATATAAATATCAATATTAAATTAGATTTTGCATAAAAAAAC AGACTACATAATACTGTAAAACACAACATATCCAGTCACTATGGCGGCCGCATTAGGCAC CCCAGGCTTTACACTTTATGCTTCCGGCTCGTATAATGTGTGGATTTTGAGTTAGGATCC GGCGAGATTTTCAGGAGCTAAGGAAGCTAAAATGGAGAAAAAAATCACTGGATATACCAC ATGTACCTATAACCAGACCGTTCAGCTGGATATTACGGCCTTTTTTAAAGACCGTAAAGAA AAATAAGCACAAGTTTTATCCGGCCTTTATTCACATTCTTGCCCGCCTGATGAATGCTCA TCCGGAATTCCGTATGGCAATGAAAGACGGTGAGCTGGTGATATGGGATAGTGTTCACCC TTGTTACACCGTTTTCCATGAGCAAACTGAAACGTTTTCATCGCTCTGGAGTGAATACCA CGACGATTTCCGGCAGTTTCTACACATATATTCGCAAGATGTGGCGTGTTACGGTGAAAA CCTGGCCTATTTCCCTAAAGGGTTTATTGAGAATATGTTTTTCGTCTCAGCCAATCCCTG GGTGAGTTTCACCAGTTTTGATTTAAACGTGGCCAATATGGACAACTTCTTCGCCCCCGT TTTCACCATGGGCAAATATTATACGCAAGGCGACAAGGTGCTGATGCCGCTGGCGATTCA GGTTCATCATGCCGTCTGTGATGGCTTCCATGTCGGCAGAATGCTTAATGAATTACAACA GTACTGCGATGAGTGGCAGGGCGGGGCGTAAAGATCTGGATCCGGCTTACTAAAAGCCAG ATAACAGTATGCGTATTTGCGCGCTGATTTTTGCGGTATAAGAATATATACTGATATGTA TACCCGAAGTATGTCAAAAAGAGGTGTGCTATGAAGCAGCGTATTACAGTGACAGTTGAC AGCGACAGCTATCAGTTGCTCAAGGCATATATGATGTCAATATCTCCGGTCTGGTAAGCA CAACCATGCAGAATGAAGCCCGTCGTCTGCGTGCCGAACGCTGGAAAGCGGAAAATCAGG AAGGGATGGCTGAGGTCGCCCGGTTTATTGAAATGAACGGCTCTTTTGCTGACGAGAACA TTTGTGGATGTACAGAGTGATATTATTGACACGCCCGGGCGACGGATGGTGATCCCCCTG GCCAGTGCACGTCTGCTGTCAGATAAAGTCTCCCGTGAACTTTACCCGGTGGTGCATATC GGGGATGAAAGCTGGCGCATGATGACCACCGATATGGCCAGTGTGCCGGTCTCCGTTATC GGGGAAGAAGTGGCTGATCTCAGCCACCGCGAAAATGACATCAAAAACGCCATTAACCTG ATGTTCTGGGGAATATAAATGTCAGGCTCCCTTATACACAGCCAGTCTGCAGGTCGACCA TAGTGACTGGATATGTTGTGTTTTTACAGTATTATGTAGTCTGTTTTTTATGCAAAATCTA ATTTAATATTGATATTTATATCATTTTACGTTTCTCGTTCAGCTTTCTTGTACAAAGT GGTTGATGGGCGGCCGCTCTAGAGGGCCCAAGCTTACGCGTGCATGCGACGTCATAGCTC TCTCCCTATAGTGAGTCGTATTATAAGCTAGGCACTGGCCGTCGTTTTACAACGTCGTGA CTGGGAAAACTGCTAGCTTGGGATCTTTGTGAAGGAACCTTACTTCTGTGGTGTGACATA ATTGGACAAACTACCTACAGAGATTTAAAGCTCTAAGGTAAATATAAAATTTTTAAGTGT ATAATGTGTTAAACTAGCTGCATATGCTTGCTGCTTGAGAGTTTTGCTTACTGAGTATGA TTTATGAAAATATTATACACAGGAGCTAGTGATTCTAATTGTTTTGTGTATTTTAGATTCA CAGTCCCAAGGCTCATTTCAGGCCCCTCAGTCCTCACAGTCTGTTCATGATCATAATCAG CCATACCACATTTGTAGAGGTTTTACTTGCTTTAAAAAACCTCCCACACCTCCCCCTGAA CCTGAAAÇATAAAATGAATGCAATTGTTGTTGTTAACTTGTTATTGCAGCTTATAATGG TTACAAATAAAGCAATAGCATCACAAATTTCACAAATAAAGCATTTTTTTCACTGCATTC AGGCCCGCACCGATCGCCCTTCCCAACAGTTGCGCAGCCTGAATGGCGAATGGGACGCGC CCTGTAGCGGCGCATTAAGCGCGGCGGGGTGTGGTGGTTACGCGCAGCGTGACCGCTACAC TTGCCAGCGCCCTAGCGCCCCGCTCCTTTCGCTTCCCTTCCCTTCCTCGCCACGTTCG CCGGCTTTCCCCGTCAAGCTCTAAATCGGGGGCTCCCTTTAGGGTTCCGATTTAGTGCTT- TACGGCACCTCGACCCCAAAAAACTTGATTAGGGTGATGGTTCACGTAGTGGGCCATCGC CCTGATAGACGGTTTTTCGCCCTTTGACGTTGGAGTCCACGTTCTTTAATAGTGGACTCT TGTTCCAAACTGGAACAACACTCAACCCTATCTCGGTCTATTCTTTTGATTTATAAGGGA TTTTGCCGATTTCGGCCTATTGGTTAAAAAATGAGCTGATTTAACAAATATTTAACGCGA ATTTTAACAAAATATTAACGTTTACAATTTCGCCTGATGCGGTATTTTCTCCTTACGCAT CTGTGCGGTATTTCACACCGCATACGCGGATCTGCGCAGCACCATGGCCTGAAATAACCT CTGAAAGAGGAACTTGGTTAGGTACCTTCTGAGGCGGAAAGAACCAGCTGTGGAATGTGT TGCAAAGCATGCATCTCAATTAGTCAGCAACCATAGTCCCGCCCCTAACTCCGCCCATCC TTTATGCAGAGGCCGAGGCCGCCTCGGCCTCTGAGCTATTCCAGAAGTAGTGAGGAGGCT TTTTTGGAGGCCTAGGCTTTTGCAAAAAGCTTGATTCTTCTGACACAACAGTCTCGAACT TAAGGCTAGAGCCACCATGATTGAACAAGATGGATTGCACGCAGGTTCTCCGGCCGCTTG GGTGGAGAGGCTATTCGGCTATGACTGGGCACAACAGACAATCGGCTGCTCTGATGCCGC TCCTTGCGCAGCTGTGCTCGACGTTGTCACTGAAGCGGGAAGGGACTGGCTGCTATTGGG CGAAGTGCCGGGGCAGGATCTCCTGTCATCTCACCTTGCTCCTGCCGAGAAAGTATCCAT CATGGCTGATGCAATGCGGCGGCTGCATACGCTTGATCCGGCTACCTGCCCATTCGACCA CCAAGCGAAACATCGCATCGAGCGAGCACGTACTCGGATGGAAGCCGGTCTTGTCGATCA GGATGATCTGGACGAAGAGCATCAGGGGCTCGCGCCAGCCGAACTGTTCGCCAGGCTCAA GGCGCGCATGCCCGACGGCGAGGATCTCGTCGTGACCCATGGCGATGCCTGCTTGCCGAA TATCATGGTGGAAAATGGCCGCTTTTCTGGATTCATCGACTGTGGCCGGCTGGGTGTGGC GGACCGCTATCAGGACATAGCGTTGGCTACCCGTGATATTGCTGAAGAGCTTGGCGGCGA ATGGGCTGACCGCTTCCTCGTGCTTTACGGTATCGCCGCTCCCGATTCGCAGCGCATCGC CTTCTATCGCCTTCTTGACGAGTTCTTCTGAGCGGGACTCTGGGGTTCGAAATGACCGAC CAAGCGACGCCCAACCTGCCATCACGATGGCCGCAATAAAATATCTTTATTTTCATTACA TCTGTGTGTTGTGTTTTTTGTGTGAATCGATAGCGATAAGGATCCGCGTATGGTGCACTCT CAGTACAATCTGCTCTGATGCCGCATAGTTAAGCCAGCCCCGACACCCCGCCAACACCCCGC TGACGCGCCTGACGGGCTTGTCTGCTCCCGGCATCCGCTTACAGACAAGCTGTGACCGT CTCCGGGAGCTGCATGTCAGAGGTTTTCACCGTCATCACCGAAACGCGCGAGACGAAA GGGCCTCGTGATACGCCTATTTTTATAGGTTAATGTCATGATAATAATGGTTTCTTAGAC GTCAGGTGGCACTTTTCGGGGAAATGTGCGCGGAACCCCTATTTGTTTATTTTTCTAAAT ACATTCAAATATGTATCCGCTCATGAGACAATAACCCTGATAAATGCTTCAATAATATTG AAAAAGGAAGAGTATGAGTATTCAACATTTCCGTGTCGCCCTTATTCCCTTTTTTGCGGC ATTTTGCCTTCCTGTTTTTGCTCACCCAGAAACGCTGGTGAAAGTAAAAGATGCTGAAGA TCAGTTGGGTGCACGAGTGGGTTACATCGAACTGGATCTCAACAGCGGTAAGATCCTTGA GAGTTTTCGCCCCGAAGAACGTTTTCCAATGATGAGCACTTTTAAAGTTCTGCTATGTGG CGCGGTATTATCCCGTATTGACGCCGGGCAAGAGCAACTCGGTCGCCGCATACACTATTC TCAGAATGACTTGGTTGAGTACTCACCAGTCACAGAAAAGCATCTTACGGATGGCATGAC AGTAAGAGAATTATGCAGTGCTGCCATAACCATGAGTGATAACACTGCGGCCAACTTACT TCTGACAACGATCGGAGGACCGAAGGAGCTAACCGCTTTTTTGCACAACATGGGGGATCA TGACACCACGATGCCTGTAGCAATGGCAACAACGTTGCGCAAACTATTAACTGGCGAACT ACCACTTCTGCGCTCGGCCTTCCGGCTGGCTGGTTTATTGCTGATAAATCTGGAGCCGG TGAGCGTGGGTCTCGCGGTATCATTGCAGCACTGGGGCCAGATGGTAAGCCCTCCCGTAT CGTAGTTATCTACACGACGGGGAGTCAGGCAACTATGGATGAACGAAATAGACAGATCGC TGAGATAGGTGCCTCACTGATTAAGCATTGGTAACTGTCAGACCAAGTTTACTCATATAT ACTTTAGATTGATTTAAAACTTCATTTTTAATTTAAAAGGATCTAGGTGAAGATCCTTTT TGATAATCTCATGACCAAAATCCCTTAACGTGAGTTTTCGTTCCACTGAGCGTCAGACCC CGTAGAAAGATCAAAGGATCTTCTTGAGATCCTTTTTTTCTGCGCGTAATCTGCTGCTT GCAAACAAAAAACCACCGCTACCAGCGGTGGTTTGTTTGCCGGATCAAGAGCTACCAAC TCTTTTTCCGAAGGTAACTGGCTTCAGCAGAGCGCAGATACCAAATACTGTCCTTCTAGT GTAGCCGTAGTTAGGCCACCACTTCAAGAACTCTGTAGCACCGCCTACATACCTCGCTCT GCTAATCCTGTTACCAGTGGCTGCCAGTGGCGATAAGTCGTGTCTTACCGGGTTGGA CTCAAGACGATAGTTACCGGATAAGGCGCAGCGGTCGGGCTGAACGGGGGGTTCGTGCAC-

FIGURE 92C

ACAGCCCAGCTTGGAGCGAACGACCTACACCGAACTGAGATACCTACAGCGTGAGCATTG
AGAAAGCGCCACGCTTCCCGAAGGGAGAAAGGCGGACAGGTATCCGGTAAGCGGCAGGGT
CGGAACAGGAGAGCGCACGAGGGAGCTTCCAGGGGGAAACGCCTGGTATCTTTATAGTCC
TGTCGGGTTTCGCCACCTCTGACTTGAGCGTCGATTTTTGTGATGCTCGTCAGGGGGGCG
GAGCCTATGGAAAAACGCCAGCAACGCGGCCTTTTTACGGTTCCTGGCCTTTTTGCTGGCC
TTTTGCTCACATGTTCTTTCCTGCGTTATCCCCTGATTCTGTGGATAACCGTATTACCGC
CTTTGAGTGAGCTGATACCGCTCGCCGCAGCCGAACGACCGAGCGCAGCGAGTCAGTGAG
CGAGGAAGCGGAAGAGCGCCCAATACGCAAACCGCCTCTCCCCGCGCGTTGGCCGATTCA
TTAATGCAGAGCTTGCAATTCGCGCGTTTTTCAATATTATTGAAGCATTTATCAGGGTTA
TTGTCTCATGAGCGGATACATATTTGAATGTATTTAGAAAAAATAAACAAATAGGGGTTCC
GCGCACATTTCCCCGAAAAGTGCCACCTGACGTCTAAGAAACCATTATTATCATGACATT
AACCTATAAAAAATAGGCGTAGTACGAGGCCCTTTCACTCATTAG

FIGURE 92D




FIGURE 93A

214/240

pDEST31

7559 bp

ATGCATGTCGTTACATAACTTACGGTAAATGGCCCGCCTGGCTGACCGCCCAACGACCCC CGCCCATTGACGTCAATAATGACGTATGTTCCCATAGTAACGCCAATAGGGACTTTCCAT TGACGTCAATGGGTGGAGTATTTACGGTAAACTGCCCACTTGGCAGTACATCAAGTGTAT CATATGCCAAGTACGCCCCCTATTGACGTCAATGACGGTAAATGGCCCGCCTGGCATTAT GCCCAGTACATGACCTTATGGGACTTTCCTACTTGGCAGTACATCTACGTATTAGTCATC GCTATTACCATGGTGATGCGGTTTTGGCAGTACATCAATGGGCGTGGATAGCGGTTTGAC AATCAACGGGACTTTCCAAAATGTCGTAACAACTCCGCCCCATTGACGCAAATGGGCGGT AGGCGTGTACGGTGGGAGGTCTATATAAGCAGAGCTCTCCCTATCAGTGATAGAGATCTC CCTATCAGTGATAGAGATCGTCGACGAGCTCGTTTAGTGAACCGTCAGATCGCCTGGAGA CGCCATCCACGCTGTTTTGACCTCCATAGAAGACACCGGGACCGATCCAGCCTCCGGACC ATGGCGTACTACCATCACCATCACCACCGGTGATATCCTCGAGCCCATCACAAGT TTGTACAAAAAGCTGAACGAGAAACGTAAAATGATATAAATATCAATATTAAATTAG ATTTTGCATAAAAAACAGACTACATAATACTGTAAAACACAACATATCCAGTCACTATGG CGGCCGCATTAGGCACCCCAGGCTTTACACTTTATGCTTCCGGCTCGTATAATGTGTGGA TTTTGAGTTAGGATCCGGCGAGATTTTCAGGAGCTAAGGAAGCTAAAATGGAGAAAAAAA TCACTGGATATACCACCGTTGATATATCCCAATGGCATCGTAAAGAACATTTTGAGGCAT TTCAGTCAGTTGCTCAATGTACCTATAACCAGACCGTTCAGCTGGATATTACGGCCTTTT TAAAGACCGTAAAGAAAAATAAGCACAAGTTTTATCCGGCCTTTATTCACATTCTTGCCC GCCTGATGAATGCTCATCCGGAATTCCGTATGGCAATGAAAGACGGTGAGCTGGTGATAT GGGATAGTGTTCACCCTTGTTACACCGTTTTCCATGAGCAAACTGAAACGTTTTCATCGC TCTGGAGTGAATACCACGACGATTTCCGGCAGTTTCTACACATATATTCGCAAGATGTGG CGTGTTACGGTGAAAACCTGGCCTATTTCCCTAAAGGGTTTATTGAGAATATGTTTTTCG TCTCAGCCAATCCCTGGGTGAGTTTCACCAGTTTTGATTTÄAACGTGGCCAATATGGACA ACTTCTTCGCCCCCGTTTTCACCATGGGCAAATATTATACGCAAGGCGACAAGGTGCTGA TGCCGCTGGCGATTCAGGTTCATCATGCCGTCTGTGATGGCTTCCATGTCGGCAGAATGC GCTTACTAAAAGCCAGATAACAGTATGCGTATTTGCGCGCTGATTTTTGCGGTATAAGAA TATATACTGATATGTATACCCGAAGTATGTCAAAAAGAGGTGTGCTATGAAGCAGCGTAT TACAGTGACAGTTGACAGCGACAGCTATCAGTTGCTCAAGGCATATATGATGTCAATATC TCCGGTCTGGTAAGCACAACCATGCAGAATGAAGCCCGTCGTCTGCGTGCCGAACGCTGG AAAGCGGAAAATCAGGAAGGGATGGCTGAGGTCGCCCGGTTTATTGAAATGAACGGCTCT TTTGCTGACGAGAACAGGGACTGGTGAAATGCAGTTTAAGGTTTACACCTATAAAAGAGA GAGCCGTTATCGTCTGTTTGTGGATGTACAGAGTGATATTATTGACACGCCCGGGCGACG GATGGTGATCCCCCTGGCCAGTGCACGTCTGCTGTCAGATAAAGTCTCCCGTGAACTTTA CCCGGTGGTGCATATCGGGGATGAAAGCTGGCGCATGATGACCACCGATATGGCCAGTGT GCCGGTCTCCGTTATCGGGGAAGAAGTGGCTGATCTCAGCCACCGCGAAAATGACATCAA AAACGCCATTAACCTGATGTTCTGGGGAATATAAATGTCAGGCTCCGTTATACACAGCCA GTCTGCAGGTCGACCATAGTGACTGGATATGTTGTGTTTTTACAGTATTATGTAGTCTGTT TTTTATGCAAAATCTAATTTAATATATTGATATTTATATCATTTTACGTTTCTCGTTCAG CTTTCTTGTACAAAGTGGTGATGGGCGGCCGCTCTAGAGGGCCCAAGCTTACGCGTGCAT GCGACGTCATAGCTCTCTCCCTATAGTGAGTCGTATTATAAGCTAGGCACTGGCCGTCGT TTTACAACGTCGTGACTGGGAAAACTGCTAGCTTGGGATCTTTGTGAAGGAACCTTACTT CTGTGGTGTGACATAATTGGACAAACTACCTACAGAGATTTAAAGCTCTAAGGTAAATAT GCTTACTGAGTATGATTATGAAAATATTATACACAGGAGCTAGTGATTCTAATTGTTTG TGTATTTTAGATTCACAGTCCCAAGGCTCATTTCAGGCCCCTCAGTCCTCACAGTCTGTT CATGATCATAATCAGCCATACCACATTTGTAGAGGTTTTACTTGCTTTAAAAAAACCTCCC ACACCTCCCCTGAACCTGAAACATAAAATGAATGCAATTGTTGTTGTTAACTTGTTTAT TGCAGCTTATAATGGTTACAAATAAAGCAATAGCATCACAAATTCACAAATAAAGCATT TTTTTCACTGCATTCTAGTTGTGGTTTGTCCAAACTCATCATGTATCTTATCATGTCTG GATCGATCCTGCATTAATGAATCGGCCAACGCGCGGGAGAGGCGGTTTGCGTATTGGCT GGCGTAATAGCGAAGAGGCCCGCACCGATCGCCCTTCCCAACAGTTGCGCAGCCTGAATG GCGAATGGGACGCCCTGTAGCGGCGCATTAAGCGCGGGGTGTGGTGGTTACGCGCA GCGTGACCGCTACACTTGCCAGCGCCCTAGCGCCCGCTCCTTTCGCTTTCTTCCCTTCCT TTCTCGCCACGTTCGCCGGCTTTCCCCCGTCAAGCTCTAAATCGGGGGCTCCCTTTAGGGT- TCCGATTTAGTGCTTTACGGCACCTCGACCCCAAAAAACTTGATTAGGGTGATGGTTCAC GTAGTGGGCCATCGCCCTGATAGACGGTTTTTCGCCCCTTTGACGTTGGAGTCCACGTTCT TTAATAGTGGACTCTTGTTCCAAACTGGAACAACACTCAACCCTATCTCGGTCTATTCTT TTGATTTATAAGGGATTTTGCCGATTTCGGCCTATTGGTTAAAAAATGAGCTGATTTAAC AAATATTTAACGCGAATTTTAACAAAATATTAACGTTTACAATTTCGCCTGATGCGGTAT TTTCTCCTTACGCATCTGTGCGGTATTTCACACCGCATACGCGGATCTGCGCAGCACCAT GGCCTGAAATAACCTCTGAAAGAGGAACTTGGTTAGGTACCTTCTGAGGCGGAAAGAACC AGCTGTGGAATGTGTGTCAGTTAGGGTGTGGAAAGTCCCCAGGCTCCCCAGCAGCAGAA GTATGCAAAGCATGCATCTCAATTAGTCAGCAACCAGGTGTGGAAAGTCCCCAGGCTCCC CAGCAGGCAGAAGTATGCAAAGCATGCATCTCAATTAGTCAGCAACCATAGTCCCGCCCC TAACTCCGCCCATCCCGCCCTAACTCCGCCCAGTTCCGCCCATTCTCCGCCCCATGGCT GACTAATTTTTTTTTTTATTCAGAGGCCGAGGCCGCCTCGGCCTCTGAGCTATTCCAGA AGTAGTGAGGAGGCTTTTTTGGAGGCCTAGGCTTTTGCAAAAAGCTTGATTCTTCTGACA CAACAGTCTCGAACTTAAGGCTAGAGCCACCATGATTGAACAAGATGGATTGCACGCAGG TTCTCCGGCCGCTTGGGTGGAGAGGCTATTCGGCTATGACTGGGCACAACAGACAATCGG CTGCTCTGATGCCGCCGTGTTCCGGCTGTCAGCGCAGGGGCGCCCGGTTCTTTTTGTCAA GACCGACCTGTCCGGTGCCCTGAATGAACTGCAGGACGAGGCAGCGCGGCTATCGTGGCT GGCCACGACGGGCGTTCCTTGCGCAGCTGTGCTCGACGTTGTCACTGAAGCGGAAGGGA CTGGCTGCTATTGGGCGAAGTGCCGGGGCAGGATCTCCTGTCATCTCACCTTGCTCCTGC CGAGAAAGTATCCATCATGGCTGATGCAATGCGGCGGCTGCATACGCTTGATCCGGCTAC CGGTCTTGTCGATCAGGATGATCTGGACGAAGAGCATCAGGGGCTCGCGCCAGCCGAACT GTTCGCCAGGCTCAAGGCGCGCATGCCCGACGGCGAGGATCTCGTCGTGACCCATGGCGA TGCCTGCTTGCCGAATATCATGGTGGAAAATGGCCGCTTTTCTGGATTCATCGACTGTGG CCGGCTGGGTGTGGCGGACCGCTATCAGGACATAGCGTTGGCTACCCGTGATATTGCTGA AGAGCTTGGCGGCGAATGGGCTGACCGCTTCCTCGTGCTTTACGGTATCGCCGCTCCCGA TTCGCAGCGCATCGCCTTCTATCGCCTTCTTGACGAGTTCTTCTGAGCGGGACTCTGGGG TTCGAAATGACCGACCAAGCGACGCCCAACCTGCCATCACGATGGCCGCAATAAAATATC TTTATTTTCATTACATCTGTGTGTTGGTTTTTTGTGTGAATCGATAGCGATAAGGATCCG CCCGCCAACACCCGCTGACGCCCTGACGGGCTTGTCTGCTCCCGGCATCCGCTTACAG ACAAGCTGTGACCGTCTCCGGGAGCTGCATGTGTCAGAGGTTTTCACCGTCATCACCGAA ACGCGCGAGACGAAAGGGCCTCGTGATACGCCTATTTTTATAGGTTAATGTCATGATAAT AATGGTTTCTTAGACGTCAGGTGGCACTTTTCGGGGAAATGTGCGCGGAACCCCTATTTG TTTATTTTTCTAAATACATTCAAATATGTATCCGCTCATGAGACAATAACCCTGATAAAT GCTTCAATAATATTGAAAAAGGAAGAGTATGAGTATTCAACATTTCCGTGTCGCCCTTAT TCCCTTTTTTGCGGCATTTTGCCTTCCTGTTTTTGCTCACCCAGAAACGCTGGTGAAAGT AAAAGATGCTGAAGATCAGTTGGGTGCACGAGTGGGTTACATCGAACTGGATCTCAACAG CGGTAAGATCCTTGAGAGTTTTCGCCCCGAAGAACGTTTTCCAATGATGAGCACTTTTAA AGTTCTGCTATGTGGCGCGGTATTATCCCGTATTGACGCCGGGCAAGAGCAACTCGGTCG CCGCATACACTATTCTCAGAATGACTTGGTTGAGTACTCACCAGTCACAGAAAAGCATCT TACGGATGGCATGACAGTAAGAGAATTATGCAGTGCTGCCATAACCATGAGTGATAACAC TGCGGCCAACTTACTTCTGACAACGATCGGAGGACCGAAGGAGCTAACCGCTTTTTTGCA ACCAAACGACGAGCGTGACACCACGATGCCTGTAGCAATGGCAACAACGTTGCGCAAACT TAAATCTGGAGCCGGTGAGCGTGGGTCTCGCGGTATCATTGCAGCACTGGGGCCAGATGG TAAGCCCTCCCGTATCGTAGTTATCTACACGACGGGGAGTCAGGCAACTATGGATGAACG AAATAGACAGATCGCTGAGATAGGTGCCTCACTGATTAAGCATTGGTAACTGTCAGACCA AGTTTACŢCATATATACTTTAGATTGATTTAAAACTTCATTTTTAATTTAAAAGGATCTA GGTGAAGÀTCCTTTTTGATAATCTCATGACCAAAATCCCTTAACGTGAGTTTTCGTTCCA CTGAGCGTCAGACCCCGTAGAAAAGATCAAAGGATCTTCTTGAGATCCTTTTTTTCTGCG TCAAGAGCTACCAACTCTTTTTCCGAAGGTAACTGGCTTCAGCAGAGCGCAGATACCAAA TACTGTCCTTCTAGTGTAGCCGTAGTTAGGCCACCACTTCAAGAACTCTGTAGCACCGCC TACATACCTCGCTCTGCTAATCCTGTTACCAGTGGCTGCTGCCAGTGGCGATAAGTCGTG TCTTACCGGGTTGGACTCAAGACGATAGTTACCGGATAAGGCGCAGCGGTCGGGCTGAAC-

FIGURE 93C

GGGGGGTTCGTGCACACACCCCAGCTTGGAGCGAACGACCTACACCGAACTGAGATACCT
ACAGCGTGAGCATTGAGAAAGCGCCACGCTTCCCGAAGGGAGAAAGGCGGACAGGTATCC
GGTAAGCGGCAGGGTCGGAACAGGAGAGCGCACGAGGGAGCTTCCAGGGGGAAACGCCTG
GTATCTTTATAGTCCTGTCGGGTTTCGCCACCTCTGACTTGAGCGTCGATTTTTGTGATG
CTCGTCAGGGGGGCGGAGCCTATGGAAAAAACGCCAGCAACGCGGCCTTTTTACGGTTCCT
GGCCTTTTGCTGGCCTTTTGCTCACATGTTCTTTCCTGCGTTATCCCCTGATTCTGTGGA
TAACCGTATTACCGCCTTTGAGTGAGCTGATACCGCTCGCCGCAGCCGAACGACCGAGCG
CAGCGAGTCAGTGAGCGAGGAAGCGGAAGAGCGCCCAATACGCAAACCGCCTCTCCCCGC
GCGTTGGCCGATTCATTAATGCAGAGCTTGCAATTCGCGCGTTTTTCAATATTATTGAAG
CATTTATCAGGGTTATTGTCTCATGAGCGGATACATATTTGAATGTATTTAGAAAAAATAA
ACAAATAGGGGTTCCGCGCACATTTCCCCGAAAAGTGCCACCTGACGTCTAAGAAAACCAT
TATTATCATGACATTAACCTATAAAAATAGGCGTAGTACGAGGCCCTTTCACTCATTAG

FIGURE 93D




FIGURE 94A

WO 00/52027

pDEST32

12288 bp

GACGAAAGGGCCTCGTGATACGCCTATTTTTATAGGTTAATGTCATGATAATAATGGTTT CTTAGGACGGATCGCTTGCCTGTAACTTACACGCGCCTCGTATCTTTTAATGATGGAATA ATTTCAACAAAAAGCGTACTTTACATATATTTTATTAGACAAGAAAAGCAGATTAAATA TCTACACAGACAAGATGAAACAATTCGGCATTAATACCTGAGAGCAGGAAGAGCAAGATA AAAGGTAGTATTTGTTGGCGATCCCCCTAGAGTCTTTTACATCTTCGGAAAACAAAAACT ATTTAAATTATATTTTTTTATAGCACGTGATGAAAAGGACCCAGGTGGCACTTTTCGG GGAAATGTGCGCGGAACCCCTATTTGTTTATTTTTCTAAATACATTCAAATATGTATCCG CTCATGAGACAATAACCCTGATAAATGCTTCAATAATCTGCAGTGCGCAGGGCCCGTGTC TCAAAATCTCTGATGTTACATTGCACAAGATAAAAATATATCATCATGAACAATAAAACT GTCTGCTTACATAAACAGTAATACAAGGGGTGTTATGAGCCATATTCAACGGGAAACGTC TTGCTGGAGGCCGCGATTAAATTCCAACATGGATGCTGATTTATATGGGTATAAATGGGC TCGGTAGCCAACCACTAGAACTATAGCTAGAGTCCTGGGCGAACAAACGATGCTCGCCTT CCAGAAAACCGAGGATGCGAACCACTTCATCCGGGGTCAGCACCACCGGCAAGCGCCGCG ACGGCCGAGGTCTTCCGATCTCCTGAAGCCAGGGCAGATCCGTGCACAGCACCTTGCCGT AGAAGAACAGCAAGGCCGCCAATGCCTGACGATGCGTGGAGACCGAAACCTTGCGCTCGT TCGCCAGCCAGGACAGAATGCCTCGACTTCGCTGCTGCCCAAGGTTGCCGGGTGACGCA CACCGTGGAAACGGATGAAGGCACGAACCCAGTTGACATAAGCCTGTTCGGTTCGTAAAC TGTAATGCAAGTAGCGTATGCGCTCACGCAACTGGTCCAGAACCTTGACCGAACGCAGCG TGCCTCGGGCATCCAAGCAGCAGCGCGTTACGCCGTGGGTCGATGTTTGATGTTATGGA GCAGCAACGATGTTACGCAGCAGCAACGATGTTACGCAGCAGGGCAGTCGCCCTAAAACA AAGTTAGGTGGCTCAAGTATGGGCATCATTCGCACATGTAGGCTCGGCCCTGACCAAGTC AAATCCATGCGGGCTGCTCTTGATCTTTTCGGTCGTGAGTTCGGAGACGTAGCCACCTAC TCCCAACATCAGCCGGACTCCGATTACCTCGGGAACTTGCTCCGTAGTAAGACATTCATC GCGCTTGCTGCCTTCGACCAAGAAGCGGTTGTTGGCGCCTCTCGCGGCTTACGTTCTGCCC AGGTTTGAGCAGCCGCGTAGTGAGATCTATATCTATGATCTCGCAGTCTCCGGCGAGCAC CGGAGGCAGGCATTGCCACCGCGCTCATCAATCTCCTCAAGCATGAGGCCAACGCGCTT GGTGCTTATGTGATCTACGTGCAAGCAGATTACGGTGACGATCCCGCAGTGGCTCTCTAT ACAAAGTTGGGCATACGGGAAGAAGTGATGCACTTTGATATCGACCCAAGTACCGCCACC TAACAATTCGTTCAAGCCGAGATCGGCTTCCCGGCCTAATAGGTTGTATTGATGTTGGAC GAGTCGGAATCGCAGACCGATACCAGGATCTTGCCATCCTATGGAACTGCCTCGGTGAGT TTTCTCCTTCATTACAGAAACGGCTTTTTCAAAAATATGGTATTGATAATCCTGATATGA ATAAATTGCAGTTTCATTTGATGCTCGATGAGTTTTTCTAATCAGAATTGGTTAATTGGT TGTAACACTGGCAGAGCATTACGCTGACTTGACGGGACGGCGNCATGACCAAAATCCCTT AACGTGAGTTTTCGTTCCACTGAGCGTCAGACCCCCGTAGAAAAGATCAAAGGATCTTCTT ${\tt CGGTGGTTTGTTTGCCGGATCAAGAGCTACCAACTCTTTTTCCGAAGGTAACTGGCTTCA}$ GCAGAGCGCAGATACCAAATACTGTCCTTCTAGTGTAGCCGTAGTTAGGCCACCACTTCA AGAACTCTGTAGCACCGCCTACATACCTCGCTCTGCTAATCCTGTTACCAGTGGCTGCTG CCAGTGGCGATAAGTCGTGTCTTACCGGGTTGGACTCAAGACGATAGTTACCGGATAAGG ${\tt CGCAGCGGTCGGGCTGAACGGGGGGTTCGTGCACACAGCCCAGCTTGGAGCGAACGACCT}$ ACACCGAACTGAGATACCTACAGCGTGAGCATTGAGAAAGCGCCACGCTTCCCGAAGGGA GAAAGGCGGACAGGTATCCGGTAAGCGGCAGGGTCGGAACAGGAGAGCGCACGAGGGAGC TTCCAGGGGGGAACGCCTGGTATCTTTATAGTCCTGTCGGGTTTCGCCACCTCTGACTTG AGCGTCGATTTTTGTGATGCTCGTCAGGGGGGCCCGAGCCTATGGAAAAACGCCAGCAACG $\tt CGGCCTTTTTACGGTTCCTGGCCTTTTGCTGGCCTTTTGCTCACATGTTCTTTCCTGCGT$ GCAGCCGAACGACCGAGCGAGCGAGTCAGTGAGCGAGGAAGCGGAAGAGCGCCCAATAC GCAAACCGCCTCTCCCCGCGCGTTGGCCGATTCATTAATGCAGCTGGCACGACAGGTTTC CACCCCAGGCTTTACACTTTATGCTTCCGGCTCCTATGTTGTGTGGAATTGTGAGCGGAT AACAATTTCACACAGGAAACAGCTATGACCATGATTACGCCAAGCTCGGAATTAACCCTC-

FIGURE 94B

ACTAAAGGGAACAAAAGCTGGTACCGATCCCGAGCTTTGCAAATTAAAGCCTTCGAGCGT CCCAAAACCTTCTCAAGCAAGGTTTTCAGTATAATGTTACATGCGTACACGCGTCTGTAC AGAAAAAAAGAAAATTTGAAATATAAATAACGTTCTTAATACTAACATAACTATAAAA AAATAAATAGGGACCTAGACTTCAGGTTGTCTAACTCCTTTCCTTTTCGGTTAGAGCGGAT GTGGGGGGGGGGCGTGAATGTAAGCGTGACATAACTAATTACATGATATCGACAAAGGAA AAGGGGCCTGTTTACTCACAGGCTTTTTTCAAGTAGGTAATTAAGTCGTTTCTGTCTTTT TTTTTTTTCATAGAAATAATACAGAAGTAGATGTTGAATTAGATTAAACTGAAGATATAT AATTTATTGGAAAATACATAGAGCTTTTTGTTGATGCGCTTAAGCGATCAATTCAACAAC ACCACCAGCAGCTCTGATTTTTTCTTCAGCCAACTTGGAGACGAATCTAGCTTTGACGAT AACTGGAACATTTGGAATTCTACCCTTACCCAAGATCTTACCGTAACCGGCTGCCAAAGT GTCAATAACTGGAGCAGTTTCCTTAGAAGCAGATTTCAAGTATTGGTCTCTCTTGTCTTC TGGGATCAATGTCCACAATTTGTCCAAGTTCAAGACTGGCTTCCAGAAATGAGCTTGTTG CTTGTGGAAGTATCTCATACCAACCTTACCGAAATAACCTGGATGGTATTTATCCATGTT AATTCTGTGGTGATGTTGACCACCGGCCATACCTCTACCACCGGGGTGCTTTCTGTGCTT ACCGATACGACCTTTACCGGCTGAGACGTGACCTCTGTGCTTTCTAGTCTTAGTGAATCT GGAAGGCATTCTTGATTAGTTGGATGATTGTTCTGGGATTTAATGCAAAAATCACTTAAG AAGGAAAATCAACGGAGAAAGCAAACGCCATCTTAAATATACGGGATACAGATGAAAAGGG TTTGAACCTATCTGGAAAATAGCATTAAACAAGCGAAAAACTGCGAGGAAAATTGTTTGC GTCTCTGCGGGCTATTCACGCGCCAGAGGAAAATAGGAAAAATAACAGGGCATTAGAAAA ATAATTTTGATTTTGGTAATGTGTGGGTCCTGGTGTACAGATGTTACATTGGTTACAGTA CTCTTGTTTTTGCTGTGTTTTTCGATGAATCTCCAAAATGGTTGTTAGCACATGGAAGAG TCACCGATGCTAAGTTATCTCTATGTAAGCTACGTGGCGTGACTTTTGATGAAGCCGCAC AAGAGATACAGGATTGGCAACTGCAAATAGAATCTGGGGATCCCCCCTCGAGATCCGGGA TCGAAGAAATGATGAAATAGGAAATCAAGGAGCATGAAGGCAAAAGACAAATA TAAGGGTCGAACGAAAATAAAGTGAAAAGTGTTGATATGATGTATTTGGCTTTGCGGCG CCGAAAAAACGAGTTTACGCAATTGCACAATCATGCTGACTCTGTGGCGGACCCGCGCTC TTGCCGGCCCGGCGATAACGCTGGGCGTGAGGCTGTGCCCGGCGGAGTTTTTTGCGCCTG CATTTTCCAAGGTTTACCCTGCGCTAAGGGGCGAGATTGGAGAAGCAATAAGAATGCCGG TTGGGGTTGCGATGATGACGACCACGACAACTGGTGTCATTATTTAAGTTGCCGAAAGAA CCTGAGTGCATTTGCAACATGAGTATACTAGAAGAATGAGCCAAGACTTGCGAGACGCGA GTTTGCCGGTGGTGCGAACAATAGAGCGACCATGACCTTGAAGGTGAGACGCGCATAACC GCTAGAGTACTTTGAAGAGGAAACAGCAATAGGGTTGCTACCAGTATAAATAGACAGGTA CATACAACACTGGAAATGGTTGTCTGTTTGAGTACGCTTTCAATTCATTTGGGTGTGCAC AAGTCCAATGCTAGTAGAGAGGGGGGTAACACCCCTCCGCGCTCTTTTCCGATTTTTTT CTAAACCGTGGAATATTTCGGATATCCTTTTGTTGTTTCCGGGTGTACAATATGGACTTC CTCTTTTCTGGCAACCAAACCCATACATCGGGATTCCTATAATACCTTCGTTGGTCTCCC TAACATGTAGGTGGCGGAGGGGAGATATACAATAGAACAGATACCAGACAAGACATAATG GGCTAAACAAGACTACACCAATTACACTGCCTCATTGATGGTGGTACATAACGAACTAAT ACTGTAGCCCTAGACTTGATAGCCATCATCATATCGAAGTTTCACTACCCTTTTTTCCATT AGGAAAAATTAACGACAAAGACAGCACCAACAGATGTCGTTGTTCCAGAGCTGATGAGG TTTGCTATCAAGTATAAATAGACCTGCAATTATTAATCTTTTGTTTCCTCGTCATTGTTC TCGTTCCCTTTCTTCTTTTTTTCTGCACAATATTTCAAGCTATACCAAGCATAC AATCAACTCCAAGCTTGAAGCAAGCCTCCTGAAAGATGAAGCTACTGTCTTCTATCGAAC AAGCATGCGATATTTGCCGACTTAAAAAGCTCAAGTGCTCCAAAGAAAAAACCGAAGTGCG CCAAGTGŤCTGAAGAACAACTGGGAGTGTCGCTACTCTCCCAAAACCAAAAGGTCTCCGC TGACTAGGGCACATCTGACAGAAGTGGAATCAAGGCTAGAAAGACTGGAACAGCTATTTC TACTGATTTTTCCTCGAGAAGACCTTGACATGATTTTGAAAATGGATTCTTTACAGGATA TAAAAGCATTGTTAACAGGATTATTTGTACAAGATAATGTGAATAAAGATGCCGTCACAG ATAGATTGGCTTCAGTGGAGACTGATATGCCTCTAACATTGAGACAGCATAGAATAAGTG CGACATCATCATCGGAAGAGAGTAGTAACAAAGGTCAAAGACAGTTGACTGTATCGTCGA GGTCGAATCAAACAAGTTTGTACAAAAAAGCTGAACGAGAAACGTAAAATGATATAAATA-

FIGURE 94C

TCAATATATTAAATTAGATTTTGCATAAAAAACAGACTACATAATACTGTAAAACACAAC ATATCCAGTCACTATGGCGGCCGCTAAGTTGGCAGCATCACCCGACGCACTTTGCGCCGA TACCGGGAAGCCCTGGGCCAACTTTTGGCGAAAATGAGACGTTGATCGGCACGTAAGAGG TTCCAACTTTCACCATAATGAAATAAGATCACTACCGGGCGTATTTTTTGAGTTATCGAG ATTTTCAGGAGCTAAGGAAGCTAAAATGGAGAAAAAAATCACTGGATATACCACCGTTGA CTATAACCAGACCGTTCAGCTGGATATTACGGCCTTTTTAAAGACCGTAAAGAAAAATAA GCACAAGTTTTATCCGGCCTTTATTCACATTCTTGCCCGCCTGATGAATGCTCATCCGGA ATTCCGTATGGCAATGAAAGACGGTGAGCTGGTGATATGGGATAGTGTTCACCCTTGTTA CACCGTTTTCCATGAGCAAACTGAAACGTTTTCATCGCTCTGGAGTGAATACCACGACGA TTTCCGGCAGTTTCTACACATATATTCGCAAGATGTGGCGTGTTACGGTGAAAACCTGGC CTATTTCCCTAAAGGGTTTATTGAGAATATGTTTTTCGTCTCAGCCAATCCCTGGGTGAG TTTCACCAGTTTTGATTTAAACGTGGCCAATATGGACAACTTCTTCGCCCCCGTTTTCAC CATGGGCAAATATTATACGCAAGGCGACAAGGTGCTGATGCCGCTGGCGATTCAGGTTCA TCATGCCGTCTGTGATGGCTTCCATGTCGGCAGAATGCTTAATGAATTACAACAGTACTG CGATGAGTGGCAGGGGGGGGGGTAATCTAGAGGATCCGGCTTACTAAAAGCCAGATAACA GTATGCGTATTTGCGCGCTGATTTTTGCGGTATAAGAATATATACTGATATGTATACCCG AAGTATGTCAAAAAGAGGTGTGCTATGAAGCAGCGTATTACAGTGACAGTTGACAGCGAC AGCTATCAGTTGCTCAAGGCATATATGATGTCAATATCTCCGGTCTGGTAAGCACAACCA TGCAGAATGAAGCCCGTCGTCTGCGTGCCGAACGCTGGAAAGCGGAAAATCAGGAAGGGA TGGCTGAGGTCGCCCGGTTTATTGAAATGAACGGCTCTTTTGCTGACGAGAACAGGGACT GATGTACAGAGTGATATTATTGACACGCCCGGGCGACGGATGGTGATCCCCCTGGCCAGT GCACGTCTGCTGTCAGATAAAGTCTCCCGTGAACTTTACCCGGTGGTGCATATCGGGGAT GAAAGCTGGCGCATGATGACCACCGATATGGCCAGTGTGCCGGTCTCCGTTATCGGGGAA GAAGTGGCTGATCTCAGCCACCGCGAAAATGACATCAAAAACGCCATTAACCTGATGTTC TGGGGAATATAAATGTCAGGCTCCCTTATACACAGCCAGTCTGCAGGTCGACCATAGTGA CTGGATATGTTGTGTTTTACAGTATTATGTAGTCTGTTTTTTATGCAAAATCTAATTTAA TATATTGATATTTATATCATTTTACGTTTCTCGTTCAGCTTTCTTGTACAAAGTGGTTTG ATGGCCGCTAAGTAAGACGTCGAGCTCTAAGTAAGTAACGGCCGCCACCGCGGTGG AGCTTTGGACTTCTTCGCCAGAGGTTTGGTCAAGTCTCCAATCAAGGTTGTCGGCTTGTC TACCTTGCCAGAAATTTACGAAAAGATGGAAAAGGGTCAAATCGTTGGTAGATACGTTGT TGACACTTCTAAATAAGCGAATTTCTTATGATTTATGATTTTTATTATTAAATAAGTTAT AAAAAAAATAAGTGTATACAAATTTTAAAGTGACTCTTAGGTTTTAAAACGAAAATTCTT GTTCTTGAGTAACTCTTTCCTGTAGGTCAGGTTGCTTTCTCAGGTATAGCATGAGGTCGC TCTTATTGACCACACCTCTACCGGCATGCCGAGCAAATGCCTGCAAATCGCTCCCCATTT CACCCAATTGTAGATATGCTAACTCCAGCAATGAGTTGATGAATCTCGGTGTATTTTA TGTCCTCAGAGGACAATACCTGTTGTAATCGTTCTTCCACACGGATCCCAATTCGCCCTA TAGTGAGTCGTATTACAATTCACTGGCCGTCGTTTTACAACGTCGTGACTGGGAAAACCC TGGCGTTACCCAACTTAATCGCCTTGCAGCACATCCCCCTTTCGCCAGCTGGCGTAATAG CGAAGAGGCCCGCACCGATCGCCCTTCCCAACAGTTGCGCAGCCTGAATGGCGAATGGAC GCGCCCTGTAGCGCGCATTAAGCGCGGGGGGGTGTGGTTACGCGCAGCGTGACCGCT ACACTTGCCAGCGCCCTAGCGCCCGCTCCTTTCGCTTTCTTCCCTTTCTCGCCACG TTCGCCGGCTTTCCCCGTCAAGCTCTAAATCGGGGGCTCCCTTTAGGGTTCCGATTTAGT GCTTTACGGCACCTCGACCCCAAAAAACTTGATTAGGGTGATGGTTCACGTAGTGGGCCA TCGCCCTGATAGACGGTTTTTCGCCCTTTGACGTTGGAGTCCACGTTCTTTAATAGTGGA CTCTTGTTCCAAACTGGAACAACACTCAACCCTATCTCGGTCTATTCTTTTGATTTATAA GGGATTTTGCCGATTTCGGCCTATTGGTTAAAAAATGAGCTGATTTAACAAAAATTTAAC GCGAATTTTAACAAAATATTAACGTTTACAATTTCCTGATGCGGTATTTTCTCCTTACGC ATCTGTGCGGTATTTCACACCGCATATCGACCGGTCGAGGAGAACTTCTAGTATATCCAC ATACCTAATATTATTGCCTTATTAAAAATGGAATCGGAACAATTACATCAAAATCCACAT TCTCTTCAAAATCAATTGTCCTGTACTTCCTTGTTCATGTGTGTTCAAAAACGTTATATT TATAGGATAATTATACTCTATTTCTCAACAAGTAATTGGTTGTTTGGCCGAGCGGTCTAA GGCGCCTGATTCAAGAAATATCTTGACCGCAGTTAACTGTGGGAATACTCAGGTATCGTA AGATGCAAGAGTTCGAATCTCTTAGCAACCATTATTTTTTTCCTCAACATAACGAGAACA AGGTCGCCTGACGCATATACCTTTTTCAACTGAAAAATTGGGAGAAAAAGGAAAGGTGAG-

FIGURE 94D

AGGCCGGAACCGGCTTTTCATATAGAATAGAGAAGCGTTCATGACTAAATGCTTGCATCA CAATACTTGAAGTTGACAATATTATTTAAGGACCTATTGTTTTTTCCAATAGGTGGTTAG TCAAGGATATACCATTCTAATGTCTGCCCCTATGTCTGCCCCTAAGAAGATCGTCGTTTT GCCAGGTGACCACGTTGGTCAAGAAATCACAGCCGAAGCCATTAAGGTTCTTAAAGCTAT TTCTGATGTTCGTTCCAATGTCAAGTTCGATTTCGAAAATCATTTAATTGGTGGTGCTGC TATCGATGCTACAGGTGTCCCACTTCCAGATGAGGCGCTGGAAGCCTCCAAGAAGGTTGA TGCCGTTTTGTTAGGTGCTGTGGGTGGTCCTAAATGGGGTACCGGTAGTGTTAGACCTGA ACAAGGTTTACTAAAAATCCGTAAAGAACTTCAATTGTACGCCAACTTAAGACCATGTAA CTTTGCATCCGACTCTCTTTTAGACTTATCTCCAATCAAGCCACAATTTGCTAAAGGTAC TGACTTCGTTGTTGTCAGAGAATTAGTGGGAGGTATTTACTTTGGTAAGAGAAAGGAAGA CGATGGTGATGGTGTCGCTTGGGATAGTGAACAATACACCGTTCCAGAAGTGCAAAGAAT CACAAGAATGGCCGCTTTCATGGCCCTACAACATGAGCCACCATTGCCTATTTGGTCCTT GGATAAAGCTAATGTTTTGGCCTCTTCAAGATTATGGAGAAAAACTGTGGAGGAAACCAT CCTAGTTAAGAACCCAACCCACCTAAATGGTATTATAATCACCAGCAACATGTTTGGTGA TATCATCTCCGATGAAGCCTCCGTTATCCCAGGTTCCTTGGGTTTGTTGCCATCTGCGTC CTTGGCCTCTTTGCCAGACAAGAACACCGCATTTGGTTTGTACGAACCATGCCACGGTTC TGCTCCAGATTTGCCAAAGAATAAGGTTGACCCTATCGCCACTATCTTGTCTGCTGCAAT GATGTTGAAATTGTCATTGAACTTGCCTGAAGAAGGTAAGGCCATTGAAGATGCAGTTAA AAAGGTTTTGGATGCAGGTATCAGAACTGGTGATTTAGGTGGTTCCAACAGTACCACCGA AGTCGGTGATGCTGTCGCCGAAGAAGTTAAGAAAATCCTTGCTTAAAAAAGATTCTCTTTT TTTATGATATTTGTACATAAACTTTATAAATGAAATTCATAATAGAAACGACACGAAATT CAAGAAGGAGAAAAGGAGGATAGTAAAGGAATACAGGTAAGCAAATTGATACTAATGGC TCAACGTGATAAGGAAAAGAATTGCACTTTAACATTAATATTGACAAGGAGGAGGCAC CACACAAAAGTTAGGTGTAACAGAAAATCATGAAACTACGATTCCTAATTTGATATTGG AGGATTTTCTCTAAAAAAAAAAAAATACAACAAATAAAAAACACTCAATGACCTGACCAT TTGATGGAGTTTAAGTCAATACCTTCTTGAACCATTTCCCATAATGGTGAAAGTTCCCTC AAGAATTTTACTCTGTCAGAAACGGCCTTACGACGTAGTCGATATGGTGCACTCTCAGTA CAATCTGCTCTGATGCCGCATAGTTAAGCCAGCCCGGACACCCCGCCAACACCCCGCTGACG CGCCCTGACGGGCTTGTCTGCTCCCGGCATCCGCTTACAGACAAGCTGTGACCGTCTCCG GGAGCTGCATGTGTCAGAGGTTTTCACCGTCATCACCGAAACGCGCGA

FIGURE 94E




FIGURE 95A

pDEST33

8815 bp

AATACTACTCAGTAATAACCTATTTCTTAGCATTTTTGACGAAATTTGCTATTTTGTTAG AGTCTTTTACACCATTTGTCTCCACACCTCCGCTTACATCAACACCAATAACGCCATTTA ATCTAAGCGCATCACCAACATTTTCTGGCGTCAGTCCACCAGCTAACATAAAATGTAAGC TTTCGGGGCTCTCTTGCCTTCCAACCCAGTCAGAAATCGAGTTCCAATCCAAAAGTTCAC CTGTCCCACCTGCTTCTGAATCAAACAAGGGAATAAACGAATGAGGTTTCTGTGAAGCTG CACTGAGTAGTATGTTGCAGTCTTTTGGAAATACGAGTCTTTTAATAACTGGCAAACCGA GGAACTCTTGGTATTCTTGCCACGACTCATCTCCATGCAGTTGGACGATATCAATGCCGT ATTTCGGAGTGCCTGAACTATTTTTATATGCTTTTACAAGACTTGAAATTTTCCTTGCAA TAACCGGGTCAATTGTTCTCTTTCTATTGGGCACACATATAATACCCAGCAAGTCAGCAT CGGAATCTAGAGCACATTCTGCGGCCTCTGTGCTCTGCAAGCCGCAAACTTTCACCAATG GACCAGAACTACCTGTGAAATTAATAACAGACATACTCCAAGCTGCCTTTGTGTGCTTAA TTTTTTCGACCGAATTAATTCTTAATCGGCAAAAAAAGAAAAGCTCCGGATCAAGATTGT ACGTAAGGTGACAAGCTATTTTTCAATAAAGAATATCTTCCACTACTGCCATCTGGCGTC ATAACTGCAAAGTACACATATATTACGATGCTGTCTATTAAATGCTTCCTATATTATATA TATAGTAATGTCGTTTATGGTGCACTCTCAGTACAATCTGCTCTGATGCCGCATAGTTAA GCCAGCCCGACACCCGCCAACACCCGCTGACGCCCTGACGGGCTTGTCTGCTCCCGG CATCCGCTTACAGACAAGCTGTGACCGTCTCCGGGAGCTGCATGTGTCAGAGGTTTTCAC CGTCATCACCGAAACGCGCGAGACGAAAGGGCCTCGTGATACGCCTATTTTTATAGGTTA ATGTCATGATAATAATGGTTTCTTAGGACGGATCGCTTGCCTGTAACTTACACGCGCCTC ACAAGAAAAGCAGATTAAATAGATATACATTCGATTAACGATAAGTAAAATGTAAAATCA CAGGATTTTCGTGTGTGTCTTCTACACAGACAAGATGAAACAATTCGGCATTAATACCT GAGAGCAGGAAGACAAGATAAAAGGTAGTATTTGTTGGCGATCCCCCTAGAGTCTTTTA CATCTTCGGAAAACAAAACTATTTTTTCTTTAATTTCTTTTTTTACTTTCTATTTTAA GACCCAGGTGGCACTTTTCGGGGAAATGTGCGCGGAACCCCTATTTGTTTATTTTTCTAA ATACATTCAAATATGTATCCGCTCATGAGACAATAACCCTGATAAATGCTTCAATAATAT TGAAAAAGGAAGAGTATGAGTATTCAACATTTCCGTGTCGCCCTTATTCCCTTTTTTGCG GCATTTTGCCTCTCTTTTTTGCTCACCCAGAAACGCTGGTGAAAGTAAAAGATGCTGAA GATCAGTTGGGTGCACGAGTGGGTTACATCGAACTGGATCTCAACAGCGGTAAGATCCTT GAGAGTTTTCGCCCCGAAGAACGTTTTCCAATGATGAGCACTTTTAAAGTTCTGCTATGT GGCGCGGTATTATCCCGTATTGACGCCGGGCAAGAGCAACTCGGTCGCCGCATACACTAT TCTCAGAATGACTTGGTTGAGTACTCACCAGTCACAGAAAAGCATCTTACGGATGGCATG ACAGTAAGAGAATTATGCAGTGCTGCCATAACCATGAGTGATAACACTGCGGCCAACTTA CTTCTGACAACGATCGGAGGACCGAAGGAGCTAACCGCTTTTTTTCACAACATGGGGGAT CGTGACACCACGATGCCTGTAGCAATGGCAACAACGTTGCGCAAACTATTAACTGGCGAA GGACCACTTCTGCGCTCGGCCCTTCCGGCTGGCTGGTTTATTGCTGATAAATCTGGAGCC GGTGAGCGTGGGTCTCGCGGTATCATTGCAGCACTGGGGCCAGATGGTAAGCCCTCCCGT ATCGTAGTTATCTACACGACGGCAGTCAGGCAACTATGGATGAACGAAATAGACAGATC GCTGAGATAGGTGCCTCACTGATTAAGCATTGGTAACTGTCAGACCAAGTTTACTCATAT ATACTTTAGATTGATTTAAAACTTCATTTTTAATTTAAAAGGATCTAGGTGAAGATCCTT TTTGATAATCTCATGACCAAAATCCCTTAACGTGAGTTTTCGTTCCACTGAGCGTCAGAC ACTCTTTTTCCGAAGGTAACTGGCTTCAGCAGAGCGCAGATACCAAATACTGTCCTTCTA GTGTAGCCGTAGTTAGGCCACCACTTCAAGAACTCTGTAGCACCGCCTACATACCTCGCT CTGCTAATCCTGTTACCAGTGGCTGCCAGTGGCGATAAGTCGTGTCTTACCGGGTTG GACTCAAGACGATAGTTACCGGATAAGGCGCAGCGGTCGGGCTGAACGGGGGGTTCGTGC ACACAGCCCAGCTTGGAGCGAACGACCTACACCGAACTGAGATACCTACAGCGTGAGCAT-

FIGURE 95B

TGAGAAAGCGCCACGCTTCCCGAAGGGAGAAAGGCGGACAGGTATCCGGTAAGCGGCAGG GTCGGAACAGGAGGCGCACGAGGGAGCTTCCAGGGGGGAACGCCTGGTATCTTTATAGT CCTGTCGGGTTTCGCCACCTCTGACTTGAGCGTCGATTTTTTGTGATGCTCGTCAGGGGGG CCGAGCCTATGGAAAAACGCCAGCAACGCGGCCTTTTTACGGTTCCTGGCCTTTTGCTGG CCTTTTGCTCACATGTTCTTTCCTGCGTTATCCCCTGATTCTGTGGATAACCGTATTACC GCCTTTGAGTGAGCTGATACCGCTCGCCGCAGCCGAACGACCGAGCGCAGCGAGTCAGTG AGCGAGGAAGCGGAAGAGCGCCCAATACGCAAACCGCCTCTCCCCGCGCGCTTGGCCGATT CATTAATGCAGCTGGCACGACAGGTTTCCCGACTGGAAAGCGGGCAGTGAGCGCAACGCA ATTAATGTGAGTTACCTCACTCATTAGGCACCCCAGGCTTTACACTTTATGCTTCCGGCT CCTATGTTGTGTGGAATTGTGAGCGGATAACAATTTCACACAGGAAACAGCTATGACCAT GATTACGCCAAGCTCGGAATTAACCCTCACTAAAGGGAACAAAAGCTGGGTACCGGGCCC CCCCTCGAGATCCGGGATCGAAGAAATGATGATGAAATAGGAAATCAAGGAGCATG AAGGCAAAAGACAAATATAAGGGTCGAACGAAAAATAAAGTGAAAAGTGTTGATATGATG TATTTGGCTTTGCGGCGCCGAAAAAACGAGTTTACGCAATTGCACAATCATGCTGACTCT GTGGCGGACCCGCGCTCTTGCCGGCCCGGCGATAACGCTGGGCGTGAGGCTGTGCCCGGC GGAGTTTTTTGCGCCTGCATTTTCCAAGGTTTACCCTGCGCTAAGGGGCGAGATTGGAGA AGCAATAAGAATGCCGGTTGGGGTTGCGATGATGACGACCACGACAACTGGTGTCATTAT TTAAGTTGCCGAAAGAACCTGAGTGCATTTGCAACATGAGTATACTAGAAGAATGAGCCA AGACTTGCGAGACGCGAGTTTGCCGGTGGTGCGAACAATAGAGCGACCATGACCTTGAAG GTGAGACGCGCATAACCGCTAGAGTACTTTGAAGAGGAAACAGCAATAGGGTTGCTACCA GTATAAATAGACAGGTACATACAACACTGGAAATGGTTGTCTGTTTGAGTACGCTTTCAA TTCATTTGGGTGTGCACTTTATTATGTTACAATATGGAAGGGAACTTTACACTTCTCCTA TGCACATATATTAATTAAAGTCCAATGCTAGTAGAGAAGGGGGGTAACACCCCTCCGCGC TCTTTTCCGATTTTTTCTAAACCGTGGAATATTTCGGATATCCTTTTGTTGTTTCCGGG TGTACAATATGGACTTCCTCTTTTCTGGCAACCAAACCCATACATCGGGATTCCTATAAT ACCTTCGTTGGTCTCCCTAACATGTAGGTGGCGGAGGGGGGGAGATATACAATAGAACAGATA CCAGACAAGACATAATGGGCTAAACAAGACTACACCAATTACACTGCCTCATTGATGGTG GTACATAACGAACTAATACTGTAGCCCTAGACTTGATAGCCATCATCATATCGAAGTTTC ACTACCCTTTTTCCATTTGCCATCTATTGAAGTAATAATAGGCGCATGCAACTTCTTTTC TTTTTTTTTTTTTTTCTCTCTCCCCCGTTGTTGTCTCACCATATCCGCAATGACAAAAAAA ATGATGGAAGACACTAAAGGAAAAAATTAACGACAAAGACAGCACCAACAGATGTCGTTG TAAAAAAAGTTTGCCGCTTTGCTATCAAGTATAAATAGACCTGCAATTATTAATCTTTTG AGCTATACCAAGCATACAATCAACTCCAAGCTTATGCCCAAGAAGAAGCGGAAGGTCTCG AGCGGCGCCAATTTTAATCAAAGTGGGAATATTGCTGATAGCTCATTGTCCTTCACTTTC CAACCAATTGCCTCCTCTAACGTTCATGATAACTTCATGAATAATGAAATCACGGCTAGT TATAACGCGTTTGGAATCACTACAGGGATGTTTAATACCACTACAATGGATGATGTATAT CAAACAAGTTTGTACAAAAAAGCTGAACGAGAAACGTAAAATGATATAAATATCAATATA TTAAATTAGATTTTGCATAAAAAACAGACTACATAATACTGTAAAACACAACATATCCAG CTGTGACGGAAGATCACTTCGCAGAATAAATAAATCCTGGTGTCCCTGTTGATACCGGGA AGCCCTGGGCCAACTTTTGGCGAAAATGAGACGTTGATCGGCACGTAAGAGGTTCCAACT TTCACCATAATGAAATAAGATCACTACCGGGCGTATTTTTTGAGTTATCGAGATTTTCAG GAGCTAAGGAAGCTAAAATGGAGAAAAAAATCACTGGATATACCACCGTTGATATATCCC AGACCGTTCAGCTGGATATTACGGCCTTTTTAAAGACCGTAAAGAAAAATAAGCACAAGT TTTATCCGGCCTTTATTCACATTCTTGCCCGCCTGATGAATGCTCATCCGGAATTCCGTA TGGCAATGAAAGACGGTGAGCTGGTGATATGGGATAGTGTTCACCCTTGTTACACCGTTT TCCATGAGCAAACTGAAACGTTTTCATCGCTCTGGAGTGAATACCACGACGATTTCCGGC AGTTTCTACACATATATTCGCAAGATGTGGCGTGTTACGGTGAAAACCTGGCCTATTTCC CTAAAGGGTTTATTGAGAATATGTTTTTCGTCTCAGCCAATCCCTGGGTGAGTTTCACCA GTTTTGATTTAAACGTGGCCAATATGGACAACTTCTTCGCCCCCGTTTTCACCATGGGCA AATATTATACGCAAGGCGACAAGGTGCTGATGCCGCTGGCGATTCAGGTTCATCATGCCG-

FIGUE 95C

TCTGTGATGGCTTCCATGTCGGCAGAATGCTTAATGAATTACAACAGTACTGCGATGAGT GGCAGGGCGGGCGTAATCTAGAGGATCCGGCTTACTAAAAGCCAGATAACAGTATGCGT ATTTGCGCGCTGATTTTTGCGGTATAAGAATATATACTGATATGTATACCCGAAGTATGT CAAAAAGAGGTGTGCTATGAAGCAGCGTATTACAGTGACAGTTGACAGCGACAGCTATCA GTTGCTCAAGGCATATATGATGTCAATATCTCCGGTCTGGTAAGCACAACCATGCAGAAT GAAGCCCGTCGTCTGCGTGCCGAACGCTGGAAAGCGGAAAATCAGGAAGGGATGGCTGAG GTCGCCCGGTTTATTGAAATGAACGGCTCTTTTGCTGACGAGAACAGGGACTGGTGAAAT GCAGTTTAAGGTTTACACCTATAAAAGAGAGAGCCGTTATCGTCTGTTTGTGGATGTACA GAGTGATATTATTGACACGCCCGGGCGACGGATGGTGATCCCCCTGGCCAGTGCACGTCT GCTGTCAGATAAAGTCTCCCGTGAACTTTACCCGGTGGTGCATATCGGGGATGAAAGCTG GCGCATGATGACCACCGATATGGCCAGTGTGCCGGTCTCCGTTATCGGGGAAGAAGTGGC TGATCTCAGCCACCGCGAAAATGACATCAAAAACGCCATTAACCTGATGTTCTGGGGAAT ATAAATGTCAGGCTCCGTTATACACAGCCAGTCTGCAGGTCGACCATAGTGACTGGATAT GTTGTGTTTTACAGTATTATGTAGTCTGTTTTTTATGCAAAATCTAATTTAATATATTGA TATTTATATCATTTTACGTTTCTCGTTCAGCTTTCTTGTACAAAGTGGTTTGATGGCCGC TAAGTAAGTAAGACGTCGAGCTCCCTATAGTGAGTCGTATTACACTGGCCGTCGTTTTAC GAGCTTTGGACTTCTTCGCCAGAGGTTTGGTCAAGTCTCCAATCAAGGTTGTCGGCTTGT CTACCTTGCCAGAAATTTACGAAAAGATGGAAAAGGGTCAAATCGTTGGTAGATACGTTG TAAAAAAATAAGTGTATACAAATTTTAAAGTGACTCTTAGGTTTTAAAACGAAAATTCT TGTTCTTGAGTAACTCTTTCCTGTAGGTCAGGTTGCTTTCTCAGGTATAGCATGAGGTCG CTCTTATTGACCACACCTCTACCGGCATGCCGAGCAAATGCCTGCAAATCGCTCCCCATT TCACCCAATTGTAGATATGCTAACTCCAGCAATGAGTTGATGAATCTCGGTGTGTATTTT ATGTCCTCAGAGGACAATACCTGTTGTAATCGTTCTTCCACACGGATCCGCATCAGGCGA AATTGTAAACGTTAATATTTTGTTAAAATTCGCGTTAAATATTTGTTAAATCAGCTCATT TTTTAACCAATAGGCCGAAATCGGCAAAATCCCTTATAAATCAAAAGAATAGACCGAGAT AGGGTTGAGTGTTCCAGTTTGGAACAAGAGTCCACTATTAAAGAACGTGGACTCCAA CGTCAAAGGGCGAAAAACCGTCTATCAGGGCGATGGCCCACTACGTGAACCATCACCCTA ATCAAGTTTTTTGGGGTCGAGGTGCCGTAAAGCACTAAATCGGAACCCTAAAGGGAGCCC GAAAGGAGCGGCGCTAGGGCGCTGCAAGTGTAGCGGTCACGCTGCGCGTAACCACCAC ACCCGCCGCGTTAATGCGCCGCTACAGGGCGCGTCCCATTCGCCATTCACTGCA

FIGURE 95D




FIGURE 96A

pDEST34 7114 bp

Location (Base Nos.)	<u>Gene</u>	Encoded
19571		attR1
304963		CmR
13051610		ccdB
16511775	•	attR2
17802472		GST .
26752720		T7stop
33344194		ampR
43434982		ori

ATCGAGATCTCGATCCCGCGAAATTAATACGACTCACTATAGGGAGACCACAACGGTTTC CCTCTAGATCACAAGTTTGTACAAAAAAGCTGAACGAGAAACGTAAAATGATATAAATAT CAATATATTAAATTAGATTTTGCATAAAAAACAGACTACATAATACTGTAAAAACACAACA TATCCAGTCACTATGGCGGCCGCATTAGGCACCCCAGGCTTTACACTTTATGCTTCCGGC TCGTATAATGTGTGGATTTTGAGTTAGGATCCGGCGAGATTTTCAGGAGCTAAGGAAGCT AAAATGGAGAAAAAATCACTGGATATACCACCGTTGATATATCCCAATGGCATCGTAAA GAACATTTTGAGGCATTTCAGTCAGTTGCTCAATGTACCTATAACCAGACCGTTCAGCTG GATATTACGGCCTTTTTAAAGACCGTAAAGAAAAATAAGCACAAGTTTTATCCGGCCTTT ATTCACATTCTTGCCCGCCTGATGAATGCTCATCCGGAATTCCGTATGGCAATGAAAGAC GGTGAGCTGGTGATATGGGATAGTGTTCACCCTTGTTACACCGTTTTCCATGAGCAAACT GAAACGTTTTCATCGCTCTGGAGTGAATACCACGACGATTTCCGGCAGTTTCTACACATA TATTCGCAAGATGTGGCGTGTTACGGTGAAAACCTGGCCTATTTCCCTAAAGGGTTTATT GAGAATATGTTTTTCGTCTCAGCCAATCCCTGGGTGAGTTTCACCAGTTTTGATTTAAAC GTGGCCAATATGGACAACTTCTTCGCCCCCGTTTTCACCATGGGCAAATATTATACGCAA GGCGACAAGGTGCTGATGCCGCTGGCGATTCAGGTTCATCATGCCGTCTGTGATGGCTTC TTTTGCGGTATAAGAATATATACTGATATGTATACCCGAAGTATGTCAAAAAGAGGTGTG CTATGAAGCAGCGTATTACAGTGACAGTTGACAGCGACAGCTATCAGTTGCTCAAGGCAT ATATGATGTCAATATCTCCGGTCTGGTAAGCACAACCATGCAGAATGAAGCCCGTCGTCT GCGTGCCGAACGCTGGAAAGCGGAAAATCAGGAAGGGATGGCTGAGGTCGCCCGGTTTAT TGAAATGAACGGCTCTTTTGCTGACGAGAACAGGGACTGGTGAAATGCAGTTTAAGGTTT ACACCTATAAAAGAGAGCCGTTATCGTCTGTTTGTGGATGTACAGAGTGATATTATTG ACACGCCCGGGCGACGGATGGTGATCCCCCTGGCCAGTGCACGTCTGCTGTCAGATAAAG TCTCCCGTGAACTTTACCCGGTGGTGCATATCGGGGATGAAAGCTGGCGCATGATGACCA CCGATATGGCCAGTGTGCCGGTCTCCGTTATCGGGGAAGAAGTGGCTGATCTCAGCCACC GCGAAAATGACATCAAAAACGCCATTAACCTGATGTTCTGGGGAATATAAATGTCAGGCT CCCTTATACACAGCCAGTCTGCAGGTCGACCATAGTGACTGGATATGTTGTGTTTTACAG TATTATGTAGTCTGTTTTTTATGCAAAATCTAATTTAATATATTGATATTTATATCATTT TACGTTTCTCGTTCAGCTTTCTTGTACAAAGTGGTGATTATGTCCCCTATACTAGGTTAT TGGAAAATTAAGGGCCTTGTGCAACCCACTCGACTTCTTTTGGAATATCTTGAAGAAAAA TATGAAGAGCATTTGTATGAGCGCGATGAAGGTGATAAATGGCGAAACAAAAAGTTTGAA TTGGGTTTGGAGTTTCCCAATCTTCCTTATTATATTGATGGTGATGTTAAATTAACACAG TCTATGGCCATCATACGTTATATAGCTGACAAGCACAACATGTTGGGTGGTTGTCCAAAA GAGCGTGCAGAGATTTCAATGCTTGAAGGAGCGGTTTTGGATATTAGATACGGTGTTTCG AGAATTGCATATAGTAAAGACTTTGAAACTCTCAAAGTTGATTTTCTTAGCAAGCTACCT GAAATGCTGAAAATGTTCGAAGATCGTTTATGTCATAAAACATATTTAAATGGTGATCAT GTAACCCATCCTGACTTCATGTTGTATGACGCTCTTGATGTTGTTTTATACATGGACCCA ATGTGCCTGGATGCGTTCCCAAAATTAGTTTGTTTTAAAAAACGTATTGAAGCTATCCCA CAAATTGATAAGTACTTGAAATCCAGCAAGTATATAGCATGGCCTTTGCAGGGCTGGCAA GCCACGTTTGGTGGTGGCGACCATCCTCCAAAATCGGATCTGGTTCCGCGTCCATGGGGA CCCGATAAGGGAGCAGGCCAGTAAAAGCATTACCCGTGGTGGGGTTCCCGAGCGGCCAAA GGGAGCAGACTCTAAATCTGCCGTCATCGACTTCGAAGGTTCGAATCCTTCCCCCACCAC CATCACTTTCAAAAGTGAATTCGCTGAGCAATAACTAGCATAACCCCCTTGGGGCCTCTAA-

FIGURE 96B

ACGGGTCTTGAGGGGTTTTTTGCTGAAAGGAGGAACTATATCCGGATATCCACAGGACGG GTGTGGTCGCCATGATCGCGTAGTCGATAGTGGCTCCAAGTAGCGAAGCGAGCAGGACTG GGCGGCGGCCAAAGCGGTCGGACAGTGCTCCGAGAACGGGTGCGCATAGAAATTGCATCA ACGCATATAGCGCTAGCAGCACGCCATAGTGACTGGCGATGCTGTCGGAATGGACGATAT CCCGCAAGAGGCCCGGCAGTACCGGCATAACCAAGCCTATGCCTACAGCATCCAGGGTGA CGGTGCCGAGGATGACGATGAGCGCATTGTTAGATTTCATACACGGTGCCTGACTGCGTT AGCAATTTAACTGTGATAAACTACCGCATTAAAGCTTATCGATGATAAGCTGTCAAACAT GAGAATTCTTGAAGACGAAAGGGCCTCGTGATACGCCTATTTTTATAGGTTAATGTCATG ATAATAATGGTTTCTTAGACGTCAGGTGGCACTTTTCGGGGAAATGTGCGCGGAACCCCT ATTTGTTTATTTTCTAAATACATTCAAATATGTATCCGCTCATGAGACAATAACCCTGA TAAATGCTTCAATAATATTGAAAAAGGAAGAGTATGAGTATTCAACATTTCCGTGTCGCC CTTATTCCCTTTTTTGCGGCATTTTGCCTTCCTGTTTTTGCTCACCCAGAAACGCTGGTG AAAGTAAAAGATGCTGAAGATCAGTTGGGTGCACGAGTGGGTTACATCGAACTGGATCTC AACAGCGGTAAGATCCTTGAGAGTTTTCGCCCCGAAGAACGTTTTCCAATGATGAGCACT TTTAAAGTTCTGCTATGTGGCGCGGTATTATCCCGTGTTGACGCCGGGCAAGAGCAACTC GGTCGCCGCATACACTATTCTCAGAATGACTTGGTTGAGTACTCACCAGTCACAGAAAAG CATCTTACGGATGGCATGACAGTAAGAGAATTATGCAGTGCTGCCATAACCATGAGTGAT AACACTGCGGCCAACTTACTTCTGACAACGATCGGAGGACCGAAGGAGCTAACCGCTTTT GCCATACCAAACGACGAGCGTGACACCACGATGCCTGCAGCAATGGCAACAACGTTGCGC AAACTATTAACTGGCGAACTACTTACTCTAGCTTCCCGGCAACAATTAATAGACTGGATG GCTGATAAATCTGGAGCCGGTGAGCGTGGGTCTCGCGGTATCATTGCAGCACTGGGGCCA GATGGTAAGCCCTCCCGTATCGTAGTTATCTACACGACGGGGAGTCAGGCAACTATGGAT GAACGAAATAGACAGATCGCTGAGATAGGTGCCTCACTGATTAAGCATTGGTAACTGTCA GACCAAGTTTACTCATATATACTTTAGATTGATTTAAAACTTCATTTTTAATTTAAAAGG ATCTAGGTGAAGATCCTTTTTGATAATCTCATGACCAAAATCCCTTAACGTGAGTTTTCG TTCCACTGAGCGTCAGACCCCGTAGAAAAGATCAAAGGATCTTCTTGAGATCCTTTTTTT CCGGATCAAGAGCTACCAACTCTTTTTCCGAAGGTAACTGGCTTCAGCAGAGCGCAGATA CCAAATACTGTCCTTCTAGTGTAGCCGTAGTTAGGCCACCACTTCAAGAACTCTGTAGCA CCGCCTACATACCTCGCTCTGCTAATCCTGTTACCAGTGGCTGCTGCCAGTGGCGATAAG TCGTGTCTTACCGGGTTGGACTCAAGACGATAGTTACCGGATAAGGCGCAGCGGTCGGGC TGAACGGGGGTTCGTGCACACAGCCCAGCTTGGAGCGAACGACCTACACCGAACTGAGA TACCTACAGCGTGAGCTATGAGAAAGCGCCACGCTTCCCGAAGGGAGAAAGGCGGACAGG TATCCGGTAAGCGGCAGGGTCGGAACAGGAGAGCGCACGAGGGAGCTTCCAGGGGGAAAC GCCTGGTATCTTTATAGTCCTGTCGGGTTTCGCCACCTCTGACTTGAGCGTCGATTTTTG TGATGCTCGTCAGGGGGGGGGGCCTATGGAAAAACGCCAGCAACGCGGCCTTTTTACGG TTCCTGGCCTTTTGCTGGCCTTTTGCTCACATGTTCTTTCCTGCGTTATCCCCTGATTCT GTGGATAACCGTATTACCGCCTTTGAGTGAGCTGATACCGCTCGCCGCAGCCGAACGACC GAGCGCAGCGAGTCAGTGAGCGAGGAAGCGGAAGAGCGCCTGATGCGGTATTTTCTCCTT ACGCATCTGTGCGGTATTTCACACCGCATATATGGTGCACTCTCAGTACAATCTGCTCTG ATGCCGCATAGTTAAGCCAGTATACACTCCGCTATCGCTACGTGACTGGGTCATCGCTGC GCCCGACACCCGCCAACACCCGCTGACGCGCCCTGACGGGCTTGTCTGCTCCCGGCATC CGCTTACAGACAAGCTGTGACCGTCTCCGGGAGCTGCATGTGTCAGAGGTTTTCACCGTC ATCACCGAAACGCGCGAGGCAGCTGCGGTAAAGCTCATCAGCGTGGTCGTGAAGCGATTC ACAGATGTCTGCCTGTTCATCCGCGTCCAGCTCGTTGAGTTTCTCCAGAAGCGTTAATGT $\tt CTGGCTTCTGATAAAGCGGGCCATGTTAAGGGCGGTTTTTTCCTGTTTGGTCACTGATGC$ GCTCACGATACGGGTTACTGATGATGAACATGCCCGGTTACTGGAACGTTGTGAGGGTAA ACAACTGGCGGTATGGATGCGGCGGGACCAGAGAAAAATCACTCAGGGTCAATGCCAGCG CTTCGTTAATACAGATGTAGGTGTTCCACAGGGTAGCCAGCAGCATCCTGCGATGCAGAT CCGGAACATAATGGTGCAGGGCGCTGACTTCCGCGTTTCCAGACTTTACGAAACACGGAA ACCGAAGACCATTCATGTTGTTGCTCAGGTCGCAGACGTTTTGCAGCAGCAGTCGCTTCA CGTTCGCTCGCGTATCGGTGATTCATTCTGCTAACCAGTAAGGCAACCCCGCCAGCCTAG CCGGGTCCTCAACGACAGGAGCACGATCATGCGCACCCGTGGCCAGGACCCAACGCTGCC CGAGATGCGCCGCGTGCGGCTGCTGGAGATGGCGGACGCGATGGATATGTTCTGCCAAGG

FIGURE 96C

GAATCCGTTAGCGAGGTGCCGCCGGCTTCCATTCAGGTCGAGGTGGCCCGGCTCCATGCA CCGCGACGCAACGCGGGGGGGCAGACAAGGTATAGGGCGGCGCCTACAATCCATGCCAAC CCGTTCCATGTGCTCGCCGAGGCGGCATAAATCGCCGTGACGATCAGCGGTCCAGTGATC GAAGTTAGGCTGGTAAGAGCCGCGAGCGATCCTTGAAGCTGTCCCTGATGGTCGTCATCT ACCTGCCTGGACAGCATGGCCTGCAACGCGGGCATCCCGATGCCGCCGGAAGCGAGAAGA ATCATAATGGGGAAGGCCATCCAGCCTCGCGTCGCGAACGCCAGCAAGACGTAGCCCAGC GCGTCGGCCGCCATGCCGGCGATAATGGCCTGCTTCTCGCCGAAACGTTTGGTGGCGGGA CCAGTGACGAAGGCTTGAGCGAGGGCGTGCAAGATTCCGAATACCGCAAGCGACAGGCCG ATCATCGTCGCGCTCCAGCGAAAGCGGTCCTCGCCGAAAATGACCCAGAGCGCTGCCGGC ACCTGTCCTACGAGTTGCATGATAAAGAAGACAGTCATAAGTGCGGCGACGATAGTCATG CCCCGCGCCCACCGGAAGGAGCTGACTGGGTTGAAGGCTCTCAAGGGCATCGGTCGATCG ACGCTCTCCCTTATGCGACTCCTGCATTAGGAAGCAGCCCAGTAGTAGGTTGAGGCCGTT GAGCACCGCCGCAAGGAATGGTGCATGCAAGGAGATGGCGCCCAACAGTCCCCCGGC CACGGGGCCTGCCACCATACCCACGCCGAAACAAGCGCTCATGAGCCCGAAGTGGCGAGC CCGATCTTCCCCATCGGTGATGTCGGCGATATAGGCGCCAGCAACCGCACCTGTGGCGCC GGTGATGCCGGCCACGATGCGTCCGGCGTAGAGG

FIGURE 960




FIGURE 97A

pDONR207

5584 bp

GCGAGAGTAGGGAACTGCCAGGCATCAAATAAAACGAAAGGCTCAGTCGGAAGACTGGGC CTTTCGTTTTATCTGTTGTTGTCGGTGAACGCTCTCCTGAGTAGGACAAATCCGCCGGG AACTGCCAGGCATCAAACTAAGCAGAAGGCCATCCTGACGGATGGCCTTTTTGCGTTTCT ACAAACTCTTCCTGGCTAGCGGTAATACGGTTATCCACAGAATCAGGGGATAACGCAGGA AAGAACATGTGAGCAAAAGGCCAGCAAAAGGCCAGGAACCGTAAAAAGGCCGCGTTGCTG GCGTTTTTCCATAGGCTCCGCCCCCTGACGAGCATCACAAAAATCGACGCTCAAGTCAG AGGTGGCGAAACCCGACAGGACTATAAAGATACCAGGCGTTTCCCCCTGGAAGCTCCCTC GTGCGCTCTCCTGTTCCGACCCTGCCGCTTACCGGATACCTGTCCGCCTTTCTCCCTTCG GGAAGCGTGGCGCTTTCTCATAGCTCACGCTGTAGGTATCTCAGTTCGGTGTAGGTCGTT CGCTCCAAGCTGGGCTGTGCACGAACCCCCCGTTCAGCCCGACCGCTGCGCCTTATCC GGTAACTATCGTCTTGAGTCCAACCCGGTAAGACACGACTTATCGCCACTGGCAGCAGCC ACTGGTAACAGGATTAGCAGAGCGAGGTATGTAGGCGGTGCTACAGAGTTCTTGAAGTGG TGGCCTAACTACGGCTACACTAGAAGGACAGTATTTGGTATCTGCGCTCTGCTGAAGCCA GTTACCTTCGGAAAAAGAGTTGGTAGCTCTTGATCCGGCAAACAACCACCGCTGGTAGC ${\tt GGTGGTTTTTTTGTTTGCAAGCAGCAGATTACGCGCAGAAAAAAAGGATCTCAAGAAGAT}$ CCTTTGATCTTTTCTACGGGGTCTGACGCTCAGTGGAACGAAAACTCACGTTAAGGGATT TTGGTCATGAGCTTGCGCCGTCCCGTCAAGTCAGCGTAATGCTCTGCCAGTGTTACAACC AATTAACCAATTCTGATTAGAAAAACTCATCGAGCATCAAATGAAACTGCAATTTATTCA TATCAGGATTATCAATACCATATTTTTGAAAAAGCCGTTTCTGTAATGAAGGAGAAAACT CACCGAGGCAGTTCCATAGGATGGCAAGATCCTGGTATCGGTCTGCGATTCCGACTCGTC CAACATCAATACAACCTATTAGTAGCCAACCACTAGAACTATAGCTAGAGTCCTGGGCGA ACAAACGATGCTCGCCTTCCAGAAAACCGAGGATGCGAACCACTTCATCCGGGGTCAGCA CCACCGGCAAGCGCCGACGGCCGAGGTCTTCCGATCTCCTGAAGCCAGGGCAGATCCG TGCACAGCACCTTGCCGTAGAAGAACAGCAAGGCCGCCAATGCCTGACGATGCGTGGAGA CCGAAACCTTGCGCTCGTTCGCCAGCCAGGACAGAAATGCCTCGACTTCGCTGCCCCA AGGTTGCCGGGTGACGCACACCGTGGAAACGGATGAAGGCACGAACCCAGTTGACATAAG CCTGTTCGGTTCGTAAACTGTAATGCAAGTAGCGTATGCGCTCACGCAACTGGTCCAGAA CCTTGACCGAACGCAGCGGTGGTAACGGCGCAGTGGCGGTTTTCATGGCTTGTTATGACT GTTTTTTTGTACAGTCTATGCCTCGGGCATCCAAGCAGCAAGCGCGTTACGCCGTGGGTC GATGTTTGATGTTATGGAGCAGCAACGATGTTACGCAGCAGCAACGATGTTACGCAGCAG GGCAGTCGCCCTAAAACAAAGTTAGGTGGCTCAAGTATGGGCATCATTCGCACATGTAGG CTCGGCCCTGACCAAGTCAAATCCATGCGGGCTGCTCTTGATCTTTTCGGTCGTGAGTTC GGAGACGTAGCCACCTACTCCCAACATCAGCCGGACTCCGATTACCTCGGGAACTTGCTC CGTAGTAAGACATTCATCGCGCTTGCTGCCTTCGACCAAGAAGCGGTTGTTGGCGCTCTC GCGGCTTACGTTCTGCCCAGGTTTGAGCAGCCGCGTAGTGAGATCTATATCTATGATCTC GCAGTCTCCGGCGAGCACCGGAGGCAGGGCATTGCCACCGCGCTCATCAATCTCCTCAAG CATGAGGCCAACGCGCTTGGTGCTTATGTGATCTACGTGCAAGCAGATTACGGTGACGAT CCCGCAGTGGCTCTCTATACAAAGTTGGGCATACGGGAAGAAGTGATGCACTTTGATATC GACCCAAGTACCGCCACCTAACAATTCGTTCAAGCCGAGATCGGCTTCCCGGCCTAATTT CCCCTCGTCAAAAATAAGGTTATCAAGTGAGAAATCACCATGAGTGACGACTGAATCCGG GAGACGAAATACGCGATCGCTGTTAAAAGGACAATTACAAACAGGAATCGAATGCAACCG GCGCAGGAACACTGCCAGCGCATCAACAATATTTTCACCTGAATCAGGATATTCTTCTAA TACCTGGAATGCTGTTTTTCCGGGGATCGCAGTGGTGAGTAACCATGCATCATCAGGAGT ACGGATAAAATGCTTGATGGTCGGAAGAGGCATAAATTCCGTCAGCCAGTTTAGTCTGAC CATCTCATCTGTAACATCATTGGCAACGCTACCTTTGCCATGTTTCAGAAACAACTCTGG CGCATCGGGCTTCCCATACAAGCGATAGATTGTCGCACCTGATTGCCCGACATTATCGCG AGCCCATTTATACCCATATAAATCAGCATCCATGTTGGAATTTAATCGCGGCCTCGACGT TTCCCGTTGAATATGGCTCATAACACCCCCTGTATTACTGTTTATGTAAGCAGACAGTTT TATTGTTCATGATGATATATTTTTATCTTGTGCAATGTAACATCAGAGATTTTGAGACAC GGGCCAGAGCTGCAGCTGGATGGCAAATAATGATTTTATTTTTGACTGATAGTGACCTGTT CGTTGCAACAAATTGATAAGCAATGCTTTCTTATAATGCCAACTTTGTACAAGAAAGCTG AACGAGAAACGTAAAATGATATAAATATCAATATATTAAATTAGATTTTGCATAAAAAAC AGACTACATAATACTGTAAAACACAACATATCCAGTCACTATGAATCAACTACTTAGATG-

FIGURE 97B

GTATTAGTGACCTGTAGTCGACTAAGTTGGCAGCATCACCCGACGCACTTTGCGCCGAAT CCGGGAAGCCCTGGGCCAACTTTGGCGAAAATGAGACGTTGATCGGCACGTAAGAGGTTC CAACTTTCACCATAATGAAATAAGATCACTACCGGGCGTATTTTTTGAGTTATCGAGATT TTCAGGAGCTAAGGAAGCTAAAATGGAGAAAAAAATCACTGGATATACCACCGTTGATAT TAACCAGACCGTTCAGCTGGATATTACGGCCTTTTTTAAAGACCGTAAAGAAAAATAAGCA CAAGTTTTATCCGGCCTTTATTCACATTCTTGCCCGCCTGATGAATGCTCATCCGGAATT CCGTATGGCAATGAAAGACGGTGAGCTGGTGATATGGGATAGTGTTCACCCTTGTTACAC CGTTTTCCATGAGCAAACTGAAACGTTTTCATCGCTCTGGAGTGAATACCACGACGATTT CCGGCAGTTTCTACACATATATTCGCAAGATGTGGCGTGTTACGGTGAAAACCTGGCCTA TTTCCCTAAAGGGTTTATTGAGAATATGTTTTTCGTCTCAGCCAATCCCTGGGTGAGTTT CACCAGTTTTGATTTAAACGTGGCCAATATGGACAACTTCTTCGCCCCCGTTTTCACCAT GGGCAAATATTATACGCAAGGCGACAAGGTGCTGATGCCGCTGGCGATTCAGGTTCATCA TGCCGTCTGTGATGGCTTCCATGTCGGCAGAATGCTTAATGAATTACAACAGTACTGCGA TGAGTGGCAGGGCGGGCGTAATCGCGTGGATCCGGCTTACTAAAAGCCAGATAACAGTA TGCGTATTTGCGCGCTGATTTTTGCGGTATAAGAATATATACTGATATGTATACCCGAAG TATGTCAAAAAGAGGTGTGCTATGAAGCAGCGTATTACAGTGACAGTTGACAGCGACAGC TATCAGTTGCTCAAGGCATATATGATGTCAATATCTCCGGTCTGGTAAGCACAACCATGC AGAATGAAGCCCGTCGTCTGCGTGCCGAACGCTGGAAAGCGGAAAATCAGGAAGGGATGG CTGAGGTCGCCCGGTTTATTGAAATGAACGGCTCTTTTGCTGACGAGAACAGGGACTGGT GAAATGCAGTTTAAGGTTTACACCTATAAAAGAGAGAGCCGTTATCGTCTGTTTGTGGAT GTACAGAGTGATATTATTGACACGCCCGGGCGACGGATGGTGATCCCCCTGGCCAGTGCA CGTCTGCTGTCAGATAAAGTCTCCCGTGAACTTTACCCGGTGGTGCATATCGGGGATGAA AGCTGGCGCATGATGACCACCGATATGGCCAGTGTGCCGGTCTCCGTTATCGGGGAAGAA GTGGCTGATCTCAGCCACCGCGAAAATGACATCAAAAACGCCATTAACCTGATGTTCTGG GGAATATAAATGTCAGGCTCCCTTATACACAGCCAGTCTGCAGGTCGATACAGTAGAAAT TACAGAAACTTTATCACGTTTAGTAAGTATAGAGGCTGAAAATCCAGATGAAGCCGAACG ACTTGTAAGAGAAAAGTATAAGAGTTGTGAAATTGTTCTTGATGCAGATGATTTTCAGGA TCGCACCTCTTTTTCTTATTTCTTTTTATGATTTAATACGGCATTGAGGACAATAGCGAG CATCTAAGTAGTTGATTCATAGTGACTGGATATGTTGTGTTTTTACAGTATTATGTAGTCT GTTTTTTATGCAAAATCTAATTTAATATTTGATATTTATATCATTTTACGTTTCTCGTT CAGCTTTTTTGTACAAAGTTGGCATTATAAAAAAGCATTGCTCATCAATTTGTTGCAACG AACAGGTCACTATCAGTCAAAATAAAATCATTATTTGGGGCCCGAGATCCATGCTAGCGT TAAC

FIGURE 97C

pMAB85




FIGURE 98A

234/240

pMAB85 7038 bp

AATACTACTCAGTAATAACCTATTTCTTAGCATTTTTGACGAAATTTGCTATTTTGTTAG AGTCTTTTACACCATTTGTCTCCACACCTCCGCTTACATCAACACCAATAACGCCATTTA ATCTAAGCGCATCACCAACATTTTCTGGCGTCAGTCCACCAGCTAACATAAAATGTAAGC TTTCGGGGCTCTCTTGCCTTCCAACCCAGTCAGAAATCGAGTTCCAATCCAAAAGTTCAC CTGTCCCACCTGCTTCTGAATCAAACAAGGGAATAAACGAATGAGGTTTCTGTGAAGCTG CACTGAGTAGTATGTTGCAGTCTTTTGGAAATACGAGTCTTTTAATAACTGGCAAACCGA GGAACTCTTGGTATTCTTGCCACGACTCATCTCCATGCAGTTGGACGATATCAATGCCGT ATTTCGGAGTGCCTGAACTATTTTTATATGCTTTTACAAGACTTGAAATTTTCCTTGCAA TAACCGGGTCAATTGTTCTCTTTCTATTGGGCACACATATAATACCCAGCAAGTCAGCAT CGGAATCTAGAGCACATTCTGCGGCCTCTGTGCTCTGCAAGCCGCAAACTTTCACCAATG GACCAGAACTACCTGTGAAATTAATAACAGACATACTCCAAGCTGCCTTTGTGTGCTTAA TCACGTATACTCACGTGCTCAATAGTCACCAATGCCCTCCTCTTTGGCCCTCTCCTTTTC TTTTTTCGACCGAATTAATTCTTAATCGGCAAAAAAAAGAAAAGCTCCGGATCAAGATTGT ACGTAAGGTGACAAGCTATTTTTCAATAAAGAATATCTTCCACTACTGCCATCTGGCGTC ATAACTGCAAAGTACACATATATTACGATGCTGTCTATTAAATGCTTCCTATATTATATA TATAGTAATGTCGTTTATGGTGCACTCTCAGTACAATCTGCTCTGATGCCGCATAGTTAA GCCAGCCCGACACCCGCCAACACCCGCTGACGCCCTGACGGGCTTGTCTGCTCCCGG CATCCGCTTACAGACAAGCTGTGACCGTCTCCGGGAGCTGCATGTGTCAGAGGTTTTCAC CGTCATCACCGAAACGCGCGAGACGAAAGGGCCTCGTGATACGCCTATTTTTATAGGTTA ATGTCATGATAATAATGGTTTCTTAGGACGGATCGCTTGCCTGTAACTTACACGCGCCTC ACAAGAAAAGCAGATTAAATAGATATACATTCGATTAACGATAAGTAAAATGTAAAATCA CAGGATTTTCGTGTGTGTCTTCTACACAGACAAGATGAAACAATTCGGCATTAATACCT GAGAGCAGGAAGACAAGATAAAAGGTAGTATTTGTTGGCGATCCCCCTAGAGTCTTTTA CATCTTCGGAAAACAAAACTATTTTTTTTTAATTTCTTTTTTTACTTTCTATTTTAA GACCCAGGTGGCACTTTTCGGGGAAATGTGCGCGGAACCCCTATTTGTTTATTTTTCTAA ATACATTCAAATATGTATCCGCTCATGAGACAATAACCCTGATAAATGCTTCAATAATAT TGAAAAAGGAAGAGTATGAGTATTCAACATTTCCGTGTCGCCCTTATTCCCTTTTTTGCG GCATTTTGCCTCTGTTTTTGCTCACCCAGAAACGCTGGTGAAAGTAAAAGATGCTGAA GATCAGTTGGGTGCACGAGTGGGTTACATCGAACTGGATCTCAACAGCGGTAAGATCCTT GAGAGTTTTCGCCCCGAAGAACGTTTTCCAATGATGAGCACTTTTAAAGTTCTGCTATGT GGCGCGGTATTATCCCGTATTGACGCCGGGCAAGAGCAACTCGGTCGCCGCATACACTAT TCTCAGAATGACTTGGTTGAGTACTCACCAGTCACAGAAAAGCATCTTACGGATGGCATG ACAGTAAGAGAATTATGCAGTGCTGCCATAACCATGAGTGATAACACTGCGGCCAACTTA CTTCTGACAACGATCGGAGGACCGAAGGAGCTAACCGCTTTTTTTCACAACATGGGGGAT CGTGACACCACGATGCCTGTAGCAATGGCAACAACGTTGCGCAAACTATTAACTGGCGAA ${\tt GGACCACTTCTGCGCTCGGCCTTCCGGCTGGCTGGTTTATTGCTGATAAATCTGGAGCC}$ GGTGAGCGTGGGTCTCGCGGTATCATTGCAGCACTGGGGCCAGATGGTAAGCCCTCCCGT ATCGTAGTTATCTACACGACGGCAGTCAGGCAACTATGGATGAACGAAATAGACAGATC GCTGAGATAGGTGCCTCACTGATTAAGCATTGGTAACTGTCAGACCAAGTTTACTCATAT ATACTTTAGATTGATTTAAAACTTCATTTTTAATTTAAAAGGATCTAGGTGAAGATCCTT TTTGATAATCTCATGACCAAAATCCCTTAACGTGAGTTTTCGTTCCACTGAGCGTCAGAC CCCGTAGAAAGATCAAAGGATCTTCTTGAGATCCTTTTTTTCTGCGCGTAATCTGCTGC ACTCTTTTTCCGAAGGTAACTGGCTTCAGCAGAGCGCAGATACCAAATACTGTCCTTCTA GTGTAGCCGTAGTTAGGCCACCACTTCAAGAACTCTGTAGCACCGCCTACATACCTCGCT CTGCTAATCCTGTTACCAGTGGCTGCTGCCAGTGGCGATAAGTCGTGTCTTACCGGGTTG GACTCAAGACGATAGTTACCGGATAAGGCGCAGCGGTCGGGCTGAACGGGGGGTTCGTGC-

FIGURE 98B

ACACAGCCCAGCTTGGAGCGAACGACCTACACCGAACTGAGATACCTACAGCGTGAGCAT TGAGAAAGCGCCACGCTTCCCGAAGGGAGAAAGGCGGACAGGTATCCGGTAAGCGGCAGG GTCGGAACAGGAGGCGCACGAGGGAGCTTCCAGGGGGGAACGCCTGGTATCTTTATAGT CCTGTCGGGTTTCGCCACCTCTGACTTGAGCGTCGATTTTTGTGATGCTCGTCAGGGGGG CCGAGCCTATGGAAAAACGCCAGCAACGCGGCCTTTTTACGGTTCCTGGCCTTTTGCTGG CCTTTTGCTCACATGTTCTTTCCTGCGTTATCCCCTGATTCTGTGGATAACCGTATTACC GCCTTTGAGTGAGCTGATACCGCTCGCCGCAGCCGAACGACCGAGCGCAGCGAGTCAGTG AGCGAGGAAGCGGAAGAGCGCCCAATACGCAAACCGCCTCTCCCCGCGCGTTGGCCGATT CATTAATGCAGCTGGCACGACAGGTTTCCCGACTGGAAAGCGGGCAGTGAGCGCAACGCA ATTAATGTGAGTTACCTCACTCATTAGGCACCCCAGGCTTTACACTTTATGCTTCCGGCT CCTATGTTGTGGGAATTGTGAGCGGATAACAATTTCACACAGGAAACAGCTATGACCAT GATTACGCCAAGCTCGGAATTAACCCTCACTAAAGGGAACAAAAGCTGGGTACCGGGCCC CCCCTCGAGATCCGGGATCGAAGAAATGATGGTAAATGAAATAGGAAATCAAGGAGCATG AAGGCAAAAGACAAATATAAGGGTCGAACGAAAAATAAAGTGAAAAAGTGTTGATATGATG TATTTGGCTTTGCGGCGCCGAAAAAACGAGTTTACGCAATTGCACAATCATGCTGACTCT GTGGCGGACCCGCGCTCTTGCCGGCCCGGCGATAACGCTGGGCGTGAGGCTGTGCCCGGC GGAGTTTTTTGCGCCTGCATTTTCCAAGGTTTACCCTGCGCTAAGGGGCGAGATTGGAGA AGCAATAAGAATGCCGGTTGGGGTTGCGATGATGACGACCACGACAACTGGTGTCATTAT TTAAGTTGCCGAAAGAACCTGAGTGCATTTGCAACATGAGTATACTAGAAGAATGAGCCA AGACTTGCGAGACGCGAGTTTGCCGGTGGTGCGAACAATAGAGCGACCATGACCTTGAAG GTGAGACGCGCATAACCGCTAGAGTACTTTGAAGAGGAAACAGCAATAGGGTTGCTACCA GTATAAATAGACAGGTACATACAACACTGGAAATGGTTGTCTGTTTGAGTACGCTTTCAA TTCATTTGGGTGTGCACTTTATTATGTTACAATATGGAAGGGAACTTTACACTTCTCCTA TGCACATATATTAATTAAAGTCCAATGCTAGTAGAGAAGGGGGGTAACACCCCTCCGCGC TCTTTTCCGATTTTTTTCTAAACCGTGGAATATTTCGGATATCCTTTTGTTGTTTCCGGG TGTACAATATGGACTTCCTCTTTTCTGGCAACCAAACCCATACATCGGGATTCCTATAAT ACCTTCGTTGGTCTCCCTAACATGTAGGTGGCGGAGGGGAGATATACAATAGAACAGATA CCAGACAAGACATAATGGGCTAAACAAGACTACACCAATTACACTGCCTCATTGATGGTG GTACATAACGAACTAATACTGTAGCCCTAGACTTGATAGCCATCATCATATCGAAGTTTC ACTACCCTTTTTCCATTTGCCATCTATTGAAGTAATAATAGGCGCATGCAACTTCTTTTC TTTTTTTTTTTTTCTCTCTCCCCCGTTGTTGTCTCACCATATCCGCAATGACAAAAAAA ATGATGGAAGACACTAAAGGAAAAAATTAACGACAAAGACAGCACCAACAGATGTCGTTG TAAAAAAAGTTTGCCGCTTTGCTATCAAGTATAAATAGACCTGCAATTATTAATCTTTTG TTTCCTCGTCATTGTTCTCGTTCCCTTTCTTCCTTGTTTCTTCTGCACAATATTTCA AGCTATACCAAGCATACAATCAACTCCAAGCTTATGCCCAAGAAGAAGCGGAAGGTCTCG AGCGGCGCCAATTTTAATCAAAGTGGGAATATTGCTGATAGCTCATTGTCCTTCACTTTC CAACCAATTGCCTCCTCTAACGTTCATGATAACTTCATGAATAATGAAATCACGGCTAGT TATAACGCGTTTGGAATCACTACAGGGATGTTTAATACCACTACAATGGATGATGTATAT ACAAGTTTGTACAAAAAGCAGGCTTGTCGACCCCGGGAATTCAGATCTACTAGTGCGGC CGCACGCGTACCCAGCTTTCTTGTACAAAGTGGTGACGTCGAGCTCCCTATAGTGAGTCG TATTACACTGGCCGTCGTTTTACAACGTCGTGACTGGGAAAACACCGGTGAGCTCTAAGT AAGTAACGGCCGCCACCGCGGTGGAGCTTTGGACTTCTTCGCCAGAGGTTTGGTCAAGTC TCCAATCAAGGTTGTCGGCTTGTCTACCTTGCCAGAAATTTACGAAAAGATGGAAAAGGG TCAAATCGTTGGTAGATACGTTGTTGACACTTCTAAATAAGCGAATTTCTTATGATTTAT GATTTTTATTAAATAAGTTATAAAAAAAAAATAAGTGTATACAAATTTTAAAGTGACTC TTAGGTTTTAAAACGAAAATTCTTGTTCTTGAGTAACTCTTTCCTGTAGGTCAGGTTGCT TTCTCAGGTATAGCATGAGGTCGCTCTTATTGACCACACCTCTACCGGCATGCCGAGCAA ATGCCTGCAAATCGCTCCCCATTTCACCCAATTGTAGATATGCTAACTCCAGCAATGAGT TGATGAATCTCGGTGTGTATTTTATGTCCTCAGAGGACAATACCTGTTGTAATCGTTCTT CCACACGGATCCGCATCAGGCGAAATTGTAAACGTTAATATTTTGTTAAAATTCGCGTTA AATATTTGTTAAATCAGCTCATTTTTTAACCAATAGGCCGAAAATCGGCAAAATCCCTTAT AAATCAAAAGAATAGACCGAGATAGGGTTGAGTGTTGTTCCAGTTTGGAACAAGAGTCCA CTATTAAAGAACGTGGACTCCAACGTCAAAGGGCGAAAAACCGTCTATCAGGGCGATGGC- CCACTACGTGAACCATCACCCTAATCAAGTTTTTTTGGGGTCGAGGTGCCGTAAAGCACTA AATCGGAACCCTAAAGGGAGCCCCCGATTTAGAGCTTGACGGGGAAAGCCGGCGAACGTG GCGAGAAAGGGAAGGAAAGCGAAAGGAGCGGGGCGCTAGGGCGCTGCAAGTGTAGCG GTCACGCTGCGCGTAACCACCACACCCGCCGCGCTTAATGCGCCGCTACAGGGCGCGCTCC CATTCGCCATTCACTGCA

FIGURE 98D

pMAB86




FIGURE 99A

pMAB86 7146 bp

GACGAAAGGGCCTCGTGATACGCCTATTTTTATAGGTTAATGTCATGATAATAATGGTTT CTTAGGACGGATCGCTTGCCTGTAACTTACACGCGCCTCGTATCTTTTAATGATGGAATA ATTTCAACAAAAGCGTACTTTACATATATTTTATTAGACAAGAAAAGCAGATTAAATA TCTACACAGACAAGATGAAACAATTCGGCATTAATACCTGAGAGCAGGAAGAGCAAGATA AAAGGTAGTATTTGTTGGCGATCCCCCTAGAGTCTTTTACATCTTCGGAAAACAAAAACT ATTTTTTCTTTAATTTCTTTTTTTACTTTCTATTTTTAATTTATATATATATATATAAAAA ATTTAAATTATATTTTTTTATAGCACGTGATGAAAAGGACCCAGGTGGCACTTTTCGG GGAAATGTGCGCGGAACCCCTATTTGTTTATTTTTCTAAATACATTCAAATATGTATCCG CTCATGAGACAATAACCCTGATAAATGCTTCAATAATATTGAAAAAGGAAGAGTATGAGT ATTCAACATTTCCGTGTCGCCCTTATTCCCTTTTTTGCGGCATTTTGCCCTTCCTGTTTTT GCTCACCCAGAAACGCTGGTGAAAGTAAAAGATGCTGAAGATCAGTTGGGTGCACGAGTG GGTTACATCGAACTGGATCTCAACAGCGGTAAGATCCTTGAGAGTTTTCGCCCCGAAGAA CGTTTTCCAATGATGAGCACTTTTAAAGTTCTGCTATGTGGCGCGGTATTATCCCGTATT GACGCCGGGCAAGAGCAACTCGGTCGCCGCATACACTATTCTCAGAATGACTTGGTTGAG TACTCACCAGTCACAGAAAAGCATCTTACGGATGGCATGACAGTAAGAGAATTATGCAGT CCGAAGGAGCTAACCGCTTTTTTTCACAACATGGGGGATCATGTAACTCGCCTTGATCGT TGGGAACCGGAGCTGAATGAAGCCATACCAAACGACGAGCGTGACACCACGATGCCTGTA CAACAATTAATAGACTGGATGGAGGCGGATAAAGTTGCAGGACCACTTCTGCGCTCGGCC CTTCCGGCTGGCTGTTTATTGCTGATAAATCTGGAGCCGGTGAGCGTGGGTCTCGCGGT ATCATTGCAGCACTGGGGCCAGATGGTAAGCCCTCCCGTATCGTAGTTATCTACACGACG GGCAGTCAGGCAACTATGGATGAACGAAATAGACAGATCGCTGAGATAGGTGCCTCACTG CTTCATTTTTAATTTAAAAGGATCTAGGTGAAGATCCTTTTTTGATAATCTCATGACCAAA ATCCCTTAACGTGAGTTTTCGTTCCACTGAGCGTCAGACCCCGTAGAAAAGATCAAAGGA CTACCAGCGGTGGTTTGTTTGCCGGATCAAGAGCTACCAACTCTTTTTCCGAAGGTAACT GGCTTCAGCAGAGCGCAGATACCAAATACTGTCCTTCTAGTGTAGCCGTAGTTAGGCCAC CACTTCAAGAACTCTGTAGCACCGCCTACATACCTCGCTCTGCTAATCCTGTTACCAGTG GCTGCTGCCAGTGGCGATAAGTCGTGTCTTACCGGGTTGGACTCAAGACGATAGTTACCG GATAAGGCGCAGCTCGGGCTGAACGGGGGGTTCGTGCACACAGCCCAGCTTGGAGCGA ACGACCTACACCGAACTGAGATACCTACAGCGTGAGCATTGAGAAAGCGCCACGCTTCCC GAAGGGAGAAAGGCGGACAGGTATCCGGTAAGCGGCAGGGTCGGAACAGGAGAGCGCACG AGGGAGCTTCCAGGGGGAACGCCTGGTATCTTTATAGTCCTGTCGGGTTTCGCCACCTC TGACTTGAGCGTCGATTTTTGTGATGCTCGTCAGGGGGGCCCGAGCCTATGGAAAAACGCC AGCAACGCGGCCTTTTTACGGTTCCTGGCCTTTTGCTGGCCTTTTTGCTCACATGTTCTTT GCTCGCCGCAGCCGAACGACCGAGCGAGCGAGTCAGTGAGCGAGGAAGCGGAAGAGCGC CCAATACGCAAACCGCCTCTCCCCGCGCGTTGGCCGATTCATTAATGCAGCTGGCACGAC CATTAGGCACCCCAGGCTTTACACTTTATGCTTCCGGCTCCTATGTTGTGTGGAATTGTG AGCGGATAACAATTTCACACAGGAAACAGCTATGACCATGATTACGCCAAGCTCGGAATT AGAAATGATGGTAAATGAAATAGGAAATCAAGGAGCATGAAGGCAAAAGACAAATATAAG GGTCGAACGAAAAATAAAGTGAAAAGTGTTGATATGATGTATTTGGCTTTGCGGCCCCGA AAAAACGAGTTTACGCAATTGCACAATCATGCTGACTCTGTGGCGGACCCGCGCTCTTGC CGGCCCGGCGATAACGCTGGGCGTGAGGCTGTGCCCCGGCGGAGTTTTTTTGCGCCTGCATT TTCCAAGGTTTACCCTGCGCTAAGGGGCGAGATTGGAGAAGCAATAAGAATGCCGGTTGG GGTTGCGATGACGACCACGACAACTGGTGTCATTATTTAAGTTGCCGAAAGAACCTG AGTGCATTTGCAACATGAGTATACTAGAAGAATGAGCCAAGACTTGCGAGACGCGAGTTT GCCGGTGGTGCGAACAATAGAGCGACCATGACCTTGAAGGTGAGACGCGCATAACCGCTA- GAGTACTTTGAAGAGGAAACAGCAATAGGGTTGCTACCAGTATAAATAGACAGGTACATA CAACACTGGAAATGGTTGTCTGTTTGAGTACGCTTTCAATTCATTTGGGTGTGCACTTTA CCAATGCTAGTAGAGAGGGGGGTAACACCCCTCCGCGCTCTTTTCCGATTTTTTCTAA ACCGTGGAATATTTCGGATATCCTTTTGTTGTTTCCGGGTGTACAATATGGACTTCCTCT TTTCTGGCAACCAAACCCATACATCGGGATTCCTATAATACCTTCGTTGGTCTCCCTAAC ATGTAGGTGGCGGAGGGGAGATATACAATAGAACAGATACCAGACAAGACATAATGGGCT AAACAAGACTACACCAATTACACTGCCTCATTGATGGTGGTACATAACGAACTAATACTG TAGCCCTAGACTTGATAGCCATCATCATATCGAAGTTTCACTACCCTTTTTCCATTTGCC AAAAATTAACGACAAAGACAGCACCAACAGATGTCGTTGTTCCAGAGCTGATGAGGGGTA **ŤCTTCGAACACGAAACTTTTTCCTTCCTTCATTCACGCACACTACTCTCAATGAGCA** ACGGTATACGGCCTTCCTTCCAGTTACTTGAATTTGAAATAAAAAAGTTTGCCGCTTTG CTATCAAGTATAAATAGACCTGCAATTATTAATCTTTTGTTTCCTCGTCATTGTTCTCGT TCCCTTTCTTCCTTGTTTCTTTTCTGCACAATATTTCAAGCTATACCAAGCATACAATC AACTCCAAGCTTATGCCCAAGAAGAAGCGGAAGGTCTCGAGCGGCGCCAATTTTAATCAA AGTGGGAATATTGCTGATAGCTCATTGTCCTTCACTTTCACTAACAGTAGCAACGGTCCG AACCTCATAACAACTCAAACAAATTCTCAAGCGCTTTCACAACCAATTGCCTCCTCTAAC GTTCATGATAACTTCATGAATAATGAAATCACGGCTAGTAAAATTGATGATGGTAATAAT TCAAAACCACTGTCACCTGGTTGGACGGACCAAACTGCGTATAACGCGTTTGGAATCACT GATACCCCACCAAACCCAAAAAAAAGGGGTGGGTCGATCACAAGTTTGTACAAAAAAAGCA GGCTTGTCGACCCCGGGAATTCAGATCTACTAGTGCGGCCGCACGCGTACCCAGCTTTCT TGTACAAAGTGGTGACGTCGAGCTCTAAGTAAGTAACGGCCGCCACCGCGGTGGAGCTTT GGACTTCTTCGCCAGAGGTTTGGTCAAGTCTCCAATCAAGGTTGTCGGCTTGTCTACCTT GCCAGAAATTTACGAAAAGATGGAAAAGGGTCAAATCGTTGGTAGATACGTTGTTGACAC **AATAAGTGTATACAAATTTTAAAGTGACTCTTAGGTTTTAAAACGAAAATTCTTGTTCTT** GAGTAACTCTTTCCTGTAGGTCAGGTTGCTTTCTCAGGTATAGCATGAGGTCGCTCTTAT TGACCACACCTCTACCGGCATGCCGAGCAAATGCCTGCAAATCGCTCCCCATTTCACCCA ATTGTAGATATGCTAACTCCAGCAATGAGTTGATGAATCTCGGTGTGTATTTTATGTCCT CAGAGGACAATACCTGTTGTAATCGTTCTTCCACACGGATCCCAATTCGCCCTATAGTGA GTCGTATTACAATTCACTGGCCGTCGTTTTACAACGTCGTGACTGGGAAAACCCTGGCGT TACCCAACTTAATCGCCTTGCAGCACATCCCCCTTTCGCCAGCTGGCGTAATAGCGAAGA GGCCCGCACCGATCGCCCTTCCCAACAGTTGCGCAGCCTGAATGGCGAATGGACGCCCC TGTAGCGGCGCATTAAGCGCGGCGGGTGTGGTGGTTACGCGCAGCGTGACCGCTACACTT GCCAGCGCCCTAGCGCCCGCTCCTTTCGCTTTCTTCCCTTTCTCGCCACGTTCGCC GGCTTTCCCCGTCAAGCTCTAAATCGGGGGCTCCCTTTAGGGTTCCGATTTAGTGCTTTA CGGCACCTCGACCCCAAAAAACTTGATTAGGGTGATGGTTCACGTAGTGGGCCATCGCCC TGATAGACGGTTTTTCGCCCTTTGACGTTGGAGTCCACGTTCTTTAATAGTGGACTCTTG TTCCAAACTGGAACAACACTCAACCCTATCTCGGTCTATTCTTTTGATTTATAAGGGATT TTGCCGATTTCGGCCTATTGGTTAAAAAATGAGCTGATTTAACAAAAATTTAACGCGAAT TTTAACAAAATATTAACGTTTACAATTTCCTGATGCGGTATTTTCTCCTTACGCATCTGT TAACCTATTTCTTAGCATTTTTGACGAAATTTGCTATTTTGTTAGAGTCTTTTACACCAT TTGTCTCCACACCTCCGCTTACATCAACACCAATAACGCCATTTAATCTAAGCGCATCAC CAACATTTTCTGGCGTCAGTCCACCAGCTAACATAAAATGTAAGCTTTCGGGGCTCTCTT GCCTTCCAACCCAGTCAGAAATCGAGTTCCAATCCAAAAGTTCACCTGTCCCACCTGCTT CTGAATCAAACAAGGGAATAAACGAATGAGGTTTCTGTGAAGCTGCACTGAGTAGTATGT TGCAGTCTTTTGGAAATACGAGTCTTTTAATAACTGGCAAACCGAGGAACTCTTGGTATT CTTGCCACGACTCATCTCCATGCAGTTGGACGATATCAATGCCGTAATCATTGACCAGAG AACTATTTTATATGCTTTTACAAGACTTGAAATTTTCCTTGCAATAACCGGGTCAATTG TTCTCTTTCTATTGGGCACACATATAATACCCAGCAAGTCAGCATCGGAATCTAGAGCAC ATTCTGCGGCCTCTGTGCTCTGCAAGCCGCAAACTTTCACCAATGGACCAGAACTACCTG TGAAATTAATAACAGACATACTCCAAGCTGCCTTTGTGTGCTTAATCACGTATACTCACG

FIGURE 99C

FIGURE 99D

A. The indications made below relate to the microorgani	ism referred to in the description on page, line
B. IDENTIFICATION OF DEPOSIT	Further deposits are identified on an additional sheet
Name of depositary institution	•
Agricultural Research Culture Collection (NRRL) International Depository Authority	
Address of depositary institution (including postal code and cou	untry)
1815 N. University Street Peoria, Illinois 61604 United States of America	
Date of deposit February 27, 1999	Accession Number NRRL B-30103
C. ADDITIONAL INDICATIONS (leave blank if not ap	plicable) This information is continued on an additional sheet
Escherichia coli DB3.1(pEZC15101)	
In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC).	
D. DESIGNATED STATES FOR WHICH INDICAT	IONS ARE MADE (if the indications are not for all designated States)
E. SEPARATE FURNISHING OF INDICATIONS (1820)	zve blank if not applicable)
The indications listed below will be submitted to the internationa "Accession Number of Deposit")	l Bureau later (specify the general nature of the indications, e.g.,
· · · · · · · · · · · · · · · · · · ·	
For receiving Office use only	For International Bureau use only
This sheet was received with the international application	☐ This sheet was received by the International Bureau on:
Authorized officer B. Fudice	Authorized officer

A. The indications made below relate to the microorganism 16	m referred to in the description on page, line	
B. IDENTIFICATION OF DEPOSIT	Further deposits are identified on an additional sheet	
Name of depositary institution	•	
Agricultural Research Culture Collection (NRRL) International Depository Authority		
Address of depositary institution (including postal code and coun	itry)	
1815 N. University Street Peoria, Illinois 61604 United States of America		
Date of deposit February 27, 1999	Accession Number NRRL B-30100	
C. ADDITIONAL INDICATIONS (leave blank if not appl	licable) This information is continued on an additional sheet	
Escherichia coli DB3.1(pENTR-1A)		
In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC).		
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)		
·		
E. SEPARATE FURNISHING OF INDICATIONS (leav	re blank if not applicable)	
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")		
For receiving Office use only	For International Bureau use only	
This sheet was received with the international application	☐ This sheet was received by the International Bureau on:	
Authorized officer Bludiu	Authorized officer	

A. The indications made below relate to the microorganism	m referred to in the description on page, line	
B. IDENTIFICATION OF DEPOSIT	Further deposits are identified on an additional sheet	
Name of depositary institution		
Agricultural Research Culture Collection (NRRL) International Depository Authority		
Address of depositary institution (including postal code and coun	ntry)	
1815 N. University Street Peoria, Illinois 61604 United States of America		
Date of deposit February 27, 1999	Accession Number NRRL B-30102	
C. ADDITIONAL INDICATIONS (leave blank if not app	licable) This information is continued on an additional sheet	
Escherichia coli DB3.1(pENTR-3C)		
In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC).		
D. DESIGNATED STATES FOR WHICH INDICATI	ONS ARE MADE (if the indications are not for all designated States)	
E. SEPARATE FURNISHING OF INDICATIONS (lear	ve blank if not applicable)	
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")		
For receiving Office use only	For International Bureau use only	
This sheet was received with the international application	☐ This sheet was received by the International Bureau on:	
Authorized officer B Audile	Authorized officer	

A. The indications made below relate to the microorganism 16	n referred to in the description on page, line	
B. IDENTIFICATION OF DEPOSIT	Further deposits are identified on an additional sheet	
Name of depositary institution	•	
Agricultural Research Culture Collection (NRRL) International Depository Authority		
Address of depositary institution (including postal code and count	try)	
1815 N. University Street Peoria, Illinois 61604 United States of America		
Date of deposit February 27, 1999	Accession Number NRRL B-30101	
C. ADDITIONAL INDICATIONS (leave blank if not appl	licable) This information is continued on an additional sheet	
Escherichia coli DB3.1(pENTR-2B)		
In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC).		
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)		
[1		
E. SEPARATE FURNISHING OF INDICATIONS (learn	e blank if not applicable)	
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")		
<u> </u>		
For receiving Office use only	For International Bureau use only	
This sheet was received with the international application	☐ This sheet was received by the International Bureau on:	
Authorized officer Authorized officer	Authorized officer	

A. The indications made below relate to the microorganism 20-21	referred to in the description on page WIPQ IMCT
B. IDENTIFICATION OF DEPOSIT	Further deposits are identified on an additional sheet
Name of depositary institution	
Agricultural Research Culture Collection (NRRL) International Depository Authority	
Address of depositary institution (including postal code and count	ry)
1815 N. University Street Peoria, Illinois 61604 United States of America	
Date of deposit February 27, 1999	Accession Number NRRL B-30108
C. ADDITIONAL INDICATIONS (leave blank if not appl	icable) This information is continued on an additional sheet
Escherichia coli DB10B(pCMVSport6)	
In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC).	
D. DESIGNATED STATES FOR WHICH INDICATION	ONS ARE MADE (if the indications are not for all designated States)
·	•
E. SEPARATE FURNISHING OF INDICATIONS (leave	e blank if nos applicable)
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")	
For receiving Office use only	For International Bureau use only
This sheet was received with the international application	☐ This sheet was received by the International Bureau on:
Authorized officer	Authorized officer
11-Mal	

A. The indications made below relate to the microorganis	m referred to in the description on page, line
B. IDENTIFICATION OF DEPOSIT	Further deposits are identified on an additional sheet
Name of depositary institution	
Agricultural Research Culture Collection (NRRL) International Depository Authority	· .
Address of depositary institution (including postal code and cour	ntry)
1815 N. University Street Peoria, Illinois 61604 United States of America	
Date of deposit February 27, 1999	Accession Number NRRL B-30105
C. ADDITIONAL INDICATIONS (leave blank if not app	licable) This information is continued on an additional sheet
Escherichia coli DB3.1(pEZC15103)	
available until the publication of the mention of the grant of the	s sought a sample of the deposited microorganism will be made ne European patent or until the date on which the application has been he issue of such a sample to an expert nominated by the person
D. DESIGNATED STATES FOR WHICH INDICATI	ONS ARE MADE (if the indications are not for all designated States)
E. SEPARATE FURNISHING OF INDICATIONS (leaves	
The indications listed below will be submitted to the international "Accession Number of Deposit")	Bureau later (specify the general nature of the indications, e.g.,
•	·
•	
	·
For receiving Office use only	For International Bureau use only
This sheet was received with the international application	☐ This sheet was received by the International Bureau on:
Authorized officer	Authorized officer
1) fulle	

Form PCT/RO/134 (July 1992)

A. The indications made below relate to the microorganism9	n referred to in the description on page 54, line
B. IDENTIFICATION OF DEPOSIT	Further deposits are identified on an additional sheet
Name of depositary institution	
Agricultural Research Culture Collection (NRRL) International Depository Authority	
Address of depositary institution (including postal code and count	try)
1815 N. University Street Peoria, Illinois 61604 United States of America	
Date of deposit February 27, 1999	Accession Number NRRL B-30104
C. ADDITIONAL INDICATIONS (leave blank if not appl	icable) This information is continued on an additional sheet
Escherichia coli DB3.1(pEZC15102)	
In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC).	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
E CEDADATE WIDNIGHTS OF INDICATIONS	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable) The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")	
· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
For receiving Office use only	For International Bureau use only
This sheet was received with the international application	☐ This sheet was received by the International Bureau on:
Authorized officer B. Fulice	Authorized officer

Form PCT/RO/134 (July 1992)

A. The indications made below relate to the microorganism referred to in the description on page	
B. IDENTIFICATION OF DEPOSIT	Further deposits are identified on an additional sheet
Name of depositary institution	
Agricultural Research Culture Collection (NRRL) International Depository Authority	O P E VC & J
Address of depositary institution (including postal code and cou	(MAR 0 7 2000 E
1815 N. University Street Peoria, Illinois 61604 United States of America	ENT & TRADENTS
Date of deposit February 27, 1999	Accession Number NRRL B-30099
C. ADDITIONAL INDICATIONS - fleave blank if not app	olicable) This information is continued on an additional sheet
Escherichia coli DB3.1(pAHPKan) or Escherich	ia coli DB3.1(pAttPKan)
In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC).	
D. DESIGNATED STATES FOR WHICH INDICAT	IONS ARE MADE (if the indications are not for all designated States)
E. SEPARATE FURNISHING OF INDICATIONS (lea	ve blank if not applicable)
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")	
For receiving Office use only	For International Bureau use only
This sheet was received with the international application	☐ This sheet was received by the International Bureau on:
Authorized officer Barbara Fridie CT Operation: 1 (PD Team 1 703) 305-3230 (FA)	Authorized officer

Escherichia coli DB3.1(pENTR-3C)

ICELAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the Icelandic Patent Office), or has been finally decided upon by the Icelandic Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in Rule 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

NORWAY

The applicant hereby requests that, until the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Norwegian Patent office or any person approved by the applicant in the individual case.

SINGAPORE

Escherichia coli DB3.1(pENTR-3C)

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent office or any person approved by the applicant in the individual case.

UNITED KINGDOM

Escherichia coli DB3.1(pENTR-2B)

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

CANADA

The applicant hereby requests that, until either a Canadian patent has been issued on the basis of the application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the furnishing of a sample of deposited biological material referred to in the application only be effected to an independent expert nominated by the Commissioner of Patents.

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent office or any person approved by the applicant in the individual case.

FINLAND

Escherichia coli DB3.1(pENTR-2B)

ICELAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the Icelandic Patent Office), or has been finally decided upon by the Icelandic Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in Rule 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

NORWAY

The applicant hereby requests that, until the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Norwegian Patent office or any person approved by the applicant in the individual case.

SINGAPORE

Escherichia coli DB3.1(pENTR-2B)

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent office or any person approved by the applicant in the individual case.

UNITED KINGDOM

Escherichia coli DB3.1(pENTR-1A)

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

CANADA

The applicant hereby requests that, until either a Canadian patent has been issued on the basis of the application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the furnishing of a sample of deposited biological material referred to in the application only be effected to an independent expert nominated by the Commissioner of Patents.

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent office or any person approved by the applicant in the individual case.

FINLAND

Escherichia coli DB3.1(pENTR-1A)

ICELAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the Icelandic Patent Office), or has been finally decided upon by the Icelandic Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in Rule 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

NORWAY

The applicant hereby requests that, until the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Norwegian Patent office or any person approved by the applicant in the individual case.

SINGAPORE

Escherichia coli DB3.1(pENTR-1A)

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent office or any person approved by the applicant in the individual case.

UNITED KINGDOM

Escherichia coli DB10B(pCMVSport6)

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

CANADA

The applicant hereby requests that, until either a Canadian patent has been issued on the basis of the application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the furnishing of a sample of deposited biological material referred to in the application only be effected to an independent expert nominated by the Commissioner of Patents.

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent office or any person approved by the applicant in the individual case.

FINLAND

Escherichia coli DB3.1(pAHPKan) or Escherichia coli DB3.1(pAttPKan)

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

CANADA

The applicant hereby requests that, until either a Canadian patent has been issued on the basis of the application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the furnishing of a sample of deposited biological material referred to in the application only be effected to an independent expert nominated by the Commissioner of Patents.

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent office or any person approved by the applicant in the individual case.

FINLAND

Escherichia coli DB3.1(pAHPKan) or Escherichia coli DB3.1(pAttPKan)

ICELAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the Icelandic Patent Office), or has been finally decided upon by the Icelandic Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in Rule 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

NORWAY

The applicant hereby requests that, until the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Norwegian Patent office or any person approved by the applicant in the individual case.

SINGAPORE

Escherichia coli DB3.1(pAHPKan) or Escherichia coli DB3.1(pAttPKah)

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent office or any person approved by the applicant in the individual case.

UNITED KINGDOM

Escherichia coli DB10B(pCMVSport6)

ICELAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the Icelandic Patent Office), or has been finally decided upon by the Icelandic Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in Rule 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

NORWAY

The applicant hereby requests that, until the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Norwegian Patent office or any person approved by the applicant in the individual case.

SINGAPORE

Escherichia coli DB10B(pCMVSport6)

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent office or any person approved by the applicant in the individual case.

UNITED KINGDOM

Escherichia coli DB3.1(pEZC15103)

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

CANADA

The applicant hereby requests that, until either a Canadian patent has been issued on the basis of the application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the furnishing of a sample of deposited biological material referred to in the application only be effected to an independent expert nominated by the Commissioner of Patents.

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent office or any person approved by the applicant in the individual case.

FINLAND

Escherichia coli DB3.1(pEZC15103)

ICELAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the Icelandic Patent Office), or has been finally decided upon by the Icelandic Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in Rule 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

NORWAY

The applicant hereby requests that, until the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Norwegian Patent office or any person approved by the applicant in the individual case.

SINGAPORE

Escherichia coli DB3.1(pEZC15103)

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent office or any person approved by the applicant in the individual case.

UNITED KINGDOM

Escherichia coli DB3.1(pEZC15102)

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

CANADA

The applicant hereby requests that, until either a Canadian patent has been issued on the basis of the application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the furnishing of a sample of deposited biological material referred to in the application only be effected to an independent expert nominated by the Commissioner of Patents.

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent office or any person approved by the applicant in the individual case.

FINLAND

Escherichia coli DB3.1(pEZC15102)

ICELAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the Icelandic Patent Office), or has been finally decided upon by the Icelandic Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in Rule 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

NORWAY

The applicant hereby requests that, until the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Norwegian Patent office or any person approved by the applicant in the individual case.

SINGAPORE

Escherichia coli DB3.1(pEZC15102)

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent office or any person approved by the applicant in the individual case.

UNITED KINGDOM

Escherichia coli DB3.1(pEZC15101)

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

CANADA

The applicant hereby requests that, until either a Canadian patent has been issued on the basis of the application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the furnishing of a sample of deposited biological material referred to in the application only be effected to an independent expert nominated by the Commissioner of Patents.

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent office or any person approved by the applicant in the individual case.

FINLAND

Escherichia coli DB3.1(pEZC15101)

ICELAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the Icelandic Patent Office), or has been finally decided upon by the Icelandic Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in Rule 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

NORWAY

The applicant hereby requests that, until the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Norwegian Patent office or any person approved by the applicant in the individual case.

SINGAPORE

Escherichia coli DB3.1(pEZC15101)

SWEDEN -

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent office or any person approved by the applicant in the individual case.

UNITED KINGDOM

Escherichia coli DB3.1(pENTR-3C)

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

CANADA

The applicant hereby requests that, until either a Canadian patent has been issued on the basis of the application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the furnishing of a sample of deposited biological material referred to in the application only be effected to an independent expert nominated by the Commissioner of Patents.

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent office or any person approved by the applicant in the individual case.

FINLAND

INTERNATIONAL SEARCH REPORT

In mational application No.
PCT/US00/05432

A. CLASSIFICATION OF SUBJECT MATTER				
IPC(7) :Please See Extra Sheet.				
US CL :435/91.2, 252.3, 320.1; 530/350; 536/ 23.1, 24.1				
According to International Patent Classification (IPC) or to both national classification and IPC				
}	DS SEARCHED	11 1 6 6 1 1 1 1 1		
Minimum documentation searched (classification system followed by classification symbols)				
U.S. : 4	435/91.2, 252.3, 320.1; 530/350; 536/ 23.1, 24.1			
Documentati	ion searched other than minimum documentation to the	e extent that such documents are included	in the fields searched	
NONE				
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)				
Please See Extra Sheet.				
C. DOCUMENTS CONSIDERED TO BE RELEVANT				
Category*	Citation of document, with indication, where ap	opropriate, of the relevant passages	Relevant to claim No.	
X,P	US 5,888,732 A (HARTLEY et al.)	30 March 1999, see entire	1-21, 25-30 36-38	
	document.			
Y,P			22-24, 31-35	
x	HASAN et al. Escherichia coli genome targeting, I. Cre-lox-			
-	mediated in vitro generation of ori-			
Y	chromosomal integration and retrieva	ll. Gene. 1994, Vol. 150,	15-18, 22-38	
	pages 51-56, see entire document.	-	·	
x	KAT7 et al. Site-specific recombinati	ion in Esherichia coli between	1_11 19_21	
_	KATZ et al. Site-specific recombination in Esherichia coli between the att sites of plasmid pSE211 from Saccharopolyspora erythraea.		1-11, 17-21	
Y			15-18, 22-38	
	document.	,, pages 155 155, see entire	15 10, 22 50	
X Further documents are listed in the continuation of Box C. See patent family annex.				
Special categories of cited documents: "T"		"T" later document published after the inte date and not in conflict with the appl		
"A" document defining the general state of the art which is not considered to be of particular relevance		the principle or theory underlying the		
E earlier document published on or after the international filing date		"X" document of particular relevance; the considered novel or cannot be considered novel or cannot be considered.		
document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other		when the document is taken alone		
special reason (as specified)		"Y" document of particular relevance; the considered to involve an inventive		
	document referring to an oral disclosure, use, exhibition or other combined with one or more other such documents, such combination being obvious to a person skilled in the art			
the	ument published prior to the international filing date but later than priority date claimed	*&* document member of the same patent		
Date of the actual completion of the international search		Date of mailing of the international search report		
08 MAY 2000		23 MAY 2000		
Name and mailing address of the ISA/US A		Authorized officer	- M	
Commissioner of Patents and Trademarks Box PCT		Authorized officer INSTRUCT FRUUTUALS IREM YUCEL	e fac	
Washington, D.C. 20231 Facsimile No. (703) 305-3230		Telephone No. (703) 308-0196		

INTERNATIONAL SEARCH REPORT

Inemational application No.
PCT/US00/05432

C (Continua	tion). DOCUMENTS CONSIDERED TO BE RELEVANT	
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No. 1-11, 19-21 15-18, 22-38
X - Y	ASTUMIAN et al. Site-specific recombination between cloned attP and attB sites from the Haemophilus influenzae bacteriophage HP1 propagated in recombination deficient Escherichia coli. J of Bacteriology. March 1989, Vol. 171, No. 3, pages 1747-1750, see entire document.	
	-	

INTERNATIONAL SEARCH REPORT

in smational application No. PCT/US00/05432

A. CLASSIFICATION OF SUBJECT MATTER: IPC (7):

C07H 21/04; C07K 1/00, 14/00; C12N 1/21, 15/00, 15/09, 15/63, 15/70; C12P 19/34

B. FIELDS SEARCHED

Electronic data bases consulted (Name of data base and where practicable terms used):

WEST, STN (CAPLUS); DIALOG (MEDLINE, BIOSIS, SCISEARCH, PASCAL)

Terms: att (B?, P?, R?, L?), MCS, POLYLINKER, PLASMID, VECTOR, LOCALIZATION, SIGNAL, TRANSCRIPTION, TERMIN?, TRANSLATION?, ORI, REPLICON, GST, HEXHIST?, THIOREDOX?, CLEAVAGE, SITE?, SPECIF?, DIRECT?, RECOMBIN?, CLON?, INSERT?

Form PCT/ISA/210 (extra sheet) (July 1998)*

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS .
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.